



通力電子控股有限公司



CK1 project antenna test report

fabrication : Qingguang Wu
verification : Zhengjiang Zhang
date : 2023-9-11
version :




Project information—项目信息


Object name:	CK1	Project types:	Soundbar
Project description:	Using designed module with antenna		
Structure drawing version:	00-sony-ck1.asm.9		
Test engineer:	Qingguang Wu	Test time:	2023.09.11
Software information:	-----	Number of antennas:	1
Antenna type:	PIFA	Antenna material:	On Board
Test conclusion:	Sony CK1 RF test indicators meet customer requirements.		

S11 test of antenna

Antenna test point



Antenna S11 test data




Item	LOW	MID	HIG	LIMIT
VSWR	1.28	1.24	1.97	2
Return loss	-18.26	-19.32	-14.05	-10



Antenna gain and efficiency

Test environment photo




Antenna efficiency test data

Freq(MHz)	Gain(dB)	SPCE(dB)	Efficiency(dB)	Efficiency(%)	SPCE(%)
2400	0.834035	<3.00	-5.091485885	30.96359736	>25
2410	0.899310	<3.00	-5.170415207	30.40594316	>25
2420	1.198531	<3.00	-5.094435523	30.94257467	>25
2430	1.370136	<3.00	-4.921537933	32.19928341	>25
2440	1.895302	<3.00	-4.646790281	34.30212079	>25
2450	2.175375	<3.00	-4.375514155	36.51308974	>25
2460	2.238207	<3.00	-4.214378376	37.89327681	>25
2470	2.361948	<3.00	-4.017390072	39.65162523	>25
2480	2.243785	<3.00	-3.897929785	40.7574516	>25

Antenna gain : 2.36dBi




Antenna 3D Radiation Pattern




Antenna 2D Radiation Pattern


XY-Plane Total



ZY-Plane Total



ZX-Plane Total




Remark:



Conduction test data

Conduction
test point


Conduction test
data



Item		BDR (DH5)			EDR 2M (2DH5)		
	Channel	Low	Mid	High	Low	Mid	High
	Unit	dBm	dBm	dBm	dBm	dBm	dBm
Tx		5.72	4.86	4.83	3.37	3.41	3.51
Rx		-92.50	-92.50	-92.50	-90.00	-90.50	-90.50



Test Environment Photo



OTA Result

No.	Item	Mode	Remark	Channel		
				2402 MHz	2441 MHz	2480 MHz
1	TRP	DH5		1.09	1.39	2.81
2	TIS	DH5		-87.5	-87.7	-88.2



THANKS

通力電子控股有限公司

