6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.96904G	42.75	68.20	-25.45	8.35	3	Vertical	274	2.47	34.40	39.82	11.05	42.52
PK	12.98952G	53.35	88.20	-34.85	8.29	3	Vertical	274	2.47	45.06	39.74	11.06	42.51

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.95624G	42.60	68.20	-25.60	8.41	3	Horizontal	340	2.03	34.19	39.88	11.05	42.52
PK	12.95612G	53.66	88.20	-34.54	8.41	3	Horizontal	340	2.03	45.25	39.88	11.05	42.52

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.95368G	42.69	68.20	-25.51	8.42	3	Vertical	55	1.16	34.27	39.89	11.05	42.52
PK	12.87304G	53.45	88.20	-34.75	8.21	3	Vertical	55	1.16	45.24	39.75	11.01	42.55

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.95432G	42.60	68.20	-25.60	8.41	3	Horizontal	257	2.03	34.19	39.88	11.05	42.52
PK	12.95624G	53.19	88.20	-35.01	8.41	3	Horizontal	257	2.03	44.78	39.88	11.05	42.52

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.37584G	43.03	54.00	-10.97	8.58	3	Vertical	312	1.20	34.45	39.95	11.22	42.59
PK	13.37592G	54.74	74.00	-19.26	8.58	3	Vertical	312	1.20	46.16	39.95	11.22	42.59

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.50008G	42.95	68.20	-25.25	8.95	3	Horizontal	148	1.76	34.00	40.30	11.27	42.62
PK	13.43608G	53.50	88.20	-34.70	8.70	3	Horizontal	148	1.76	44.80	40.07	11.24	42.61

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.50184G	43.01	68.20	-25.19	8.95	3	Vertical	67	2.72	34.06	40.30	11.27	42.62
PK	13.47624G	53.76	88.20	-34.44	8.85	3	Vertical	67	2.72	44.91	40.20	11.26	42.61

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.38132G	42.93	54.00	-11.07	8.59	3	Horizontal	169	2.17	34.34	39.96	11.22	42.59
PK	13.38152G	53.71	74.00	-20.29	8.59	3	Horizontal	169	2.17	45.12	39.96	11.22	42.59

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.2602G	42.54	54.00	-11.46	8.32	3	Vertical	169	1.92	34.22	39.72	11.17	42.57
PK	13.25324G	54.30	74.00	-19.70	8.31	3	Vertical	169	1.92	45.99	39.71	11.17	42.57

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.26158G	42.60	54.00	-11.40	8.32	3	Horizontal	287	2.08	34.28	39.72	11.17	42.57
PK	13.26374G	54.48	74.00	-19.52	8.33	3	Horizontal	287	2.08	46.15	39.73	11.17	42.57

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.5028G	43.07	68.20	-25.13	8.95	3	Vertical	170	1.65	34.12	40.30	11.27	42.62
PK	13.6212G	54.00	88.20	-34.20	8.58	3	Vertical	170	1.65	45.42	40.06	11.32	42.80

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.736411G	43.09	68.20	-25.11	8.39	3	Horizontal	79	2.62	34.70	40.00	11.36	42.97
PK	13.7364G	53.42	88.20	-34.78	8.39	3	Horizontal	79	2.62	45.03	40.00	11.36	42.97

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.631G	96.31	Inf	-Inf	8.53	3	Vertical	166	2.50	87.78	36.10	7.60	35.17
AV	7.131G	65.35	68.20	-2.85	9.84	3	Vertical	166	2.50	55.51	36.79	7.94	34.89
PK	6.833G	107.84	Inf	-Inf	8.79	3	Vertical	166	2.50	99.05	36.13	7.68	35.02
PK	7.127G	77.69	88.20	-10.51	9.80	3	Vertical	166	2.50	67.89	36.76	7.93	34.89

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.851G	95.57	Inf	-Inf	8.79	3	Horizontal	327	2.71	86.78	36.10	7.70	35.01
AV	7.135G	67.02	68.20	-1.18	9.86	3	Horizontal	327	2.71	57.16	36.81	7.94	34.89
PK	6.791G	107.00	Inf	-Inf	8.78	3	Horizontal	327	2.71	98.22	36.18	7.65	35.05
PK	7.143G	79.77	88.20	-8.43	9.91	3	Horizontal	327	2.71	69.86	36.86	7.94	34.89

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
AV	13.5028G	43.03	68.20	-25.17	34.08	3	Vertical	155	2.48	21	40.30	11.27	42.62
PK	13.502821G	54.26	74.00	-19.74	45.76	3	Vertical	155	2.48	21	39.88	11.20	42.58

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
AV	13.50024G	43.08	68.20	-25.12	34.13	3	Horizontal	336	1.62	21	40.30	11.27	42.62
PK	13.52712G	53.70	88.20	-34.50	44.78	3	Horizontal	336	1.62	21	40.30	11.28	42.66

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.1215G	92.38	Inf	-Inf	9.76	3	Vertical	167	2.50	82.62	36.73	7.93	34.90
AV	7.1255G	67.87	68.20	-0.33	9.79	3	Vertical	167	2.50	58.08	36.75	7.93	34.89
PK	7.1215G	98.51	Inf	-Inf	9.76	3	Vertical	167	2.50	88.75	36.73	7.93	34.90
PK	7.1255G	77.71	88.20	-10.49	9.79	3	Vertical	167	2.50	67.92	36.75	7.93	34.89

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.1195G	93.57	Inf	-Inf	9.75	3	Horizontal	328	3.00	83.82	36.72	7.93	34.90
AV	7.1255G	66.93	68.20	-1.27	9.79	3	Horizontal	328	3.00	57.14	36.75	7.93	34.89
PK	7.1195G	99.80	Inf	-Inf	9.75	3	Horizontal	328	3.00	90.05	36.72	7.93	34.90
PK	7.1255G	76.32	88.20	-11.88	9.79	3	Horizontal	328	3.00	66.53	36.75	7.93	34.89

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.24464G	43.19	68.20	-25.01	8.72	3	Vertical	245	2.98	34.47	40.32	11.54	43.14
PK	14.24472G	54.61	88.20	-33.59	8.72	3	Vertical	245	2.98	45.89	40.32	11.54	43.14

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.33176G	43.23	68.20	-24.97	8.86	3	Horizontal	217	2.22	34.37	40.36	11.56	43.06
PK	14.38424G	54.24	88.20	-33.96	8.82	3	Horizontal	217	2.22	45.42	40.26	11.58	43.02

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.0724G	98.89	Inf	-Inf	9.43	3	Vertical	168	3.00	89.46	36.43	7.90	34.90
AV	7.2302G	52.07	68.20	-16.13	10.27	3	Vertical	168	3.00	41.80	37.16	8.00	34.89
PK	7.0718G	110.27	Inf	-Inf	9.43	3	Vertical	168	3.00	100.84	36.43	7.90	34.90
PK	7.2026G	64.48	88.20	-23.72	10.20	3	Vertical	168	3.00	54.28	37.11	7.98	34.89

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.0682G	98.84	Inf	-Inf	9.40	3	Horizontal	329	2.48	89.44	36.41	7.89	34.90
AV	7.2332G	52.17	68.20	-16.03	10.28	3	Horizontal	329	2.48	41.89	37.17	8.00	34.89
PK	7.0874G	110.35	Inf	-Inf	9.53	3	Horizontal	329	2.48	100.82	36.52	7.91	34.90
PK	7.1954G	64.37	88.20	-23.83	10.17	3	Horizontal	329	2.48	54.20	37.08	7.98	34.89

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.16936G	43.01	68.20	-25.19	8.82	3	Vertical	103	2.34	34.19	40.50	11.52	43.20
PK	14.16923G	54.61	88.20	-33.59	8.82	3	Vertical	103	2.34	45.79	40.50	11.52	43.20

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.1636G	42.96	68.20	-25.24	8.81	3	Horizontal	66	1.51	34.15	40.50	11.52	43.21
PK	14.163611G	54.16	88.20	-34.04	8.81	3	Horizontal	66	1.51	45.35	40.50	11.52	43.21

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.992G	98.66	Inf	-Inf	9.03	3	Vertical	167	2.68	89.63	36.10	7.84	34.91
AV	7.1681G	53.01	68.20	-15.19	10.04	3	Vertical	167	2.68	42.97	36.97	7.96	34.89
PK	6.9923G	111.06	Inf	-Inf	9.03	3	Vertical	167	2.68	102.03	36.10	7.84	34.91
PK	7.1651G	64.99	88.20	-23.21	10.03	3	Vertical	167	2.68	54.96	36.96	7.96	34.89

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.0283G	98.75	Inf	-Inf	9.18	3	Horizontal	331	2.71	89.57	36.21	7.87	34.90
AV	7.172G	53.15	68.20	-15.05	10.06	3	Horizontal	331	2.71	43.09	36.99	7.96	34.89
PK	7.0265G	110.67	Inf	-Inf	9.18	3	Horizontal	331	2.71	101.49	36.21	7.87	34.90
PK	7.1384G	65.46	88.20	-22.74	9.88	3	Horizontal	331	2.71	55.58	36.83	7.94	34.89

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.16456G	43.27	68.20	-24.93	8.81	3	Vertical	170	1.96	34.46	40.50	11.52	43.21
PK	14.10824G	55.00	88.20	-33.20	8.74	3	Vertical	170	1.96	46.26	40.50	11.50	43.26

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.20808G	43.20	68.20	-25.00	8.83	3	Horizontal	327	1.46	34.37	40.47	11.53	43.17
PK	14.20812G	55.25	88.20	-32.95	8.83	3	Horizontal	327	1.46	46.42	40.47	11.53	43.17

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.972G	99.18	Inf	-Inf	9.00	3	Vertical	167	2.60	90.18	36.10	7.82	34.92
AV	7.136G	62.56	68.20	-5.64	9.87	3	Vertical	167	2.60	52.69	36.82	7.94	34.89
PK	6.971G	110.34	Inf	-Inf	9.00	3	Vertical	167	2.60	101.34	36.10	7.82	34.92
PK	7.144G	76.62	88.20	-11.58	9.91	3	Vertical	167	2.60	66.71	36.86	7.94	34.89

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.972G	98.27	Inf	-Inf	9.00	3	Horizontal	184	2.70	89.27	36.10	7.82	34.92
AV	7.232G	61.10	68.20	-7.10	10.27	3	Horizontal	184	2.70	50.83	37.16	8.00	34.89
PK	7.014G	109.42	Inf	-Inf	9.12	3	Horizontal	184	2.70	100.30	36.16	7.86	34.90
PK	7.139G	75.30	88.20	-12.90	9.88	3	Horizontal	184	2.70	65.42	36.83	7.94	34.89

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.12488G	42.93	68.20	-25.27	8.77	3	Vertical	141	2.63	34.16	40.50	11.51	43.24
PK	14.09992G	54.82	88.20	-33.38	8.74	3	Vertical	141	2.63	46.08	40.50	11.50	43.26

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.066G	43.02	68.20	-25.18	8.63	3	Horizontal	121	1.76	34.39	40.43	11.49	43.29
PK	14.12872G	53.29	88.20	-34.91	8.77	3	Horizontal	121	1.76	44.52	40.50	11.51	43.24

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.9525G	97.94	Inf	-Inf	-1.86	3	Vertical	165	2.61	99.80	36.10	7.80	45.76
AV	7.1325G	66.70	68.20	-1.50	-0.81	3	Vertical	165	2.61	67.51	36.79	7.94	45.54
PK	6.9305G	105.19	Inf	-Inf	-1.89	3	Vertical	165	2.61	107.08	36.10	7.78	45.77
PK	7.2225G	81.35	88.20	-6.85	-0.27	3	Vertical	165	2.61	81.62	37.15	7.99	45.41

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.9325G	97.75	Inf	-Inf	8.93	3	Horizontal	184	2.62	88.82	36.10	7.78	34.95
AV	7.1925G	63.95	68.20	-4.25	10.16	3	Horizontal	184	2.62	53.79	37.07	7.98	34.89
PK	6.9325G	104.74	Inf	-Inf	8.93	3	Horizontal	184	2.62	95.81	36.10	7.78	34.95
PK	7.1925G	80.70	88.20	-7.50	10.16	3	Horizontal	184	2.62	70.54	37.07	7.98	34.89

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.85523G	43.14	68.20	-25.06	8.29	3	Vertical	177	2.30	34.85	40.02	11.41	43.14
PK	13.85544G	54.17	88.20	-34.03	8.29	3	Vertical	177	2.30	45.88	40.02	11.41	43.14

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.86236G	43.21	68.20	-24.99	8.31	3	Horizontal	342	2.25	34.90	40.05	11.41	43.15
PK	13.86248G	55.17	88.20	-33.03	8.31	3	Horizontal	342	2.25	46.86	40.05	11.41	43.15

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	11.92326G	41.14	54.00	-12.86	3	Vertical	175	2.38
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	11.9342G	41.01	54.00	-12.99	3	Horizontal	14	1.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.912G	59.98	68.20	-8.22	3	Horizontal	342	2.78
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	12.05108G	41.23	54.00	-12.77	3	Vertical	51	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	5.917G	60.20	68.20	-8.00	3	Horizontal	353	2.62
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.94784G	43.94	68.20	-24.26	3	Vertical	214	2.21
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	12.95488G	42.76	68.20	-25.44	3	Vertical	39	2.05
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	12.9548G	42.86	68.20	-25.34	3	Vertical	163	2.92
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	12.99554G	42.15	68.20	-26.05	3	Horizontal	238	2.62
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.38612G	42.69	54.00	-11.31	3	Vertical	96	1.10
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.39664G	42.70	54.00	-11.30	3	Vertical	163	2.66
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.2549G	42.91	54.00	-11.09	3	Vertical	216	2.12
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.33186G	42.35	54.00	-11.65	3	Horizontal	191	2.70
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	13.4999G	43.01	68.20	-25.19	3	Vertical	294	2.73
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	67.44	68.20	-0.76	3	Horizontal	329	2.18
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	7.2164G	53.21	68.20	-14.99	3	Horizontal	327	2.43
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1342G	55.03	68.20	-13.17	3	Horizontal	330	3.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	7.143G	60.37	68.20	-7.83	3	Vertical	185	2.15
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	7.293G	51.22	54.00	-2.78	3	Horizontal	198	2.83

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9184G	48.01	68.20	-20.19	3	Vertical	358	2.54
5955MHz	Pass	AV	5.9466G	96.36	Inf	-Inf	3	Vertical	358	2.54
5955MHz	Pass	PK	5.9226G	60.46	88.20	-27.74	3	Vertical	358	2.54
5955MHz	Pass	PK	5.946G	107.33	Inf	-Inf	3	Vertical	358	2.54
5955MHz	Pass	AV	5.9208G	47.96	68.20	-20.24	3	Horizontal	345	2.64
5955MHz	Pass	AV	5.964G	97.21	Inf	-Inf	3	Horizontal	345	2.64
5955MHz	Pass	PK	5.8296G	59.21	88.20	-28.99	3	Horizontal	345	2.64
5955MHz	Pass	PK	5.9628G	107.70	Inf	-Inf	3	Horizontal	345	2.64
5955MHz	Pass	AV	11.92326G	41.14	54.00	-12.86	3	Vertical	175	2.38
5955MHz	Pass	PK	11.90394G	53.34	74.00	-20.66	3	Vertical	175	2.38
5955MHz	Pass	AV	11.8971G	40.95	54.00	-13.05	3	Horizontal	207	1.50
5955MHz	Pass	PK	11.9133G	52.50	74.00	-21.50	3	Horizontal	207	1.50
6195MHz	Pass	AV	12.38484G	40.70	54.00	-13.30	3	Vertical	5	2.84
6195MHz	Pass	PK	12.4044G	52.63	74.00	-21.37	3	Vertical	5	2.84
6195MHz	Pass	AV	12.39198G	40.71	54.00	-13.29	3	Horizontal	330	1.22
6195MHz	Pass	PK	12.38394G	52.20	74.00	-21.80	3	Horizontal	330	1.22
6415MHz	Pass	AV	12.84194G	42.44	68.20	-25.76	3	Vertical	233	2.83
6415MHz	Pass	PK	12.83564G	53.58	88.20	-34.62	3	Vertical	233	2.83
6415MHz	Pass	AV	12.84248G	41.89	68.20	-26.31	3	Horizontal	132	1.50
6415MHz	Pass	PK	12.84032G	53.67	88.20	-34.53	3	Horizontal	132	1.50
6435MHz	Pass	AV	12.87G	43.01	68.20	-25.19	3	Vertical	343	2.27
6435MHz	Pass	PK	12.87918G	54.36	88.20	-33.84	3	Vertical	343	2.27
6435MHz	Pass	AV	12.86826G	42.30	68.20	-25.90	3	Horizontal	275	1.50
6435MHz	Pass	PK	12.86748G	53.78	88.20	-34.42	3	Horizontal	275	1.50
6475MHz	Pass	AV	12.94784G	43.94	68.20	-24.26	3	Vertical	214	2.21
6475MHz	Pass	PK	12.94712G	55.70	88.20	-32.50	3	Vertical	214	2.21
6475MHz	Pass	AV	12.95592G	42.90	68.20	-25.30	3	Horizontal	159	2.78
6475MHz	Pass	PK	12.96256G	54.37	88.20	-33.83	3	Horizontal	159	2.78
6515MHz	Pass	AV	13.02816G	42.28	68.20	-25.92	3	Vertical	41	2.23
6515MHz	Pass	PK	13.0148G	53.84	88.20	-34.36	3	Vertical	41	2.23
6515MHz	Pass	AV	13.02616G	42.21	68.20	-25.99	3	Horizontal	300	2.09
6515MHz	Pass	PK	13.03488G	54.35	88.20	-33.85	3	Horizontal	300	2.09
6535MHz	Pass	AV	13.08504G	42.10	68.20	-26.10	3	Vertical	39	2.09
6535MHz	Pass	PK	13.07016G	54.52	88.20	-33.68	3	Vertical	39	2.09
6535MHz	Pass	AV	13.08856G	42.18	68.20	-26.02	3	Horizontal	302	1.92
6535MHz	Pass	PK	13.05112G	54.50	88.20	-33.70	3	Horizontal	302	1.92
6695MHz	Pass	AV	13.38612G	42.69	54.00	-11.31	3	Vertical	96	1.10
6695MHz	Pass	PK	13.38096G	54.74	74.00	-19.26	3	Vertical	96	1.10
6695MHz	Pass	AV	13.39924G	42.65	54.00	-11.35	3	Horizontal	69	1.91
6695MHz	Pass	PK	13.39984G	55.36	74.00	-18.64	3	Horizontal	69	1.91
6875MHz	Pass	AV	13.76856G	42.71	68.20	-25.49	3	Vertical	52	1.50
6875MHz	Pass	PK	13.76496G	54.78	88.20	-33.42	3	Vertical	52	1.50
6875MHz	Pass	AV	13.746G	42.64	68.20	-25.56	3	Horizontal	31	1.50
6875MHz	Pass	PK	13.74776G	55.09	88.20	-33.11	3	Horizontal	31	1.50
6895MHz	Pass	AV	13.7816G	42.79	68.20	-25.41	3	Vertical	141	1.50
6895MHz	Pass	PK	13.79456G	55.18	88.20	-33.02	3	Vertical	141	1.50
6895MHz	Pass	AV	13.77152G	42.74	68.20	-25.46	3	Horizontal	18	1.50
6895MHz	Pass	PK	13.7784G	54.94	88.20	-33.26	3	Horizontal	18	1.50
6995MHz	Pass	AV	13.97216G	42.53	68.20	-25.67	3	Vertical	133	1.22
6995MHz	Pass	PK	13.97648G	55.26	88.20	-32.94	3	Vertical	133	1.22
6995MHz	Pass	AV	13.9736G	42.54	68.20	-25.66	3	Horizontal	326	1.28
6995MHz	Pass	PK	13.97608G	54.67	88.20	-33.53	3	Horizontal	326	1.28
7095MHz	Pass	AV	7.086G	97.07	Inf	-Inf	3	Vertical	13	1.50
7095MHz	Pass	AV	7.2426G	52.19	68.20	-16.01	3	Vertical	13	1.50
7095MHz	Pass	PK	7.0866G	107.46	Inf	-Inf	3	Vertical	13	1.50
7095MHz	Pass	PK	7.1268G	65.42	88.20	-22.78	3	Vertical	13	1.50
7095MHz	Pass	AV	7.086G	97.76	Inf	-Inf	3	Horizontal	335	2.59
7095MHz	Pass	AV	7.2102G	52.17	68.20	-16.03	3	Horizontal	335	2.59
7095MHz	Pass	PK	7.086G	108.32	Inf	-Inf	3	Horizontal	335	2.59
7095MHz	Pass	PK	7.2396G	64.06	88.20	-24.14	3	Horizontal	335	2.59

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.20704G	43.19	68.20	-25.01	3	Vertical	172	1.16
7095MHz	Pass	PK	14.2036G	54.71	88.20	-33.49	3	Vertical	172	1.16
7095MHz	Pass	AV	14.20616G	43.23	68.20	-24.97	3	Horizontal	153	1.50
7095MHz	Pass	PK	14.20248G	55.16	88.20	-33.04	3	Horizontal	153	1.50
7115MHz	Pass	AV	7.1065G	100.57	Inf	-Inf	3	Vertical	171	2.29
7115MHz	Pass	AV	7.1255G	67.07	68.20	-1.13	3	Vertical	171	2.29
7115MHz	Pass	PK	7.1075G	106.36	Inf	-Inf	3	Vertical	171	2.29
7115MHz	Pass	PK	7.1255G	77.86	88.20	-10.34	3	Vertical	171	2.29
7115MHz	Pass	AV	7.1065G	99.47	Inf	-Inf	3	Horizontal	329	2.18
7115MHz	Pass	AV	7.1255G	67.44	68.20	-0.76	3	Horizontal	329	2.18
7115MHz	Pass	PK	7.1075G	105.55	Inf	-Inf	3	Horizontal	329	2.18
7115MHz	Pass	PK	7.1255G	78.55	88.20	-9.65	3	Horizontal	329	2.18
7115MHz	Pass	AV	14.2116G	43.14	68.20	-25.06	3	Vertical	300	1.35
7115MHz	Pass	PK	14.21112G	54.39	88.20	-33.81	3	Vertical	300	1.35
7115MHz	Pass	AV	14.21184G	43.13	68.20	-25.07	3	Horizontal	92	2.77
7115MHz	Pass	PK	14.21096G	55.60	88.20	-32.60	3	Horizontal	92	2.77
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9188G	47.97	68.20	-20.23	3	Vertical	353	2.74
5965MHz	Pass	AV	5.9818G	98.15	Inf	-Inf	3	Vertical	353	2.74
5965MHz	Pass	PK	5.9242G	64.89	88.20	-23.31	3	Vertical	353	2.74
5965MHz	Pass	PK	5.9812G	110.22	Inf	-Inf	3	Vertical	353	2.74
5965MHz	Pass	AV	5.9218G	48.84	68.20	-19.36	3	Horizontal	138	2.73
5965MHz	Pass	AV	5.983G	99.31	Inf	-Inf	3	Horizontal	138	2.73
5965MHz	Pass	PK	5.9182G	67.58	88.20	-20.62	3	Horizontal	138	2.73
5965MHz	Pass	PK	5.9824G	110.13	Inf	-Inf	3	Horizontal	138	2.73
5965MHz	Pass	AV	11.9306G	40.98	54.00	-13.02	3	Vertical	177	1.50
5965MHz	Pass	PK	11.90636G	52.46	74.00	-21.54	3	Vertical	177	1.50
5965MHz	Pass	AV	11.9342G	41.01	54.00	-12.99	3	Horizontal	14	1.50
5965MHz	Pass	PK	11.95316G	53.00	74.00	-21.00	3	Horizontal	14	1.50
6205MHz	Pass	AV	12.38588G	40.53	54.00	-13.47	3	Vertical	174	1.15
6205MHz	Pass	PK	12.4262G	52.48	74.00	-21.52	3	Vertical	174	1.15
6205MHz	Pass	AV	12.38432G	40.51	54.00	-13.49	3	Horizontal	90	1.76
6205MHz	Pass	PK	12.3878G	53.54	74.00	-20.46	3	Horizontal	90	1.76
6405MHz	Pass	AV	12.8388G	41.78	68.20	-26.42	3	Vertical	116	2.04
6405MHz	Pass	PK	12.79452G	54.00	88.20	-34.20	3	Vertical	116	2.04
6405MHz	Pass	AV	12.83856G	41.85	68.20	-26.35	3	Horizontal	340	1.84
6405MHz	Pass	PK	12.80556G	53.91	88.20	-34.29	3	Horizontal	340	1.84
6445MHz	Pass	AV	12.91988G	42.49	68.20	-25.71	3	Vertical	331	2.82
6445MHz	Pass	PK	12.9158G	54.20	88.20	-34.00	3	Vertical	331	2.82
6445MHz	Pass	AV	12.90296G	42.64	68.20	-25.56	3	Horizontal	155	1.98
6445MHz	Pass	PK	12.90872G	53.95	88.20	-34.25	3	Horizontal	155	1.98
6485MHz	Pass	AV	12.95488G	42.76	68.20	-25.44	3	Vertical	39	2.05
6485MHz	Pass	PK	12.99124G	54.54	88.20	-33.66	3	Vertical	39	2.05
6485MHz	Pass	AV	12.958G	42.56	68.20	-25.64	3	Horizontal	234	1.50
6485MHz	Pass	PK	12.97636G	54.65	88.20	-33.55	3	Horizontal	234	1.50
6525MHz	Pass	AV	13.03008G	42.43	68.20	-25.77	3	Vertical	40	2.21
6525MHz	Pass	PK	13.032G	54.43	88.20	-33.77	3	Vertical	40	2.21
6525MHz	Pass	AV	13.04088G	42.29	68.20	-25.91	3	Horizontal	175	2.70
6525MHz	Pass	PK	13.02132G	53.94	88.20	-34.26	3	Horizontal	175	2.70
6565MHz	Pass	AV	13.14212G	42.53	68.20	-25.67	3	Vertical	216	2.57
6565MHz	Pass	PK	13.13696G	53.94	88.20	-34.26	3	Vertical	216	2.57
6565MHz	Pass	AV	13.13972G	42.32	68.20	-25.88	3	Horizontal	2	2.79
6565MHz	Pass	PK	13.11464G	54.43	88.20	-33.77	3	Horizontal	2	2.79
6685MHz	Pass	AV	13.39664G	42.70	54.00	-11.30	3	Vertical	163	2.66
6685MHz	Pass	PK	13.37708G	54.78	74.00	-19.22	3	Vertical	163	2.66
6685MHz	Pass	AV	13.39748G	42.67	54.00	-11.33	3	Horizontal	0	2.30
6685MHz	Pass	PK	13.39352G	54.65	74.00	-19.35	3	Horizontal	0	2.30
6885MHz	Pass	AV	13.7736G	42.71	68.20	-25.49	3	Vertical	351	1.50
6885MHz	Pass	PK	13.7724G	54.62	88.20	-33.58	3	Vertical	351	1.50
6885MHz	Pass	AV	13.77228G	42.75	68.20	-25.45	3	Horizontal	104	1.50
6885MHz	Pass	PK	13.78932G	54.99	88.20	-33.21	3	Horizontal	104	1.50
6925MHz	Pass	AV	13.86188G	42.70	68.20	-25.50	3	Vertical	340	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.87652G	54.70	88.20	-33.50	3	Vertical	340	1.50
6925MHz	Pass	AV	13.87304G	42.67	68.20	-25.53	3	Horizontal	76	1.50
6925MHz	Pass	PK	13.84316G	55.12	88.20	-33.08	3	Horizontal	76	1.50
7005MHz	Pass	AV	14.03532G	42.82	68.20	-25.38	3	Vertical	261	1.50
7005MHz	Pass	PK	14.02644G	54.72	88.20	-33.48	3	Vertical	261	1.50
7005MHz	Pass	AV	14.03604G	42.84	68.20	-25.36	3	Horizontal	238	1.12
7005MHz	Pass	PK	14.02608G	54.69	88.20	-33.51	3	Horizontal	238	1.12
7085MHz	Pass	AV	7.0664G	94.69	Inf	-Inf	3	Vertical	47	1.50
7085MHz	Pass	AV	7.232G	53.11	68.20	-15.09	3	Vertical	47	1.50
7085MHz	Pass	PK	7.0676G	106.26	Inf	-Inf	3	Vertical	47	1.50
7085MHz	Pass	PK	7.2164G	65.76	88.20	-22.44	3	Vertical	47	1.50
7085MHz	Pass	AV	7.0688G	99.39	Inf	-Inf	3	Horizontal	327	2.43
7085MHz	Pass	AV	7.2164G	53.21	68.20	-14.99	3	Horizontal	327	2.43
7085MHz	Pass	PK	7.0718G	109.44	Inf	-Inf	3	Horizontal	327	2.43
7085MHz	Pass	PK	7.19G	65.20	88.20	-23.00	3	Horizontal	327	2.43
7085MHz	Pass	AV	14.16532G	43.25	68.20	-24.95	3	Vertical	237	1.91
7085MHz	Pass	PK	14.15836G	55.34	88.20	-32.86	3	Vertical	237	1.91
7085MHz	Pass	AV	14.16976G	43.13	68.20	-25.07	3	Horizontal	80	1.39
7085MHz	Pass	PK	14.17672G	54.77	88.20	-33.43	3	Horizontal	80	1.39
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	54.76	68.20	-13.44	3	Vertical	351	2.74
5985MHz	Pass	AV	5.988G	99.02	Inf	-Inf	3	Vertical	351	2.74
5985MHz	Pass	PK	5.921G	71.02	88.20	-17.18	3	Vertical	351	2.74
5985MHz	Pass	PK	5.979G	110.11	Inf	-Inf	3	Vertical	351	2.74
5985MHz	Pass	AV	5.912G	59.98	68.20	-8.22	3	Horizontal	342	2.78
5985MHz	Pass	AV	6.003G	98.99	Inf	-Inf	3	Horizontal	342	2.78
5985MHz	Pass	PK	5.913G	76.35	88.20	-11.85	3	Horizontal	342	2.78
5985MHz	Pass	PK	6.005G	110.79	Inf	-Inf	3	Horizontal	342	2.78
5985MHz	Pass	AV	12.0178G	41.12	54.00	-12.88	3	Vertical	206	1.50
5985MHz	Pass	PK	12.0198G	53.01	74.00	-20.99	3	Vertical	206	1.50
5985MHz	Pass	AV	12.02G	41.12	54.00	-12.88	3	Horizontal	255	1.50
5985MHz	Pass	PK	12.0152G	53.31	74.00	-20.69	3	Horizontal	255	1.50
6225MHz	Pass	AV	12.4226G	40.69	54.00	-13.31	3	Vertical	80	1.50
6225MHz	Pass	PK	12.4494G	52.63	74.00	-21.37	3	Vertical	80	1.50
6225MHz	Pass	AV	12.4574G	40.64	54.00	-13.36	3	Horizontal	297	1.47
6225MHz	Pass	PK	12.4528G	52.45	74.00	-21.55	3	Horizontal	297	1.47
6385MHz	Pass	AV	12.7712G	41.49	68.20	-26.71	3	Vertical	263	1.50
6385MHz	Pass	PK	12.76312G	53.55	88.20	-34.65	3	Vertical	263	1.50
6385MHz	Pass	AV	12.8172G	41.81	68.20	-26.39	3	Horizontal	289	2.64
6385MHz	Pass	PK	12.8006G	54.15	88.20	-34.05	3	Horizontal	289	2.64
6465MHz	Pass	AV	12.9548G	42.86	68.20	-25.34	3	Vertical	163	2.92
6465MHz	Pass	PK	12.9628G	54.70	88.20	-33.50	3	Vertical	163	2.92
6465MHz	Pass	AV	12.9758G	42.53	68.20	-25.67	3	Horizontal	274	1.50
6465MHz	Pass	PK	12.9582G	54.73	88.20	-33.47	3	Horizontal	274	1.50
6545MHz	Pass	AV	13.1032G	42.41	68.20	-25.79	3	Vertical	91	1.50
6545MHz	Pass	PK	13.1308G	53.95	88.20	-34.25	3	Vertical	91	1.50
6545MHz	Pass	AV	13.09496G	42.47	68.20	-25.73	3	Horizontal	103	1.50
6545MHz	Pass	PK	13.10288G	54.76	88.20	-33.44	3	Horizontal	103	1.50
6625MHz	Pass	AV	13.2549G	42.91	54.00	-11.09	3	Vertical	216	2.12
6625MHz	Pass	PK	13.25172G	55.20	74.00	-18.80	3	Vertical	216	2.12
6625MHz	Pass	AV	13.25472G	42.49	54.00	-11.51	3	Horizontal	342	1.00
6625MHz	Pass	PK	13.25236G	54.19	74.00	-19.81	3	Horizontal	342	1.00
6705MHz	Pass	AV	13.46256G	42.98	68.20	-25.22	3	Vertical	0	1.50
6705MHz	Pass	PK	13.4172G	54.62	88.20	-33.58	3	Vertical	0	1.50
6705MHz	Pass	AV	13.458G	42.89	68.20	-25.31	3	Horizontal	336	1.50
6705MHz	Pass	PK	13.46376G	54.67	88.20	-33.53	3	Horizontal	336	1.50
6785MHz	Pass	AV	13.5556G	43.05	68.20	-25.15	3	Vertical	50	2.31
6785MHz	Pass	PK	13.56088G	54.58	88.20	-33.62	3	Vertical	50	2.31
6785MHz	Pass	AV	13.5544G	42.99	68.20	-25.21	3	Horizontal	141	1.50
6785MHz	Pass	PK	13.59424G	54.87	88.20	-33.33	3	Horizontal	141	1.50
6865MHz	Pass	AV	13.73024G	42.90	68.20	-25.30	3	Vertical	299	2.93
6865MHz	Pass	PK	13.76576G	54.54	88.20	-33.66	3	Vertical	299	2.93

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz	Pass	AV	13.76696G	42.84	68.20	-25.36	3	Horizontal	129	1.10
6865MHz	Pass	PK	13.78112G	55.53	88.20	-32.67	3	Horizontal	129	1.10
6945MHz	Pass	AV	13.89978G	42.46	68.20	-25.74	3	Vertical	304	2.86
6945MHz	Pass	PK	13.87818G	54.50	88.20	-33.70	3	Vertical	304	2.86
6945MHz	Pass	AV	13.89594G	42.53	68.20	-25.67	3	Horizontal	324	1.51
6945MHz	Pass	PK	13.88814G	55.03	88.20	-33.17	3	Horizontal	324	1.51
7025MHz	Pass	AV	7.0586G	96.83	Inf	-Inf	3	Vertical	336	2.32
7025MHz	Pass	AV	7.1258G	53.69	68.20	-14.51	3	Vertical	336	2.32
7025MHz	Pass	PK	7.0538G	108.12	Inf	-Inf	3	Vertical	336	2.32
7025MHz	Pass	PK	7.1258G	69.82	88.20	-18.38	3	Vertical	336	2.32
7025MHz	Pass	AV	7.0022G	99.23	Inf	-Inf	3	Horizontal	330	3.00
7025MHz	Pass	AV	7.1342G	55.03	68.20	-13.17	3	Horizontal	330	3.00
7025MHz	Pass	PK	7.013G	109.49	Inf	-Inf	3	Horizontal	330	3.00
7025MHz	Pass	PK	7.1264G	67.94	88.20	-20.26	3	Horizontal	330	3.00
7025MHz	Pass	AV	14.06446G	42.43	68.20	-25.77	3	Vertical	335	1.50
7025MHz	Pass	PK	14.03518G	54.44	88.20	-33.76	3	Vertical	335	1.50
7025MHz	Pass	AV	14.06248G	42.44	68.20	-25.76	3	Horizontal	235	1.50
7025MHz	Pass	PK	14.05684G	54.24	88.20	-33.96	3	Horizontal	235	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.921G	51.27	68.20	-16.93	3	Vertical	360	2.67
6025MHz	Pass	AV	5.971G	95.67	Inf	-Inf	3	Vertical	360	2.67
6025MHz	Pass	PK	5.916G	63.61	88.20	-24.59	3	Vertical	360	2.67
6025MHz	Pass	PK	5.973G	106.79	Inf	-Inf	3	Vertical	360	2.67
6025MHz	Pass	AV	5.898G	52.34	68.20	-15.86	3	Horizontal	351	2.92
6025MHz	Pass	AV	6.103G	99.08	Inf	-Inf	3	Horizontal	351	2.92
6025MHz	Pass	PK	5.896G	64.22	88.20	-23.98	3	Horizontal	351	2.92
6025MHz	Pass	PK	6.103G	110.45	Inf	-Inf	3	Horizontal	351	2.92
6025MHz	Pass	AV	12.05108G	41.23	54.00	-12.77	3	Vertical	51	1.50
6025MHz	Pass	PK	12.05168G	52.85	74.00	-21.15	3	Vertical	51	1.50
6025MHz	Pass	AV	12.06068G	41.21	54.00	-12.79	3	Horizontal	165	1.50
6025MHz	Pass	PK	12.05786G	52.66	74.00	-21.34	3	Horizontal	165	1.50
6185MHz	Pass	AV	12.37816G	40.53	54.00	-13.47	3	Vertical	220	1.57
6185MHz	Pass	PK	12.36484G	53.39	74.00	-20.61	3	Vertical	220	1.57
6185MHz	Pass	AV	12.3619G	40.48	54.00	-13.52	3	Horizontal	3	1.52
6185MHz	Pass	PK	12.36988G	52.86	74.00	-21.14	3	Horizontal	3	1.52
6345MHz	Pass	AV	12.68598G	40.81	54.00	-13.19	3	Vertical	268	1.88
6345MHz	Pass	PK	12.68202G	52.56	74.00	-21.44	3	Vertical	268	1.88
6345MHz	Pass	AV	12.70158G	40.90	68.20	-27.30	3	Horizontal	357	2.16
6345MHz	Pass	PK	12.67614G	53.21	74.00	-20.79	3	Horizontal	357	2.16
6505MHz	Pass	AV	12.9965G	42.12	68.20	-26.08	3	Vertical	103	2.37
6505MHz	Pass	PK	13.01072G	54.38	88.20	-33.82	3	Vertical	103	2.37
6505MHz	Pass	AV	12.99554G	42.15	68.20	-26.05	3	Horizontal	238	2.62
6505MHz	Pass	PK	13.02044G	53.41	88.20	-34.79	3	Horizontal	238	2.62
6665MHz	Pass	AV	13.3342G	42.19	54.00	-11.81	3	Vertical	176	2.74
6665MHz	Pass	PK	13.33114G	53.69	74.00	-20.31	3	Vertical	176	2.74
6665MHz	Pass	AV	13.33186G	42.35	54.00	-11.65	3	Horizontal	191	2.70
6665MHz	Pass	PK	13.3321G	54.14	74.00	-19.86	3	Horizontal	191	2.70
6825MHz	Pass	AV	13.64262G	42.50	68.20	-25.70	3	Vertical	63	1.34
6825MHz	Pass	PK	13.6386G	54.53	88.20	-33.67	3	Vertical	63	1.34
6825MHz	Pass	AV	13.63962G	42.53	68.20	-25.67	3	Horizontal	184	2.89
6825MHz	Pass	PK	13.64652G	54.14	88.20	-34.06	3	Horizontal	184	2.89
6985MHz	Pass	AV	7.044G	95.10	Inf	-Inf	3	Vertical	185	2.15
6985MHz	Pass	AV	7.143G	60.37	68.20	-7.83	3	Vertical	185	2.15
6985MHz	Pass	PK	6.922G	106.77	Inf	-Inf	3	Vertical	185	2.15
6985MHz	Pass	PK	7.15G	71.02	88.20	-17.18	3	Vertical	185	2.15
6985MHz	Pass	AV	6.955G	96.81	Inf	-Inf	3	Horizontal	200	2.69
6985MHz	Pass	AV	7.134G	60.25	68.20	-7.95	3	Horizontal	200	2.69
6985MHz	Pass	PK	6.956G	109.25	Inf	-Inf	3	Horizontal	200	2.69
6985MHz	Pass	PK	7.1385G	77.24	88.20	-10.96	3	Horizontal	200	2.69
6985MHz	Pass	AV	13.97174G	42.54	68.20	-25.66	3	Vertical	225	1.13
6985MHz	Pass	PK	13.97588G	54.39	88.20	-33.81	3	Vertical	225	1.13
6985MHz	Pass	AV	13.96328G	42.49	68.20	-25.71	3	Horizontal	214	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	13.96208G	54.58	88.20	-33.62	3	Horizontal	214	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	50.92	68.20	-17.28	3	Vertical	356	1.50
6105MHz	Pass	AV	5.987G	94.86	Inf	-Inf	3	Vertical	356	1.50
6105MHz	Pass	PK	5.925G	63.98	88.20	-24.22	3	Vertical	356	1.50
6105MHz	Pass	PK	5.987G	105.96	Inf	-Inf	3	Vertical	356	1.50
6105MHz	Pass	AV	5.917G	60.20	68.20	-8.00	3	Horizontal	353	2.62
6105MHz	Pass	AV	5.961G	96.64	Inf	-Inf	3	Horizontal	353	2.62
6105MHz	Pass	PK	5.909G	69.86	88.20	-18.34	3	Horizontal	353	2.62
6105MHz	Pass	PK	5.957G	105.88	Inf	-Inf	3	Horizontal	353	2.62
6105MHz	Pass	AV	12.20136G	41.43	54.00	-12.57	3	Vertical	276	1.00
6105MHz	Pass	PK	12.21024G	53.50	74.00	-20.50	3	Vertical	276	1.00
6105MHz	Pass	AV	12.20328G	41.35	54.00	-12.65	3	Horizontal	4	1.55
6105MHz	Pass	PK	12.19782G	53.26	74.00	-20.74	3	Horizontal	4	1.55
6265MHz	Pass	AV	12.54494G	40.31	54.00	-13.69	3	Vertical	41	2.31
6265MHz	Pass	PK	12.5321G	51.42	74.00	-22.58	3	Vertical	41	2.31
6265MHz	Pass	AV	12.545G	40.11	54.00	-13.89	3	Horizontal	159	1.84
6265MHz	Pass	PK	12.54278G	51.78	74.00	-22.22	3	Horizontal	159	1.84
6425MHz	Pass	AV	12.85408G	41.86	68.20	-26.34	3	Vertical	329	2.40
6425MHz	Pass	PK	12.8494G	53.22	88.20	-34.98	3	Vertical	329	2.40
6425MHz	Pass	AV	12.85336G	41.80	68.20	-26.40	3	Horizontal	101	1.83
6425MHz	Pass	PK	12.85036G	53.78	88.20	-34.42	3	Horizontal	101	1.83
6585MHz	Pass	AV	13.18392G	42.08	68.20	-26.12	3	Vertical	36	1.70
6585MHz	Pass	PK	13.1784G	55.11	88.20	-33.09	3	Vertical	36	1.70
6585MHz	Pass	AV	13.18398G	42.16	68.20	-26.04	3	Horizontal	51	1.01
6585MHz	Pass	PK	13.18488G	53.35	88.20	-34.85	3	Horizontal	51	1.01
6745MHz	Pass	AV	13.4999G	43.01	68.20	-25.19	3	Vertical	294	2.73
6745MHz	Pass	PK	13.48604G	54.63	88.20	-33.57	3	Vertical	294	2.73
6745MHz	Pass	AV	13.49954G	42.87	68.20	-25.33	3	Horizontal	37	1.23
6745MHz	Pass	PK	13.48928G	53.78	88.20	-34.42	3	Horizontal	37	1.23
6905MHz	Pass	AV	7.029G	94.30	Inf	-Inf	3	Vertical	166	2.75
6905MHz	Pass	AV	7.209G	57.43	68.20	-10.77	3	Vertical	166	2.75
6905MHz	Pass	AV	7.297G	50.10	54.00	-3.90	3	Vertical	166	2.75
6905MHz	Pass	PK	7.029G	107.23	Inf	-Inf	3	Vertical	166	2.75
6905MHz	Pass	PK	7.217G	70.04	88.20	-18.16	3	Vertical	166	2.75
6905MHz	Pass	PK	7.25G	61.36	74.00	-12.64	3	Vertical	166	2.75
6905MHz	Pass	AV	6.879G	91.45	Inf	-Inf	3	Horizontal	198	2.83
6905MHz	Pass	AV	7.217G	57.98	68.20	-10.22	3	Horizontal	198	2.83
6905MHz	Pass	AV	7.293G	51.22	54.00	-2.78	3	Horizontal	198	2.83
6905MHz	Pass	PK	6.933G	102.73	Inf	-Inf	3	Horizontal	198	2.83
6905MHz	Pass	PK	7.209G	71.49	88.20	-16.71	3	Horizontal	198	2.83
6905MHz	Pass	PK	7.259G	61.43	74.00	-12.57	3	Horizontal	198	2.83
6905MHz	Pass	AV	13.82104G	42.48	68.20	-25.72	3	Vertical	51	1.69
6905MHz	Pass	PK	13.8115G	54.71	88.20	-33.49	3	Vertical	51	1.69
6905MHz	Pass	AV	13.82362G	42.49	68.20	-25.71	3	Horizontal	104	2.50
6905MHz	Pass	PK	13.80388G	55.30	88.20	-32.90	3	Horizontal	104	2.50

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9184G	48.01	68.20	-20.19	6.57	3	Vertical	358	2.54	41.44	34.36	7.33	35.12
AV	5.9466G	96.36	Inf	-Inf	6.55	3	Vertical	358	2.54	89.81	34.31	7.34	35.10
PK	5.9226G	60.46	88.20	-27.74	6.56	3	Vertical	358	2.54	53.90	34.35	7.33	35.12
PK	5.946G	107.33	Inf	-Inf	6.55	3	Vertical	358	2.54	100.78	34.31	7.34	35.10

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9208G	47.96	68.20	-20.24	6.57	3	Horizontal	345	2.64	41.39	34.36	7.33	35.12
AV	5.964G	97.21	Inf	-Inf	6.56	3	Horizontal	345	2.64	90.65	34.30	7.35	35.09
PK	5.8296G	59.21	88.20	-28.99	6.37	3	Horizontal	345	2.64	52.84	34.26	7.29	35.18
PK	5.9628G	107.70	Inf	-Inf	6.56	3	Horizontal	345	2.64	101.14	34.30	7.35	35.09

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	11.92326G	41.14	54.00	-12.86	6.77	3	Vertical	175	2.38	34.37	38.90	10.62	42.75
PK	11.90394G	53.34	74.00	-20.66	6.77	3	Vertical	175	2.38	46.57	38.90	10.61	42.74

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	11.8971G	40.95	54.00	-13.05	6.75	3	Horizontal	207	1.50	34.20	38.89	10.60	42.74
PK	11.9133G	52.50	74.00	-21.50	6.76	3	Horizontal	207	1.50	45.74	38.90	10.61	42.75

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9188G	47.97	68.20	-20.23	6.57	3	Vertical	353	2.74	41.40	34.36	7.33	35.12
AV	5.9818G	98.15	Inf	-Inf	6.57	3	Vertical	353	2.74	91.58	34.30	7.35	35.08
PK	5.9242G	64.89	88.20	-23.31	6.56	3	Vertical	353	2.74	58.33	34.35	7.33	35.12
PK	5.9812G	110.22	Inf	-Inf	6.57	3	Vertical	353	2.74	103.65	34.30	7.35	35.08

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9218G	48.84	68.20	-19.36	6.57	3	Horizontal	138	2.73	42.27	34.36	7.33	35.12
AV	5.983G	99.31	Inf	-Inf	6.57	3	Horizontal	138	2.73	92.74	34.30	7.35	35.08
PK	5.9182G	67.58	88.20	-20.62	6.57	3	Horizontal	138	2.73	61.01	34.36	7.33	35.12
PK	5.9824G	110.13	Inf	-Inf	6.57	3	Horizontal	138	2.73	103.56	34.30	7.35	35.08

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	11.9306G	40.98	54.00	-13.02	6.76	3	Vertical	177	1.50	34.22	38.90	10.62	42.76
PK	11.90636G	52.46	74.00	-21.54	6.76	3	Vertical	177	1.50	45.70	38.90	10.61	42.75

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	11.9342G	41.01	54.00	-12.99	6.76	3	Horizontal	14	1.50	34.25	38.90	10.62	42.76
PK	11.95316G	53.00	74.00	-21.00	6.77	3	Horizontal	14	1.50	46.23	38.91	10.63	42.77

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	54.76	68.20	-13.44	6.56	3	Vertical	351	2.74	48.20	34.35	7.33	35.12
AV	5.988G	99.02	Inf	-Inf	6.58	3	Vertical	351	2.74	92.44	34.30	7.36	35.08
PK	5.921G	71.02	88.20	-17.18	6.57	3	Vertical	351	2.74	64.45	34.36	7.33	35.12
PK	5.979G	110.11	Inf	-Inf	6.57	3	Vertical	351	2.74	103.54	34.30	7.35	35.08

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.912G	59.98	68.20	-8.22	6.57	3	Horizontal	342	2.78	53.41	34.38	7.32	35.13
AV	6.003G	98.99	Inf	-Inf	6.59	3	Horizontal	342	2.78	92.40	34.30	7.36	35.07
PK	5.913G	76.35	88.20	-11.85	6.57	3	Horizontal	342	2.78	69.78	34.37	7.33	35.13
PK	6.005G	110.79	Inf	-Inf	6.59	3	Horizontal	342	2.78	104.20	34.30	7.36	35.07

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.0178G	41.12	54.00	-12.88	6.95	3	Vertical	206	1.50	34.17	39.07	10.67	42.79
PK	12.0198G	53.01	74.00	-20.99	6.97	3	Vertical	206	1.50	46.04	39.08	10.67	42.78

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.02G	41.12	54.00	-12.88	6.97	3	Horizontal	255	1.50	34.15	39.08	10.67	42.78
PK	12.0152G	53.31	74.00	-20.69	6.94	3	Horizontal	255	1.50	46.37	39.06	10.67	42.79

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.921G	51.27	68.20	-16.93	6.57	3	Vertical	360	2.67	44.70	34.36	7.33	35.12
AV	5.971G	95.67	Inf	-Inf	6.56	3	Vertical	360	2.67	89.11	34.30	7.35	35.09
PK	5.916G	63.61	88.20	-24.59	6.58	3	Vertical	360	2.67	57.03	34.37	7.33	35.12
PK	5.973G	106.79	Inf	-Inf	6.56	3	Vertical	360	2.67	100.23	34.30	7.35	35.09

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.898G	52.34	68.20	-15.86	6.58	3	Horizontal	351	2.92	45.76	34.40	7.32	35.14
AV	6.103G	99.08	Inf	-Inf	6.60	3	Horizontal	351	2.92	92.48	34.31	7.40	35.11
PK	5.896G	64.22	88.20	-23.98	6.57	3	Horizontal	351	2.92	57.65	34.39	7.32	35.14
PK	6.103G	110.45	Inf	-Inf	6.60	3	Horizontal	351	2.92	103.85	34.31	7.40	35.11

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.05108G	41.23	54.00	-12.77	7.10	3	Vertical	51	1.50	34.13	39.20	10.68	42.78
PK	12.05168G	52.85	74.00	-21.15	7.10	3	Vertical	51	1.50	45.75	39.20	10.68	42.78

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.06068G	41.21	54.00	-12.79	7.11	3	Horizontal	165	1.50	34.10	39.20	10.68	42.77
PK	12.05786G	52.66	74.00	-21.34	7.11	3	Horizontal	165	1.50	45.55	39.20	10.68	42.77

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	50.92	68.20	-17.28	6.56	3	Vertical	356	1.50	44.36	34.35	7.33	35.12
AV	5.987G	94.86	Inf	-Inf	6.57	3	Vertical	356	1.50	88.29	34.30	7.35	35.08
PK	5.925G	63.98	88.20	-24.22	6.56	3	Vertical	356	1.50	57.42	34.35	7.33	35.12
PK	5.987G	105.96	Inf	-Inf	6.57	3	Vertical	356	1.50	99.39	34.30	7.35	35.08

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.917G	60.20	68.20	-8.00	6.58	3	Horizontal	353	2.62	53.62	34.37	7.33	35.12
AV	5.961G	96.64	Inf	-Inf	6.55	3	Horizontal	353	2.62	90.09	34.30	7.34	35.09
PK	5.909G	69.86	88.20	-18.34	6.57	3	Horizontal	353	2.62	63.29	34.38	7.32	35.13
PK	5.957G	105.88	Inf	-Inf	6.54	3	Horizontal	353	2.62	99.34	34.30	7.34	35.10

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.20136G	41.43	54.00	-12.57	7.20	3	Vertical	276	1.00	34.23	39.20	10.74	42.74
PK	12.21024G	53.50	74.00	-20.50	7.21	3	Vertical	276	1.00	46.29	39.20	10.75	42.74

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.20328G	41.35	54.00	-12.65	7.20	3	Horizontal	4	1.55	34.15	39.20	10.74	42.74
PK	12.19782G	53.26	74.00	-20.74	7.20	3	Horizontal	4	1.55	46.06	39.20	10.74	42.74

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.94784G	43.94	68.20	-24.26	8.41	3	Vertical	214	2.21	35.53	39.90	11.04	42.53
PK	12.94712G	55.70	88.20	-32.50	8.40	3	Vertical	214	2.21	47.30	39.89	11.04	42.53

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.95592G	42.90	68.20	-25.30	8.41	3	Horizontal	159	2.78	34.49	39.88	11.05	42.52
PK	12.96256G	54.37	88.20	-33.83	8.38	3	Horizontal	159	2.78	45.99	39.85	11.05	42.52

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.95488G	42.76	68.20	-25.44	8.41	3	Vertical	39	2.05	34.35	39.88	11.05	42.52
PK	12.99124G	54.54	88.20	-33.66	8.29	3	Vertical	39	2.05	46.25	39.74	11.06	42.51

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.958G	42.56	68.20	-25.64	8.40	3	Horizontal	234	1.50	34.16	39.87	11.05	42.52
PK	12.97636G	54.65	88.20	-33.55	8.33	3	Horizontal	234	1.50	46.32	39.79	11.06	42.52

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.9548G	42.86	68.20	-25.34	8.41	3	Vertical	163	2.92	34.45	39.88	11.05	42.52
PK	12.9628G	54.70	88.20	-33.50	8.38	3	Vertical	163	2.92	46.32	39.85	11.05	42.52

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.9758G	42.53	68.20	-25.67	8.34	3	Horizontal	274	1.50	34.19	39.80	11.06	42.52
PK	12.9582G	54.73	88.20	-33.47	8.40	3	Horizontal	274	1.50	46.33	39.87	11.05	42.52

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.9965G	42.12	68.20	-26.08	8.26	3	Vertical	103	2.37	33.86	39.71	11.06	42.51
PK	13.01072G	54.38	88.20	-33.82	8.22	3	Vertical	103	2.37	46.16	39.66	11.07	42.51

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.99554G	42.15	68.20	-26.05	8.27	3	Horizontal	238	2.62	33.88	39.72	11.06	42.51
PK	13.02044G	53.41	88.20	-34.79	8.18	3	Horizontal	238	2.62	45.23	39.62	11.07	42.51

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.38612G	42.69	54.00	-11.31	8.60	3	Vertical	96	1.10	34.09	39.97	11.22	42.59
PK	13.38096G	54.74	74.00	-19.26	8.59	3	Vertical	96	1.10	46.15	39.96	11.22	42.59

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.39924G	42.65	54.00	-11.35	8.63	3	Horizontal	69	1.91	34.02	40.00	11.23	42.60
PK	13.39984G	55.36	74.00	-18.64	8.63	3	Horizontal	69	1.91	46.73	40.00	11.23	42.60

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.39664G	42.70	54.00	-11.30	8.62	3	Vertical	163	2.66	34.08	39.99	11.23	42.60
PK	13.37708G	54.78	74.00	-19.22	8.58	3	Vertical	163	2.66	46.20	39.95	11.22	42.59

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.39748G	42.67	54.00	-11.33	8.62	3	Horizontal	0	2.30	34.05	39.99	11.23	42.60
PK	13.39352G	54.65	74.00	-19.35	8.61	3	Horizontal	0	2.30	46.04	39.99	11.22	42.60

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.2549G	42.91	54.00	-11.09	8.31	3	Vertical	216	2.12	34.60	39.71	11.17	42.57
PK	13.25172G	55.20	74.00	-18.80	8.30	3	Vertical	216	2.12	46.90	39.70	11.17	42.57

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.25472G	42.49	54.00	-11.51	8.31	3	Horizontal	342	1.00	34.18	39.71	11.17	42.57
PK	13.25236G	54.19	74.00	-19.81	8.30	3	Horizontal	342	1.00	45.89	39.70	11.17	42.57

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.3342G	42.19	54.00	-11.81	8.49	3	Vertical	176	2.74	33.70	39.87	11.20	42.58
PK	13.33114G	53.69	74.00	-20.31	8.48	3	Vertical	176	2.74	45.21	39.86	11.20	42.58

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.33186G	42.35	54.00	-11.65	8.48	3	Horizontal	191	2.70	33.87	39.86	11.20	42.58
PK	13.3321G	54.14	74.00	-19.86	8.48	3	Horizontal	191	2.70	45.66	39.86	11.20	42.58

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.4999G	43.01	68.20	-25.19	8.95	3	Vertical	294	2.73	34.06	40.30	11.27	42.62
PK	13.48604G	54.63	88.20	-33.57	8.88	3	Vertical	294	2.73	45.75	40.24	11.26	42.62

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.49954G	42.87	68.20	-25.33	8.95	3	Horizontal	37	1.23	33.92	40.30	11.27	42.62
PK	13.48928G	53.78	88.20	-34.42	8.90	3	Horizontal	37	1.23	44.88	40.26	11.26	42.62

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.1065G	100.57	Inf	-Inf	9.66	3	Vertical	171	2.29	90.91	36.64	7.92	34.90
AV	7.1255G	67.07	68.20	-1.13	9.79	3	Vertical	171	2.29	57.28	36.75	7.93	34.89
PK	7.1075G	106.36	Inf	-Inf	9.66	3	Vertical	171	2.29	96.70	36.64	7.92	34.90
PK	7.1255G	77.86	88.20	-10.34	9.79	3	Vertical	171	2.29	68.07	36.75	7.93	34.89

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.1065G	99.47	Inf	-Inf	9.66	3	Horizontal	329	2.18	89.81	36.64	7.92	34.90
AV	7.1255G	67.44	68.20	-0.76	9.79	3	Horizontal	329	2.18	57.65	36.75	7.93	34.89
PK	7.1075G	105.55	Inf	-Inf	9.66	3	Horizontal	329	2.18	95.89	36.64	7.92	34.90
PK	7.1255G	78.55	88.20	-9.65	9.79	3	Horizontal	329	2.18	68.76	36.75	7.93	34.89

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.2116G	43.14	68.20	-25.06	8.81	3	Vertical	300	1.35	34.33	40.45	11.53	43.17
PK	14.21112G	54.39	88.20	-33.81	8.82	3	Vertical	300	1.35	45.57	40.46	11.53	43.17

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.21184G	43.13	68.20	-25.07	8.81	3	Horizontal	92	2.77	34.32	40.45	11.53	43.17
PK	14.21096G	55.60	88.20	-32.60	8.82	3	Horizontal	92	2.77	46.78	40.46	11.53	43.17

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.0664G	94.69	Inf	-Inf	9.39	3	Vertical	47	1.50	85.30	36.40	7.89	34.90
AV	7.232G	53.11	68.20	-15.09	10.27	3	Vertical	47	1.50	42.84	37.16	8.00	34.89
PK	7.0676G	106.26	Inf	-Inf	9.40	3	Vertical	47	1.50	96.86	36.41	7.89	34.90
PK	7.2164G	65.76	88.20	-22.44	10.23	3	Vertical	47	1.50	55.53	37.13	7.99	34.89

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.0688G	99.39	Inf	-Inf	9.40	3	Horizontal	327	2.43	89.99	36.41	7.89	34.90
AV	7.2164G	53.21	68.20	-14.99	10.23	3	Horizontal	327	2.43	42.98	37.13	7.99	34.89
PK	7.0718G	109.44	Inf	-Inf	9.43	3	Horizontal	327	2.43	100.01	36.43	7.90	34.90
PK	7.19G	65.20	88.20	-23.00	10.14	3	Horizontal	327	2.43	55.06	37.06	7.97	34.89

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.16532G	43.25	68.20	-24.95	8.81	3	Vertical	237	1.91	34.44	40.50	11.52	43.21
PK	14.15836G	55.34	88.20	-32.86	8.81	3	Vertical	237	1.91	46.53	40.50	11.52	43.21

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.16976G	43.13	68.20	-25.07	8.82	3	Horizontal	80	1.39	34.31	40.50	11.52	43.20
PK	14.17672G	54.77	88.20	-33.43	8.82	3	Horizontal	80	1.39	45.95	40.50	11.52	43.20

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.0586G	96.83	Inf	-Inf	9.34	3	Vertical	336	2.32	87.49	36.35	7.89	34.90
AV	7.1258G	53.69	68.20	-14.51	9.79	3	Vertical	336	2.32	43.90	36.75	7.93	34.89
PK	7.0538G	108.12	Inf	-Inf	9.30	3	Vertical	336	2.32	98.82	36.32	7.88	34.90
PK	7.1258G	69.82	88.20	-18.38	9.79	3	Vertical	336	2.32	60.03	36.75	7.93	34.89

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.0022G	99.23	Inf	-Inf	9.06	3	Horizontal	330	3.00	90.17	36.11	7.85	34.90
AV	7.1342G	55.03	68.20	-13.17	9.86	3	Horizontal	330	3.00	45.17	36.81	7.94	34.89
PK	7.013G	109.49	Inf	-Inf	9.11	3	Horizontal	330	3.00	100.38	36.15	7.86	34.90
PK	7.1264G	67.94	88.20	-20.26	9.80	3	Horizontal	330	3.00	58.14	36.76	7.93	34.89

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.06446G	42.43	68.20	-25.77	8.63	3	Vertical	335	1.50	33.80	40.43	11.49	43.29
PK	14.03518G	54.44	88.20	-33.76	8.53	3	Vertical	335	1.50	45.91	40.37	11.48	43.32

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.06248G	42.44	68.20	-25.76	8.61	3	Horizontal	235	1.50	33.83	40.42	11.49	43.30
PK	14.05684G	54.24	88.20	-33.96	8.60	3	Horizontal	235	1.50	45.64	40.41	11.49	43.30

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.044G	95.10	Inf	-Inf	9.26	3	Vertical	185	2.15	85.84	36.28	7.88	34.90
AV	7.143G	60.37	68.20	-7.83	9.91	3	Vertical	185	2.15	50.46	36.86	7.94	34.89
PK	6.922G	106.77	Inf	-Inf	8.91	3	Vertical	185	2.15	97.86	36.10	7.77	34.96
PK	7.15G	71.02	88.20	-17.18	9.96	3	Vertical	185	2.15	61.06	36.90	7.95	34.89

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.955G	96.81	Inf	-Inf	8.97	3	Horizontal	200	2.69	87.84	36.10	7.80	34.93
AV	7.134G	60.25	68.20	-7.95	9.85	3	Horizontal	200	2.69	50.40	36.80	7.94	34.89
PK	6.956G	109.25	Inf	-Inf	8.98	3	Horizontal	200	2.69	100.27	36.10	7.81	34.93
PK	7.1385G	77.24	88.20	-10.96	9.88	3	Horizontal	200	2.69	67.36	36.83	7.94	34.89

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.97174G	42.54	68.20	-25.66	8.39	3	Vertical	225	1.13	34.15	40.24	11.46	43.31
PK	13.97588G	54.39	88.20	-33.81	8.40	3	Vertical	225	1.13	45.99	40.25	11.46	43.31

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.96328G	42.49	68.20	-25.71	8.39	3	Horizontal	214	1.50	34.10	40.23	11.46	43.30
PK	13.96208G	54.58	88.20	-33.62	8.38	3	Horizontal	214	1.50	46.20	40.22	11.45	43.29

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.029G	94.30	Inf	-Inf	-1.60	3	Vertical	166	2.75	95.90	36.22	7.87	45.69
AV	7.209G	57.43	68.20	-10.77	-0.32	3	Vertical	166	2.75	57.75	37.12	7.99	45.43
AV	7.297G	50.10	54.00	-3.90	-0.15	3	Vertical	166	2.75	50.25	37.11	8.04	45.30
PK	7.029G	107.23	Inf	-Inf	-1.60	3	Vertical	166	2.75	108.83	36.22	7.87	45.69
PK	7.217G	70.04	88.20	-18.16	-0.30	3	Vertical	166	2.75	70.34	37.13	7.99	45.42
PK	7.25G	61.36	74.00	-12.64	-0.16	3	Vertical	166	2.75	61.52	37.20	8.01	45.37

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.879G	91.45	Inf	-Inf	-1.97	3	Horizontal	198	2.83	93.42	36.10	7.73	45.80
AV	7.217G	57.98	68.20	-10.22	-0.30	3	Horizontal	198	2.83	58.28	37.13	7.99	45.42
AV	7.293G	51.22	54.00	-2.78	-0.16	3	Horizontal	198	2.83	51.38	37.11	8.04	45.31
PK	6.933G	102.73	Inf	-Inf	-1.89	3	Horizontal	198	2.83	104.62	36.10	7.78	45.77
PK	7.209G	71.49	88.20	-16.71	-0.32	3	Horizontal	198	2.83	71.81	37.12	7.99	45.43
PK	7.259G	61.43	74.00	-12.57	-0.16	3	Horizontal	198	2.83	61.59	37.18	8.02	45.36

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.82104G	42.48	68.20	-25.72	8.25	3	Vertical	51	1.69	34.23	39.94	11.40	43.09
PK	13.8115G	54.71	88.20	-33.49	8.24	3	Vertical	51	1.69	46.47	39.92	11.39	43.07

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.82362G	42.49	68.20	-25.71	8.26	3	Horizontal	104	2.50	34.23	39.95	11.40	43.09
PK	13.80388G	55.30	88.20	-32.90	8.24	3	Horizontal	104	2.50	47.06	39.91	11.39	43.06

Antenna Gain(dBi)
3.74

Contention Based protocol (802.11be EHT20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-71.74	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-73.74	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-71.74	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-73.74	OFF	10	100	90	Pass

Contention Based protocol (802.11be EHT320)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-71.74	OFF	10	100	90	Pass
				Center	6105	-76.74	OFF	10	100	90	Pass
				High edge	6260	-69.74	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-73.74	OFF	10	100	90	Pass
				Center	6425	-73.74	OFF	10	100	90	Pass
				High edge	6580	-75.74	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-77.74	OFF	10	100	90	Pass
				Center	6585	-73.74	OFF	10	100	90	Pass
				High edge	6740	-72.74	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-76.74	OFF	10	100	90	Pass
				Center	6905	-75.74	OFF	10	100	90	Pass
				High edge	7060	-73.74	OFF	10	100	90	Pass

Contention Based Protocol Threshold Level (802.11be EHT20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-68.00	3.74	-71.74	≤ -62
						Minimal	-69.00	3.74	-72.74	≤ -62
						ON	-70.00	3.74	-73.74	≤ -62
6	101	20	6455	Center	6455	OFF	-70.00	3.74	-73.74	≤ -62
						Minimal	-71.00	3.74	-74.74	≤ -62
						ON	-72.00	3.74	-75.74	≤ -62
7	149	20	6695	Center	6695	OFF	-68.00	3.74	-71.74	≤ -62
						Minimal	-69.00	3.74	-72.74	≤ -62
						ON	-70.00	3.74	-73.74	≤ -62
8	213	20	7015	Center	7015	OFF	-70.00	3.74	-73.74	≤ -62
						Minimal	-71.00	3.74	-74.74	≤ -62
						ON	-72.00	3.74	-75.74	≤ -62

Contention Based Protocol Threshold Level (802.11be EHT320)										
UNII Band	**Test Channel**	**Bandwidth (MHz)**	**Frequency (MHz)**	**Intetference frequency (MHz)**		**EUT Status**	**Injected AWGN Power (dBm)**	**Ant Gain (dBi)**	**Detection Power(dBm)**	**Detection Limit (dBm)**
5	31	320	6105	Low edge	5950	OFF	-68.00	3.74	-71.74	≤ -62
						Minimal	-69.00	3.74	-72.74	
						ON	-70.00	3.74	-73.74	
				Center	6105	OFF	-73.00	3.74	-76.74	≤ -62
						Minimal	-74.00	3.74	-77.74	
						ON	-75.00	3.74	-78.74	
				High edge	6260	OFF	-66.00	3.74	-69.74	≤ -62
						Minimal	-67.00	3.74	-70.74	
						ON	-68.00	3.74	-71.74	
5,6,7	95	320	6425	Low edge	6270	OFF	-70.00	3.74	-73.74	≤ -62
						Minimal	-71.00	3.74	-74.74	
						ON	-72.00	3.74	-75.74	
				Center	6425	OFF	-70.00	3.74	-73.74	≤ -62
						Minimal	-71.00	3.74	-74.74	
						ON	-72.00	3.74	-75.74	
				High edge	6580	OFF	-72.00	3.74	-75.74	≤ -62
						Minimal	-73.00	3.74	-76.74	
						ON	-74.00	3.74	-77.74	
6,7	127	320	6585	Low edge	6430	OFF	-74.00	3.74	-77.74	≤ -62
						Minimal	-75.00	3.74	-78.74	
						ON	-76.00	3.74	-79.74	
				Center	6585	OFF	-70.00	3.74	-73.74	≤ -62
						Minimal	-71.00	3.74	-74.74	
						ON	-72.00	3.74	-75.74	
				High edge	6740	OFF	-69.00	3.74	-72.74	≤ -62
						Minimal	-70.00	3.74	-73.74	
						ON	-71.00	3.74	-74.74	
7,8	191	320	6905	Low edge	6750	OFF	-73.00	3.74	-76.74	≤ -62
						Minimal	-74.00	3.74	-77.74	
						ON	-75.00	3.74	-78.74	
				Center	6905	OFF	-72.00	3.74	-75.74	≤ -62
						Minimal	-73.00	3.74	-76.74	
						ON	-74.00	3.74	-77.74	
				High edge	7060	OFF	-70.00	3.74	-73.74	≤ -62
						Minimal	-71.00	3.74	-74.74	
						ON	-72.00	3.74	-75.74	

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz



Bandwidth 20MHz: Traffic Loading Plot - 6455MHz



Bandwidth 20MHz: Traffic Loading Plot - 6695MHz



Bandwidth 20MHz: Traffic Loading Plot - 7015MHz



Bandwidth 320MHz: Traffic Loading Plot - 5950MHz



Bandwidth 320MHz: Traffic Loading Plot - 6105MHz



Bandwidth 320MHz: Traffic Loading Plot - 6260MHz



Bandwidth 320MHz: Traffic Loading Plot - 6270MHz



Bandwidth 320MHz: Traffic Loading Plot - 6425MHz


Bandwidth 320MHz: Traffic Loading Plot - 6430MHz


Bandwidth 320MHz: Traffic Loading Plot - 6580MHz


Bandwidth 320MHz: Traffic Loading Plot - 6585MHz


Bandwidth 320MHz: Traffic Loading Plot - 6740MHz


Bandwidth 320MHz: Traffic Loading Plot - 6750MHz


Bandwidth 320MHz: Traffic Loading Plot - 6905MHz


Bandwidth 320MHz: Traffic Loading Plot - 7060MHz


1. Incumbent signal (AWGN) Plot

802.11be EHT20

Frequency (MHz): 6215 MHz



Date: 27.SEP.2024 10:18:57

Frequency (MHz): 6455 MHz



Date: 27.SEP.2024 10:20:03

Frequency (MHz): 6695 MHz



Date: 27.SEP.2024 10:21:00

Frequency (MHz): 7015 MHz



Date: 27.SEP.2024 10:21:51

802.11be EHT320

Frequency (MHz): 5950 MHz



Date: 27.SEP.2024 10:22:50

Frequency (MHz): 6105 MHz



Date: 27.SEP.2024 10:23:30

Frequency (MHz): 6260 MHz



Date: 27.SEP.2024 10:24:07

Frequency (MHz): 6270 MHz



Date: 27.SEP.2024 10:24:45

Frequency (MHz): 6425 MHz



Date: 27.SEP.2024 10:25:21

Frequency (MHz): 6430 MHz



Date: 27.SEP.2024 10:26:51

Frequency (MHz): 6580 MHz



Date: 27.SEP.2024 10:26:12

Frequency (MHz): 6585 MHz



Date: 27.SEP.2024 10:27:28

Frequency (MHz): 6740 MHz



Date: 27.SEP.2024 10:27:59

Frequency (MHz): 6750 MHz



Date: 27.SEP.2024 10:28:32

Frequency (MHz): 6905 MHz



Date: 27.SEP.2024 10:29:12

Frequency (MHz): 7060 MHz



Date: 27.SEP.2024 10:29:51

2. Contention-Based Protocol Plot

802.11be EHT20
Test CH 53 ; Incumbent signal 6215 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.
Test CH 101 ; Incumbent signal 6455 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

802.11be EHT320
Test CH 31 ; Incumbent signal 5950 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.
Test CH 31 ; Incumbent signal 6105 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.
Test CH 191 ; Incumbent signal 6750 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

3. Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20
Frequency (MHz): 6215 MHz (Threshold Level: -68 dBm)



Frequency (MHz): 6215 MHz (Threshold Level: -69dBm)



Frequency (MHz): 6215 MHz (Threshold Level: -70 dBm)


Bandwidth (MHz): 320
Frequency (MHz): 5950 MHz (Threshold Level: -68dBm)


Frequency (MHz): 5950 MHz (Threshold Level: -69dBm)


Frequency (MHz): 5950 MHz (Threshold Level: -70dBm)


Frequency (MHz): 6105 MHz (Threshold Level: -73dBm)


Frequency (MHz): 6105 MHz (Threshold Level: -74dBm)


Frequency (MHz): 6105 MHz (Threshold Level: -75dBm)


Frequency (MHz): 6260 MHz (Threshold Level: -66dBm)


Frequency (MHz): 6260 MHz (Threshold Level: -67dBm)


Frequency (MHz): 6260 MHz (Threshold Level: -68dBm)


Antenna Gain(dBi)
3.74

Contention Based protocol (802.11be EHT20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-65.74	OFF	10	100	90	**Pass**
6	101	20	6455	Center	6455	-64.74	OFF	10	100	90	**Pass**
7	149	20	6695	Center	6695	-66.74	OFF	10	100	90	**Pass**
8	213	20	7015	Center	7015	-67.74	OFF	10	100	90	**Pass**

Contention Based protocol (802.11be EHT320)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-70.74	OFF	10	100	90	**Pass**
				Center	6105	-69.74	OFF	10	100	90	**Pass**
				High edge	6260	-65.74	OFF	10	100	90	**Pass**
5,6,7	95	320	6425	Low edge	6270	-69.74	OFF	10	100	90	**Pass**
				Center	6425	-68.74	OFF	10	100	90	**Pass**
				High edge	6580	-62.00	OFF	10	100	90	**Pass**
6,7	127	320	6585	Low edge	6430	-69.74	OFF	10	100	90	**Pass**
				Center	6585	-68.74	OFF	10	100	90	**Pass**
				High edge	6740	-62.00	OFF	10	100	90	**Pass**
7,8	191	320	6905	Low edge	6750	-76.74	OFF	10	100	90	**Pass**
				Center	6905	-67.74	OFF	10	100	90	**Pass**
				High edge	7060	-69.74	OFF	10	100	90	**Pass**

Contention Based Protocol Threshold Level (802.11be EHT20)										
UNII Band	**Test Channel**	**Bandwidth (MHz)**	**Frequency (MHz)**	**Intetference frequency (MHz)**		**EUT Status**	**Injected AWGN Power (dBm)**	**Ant Gain (dBi)**	**Detection Power(dBm)**	**Detection Limit (dBm)**
5	53	20	6215	Center	6215	OFF	-62.00	3.74	-65.74	≤ -62
						Minimal	-63.00	3.74	-66.74	≤ -62
						ON	-64.00	3.74	-67.74	≤ -62
6	101	20	6455	Center	6455	OFF	-61.00	3.74	-64.74	≤ -62
						Minimal	-62.00	3.74	-65.74	≤ -62
						ON	-63.00	3.74	-66.74	≤ -62
7	149	20	6695	Center	6695	OFF	-63.00	3.74	-66.74	≤ -62
						Minimal	-64.00	3.74	-67.74	≤ -62
						ON	-65.00	3.74	-68.74	≤ -62
8	213	20	7015	Center	7015	OFF	-64.00	3.74	-67.74	≤ -62
						Minimal	-65.00	3.74	-68.74	≤ -62
						ON	-66.00	3.74	-69.74	≤ -62

Contention Based Protocol Threshold Level (802.11be EHT320)										
UNII Band	**Test Channel**	**Bandwidth (MHz)**	**Frequency (MHz)**	**Intetference frequency (MHz)**		**EUT Status**	**Injected AWGN Power (dBm)**	**Ant Gain (dBi)**	**Detection Power(dBm)**	**Detection Limit (dBm)**
5	31	320	6105	Low edge	5950	OFF	-67.00	3.74	-70.74	≤ -62
						Minimal	-68.00	3.74	-71.74	
						ON	-69.00	3.74	-72.74	
				Center	6105	OFF	-66.00	3.74	-69.74	≤ -62
						Minimal	-67.00	3.74	-70.74	
						ON	-68.00	3.74	-71.74	
				High edge	6260	OFF	-62.00	3.74	-65.74	≤ -62
						Minimal	-63.00	3.74	-66.74	
						ON	-64.00	3.74	-67.74	
5,6,7	95	320	**6425**	Low edge	6270	OFF	-66.00	3.74	-69.74	≤ -62
						Minimal	-67.00	3.74	-70.74	
						ON	-68.00	3.74	-71.74	
				Center	6425	OFF	-65.00	3.74	-68.74	≤ -62
						Minimal	-66.00	3.74	-69.74	
						ON	-67.00	3.74	-70.74	
				High edge	6580	OFF	-58.26	3.74	-62.00	≤ -62
						Minimal	-59.26	3.74	-63.00	
						ON	-60.26	3.74	-64.00	
6,7	127	320	**6585**	Low edge	6430	OFF	-66.00	3.74	-69.74	≤ -62
						Minimal	-67.00	3.74	-70.74	
						ON	-68.00	3.74	-71.74	
				Center	6585	OFF	-65.00	3.74	-68.74	≤ -62
						Minimal	-66.00	3.74	-69.74	
						ON	-67.00	3.74	-70.74	
				High edge	6740	OFF	-58.26	3.74	-62.00	≤ -62
						Minimal	-59.26	3.74	-63.00	
						ON	-60.26	3.74	-64.00	
7,8	191	320	**6905**	Low edge	6750	OFF	-73.00	3.74	-76.74	≤ -62
						Minimal	-74.00	3.74	-77.74	
						ON	-75.00	3.74	-78.74	
				Center	6905	OFF	-64.00	3.74	-67.74	≤ -62
						Minimal	-65.00	3.74	-68.74	
						ON	-66.00	3.74	-69.74	
				High edge	7060	OFF	-66.00	3.74	-69.74	≤ -62
						Minimal	-67.00	3.74	-70.74	
						ON	-68.00	3.74	-71.74	

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz



Bandwidth 20MHz: Traffic Loading Plot - 6455MHz



Bandwidth 20MHz: Traffic Loading Plot - 6695MHz


Bandwidth 20MHz: Traffic Loading Plot - 7015MHz


Bandwidth 320MHz: Traffic Loading Plot - 6105MHz


Bandwidth 320MHz: Traffic Loading Plot - 6425MHz


Bandwidth 320MHz: Traffic Loading Plot - 6585MHz



Bandwidth 320MHz: Traffic Loading Plot - 6905MHz



1. Incumbent signal (AWGN) Plot

802.11be EHT20

Frequency (MHz): 6215 MHz



Date: 23.OCT.2024 10:02:10

Frequency (MHz): 6455 MHz



Date: 23.OCT.2024 10:04:41

Frequency (MHz): 6695 MHz



Tx Channel
Bandwidth 10 MHz Power -62.05 dBm

Date: 23.OCT.2024 10:07:09

Frequency (MHz): 7015 MHz



Tx Channel
Bandwidth 10 MHz Power -62.04 dBm

Date: 23.OCT.2024 10:07:56

802.11be EHT320

Frequency (MHz): 5950 MHz



Tx Channel
Bandwidth 10 MHz Power -62.03 dBm

Date: 23.OCT.2024 10:09:02

Frequency (MHz): 6105 MHz



Tx Channel
Bandwidth 10 MHz Power -62.08 dBm

Date: 23.OCT.2024 10:10:15

Frequency (MHz): 6260 MHz



Date: 23.OCT.2024 10:13:49

Frequency (MHz): 6270 MHz



Date: 23.OCT.2024 10:14:33

Frequency (MHz): 6425 MHz



Date: 23.OCT.2024 10:15:19

Frequency (MHz): 6430 MHz



Date: 23.OCT.2024 10:17:37

Frequency (MHz): 6580 MHz



Date: 23.OCT.2024 10:16:34

Frequency (MHz): 6585 MHz



Date: 23.OCT.2024 10:18:35

Frequency (MHz): 6740 MHz



Date: 23.OCT.2024 10:19:51

Frequency (MHz): 6750 MHz



Date: 23.OCT.2024 10:21:39

Frequency (MHz): 6905 MHz



Date: 23.OCT.2024 10:22:34

Frequency (MHz): 7060 MHz



Date: 23.OCT.2024 10:23:15

2. Contention-Based Protocol Plot

802.11be EHT20
Test CH 53 ; Incumbent signal 6215 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.
Test CH 101 ; Incumbent signal 6455 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

802.11be EHT320
Test CH 31 ; Incumbent signal 5950 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.
Test CH 31 ; Incumbent signal 6105 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.
Test CH 95 ; Incumbent signal 6270 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

3. Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20
Frequency (MHz): 6215 MHz (Threshold Level: -62 dBm)



Frequency (MHz): 6215 MHz (Threshold Level: -63dBm)



Frequency (MHz): 6215 MHz (Threshold Level: -64 dBm)


Bandwidth (MHz): 320
Frequency (MHz): 5950 MHz (Threshold Level: -67dBm)


Frequency (MHz): 5950 MHz (Threshold Level: -68dBm)


Frequency (MHz): 5950 MHz (Threshold Level: -69dBm)


Frequency (MHz): 6105 MHz (Threshold Level: -66dBm)


Frequency (MHz): 6105 MHz (Threshold Level: -67dBm)


Frequency (MHz): 6105 MHz (Threshold Level: -68dBm)


Frequency (MHz): 6260 MHz (Threshold Level: -62dBm)


Frequency (MHz): 6260 MHz (Threshold Level: -63dBm)


Frequency (MHz): 6260 MHz (Threshold Level: -64dBm)


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.79901G	29.90	54.00	-24.10	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.79901G	29.90	54.00	-24.10	3	Vertical	19	1.04
Mode 1	Pass	AV	4.81994G	28.94	54.00	-25.06	3	Vertical	129	2.32
Mode 1	Pass	AV	10.48404G	41.34	68.20	-26.86	3	Vertical	158	2.25
Mode 1	Pass	AV	13.16743G	43.23	68.20	-24.97	3	Vertical	282	2.18
Mode 1	Pass	PK	4.79996G	42.98	74.00	-31.02	3	Vertical	19	1.04
Mode 1	Pass	PK	4.8207G	42.43	74.00	-31.57	3	Vertical	129	2.32
Mode 1	Pass	PK	10.48257G	54.35	88.20	-33.85	3	Vertical	158	2.25
Mode 1	Pass	PK	13.17074G	56.67	88.20	-31.53	3	Vertical	282	2.18
Mode 1	Pass	AV	4.7998G	29.85	54.00	-24.15	3	Horizontal	225	2.14
Mode 1	Pass	AV	4.82343G	29.05	54.00	-24.95	3	Horizontal	197	1.47
Mode 1	Pass	AV	10.47985G	41.28	68.20	-26.92	3	Horizontal	322	1.85
Mode 1	Pass	AV	13.17256G	43.11	68.20	-25.09	3	Horizontal	130	2.42
Mode 1	Pass	PK	4.80391G	43.36	74.00	-30.64	3	Horizontal	225	2.14
Mode 1	Pass	PK	4.82665G	42.11	74.00	-31.89	3	Horizontal	197	1.47
Mode 1	Pass	PK	10.48057G	54.82	88.20	-33.38	3	Horizontal	322	1.85
Mode 1	Pass	PK	13.16646G	56.54	88.20	-31.66	3	Horizontal	130	2.42

Radiated Emissions above 1GHz_Mode 1



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)
AV	4.79901G	29.90	54.00	-24.10	0.48	3	Vertical	19	1.04	29.42	32.20	6.51	38.23
AV	4.81994G	28.94	54.00	-25.06	0.63	3	Vertical	129	2.32	28.31	32.32	6.53	38.22
AV	10.48404G	41.34	68.20	-26.86	11.44	3	Vertical	158	2.25	29.90	38.64	10.36	37.56
AV	13.16743G	43.23	68.20	-24.97	12.47	3	Vertical	282	2.18	30.76	39.70	11.40	38.63
PK	4.79996G	42.98	74.00	-31.02	0.48	3	Vertical	19	1.04	42.50	32.20	6.51	38.23
PK	4.8207G	42.43	74.00	-31.57	0.63	3	Vertical	129	2.32	41.80	32.32	6.53	38.22
PK	10.48257G	54.35	88.20	-33.85	11.43	3	Vertical	158	2.25	42.92	38.63	10.36	37.56
PK	13.17074G	56.67	88.20	-31.53	12.47	3	Vertical	282	2.18	44.20	39.70	11.40	38.63

Radiated Emissions above 1GHz_Mode 1



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)
AV	4.7998G	29.85	54.00	-24.15	0.48	3	Horizontal	225	2.14	29.37	32.20	6.51	38.23
AV	4.82343G	29.05	54.00	-24.95	0.65	3	Horizontal	197	1.47	28.40	32.34	6.53	38.22
AV	10.47985G	41.28	68.20	-26.92	11.42	3	Horizontal	322	1.85	29.86	38.62	10.36	37.56
AV	13.17256G	43.11	68.20	-25.09	12.47	3	Horizontal	130	2.42	30.64	39.70	11.40	38.63
PK	4.80391G	43.36	74.00	-30.64	0.50	3	Horizontal	225	2.14	42.86	32.22	6.51	38.23
PK	4.82665G	42.11	74.00	-31.89	0.68	3	Horizontal	197	1.47	41.43	32.36	6.54	38.22
PK	10.48057G	54.82	88.20	-33.38	11.42	3	Horizontal	322	1.85	43.40	38.62	10.36	37.56
PK	13.16646G	56.54	88.20	-31.66	12.47	3	Horizontal	130	2.42	44.07	39.70	11.40	38.63