

835MHz. Brain Dipole Validation

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)


Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 2.49 mW/g ± 0.00 dB, SAR (10g): 1.61 mW/g ± 0.00 dB

835MHz Brain Dipole Validation (D835V2 S/N: 406)

Frequency: 835 MHz; Antenna Input Power: 250 [mW]; Ambient Temp. = 23.3°C / Meas. Tissue Temp. = 22.1°C

PCTEST Brain Tissue Simulating Liquid [07/15/2002]



1900MHz Brain Dipole Validation

Sam Phantom; Flat Section; Probe: ET3DV6 - SN1677; ConvF(5.30, 5.30, 5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 9.37 mW/g, SAR (10g): 4.78 mW/g

1900MHz Brain Dipole Validation (D1900V2 S/N: 502)

Frequency: 1900 MHz; Antenna Input Power: 250 [mW]; Ambient Temp.= 22.3°C / Meas.Tissue Temp.= 22.1°C

PCTEST Brain Tissue Simulating Liquid [07/15/2002]

