


4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.41	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.84	-25	Pass	2986
30	1000	0.1	RMS	850.001	-63.88	-25	Pass	9701
1000	2490	1	RMS	2490	-50.27	-25	Pass	1491
2490	2580	1	RMS	2500.125	22.12	60	Pass	401
2580	3000	1	RMS	2954	-48.96	-25	Pass	421
3000	12000	1	RMS	11858	-61.49	-25	Pass	9002
12000	26000	1	RMS	26000	-46.79	-25	Pass	14002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.38	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.25	-25	Pass	2986
30	1000	0.1	RMS	853.703	-63.75	-25	Pass	9701
1000	2490	1	RMS	2490	-50.26	-25	Pass	1491
2490	2580	1	RMS	2500.125	21.06	60	Pass	401
2580	3000	1	RMS	2956	-48.96	-25	Pass	421
3000	12000	1	RMS	11852	-61.46	-25	Pass	9002
12000	26000	1	RMS	25998	-46.43	-25	Pass	14002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.71	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.79	-25	Pass	2986
30	1000	0.1	RMS	843.3	-63.77	-25	Pass	9701
1000	2490	1	RMS	2481	-50.63	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.55	60	Pass	401
2580	3000	1	RMS	2953	-48.95	-25	Pass	421
3000	12000	1	RMS	11850	-61.51	-25	Pass	9002
12000	26000	1	RMS	25996	-46.39	-25	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.68	-25	Pass	401
0.15	30	0.01	RMS	0.28	-70.96	-25	Pass	2986
30	1000	0.1	RMS	844.9	-63.74	-25	Pass	9701
1000	2490	1	RMS	2485	-50.72	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.63	60	Pass	401
2580	3000	1	RMS	2955	-48.99	-25	Pass	421
3000	12000	1	RMS	11854	-61.42	-25	Pass	9002
12000	26000	1	RMS	25987	-46.51	-25	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.74	-25	Pass	2986
30	1000	0.1	RMS	604.6	-63.53	-25	Pass	9701
1000	2490	1	RMS	2484	-50.64	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.15	60	Pass	401
2580	3000	1	RMS	2957	-48.97	-25	Pass	421
3000	12000	1	RMS	7696	-60.17	-25	Pass	9002
12000	26000	1	RMS	25998	-46.46	-25	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.72	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.65	-25	Pass	2986
30	1000	0.1	RMS	827.8	-63.88	-25	Pass	9701
1000	2490	1	RMS	2489	-50.67	-25	Pass	1491
2490	2580	1	RMS	2565.15	21.26	60	Pass	401
2580	3000	1	RMS	2957	-48.97	-25	Pass	421
3000	12000	1	RMS	7696	-60.79	-25	Pass	9002
12000	26000	1	RMS	25998	-46.52	-25	Pass	14002




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.52	-25	Pass	2986
30	1000	0.1	RMS	861.108	-63.84	-25	Pass	9701
1000	2490	1	RMS	2490	-49.71	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.06	60	Pass	401
2580	3000	1	RMS	2955	-48.93	-25	Pass	421
3000	12000	1	RMS	11851	-61.45	-25	Pass	9002
12000	26000	1	RMS	25998	-46.49	-25	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.67	-25	Pass	2986
30	1000	0.1	RMS	855.604	-63.83	-25	Pass	9701
1000	2490	1	RMS	2490	-49.72	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.23	60	Pass	401
2580	3000	1	RMS	2960	-48.96	-25	Pass	421
3000	12000	1	RMS	11847	-61.47	-25	Pass	9002
12000	26000	1	RMS	26000	-46.51	-25	Pass	14002



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.47	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.68	-25	Pass	2986
30	1000	0.1	RMS	569.9	-63.76	-25	Pass	9701
1000	2490	1	RMS	2484	-50.64	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.47	60	Pass	401
2580	3000	1	RMS	2951	-48.97	-25	Pass	421
3000	12000	1	RMS	11848	-61.45	-25	Pass	9002
12000	26000	1	RMS	25999	-46.47	-25	Pass	14002



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.5	-25	Pass	2986
30	1000	0.1	RMS	840.4	-63.85	-25	Pass	9701
1000	2490	1	RMS	2485	-50.66	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.51	60	Pass	401
2580	3000	1	RMS	2956	-48.93	-25	Pass	421
3000	12000	1	RMS	11847	-61.38	-25	Pass	9002
12000	26000	1	RMS	25993	-46.52	-25	Pass	14002



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.68	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.88	-25	Pass	2986
30	1000	0.1	RMS	599.9	-63.47	-25	Pass	9701
1000	2490	1	RMS	2484	-50.65	-25	Pass	1491
2490	2580	1	RMS	2560.425	22.16	60	Pass	401
2580	3000	1	RMS	2949	-48.93	-25	Pass	421
3000	12000	1	RMS	7682	-61.09	-25	Pass	9002
12000	26000	1	RMS	25993	-46.45	-25	Pass	14002



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.49	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.43	-25	Pass	2986
30	1000	0.1	RMS	599.9	-63.5	-25	Pass	9701
1000	2490	1	RMS	2480	-50.63	-25	Pass	1491
2490	2580	1	RMS	2560.425	21.31	60	Pass	401
2580	3000	1	RMS	2955	-48.94	-25	Pass	421
3000	12000	1	RMS	11848	-61.51	-25	Pass	9002
12000	26000	1	RMS	25991	-46.47	-25	Pass	14002



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.32	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.98	-25	Pass	2986
30	1000	0.1	RMS	863.81	-63.94	-25	Pass	9701
1000	2490	1	RMS	2489	-48.56	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.02	60	Pass	401
2580	3000	1	RMS	2961	-48.95	-25	Pass	421
3000	12000	1	RMS	11850	-61.39	-25	Pass	9002
12000	26000	1	RMS	26000	-46.48	-25	Pass	14002



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.56	-25	Pass	401
0.15	30	0.01	RMS	0.29	-70.88	-25	Pass	2986
30	1000	0.1	RMS	848.7	-63.87	-25	Pass	9701
1000	2490	1	RMS	2490	-48.89	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.16	60	Pass	401
2580	3000	1	RMS	2946	-48.94	-25	Pass	421
3000	12000	1	RMS	11854	-61.54	-25	Pass	9002
12000	26000	1	RMS	26000	-46.54	-25	Pass	14002



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-25	Pass	2986
30	1000	0.1	RMS	852.402	-63.81	-25	Pass	9701
1000	2490	1	RMS	2483	-50.73	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.37	60	Pass	401
2580	3000	1	RMS	2949	-48.95	-25	Pass	421
3000	12000	1	RMS	11850	-61.47	-25	Pass	9002
12000	26000	1	RMS	25994	-46.48	-25	Pass	14002



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.07	-25	Pass	2986
30	1000	0.1	RMS	868.313	-63.83	-25	Pass	9701
1000	2490	1	RMS	2488	-50.69	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.44	60	Pass	401
2580	3000	1	RMS	2946	-48.97	-25	Pass	421
3000	12000	1	RMS	11851	-61.43	-25	Pass	9002
12000	26000	1	RMS	25997	-46.48	-25	Pass	14002



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.73	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.72	-25	Pass	2986
30	1000	0.1	RMS	595.2	-63.33	-25	Pass	9701
1000	2490	1	RMS	2486	-50.72	-25	Pass	1491
2490	2580	1	RMS	2555.7	22.28	60	Pass	401
2580	3000	1	RMS	2582	-47.81	-25	Pass	421
3000	12000	1	RMS	7668	-61.19	-25	Pass	9002
12000	26000	1	RMS	25994	-46.47	-25	Pass	14002



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.44	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.48	-25	Pass	2986
30	1000	0.1	RMS	869.313	-63.68	-25	Pass	9701
1000	2490	1	RMS	2480	-50.75	-25	Pass	1491
2490	2580	1	RMS	2555.7	21.42	60	Pass	401
2580	3000	1	RMS	2582	-47.2	-25	Pass	421
3000	12000	1	RMS	11848	-61.45	-25	Pass	9002
12000	26000	1	RMS	25999	-46.44	-25	Pass	14002



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-25	Pass	2986
30	1000	0.1	RMS	848.7	-63.75	-25	Pass	9701
1000	2490	1	RMS	2486	-49.09	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.04	60	Pass	401
2580	3000	1	RMS	2956	-48.93	-25	Pass	421
3000	12000	1	RMS	11846	-61.41	-25	Pass	9002
12000	26000	1	RMS	25999	-46.49	-25	Pass	14002



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.19	-25	Pass	401
0.15	30	0.01	RMS	0.29	-71.26	-25	Pass	2986
30	1000	0.1	RMS	833.2	-63.76	-25	Pass	9701
1000	2490	1	RMS	2490	-49.38	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.17	60	Pass	401
2580	3000	1	RMS	2957	-48.93	-25	Pass	421
3000	12000	1	RMS	11855	-61.44	-25	Pass	9002
12000	26000	1	RMS	25996	-46.51	-25	Pass	14002



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.68	-25	Pass	401
0.15	30	0.01	RMS	0.28	-70.65	-25	Pass	2986
30	1000	0.1	RMS	834.5	-63.83	-25	Pass	9701
1000	2490	1	RMS	2490	-50.62	-25	Pass	1491
2490	2580	1	RMS	2526	22.22	60	Pass	401
2580	3000	1	RMS	2957	-48.95	-25	Pass	421
3000	12000	1	RMS	11850	-61.45	-25	Pass	9002
12000	26000	1	RMS	25991	-46.48	-25	Pass	14002



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.41	-25	Pass	401
0.15	30	0.01	RMS	0.28	-70.38	-25	Pass	2986
30	1000	0.1	RMS	849.6	-63.9	-25	Pass	9701
1000	2490	1	RMS	2485	-50.68	-25	Pass	1491
2490	2580	1	RMS	2526	21.32	60	Pass	401
2580	3000	1	RMS	2959	-48.96	-25	Pass	421
3000	12000	1	RMS	11854	-61.47	-25	Pass	9002
12000	26000	1	RMS	26000	-46.44	-25	Pass	14002



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.9	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.12	-25	Pass	2986
30	1000	0.1	RMS	590.4	-63.09	-25	Pass	9701
1000	2490	1	RMS	2490	-50.69	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.26	60	Pass	401
2580	3000	1	RMS	2583	-48.03	-25	Pass	421
3000	12000	1	RMS	7653	-60.74	-25	Pass	9002
12000	26000	1	RMS	25996	-46.48	-25	Pass	14002



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.68	-25	Pass	401
0.15	30	0.01	RMS	0.32	-71.9	-25	Pass	2986
30	1000	0.1	RMS	590.4	-63.25	-25	Pass	9701
1000	2490	1	RMS	2490	-50.68	-25	Pass	1491
2490	2580	1	RMS	2550.975	21.29	60	Pass	401
2580	3000	1	RMS	2583	-48.45	-25	Pass	421
3000	12000	1	RMS	7653	-61.19	-25	Pass	9002
12000	26000	1	RMS	25998	-46.49	-25	Pass	14002



5. LTE_Band38


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.72	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.88	-25	Pass	2986
30	1000	0.1	RMS	852.602	-59.83	-25	Pass	9701
1000	2560	1	RMS	2560	-45.95	-25	Pass	1561
2560	2630	1	RMS	2570.15	22.88	60	Pass	401
2630	3000	1	RMS	2949.125	-44.95	-25	Pass	401
3000	12000	1	RMS	11847	-47.37	-25	Pass	9002
12000	26500	1	RMS	26002	-42.84	-25	Pass	14502




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.29	-25	Pass	2986
30	1000	0.1	RMS	831.5	-59.81	-25	Pass	9701
1000	2560	1	RMS	2560	-45.95	-25	Pass	1561
2560	2630	1	RMS	2570.15	22	60	Pass	401
2630	3000	1	RMS	2960.225	-44.96	-25	Pass	401
3000	12000	1	RMS	11853	-47.46	-25	Pass	9002
12000	26500	1	RMS	25997	-42.8	-25	Pass	14502




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.81	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.26	-25	Pass	2986
30	1000	0.1	RMS	844.1	-59.86	-25	Pass	9701
1000	2560	1	RMS	2555	-46.41	-25	Pass	1561
2560	2630	1	RMS	2592.725	23.17	60	Pass	401
2630	3000	1	RMS	2956.525	-44.92	-25	Pass	401
3000	12000	1	RMS	11853	-47.41	-25	Pass	9002
12000	26500	1	RMS	25993	-42.74	-25	Pass	14502




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.89	-25	Pass	401
0.15	30	0.01	RMS	0.29	-67.13	-25	Pass	2986
30	1000	0.1	RMS	843.4	-59.71	-25	Pass	9701
1000	2560	1	RMS	2557	-46.45	-25	Pass	1561
2560	2630	1	RMS	2592.9	22.06	60	Pass	401
2630	3000	1	RMS	2956.525	-44.96	-25	Pass	401
3000	12000	1	RMS	11852	-47.43	-25	Pass	9002
12000	26500	1	RMS	26001	-42.76	-25	Pass	14502




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.64	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.8	-25	Pass	2986
30	1000	0.1	RMS	840.1	-59.83	-25	Pass	9701
1000	2560	1	RMS	2559	-46.42	-25	Pass	1561
2560	2630	1	RMS	2615.125	23	60	Pass	401
2630	3000	1	RMS	2946.35	-44.96	-25	Pass	401
3000	12000	1	RMS	11846	-47.43	-25	Pass	9002
12000	26500	1	RMS	26002	-42.8	-25	Pass	14502




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.26	-25	Pass	2986
30	1000	0.1	RMS	855.905	-59.86	-25	Pass	9701
1000	2560	1	RMS	2559	-46.38	-25	Pass	1561
2560	2630	1	RMS	2615.125	22	60	Pass	401
2630	3000	1	RMS	2947.275	-44.91	-25	Pass	401
3000	12000	1	RMS	11849	-47.44	-25	Pass	9002
12000	26500	1	RMS	26001	-42.76	-25	Pass	14502




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.75	-25	Pass	401
0.15	30	0.01	RMS	0.2	-66.54	-25	Pass	2986
30	1000	0.1	RMS	854.504	-59.85	-25	Pass	9701
1000	2560	1	RMS	2558	-42.61	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.6	60	Pass	401
2630	3000	1	RMS	2945.425	-44.95	-25	Pass	401
3000	12000	1	RMS	11852	-47.39	-25	Pass	9002
12000	26500	1	RMS	25996	-42.78	-25	Pass	14502




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.65	-25	Pass	401
0.15	30	0.01	RMS	0.2	-66.68	-25	Pass	2986
30	1000	0.1	RMS	830.7	-59.84	-25	Pass	9701
1000	2560	1	RMS	2560	-41.19	-25	Pass	1561
2560	2630	1	RMS	2570.5	21.32	60	Pass	401
2630	3000	1	RMS	2958.375	-44.95	-25	Pass	401
3000	12000	1	RMS	11851	-47.43	-25	Pass	9002
12000	26500	1	RMS	26000	-42.72	-25	Pass	14502



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.72	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.44	-25	Pass	2986
30	1000	0.1	RMS	848.6	-59.82	-25	Pass	9701
1000	2560	1	RMS	2555	-45.8	-25	Pass	1561
2560	2630	1	RMS	2590.45	23.12	60	Pass	401
2630	3000	1	RMS	2957.45	-44.93	-25	Pass	401
3000	12000	1	RMS	11849	-47.44	-25	Pass	9002
12000	26500	1	RMS	25993	-42.72	-25	Pass	14502



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.46	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.36	-25	Pass	2986
30	1000	0.1	RMS	861.308	-59.78	-25	Pass	9701
1000	2560	1	RMS	2552	-46.18	-25	Pass	1561
2560	2630	1	RMS	2590.625	21.47	60	Pass	401
2630	3000	1	RMS	2955.6	-44.98	-25	Pass	401
3000	12000	1	RMS	11851	-47.29	-25	Pass	9002
12000	26500	1	RMS	26002	-42.76	-25	Pass	14502



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.28	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.3	-25	Pass	2986
30	1000	0.1	RMS	853.803	-59.81	-25	Pass	9701
1000	2560	1	RMS	2558	-46.04	-25	Pass	1561
2560	2630	1	RMS	2610.575	22.43	60	Pass	401
2630	3000	1	RMS	2630	-44.91	-25	Pass	401
3000	12000	1	RMS	11852	-47.38	-25	Pass	9002
12000	26500	1	RMS	25993	-42.72	-25	Pass	14502



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.75	-25	Pass	2986
30	1000	0.1	RMS	848.5	-59.84	-25	Pass	9701
1000	2560	1	RMS	2559	-45.77	-25	Pass	1561
2560	2630	1	RMS	2610.575	21.73	60	Pass	401
2630	3000	1	RMS	2952.825	-44.92	-25	Pass	401
3000	12000	1	RMS	11849	-47.35	-25	Pass	9002
12000	26500	1	RMS	26001	-42.69	-25	Pass	14502



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.32	-25	Pass	401
0.15	30	0.01	RMS	0.29	-66.56	-25	Pass	2986
30	1000	0.1	RMS	837.2	-59.85	-25	Pass	9701
1000	2560	1	RMS	2559	-40.6	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.57	60	Pass	401
2630	3000	1	RMS	2956.525	-44.95	-25	Pass	401
3000	12000	1	RMS	11850	-47.34	-25	Pass	9002
12000	26500	1	RMS	25996	-42.69	-25	Pass	14502



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.21	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.75	-25	Pass	2986
30	1000	0.1	RMS	855.804	-59.88	-25	Pass	9701
1000	2560	1	RMS	2559	-39.53	-25	Pass	1561
2560	2630	1	RMS	2570.85	21.88	60	Pass	401
2630	3000	1	RMS	2950.975	-44.94	-25	Pass	401
3000	12000	1	RMS	11851	-47.42	-25	Pass	9002
12000	26500	1	RMS	26001	-42.71	-25	Pass	14502



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-63.1	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.73	-25	Pass	2986
30	1000	0.1	RMS	858.706	-59.89	-25	Pass	9701
1000	2560	1	RMS	2559	-45.72	-25	Pass	1561
2560	2630	1	RMS	2588.35	22.7	60	Pass	401
2630	3000	1	RMS	2950.975	-44.93	-25	Pass	401
3000	12000	1	RMS	11848	-47.38	-25	Pass	9002
12000	26500	1	RMS	25999	-42.69	-25	Pass	14502



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.11	-25	Pass	2986
30	1000	0.1	RMS	849.901	-59.84	-25	Pass	9701
1000	2560	1	RMS	2560	-46.04	-25	Pass	1561
2560	2630	1	RMS	2588.35	21.56	60	Pass	401
2630	3000	1	RMS	2954.675	-44.94	-25	Pass	401
3000	12000	1	RMS	11850	-47.33	-25	Pass	9002
12000	26500	1	RMS	26000	-42.66	-25	Pass	14502



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-63.02	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.69	-25	Pass	2986
30	1000	0.1	RMS	849.1	-59.74	-25	Pass	9701
1000	2560	1	RMS	2558	-45.98	-25	Pass	1561
2560	2630	1	RMS	2605.85	22.93	60	Pass	401
2630	3000	1	RMS	2631.85	-41.92	-25	Pass	401
3000	12000	1	RMS	11850	-47.38	-25	Pass	9002
12000	26500	1	RMS	26004	-42.69	-25	Pass	14502



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.48	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.17	-25	Pass	2986
30	1000	0.1	RMS	865.311	-59.83	-25	Pass	9701
1000	2560	1	RMS	2557	-45.73	-25	Pass	1561
2560	2630	1	RMS	2605.85	21.64	60	Pass	401
2630	3000	1	RMS	2631.85	-43.1	-25	Pass	401
3000	12000	1	RMS	11849	-47.36	-25	Pass	9002
12000	26500	1	RMS	26003	-42.73	-25	Pass	14502



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.32	-25	Pass	2986
30	1000	0.1	RMS	851.702	-59.7	-25	Pass	9701
1000	2560	1	RMS	2560	-39.08	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.05	60	Pass	401
2630	3000	1	RMS	2956.525	-44.9	-25	Pass	401
3000	12000	1	RMS	11850	-47.46	-25	Pass	9002
12000	26500	1	RMS	25997	-42.82	-25	Pass	14502



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.73	-25	Pass	2986
30	1000	0.1	RMS	851.201	-59.75	-25	Pass	9701
1000	2560	1	RMS	2556	-39.86	-25	Pass	1561
2560	2630	1	RMS	2571.025	21.86	60	Pass	401
2630	3000	1	RMS	2952.825	-44.98	-25	Pass	401
3000	12000	1	RMS	11851	-47.46	-25	Pass	9002
12000	26500	1	RMS	25988	-42.7	-25	Pass	14502



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.48	-25	Pass	2986
30	1000	0.1	RMS	851.502	-59.95	-25	Pass	9701
1000	2560	1	RMS	2559	-45.58	-25	Pass	1561
2560	2630	1	RMS	2586.075	22.56	60	Pass	401
2630	3000	1	RMS	2950.975	-44.93	-25	Pass	401
3000	12000	1	RMS	11854	-47.45	-25	Pass	9002
12000	26500	1	RMS	26005	-42.81	-25	Pass	14502



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.73	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.34	-25	Pass	2986
30	1000	0.1	RMS	858.706	-59.82	-25	Pass	9701
1000	2560	1	RMS	2558	-45.68	-25	Pass	1561
2560	2630	1	RMS	2585.9	21.95	60	Pass	401
2630	3000	1	RMS	2947.275	-44.95	-25	Pass	401
3000	12000	1	RMS	11848	-47.4	-25	Pass	9002
12000	26500	1	RMS	26001	-42.86	-25	Pass	14502



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.52	-25	Pass	401
0.15	30	0.01	RMS	0.28	-66.59	-25	Pass	2986
30	1000	0.1	RMS	833.3	-59.87	-25	Pass	9701
1000	2560	1	RMS	2560	-45.88	-25	Pass	1561
2560	2630	1	RMS	2600.95	22.22	60	Pass	401
2630	3000	1	RMS	2636.475	-43.97	-25	Pass	401
3000	12000	1	RMS	11852	-47.36	-25	Pass	9002
12000	26500	1	RMS	26013	-42.83	-25	Pass	14502



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-62.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.46	-25	Pass	2986
30	1000	0.1	RMS	849.4	-59.7	-25	Pass	9701
1000	2560	1	RMS	2560	-45.76	-25	Pass	1561
2560	2630	1	RMS	2601.125	21.6	60	Pass	401
2630	3000	1	RMS	2636.475	-44.28	-25	Pass	401
3000	12000	1	RMS	11859	-47.48	-25	Pass	9002
12000	26500	1	RMS	26008	-42.82	-25	Pass	14502



1. LTE_Band41 full


1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.91	-25	Pass	2986
30	1000	0.1	RMS	946.1	-57.13	-25	Pass	9701
1000	2486	1	RMS	2486	-42.91	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.54	60	Pass	401
2700	3000	1	RMS	2801.25	-42.28	-25	Pass	401
3000	12000	1	RMS	11849	-57.88	-25	Pass	9001
12000	27000	1	RMS	26812	-38.9	-25	Pass	15001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.16	-25	Pass	2986
30	1000	0.1	RMS	938.4	-57.14	-25	Pass	9701
1000	2486	1	RMS	2486	-42.92	-25	Pass	1487
2486	2700	1	RMS	2496.7	19.67	60	Pass	401
2700	3000	1	RMS	2800.5	-42.32	-25	Pass	401
3000	12000	1	RMS	5748	-57.57	-25	Pass	9001
12000	27000	1	RMS	26777	-38.83	-25	Pass	15001




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.25	-25	Pass	2986
30	1000	0.1	RMS	920.2	-57.18	-25	Pass	9701
1000	2486	1	RMS	2484	-43.15	-25	Pass	1487
2486	2700	1	RMS	2590.86	22.2	60	Pass	401
2700	3000	1	RMS	3000	-42.31	-25	Pass	401
3000	12000	1	RMS	7772	-56.5	-25	Pass	9001
12000	27000	1	RMS	26740	-38.82	-25	Pass	15001



1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.68	-25	Pass	2986
30	1000	0.1	RMS	953.6	-57.26	-25	Pass	9701
1000	2486	1	RMS	2482	-43.16	-25	Pass	1487
2486	2700	1	RMS	2590.86	20.29	60	Pass	401
2700	3000	1	RMS	2798.25	-42.3	-25	Pass	401
3000	12000	1	RMS	5751	-55.95	-25	Pass	9001
12000	27000	1	RMS	26755	-38.88	-25	Pass	15001




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.21	-25	Pass	2986
30	1000	0.1	RMS	939.3	-57.09	-25	Pass	9701
1000	2486	1	RMS	2484	-43.1	-25	Pass	1487
2486	2700	1	RMS	2685.555	21.38	60	Pass	401
2700	3000	1	RMS	2796.75	-42.31	-25	Pass	401
3000	12000	1	RMS	11850	-57.79	-25	Pass	9001
12000	27000	1	RMS	25511	-38.88	-25	Pass	15001



1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.22	-25	Pass	2986
30	1000	0.1	RMS	929.5	-57.18	-25	Pass	9701
1000	2486	1	RMS	2486	-43.09	-25	Pass	1487
2486	2700	1	RMS	2685.555	21.16	60	Pass	401
2700	3000	1	RMS	2796.75	-42.31	-25	Pass	401
3000	12000	1	RMS	8056	-57.5	-25	Pass	9001
12000	27000	1	RMS	26753	-38.91	-25	Pass	15001



1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.3	-25	Pass	2986
30	1000	0.1	RMS	905.6	-57.12	-25	Pass	9701
1000	2486	1	RMS	2480	-41.46	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.93	60	Pass	401
2700	3000	1	RMS	2801.25	-42.32	-25	Pass	401
3000	12000	1	RMS	11851	-57.82	-25	Pass	9001
12000	27000	1	RMS	25561	-38.92	-25	Pass	15001




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.34	-25	Pass	2986
30	1000	0.1	RMS	952.1	-57.2	-25	Pass	9701
1000	2486	1	RMS	2486	-40.8	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.58	60	Pass	401
2700	3000	1	RMS	2793	-42.3	-25	Pass	401
3000	12000	1	RMS	11847	-57.88	-25	Pass	9001
12000	27000	1	RMS	26079	-38.92	-25	Pass	15001



1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.65	-25	Pass	2986
30	1000	0.1	RMS	951.2	-57.1	-25	Pass	9701
1000	2486	1	RMS	2486	-43.11	-25	Pass	1487
2486	2700	1	RMS	2588.72	22.2	60	Pass	401
2700	3000	1	RMS	2804.25	-42.28	-25	Pass	401
3000	12000	1	RMS	7766	-55.42	-25	Pass	9001
12000	27000	1	RMS	25517	-38.91	-25	Pass	15001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.95	-25	Pass	2986
30	1000	0.1	RMS	918.5	-57.25	-25	Pass	9701
1000	2486	1	RMS	2486	-43.11	-25	Pass	1487
2486	2700	1	RMS	2588.185	20.12	60	Pass	401
2700	3000	1	RMS	2799.75	-42.3	-25	Pass	401
3000	12000	1	RMS	11854	-57.97	-25	Pass	9001
12000	27000	1	RMS	25578	-38.87	-25	Pass	15001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.67	-25	Pass	2986
30	1000	0.1	RMS	907.2	-57.17	-25	Pass	9701
1000	2486	1	RMS	2485	-43.14	-25	Pass	1487
2486	2700	1	RMS	2680.74	21.63	60	Pass	401
2700	3000	1	RMS	2700	-42.24	-25	Pass	401
3000	12000	1	RMS	8042	-57.47	-25	Pass	9001
12000	27000	1	RMS	26748	-38.97	-25	Pass	15001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.94	-25	Pass	2986
30	1000	0.1	RMS	962.7	-56.86	-25	Pass	9701
1000	2486	1	RMS	2484	-43.18	-25	Pass	1487
2486	2700	1	RMS	2680.205	20.2	60	Pass	401
2700	3000	1	RMS	2700	-42.23	-25	Pass	401
3000	12000	1	RMS	11842	-57.99	-25	Pass	9001
12000	27000	1	RMS	25540	-38.9	-25	Pass	15001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46	-25	Pass	2986
30	1000	0.1	RMS	956.3	-57.09	-25	Pass	9701
1000	2486	1	RMS	2485	-39.15	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.74	60	Pass	401
2700	3000	1	RMS	2796	-42.32	-25	Pass	401
3000	12000	1	RMS	11850	-57.93	-25	Pass	9001
12000	27000	1	RMS	26746	-38.89	-25	Pass	15001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.67	-25	Pass	2986
30	1000	0.1	RMS	925.7	-57.08	-25	Pass	9701
1000	2486	1	RMS	2485	-41.53	-25	Pass	1487
2486	2700	1	RMS	2496.7	19.96	60	Pass	401
2700	3000	1	RMS	2999.25	-42.35	-25	Pass	401
3000	12000	1	RMS	11852	-57.85	-25	Pass	9001
12000	27000	1	RMS	26761	-38.96	-25	Pass	15001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.42	-25	Pass	2986
30	1000	0.1	RMS	954.4	-57.15	-25	Pass	9701
1000	2486	1	RMS	2486	-43.13	-25	Pass	1487
2486	2700	1	RMS	2586.58	21.63	60	Pass	401
2700	3000	1	RMS	2800.5	-42.31	-25	Pass	401
3000	12000	1	RMS	11851	-57.93	-25	Pass	9001
12000	27000	1	RMS	25589	-38.89	-25	Pass	15001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.56	-25	Pass	2986
30	1000	0.1	RMS	942.9	-57.19	-25	Pass	9701
1000	2486	1	RMS	2485	-43.15	-25	Pass	1487
2486	2700	1	RMS	2586.045	20.43	60	Pass	401
2700	3000	1	RMS	2999.25	-42.31	-25	Pass	401
3000	12000	1	RMS	7759	-56.85	-25	Pass	9001
12000	27000	1	RMS	26723	-38.96	-25	Pass	15001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.03	-25	Pass	2986
30	1000	0.1	RMS	946.7	-57.13	-25	Pass	9701
1000	2486	1	RMS	2485	-43.1	-25	Pass	1487
2486	2700	1	RMS	2675.925	22.12	60	Pass	401
2700	3000	1	RMS	2702.25	-41.23	-25	Pass	401
3000	12000	1	RMS	11836	-57.94	-25	Pass	9001
12000	27000	1	RMS	26761	-38.91	-25	Pass	15001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.55	-25	Pass	2986
30	1000	0.1	RMS	965.2	-57.11	-25	Pass	9701
1000	2486	1	RMS	2485	-43.01	-25	Pass	1487
2486	2700	1	RMS	2675.925	21.05	60	Pass	401
2700	3000	1	RMS	2702.25	-41.18	-25	Pass	401
3000	12000	1	RMS	11851	-57.86	-25	Pass	9001
12000	27000	1	RMS	25493	-38.92	-25	Pass	15001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.6	-25	Pass	2986
30	1000	0.1	RMS	932.5	-57.23	-25	Pass	9701
1000	2486	1	RMS	2485	-40.55	-25	Pass	1487
2486	2700	1	RMS	2497.235	21.76	60	Pass	401
2700	3000	1	RMS	2799	-42.31	-25	Pass	401
3000	12000	1	RMS	11857	-57.91	-25	Pass	9001
12000	27000	1	RMS	26725	-38.9	-25	Pass	15001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.66	-25	Pass	2986
30	1000	0.1	RMS	932.4	-57.25	-25	Pass	9701
1000	2486	1	RMS	2485	-40.3	-25	Pass	1487
2486	2700	1	RMS	2497.235	20.27	60	Pass	401
2700	3000	1	RMS	2798.25	-42.27	-25	Pass	401
3000	12000	1	RMS	11853	-57.92	-25	Pass	9001
12000	27000	1	RMS	25541	-38.94	-25	Pass	15001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-44.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.27	-25	Pass	2986
30	1000	0.1	RMS	927.9	-57.18	-25	Pass	9701
1000	2486	1	RMS	2485	-43.08	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.44	60	Pass	401
2700	3000	1	RMS	2799	-42.29	-25	Pass	401
3000	12000	1	RMS	7752	-57.35	-25	Pass	9001
12000	27000	1	RMS	26778	-38.86	-25	Pass	15001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.05	-25	Pass	2986
30	1000	0.1	RMS	929.9	-57.1	-25	Pass	9701
1000	2486	1	RMS	2486	-43.09	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.24	60	Pass	401
2700	3000	1	RMS	2799	-42.3	-25	Pass	401
3000	12000	1	RMS	11836	-57.98	-25	Pass	9001
12000	27000	1	RMS	26767	-38.91	-25	Pass	15001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.78	-25	Pass	2986
30	1000	0.1	RMS	944.7	-57.19	-25	Pass	9701
1000	2486	1	RMS	2484	-43.06	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.04	60	Pass	401
2700	3000	1	RMS	2706.75	-41.36	-25	Pass	401
3000	12000	1	RMS	11846	-57.91	-25	Pass	9001
12000	27000	1	RMS	25513	-38.96	-25	Pass	15001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.15	-25	Pass	2986
30	1000	0.1	RMS	944.3	-57.1	-25	Pass	9701
1000	2486	1	RMS	2486	-43.1	-25	Pass	1487
2486	2700	1	RMS	2671.11	20.75	60	Pass	401
2700	3000	1	RMS	2706.75	-41.68	-25	Pass	401
3000	12000	1	RMS	11846	-57.93	-25	Pass	9001
12000	27000	1	RMS	26741	-38.9	-25	Pass	15001



--BLANK BELOW--