



FCC ID: VBNAIHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

Measurement Uncertainty:	±48kHz
--------------------------	--------

Table 13 Occupied Bandwidth (10 MHz Channel BW)

Config C:

Carrier Frequency [MHz]	Occupied Bandwidth [MHz]	Result
QPSK-Modulation ANT1		
2627.5	13.36	compliant
2655	13.43	compliant
2682.5	13.36	compliant
QPSK-Modulation ANT2		
2627.5	13.36	compliant
2655	13.43	compliant
2682.5	13.36	compliant
QPSK-Modulation ANT3		
2627.5	13.40	compliant
2655	13.43	compliant
2682.5	13.36	compliant
QPSK-Modulation ANT4		
2627.5	13.36	compliant
2655	13.43	compliant
2682.5	13.36	compliant
16QAM-Modulation ANT1		
2627.5	13.40	compliant
2655	13.43	compliant
2682.5	13.40	compliant
16QAM-Modulation ANT2		
2627.5	13.36	compliant
2655	13.40	compliant
2682.5	13.40	compliant
16QAM-Modulation ANT3		
2627.5	13.36	compliant
2655	13.40	compliant
2682.5	13.33	compliant
16QAM-Modulation ANT4		
2627.5	13.36	compliant
2655	13.46	compliant
2682.5	13.40	compliant
64QAM-Modulation ANT1		
2627.5	13.36	compliant

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 34 of 301



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

2655	13.43	compliant
2682.5	13.40	compliant
64QAM-Modulation ANT2		
2627.5	13.36	compliant
2655	13.43	compliant
2682.5	13.36	compliant
64QAM-Modulation ANT3		
2627.5	13.36	compliant
2655	13.43	compliant
2682.5	13.36	compliant
64QAM-Modulation ANT4		
2627.5	13.40	compliant
2655	13.43	compliant
2682.5	13.36	compliant
256QAM-Modulation ANT1		
2627.5	13.40	compliant
2655	13.43	compliant
2682.5	13.40	compliant
256QAM-Modulation ANT2		
2627.5	13.36	compliant
2655	13.43	compliant
2682.5	13.40	compliant
256QAM-Modulation ANT3		
2627.5	13.40	compliant
2655	13.43	compliant
2682.5	13.36	compliant
256QAM-Modulation ANT4		
2627.5	13.40	compliant
2655	13.43	compliant
2682.5	13.40	compliant
Measurement Uncertainty:		±48kHz

Table 14 Occupied Bandwidth (15 MHz Channel BW)

Config D:

Carrier Frequency [MHz]	Occupied Bandwidth [MHz]	Result
QPSK-Modulation ANT1		
2630	17.84	compliant

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 35 of 301



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

2655	17.86	compliant
2680	17.84	compliant
QPSK-Modulation ANT2		
2630	17.84	compliant
2655	17.82	compliant
2680	17.84	compliant
QPSK-Modulation ANT3		
2630	17.84	compliant
2655	17.86	compliant
2680	17.84	compliant
QPSK-Modulation ANT4		
2630	17.84	compliant
2655	17.82	compliant
2680	17.84	compliant
16QAM-Modulation ANT1		
2630	17.84	compliant
2655	17.82	compliant
2680	17.84	compliant
16QAM-Modulation ANT2		
2630	17.79	compliant
2655	17.78	compliant
2680	17.84	compliant
16QAM-Modulation ANT3		
2630	17.84	compliant
2655	17.82	compliant
2680	17.79	compliant
16QAM-Modulation ANT4		
2630	17.79	compliant
2655	17.82	compliant
2680	17.84	compliant
64QAM-Modulation ANT1		
2630	17.84	compliant
2655	17.82	compliant
2680	17.84	compliant
64QAM-Modulation ANT2		
2630	17.84	compliant
2655	17.90	compliant
2680	17.84	compliant

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 36 of 301



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

64QAM-Modulation ANT3		
2630	17.84	compliant
2655	17.90	compliant
2680	17.84	compliant
64QAM-Modulation ANT4		
2630	17.84	compliant
2655	17.86	compliant
2680	17.84	compliant
256QAM-Modulation ANT1		
2630	17.84	compliant
2655	17.86	compliant
2680	17.84	compliant
256QAM-Modulation ANT2		
2630	17.84	compliant
2655	17.86	compliant
2680	17.84	compliant
256QAM-Modulation ANT3		
2630	17.84	compliant
2655	17.90	compliant
2680	17.84	compliant
256QAM-Modulation ANT4		
2630	17.84	compliant
2655	17.86	compliant
2680	17.84	compliant
Measurement Uncertainty:		±48kHz

Table 15 Occupied Bandwidth (20 MHz Channel BW)

Config E:

Carrier Frequency [MHz]	Occupied Bandwidth [MHz]	Result
QPSK-Modulation ANT1		
2622.5/2627.5	9.43	compliant
2652.5/2657.5	9.44	compliant
2682.5/2687.5	9.43	compliant
QPSK-Modulation ANT2		
2622.5/2627.5	9.43	compliant
2652.5/2657.5	9.43	compliant
2682.5/2687.5	9.43	compliant
QPSK-Modulation ANT3		

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 37 of 301



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

2622.5/2627.5	9.43	compliant
2652.5/2657.5	9.43	compliant
2682.5/2687.5	9.43	compliant
QPSK-Modulation ANT4		
2622.5/2627.5	9.43	compliant
2652.5/2657.5	9.43	compliant
2682.5/2687.5	9.43	compliant
16QAM-Modulation ANT1		
2622.5/2627.5	9.40	compliant
2652.5/2657.5	9.41	compliant
2682.5/2687.5	9.38	compliant
16QAM-Modulation ANT2		
2622.5/2627.5	9.41	compliant
2652.5/2657.5	9.42	compliant
2682.5/2687.5	9.40	compliant
16QAM-Modulation ANT3		
2622.5/ 2627.5	9.40	compliant
2652.5/2657.5	9.42	compliant
2682.5/2687.5	9.39	compliant
16QAM-Modulation ANT4		
2622.5/2627.5	9.40	compliant
2652.5/2657.5	9.39	compliant
2682.5/2687.5	9.40	compliant
64QAM-Modulation ANT1		
2622.5/2627.5	9.42	compliant
2652.5/2657.5	9.44	compliant
2682.5/2687.5	9.42	compliant
64QAM-Modulation ANT2		
2622.5/2627.5	9.43	compliant
2652.5/2657.5	9.44	compliant
2682.5/2687.5	9.42	compliant
64QAM-Modulation ANT3		
2622.5/2627.5	9.42	compliant
2652.5/2657.5	9.43	compliant
2682.5/2687.5	9.42	compliant
64QAM-Modulation ANT4		
2622.5/2627.5	9.42	compliant
2652.5/2657.5	9.44	compliant
2682.5/2687.5	9.43	compliant

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 38 of 301



FCC ID: VBNAIHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

256QAM-Modulation ANT1		
2622.5/2627.5	9.42	compliant
2652.5/2657.5	9.44	compliant
2682.5/2687.5	9.43	compliant
256QAM-Modulation ANT2		
2622.5/2627.5	9.43	compliant
2652.5/2657.5	9.43	compliant
2682.5/2687.5	9.43	compliant
256QAM-Modulation ANT3		
2622.5/2627.5	9.43	compliant
2652.5/2657.5	9.44	compliant
2682.5/2687.5	9.43	compliant
256QAM-Modulation ANT4		
2622.5/2627.5	9.42	compliant
2652.5/2657.5	9.44	compliant
2682.5/2687.5	9.43	compliant
Measurement Uncertainty:		±48kHz

Table 16 Occupied Bandwidth (5+5 MHz Channel BW)

Config F:

Carrier Frequency [MHz]	Occupied Bandwidth [MHz]	Result
QPSK-Modulation ANT1		
2625/2635	18.86	compliant
2650/2660	18.80	compliant
2675/2685	18.86	compliant
QPSK-Modulation ANT2		
2625/2635	18.86	compliant
2650/2660	18.90	compliant
2675/2685	18.83	compliant
QPSK-Modulation ANT3		
2625/2635	18.86	compliant
2650/2660	18.82	compliant
2675/2685	18.83	compliant
QPSK-Modulation ANT4		
2625/2635	18.86	compliant
2650/2660	18.82	compliant

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 39 of 301



Product Service

FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

2675/2685	18.83	compliant
16QAM-Modulation ANT1		
2625/2635	18.86	compliant
2650/2660	18.80	compliant
2675/2685	18.86	compliant
16QAM-Modulation ANT2		
2625/2635	18.86	compliant
2650/2660	18.86	compliant
2675/2685	18.84	compliant
16QAM-Modulation ANT3		
2625/2635	18.84	compliant
2650/2660	18.77	compliant
2675/2685	18.86	compliant
16QAM-Modulation ANT4		
2625/2635	18.86	compliant
2650/2660	18.81	compliant
2675/2685	18.84	compliant
64QAM-Modulation ANT1		
2625/2635	18.86	compliant
2650/2660	18.90	compliant
2675/2685	18.86	compliant
64QAM-Modulation ANT2		
2625/2635	18.86	compliant
2650/2660	18.83	compliant
2675/2685	18.86	compliant
64QAM-Modulation ANT3		
2625/2635	18.86	compliant
2650/2660	18.82	compliant
2675/2685	18.86	compliant
64QAM-Modulation ANT4		
2625/2635	18.86	compliant
2650/2660	18.83	compliant
2675/2685	18.86	compliant
256QAM-Modulation ANT1		
2625/2635	18.86	compliant
2650/2660	18.83	compliant
2675/2685	18.88	compliant
256QAM-Modulation ANT2		
2625/2635	18.86	compliant

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 40 of 301



FCC ID: VBNAIHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

2650/2660	18.90	compliant
2675/2685	18.86	compliant
256QAM-Modulation ANT3		
2625/2635	18.86	compliant
2650/2660	18.83	compliant
2675/2685	18.86	compliant
256QAM-Modulation ANT4		
2625/2635	18.86	compliant
2650/2660	18.83	compliant
2675/2685	18.86	compliant
Measurement Uncertainty:		±48kHz

Table 17 Occupied Bandwidth (10+10 MHz Channel BW)

Config G:

Carrier Frequency [MHz]	Occupied Bandwidth [MHz]	Result
QPSK-Modulation ANT1		
2627.5/2642.5	28.23	compliant
2647.5/2662.5	28.29	compliant
2667.5/2682.5	28.23	compliant
QPSK-Modulation ANT2		
2627.5/2642.5	28.26	compliant
2647.5/2662.5	28.26	compliant
2667.5/2682.5	28.23	compliant
QPSK-Modulation ANT3		
2627.5/2642.5	28.26	compliant
2647.5/2662.5	28.26	compliant
2667.5/2682.5	28.23	compliant
QPSK-Modulation ANT4		
2627.5/2642.5	28.26	compliant
2647.5/2662.5	28.26	compliant
2667.5/2682.5	28.23	compliant
16QAM-Modulation ANT1		
2627.5/2642.5	28.23	compliant
2647.5/2662.5	28.29	compliant
2667.5/2682.5	28.26	compliant
16QAM-Modulation ANT2		
2627.5/2642.5	28.20	compliant
2647.5/2662.5	28.29	compliant

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 41 of 301



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

2667.5/2682.5	28.20	compliant
16QAM-Modulation ANT3		
2627.5/2642.5	28.20	compliant
2647.5/2662.5	28.29	compliant
2667.5/2682.5	28.20	compliant
16QAM-Modulation ANT4		
2627.5/2642.5	28.20	compliant
2647.5/2662.5	28.26	compliant
2667.5/2682.5	28.20	compliant
64QAM-Modulation ANT1		
2627.5/2642.5	28.20	compliant
2647.5/2662.5	28.29	compliant
2667.5/2682.5	28.20	compliant
64QAM-Modulation ANT2		
2627.5/2642.5	28.23	compliant
2647.5/2662.5	28.26	compliant
2667.5/2682.5	28.26	compliant
64QAM-Modulation ANT3		
2627.5/2642.5	28.26	compliant
2647.5/2662.5	28.26	compliant
2667.5/2682.5	28.26	compliant
64QAM-Modulation ANT4		
2627.5/2642.5	28.26	compliant
2647.5/2662.5	28.26	compliant
2667.5/2682.5	28.23	compliant
256QAM-Modulation ANT1		
2627.5/2642.5	28.23	compliant
2647.5/2662.5	28.29	compliant
2667.5/2682.5	28.26	compliant
256QAM-Modulation ANT2		
2627.5/2642.5	28.23	compliant
2647.5/2662.5	28.26	compliant
2667.5/2682.5	28.26	compliant
256QAM-Modulation ANT3		
2627.5/2642.5	28.26	compliant
2647.5/2662.5	28.26	compliant
2667.5/2682.5	28.26	compliant
256QAM-Modulation ANT4		
2627.5/2642.5	28.26	compliant

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 42 of 301



FCC ID: VBNAIHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

2647.5/2662.5	28.26	compliant
2667.5/2682.5	28.23	compliant
Measurement Uncertainty:		±48kHz

Table 68 Occupied Bandwidth (15+15 MHz Channel BW)

Config H:

Carrier Frequency [MHz]	Occupied Bandwidth [MHz]	Result
QPSK-Modulation ANT1		
2630/2650	37.80	compliant
2645/2665	37.72	compliant
2660/2680	37.72	compliant
QPSK-Modulation ANT2		
2630/2650	37.76	compliant
2645/2665	37.72	compliant
2660/2680	37.68	compliant
QPSK-Modulation ANT3		
2630/2650	37.72	compliant
2645/2665	37.68	compliant
2660/2680	37.68	compliant
QPSK-Modulation ANT4		
2630/2650	37.76	compliant
2645/2665	37.72	compliant
2660/2680	37.64	compliant
16QAM-Modulation ANT1		
2630/2650	37.80	compliant
2645/2665	37.68	compliant
2660/2680	37.68	compliant
16QAM-Modulation ANT2		
2630/2650	37.72	compliant
2645/2665	37.68	compliant
2660/2680	37.60	compliant
16QAM-Modulation ANT3		
2630/2650	37.68	compliant
2645/2665	37.68	compliant
2660/2680	37.60	compliant
16QAM-Modulation ANT4		
2630/2650	37.72	compliant
2645/2665	37.72	compliant

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 43 of 301



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

2660/2680	37.64	compliant
64QAM-Modulation ANT1		
2630/2650	37.72	compliant
2645/2665	37.76	compliant
2660/2680	37.68	compliant
64QAM-Modulation ANT2		
2630/2650	37.72	compliant
2645/2665	37.71	compliant
2660/2680	37.68	compliant
64QAM-Modulation ANT3		
2630/2650	37.72	compliant
2645/2665	37.72	compliant
2660/2680	37.68	compliant
64QAM-Modulation ANT4		
2630/2650	37.84	compliant
2645/2665	37.76	compliant
2660/2680	37.60	compliant
256QAM-Modulation ANT1		
2630/2650	37.76	compliant
2645/2665	37.72	compliant
2660/2680	37.64	compliant
256QAM-Modulation ANT2		
2630/2650	37.76	compliant
2645/2665	37.71	compliant
2660/2680	37.68	compliant
256QAM-Modulation ANT3		
2630/2650	37.76	compliant
2645/2665	37.72	compliant
2660/2680	37.68	compliant
256QAM-Modulation ANT4		
2630/2650	37.84	compliant
2645/2665	37.76	compliant
2660/2680	37.64	compliant
Measurement Uncertainty:		±48kHz

Table 79 Occupied Bandwidth (20+20 MHz Channel BW)

The occupied bandwidth was found to be compliant with the manufacturer's specifications and with all requirements of the FCC rules and IC RSS specification.



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

4.4 Test No. 4: Spurious Emissions at Antenna Terminals (§ 2.1051, § 2.1057, § 27.53) and Transmitter unwanted emissions (RSS-199, RSS-Gen)

4.4.1. Limits

Para. No. 27.53(m). For BRS and EBS stations, the power of any emissions outside the licensee's frequency bands of operation shall be attenuated below the transmitter power (P) measured in watts.

(m)(2) For digital base stations, the attenuation shall be not less than $43 + 10 \log_{10}(P)$ dB.

RSS-199 para. No. 4.5 (a) For base station and fixed subscriber equipment, the power of any unwanted emissions measured as above shall be attenuated (in dB) below the transmitter power, P (dBW), by at least $43 + 10 \log_{10} p$.

The compliance limit was calculated in the following way:

Maximum transmitter output power [W]: P

Maximum transmitter output power [dBm]: $30 + 10 \log_{10} P$ (conversion from W to dBm)

Attenuation required by FCC and IC: $43 + 10 \log_{10} P$

Compliance limit = Maximum transmitter output power - Required attenuation
 $= 30 + 10 \log_{10} P - (43 + 10 \log_{10} P) = -13 \text{ dBm}$

For MiMo output each antenna connectors were measured individually and each individual limit line was reduced by additional $10 \log(4) - 6.02 \text{ dB}$ (four way MiMo config) and limit line was calculated to show -19.02 dB emission limit, according to FCC KDB 662911 D02 guidance.

4.4.2. Test Procedure and Results

The tests were carried out in accordance with § 27.53. For all frequency ranges except two (immediately below and above the carrier frequency block). Resolution bandwidth of at least 1% of OBW or greater was employed.

In the 1MHz bands immediately outside and adjacent to the authorized frequency range or channel, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter was employed.

RSS-199 para. No. 4.5 In the 1 MHz band immediately outside and adjacent to the channel edge, the unwanted emission power shall be measured with a resolution bandwidth of at least 1% of the occupied bandwidth for base station and fixed subscriber equipment,



FCC ID: VBNAIHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

According to § 2.1057, all emissions including the fundamental frequency from the lowest radio frequency generated in the equipment, without going below 9kHz, up to the 10th harmonic were investigated.

According to RSS-Gen para. No. 6.13 In measuring unwanted emissions, the spectrum shall be investigated from the lowest radio frequency signal generated in the equipment, without going below 9 kHz, up to at least the frequency given below:

(a) If the equipment operates below 10 GHz: to the tenth harmonic of the highest fundamental frequency were investigated.

The following tables summarize the worst case detected emission levels in all antenna ports (see screenshots of highest emission antenna on page 123 for details). The external attenuation (cable loss of the set up) is already added in the results. Limit line is set fixed to level -19.02dB.

Measured laboratory room temperature and humidity during the tests				
Date	Temperature Min-Max:		Humidity Min-Max:	
15 Feb – 23 Apr 2018	23.2°C	25.2°C	3.5 RH%	17.6 RH%

Config A Lower band edge:

Carrier Frequency: 2622.5 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
	2620	-26.73	compliant
QPSK-Modulation ANT2			
	2620	-26.41	compliant
QPSK-Modulation ANT3			
	2620	-28.46	compliant
QPSK-Modulation ANT4			
	2620	-28.69	compliant
16QAM-Modulation ANT1			
	2620	-28.58	compliant
16QAM-Modulation ANT2			
	2620	-28.19	compliant
16QAM-Modulation ANT3			
	2620	-29.30	compliant
16QAM-Modulation ANT4			
	2620	-28.56	compliant
64QAM-Modulation ANT1			

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 46 of 301



FCC ID: VBNAIHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

	2620	-28.83	compliant
64QAM-Modulation ANT2			
	2620	-25.86	compliant
64QAM-Modulation ANT3			
	2620	-29.68	compliant
64QAM-Modulation ANT4			
	2620	-28.64	compliant
256QAM-Modulation ANT1			
	2620	-29.31	compliant
256QAM-Modulation ANT2			
	2620	-29.38	compliant
256QAM-Modulation ANT3			
	2620	-30.12	compliant
256QAM-Modulation ANT4			
	2620	-29.80	compliant
Measurement Uncertainty:		$f < 1.0\text{GHz}: \pm 1.1\text{dB},$ $1.0\text{GHz} \leq f < 3.6\text{GHz}: \pm 1.2\text{dB},$ $3.6\text{GHz} \leq f < 8.0\text{GHz}: \pm 1.6\text{dB},$ $8.0\text{GHz} \leq f: \pm 1.9\text{dB}$	

Table 20 Spurious Emissions (Lower band edge) (5 MHz CH BW)

Config A Upper band edge:

Carrier Frequency: 2687.5 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
	2690	-27.17	compliant
QPSK-Modulation ANT2			
	2690	-26.91	compliant
QPSK-Modulation ANT3			
	2690	-27.79	compliant
QPSK-Modulation ANT4			
	2690	-25.86	compliant
16QAM-Modulation ANT1			
	2690	-27.52	compliant
16QAM-Modulation ANT2			

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 47 of 301



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

	2690	-27.17	compliant
16QAM-Modulation ANT3			
	2690	-26.86	compliant
16QAM-Modulation ANT4			
	2690	-25.95	compliant
64QAM-Modulation ANT1			
	2690	-28.54	compliant
64QAM-Modulation ANT2			
	2690	-26.34	compliant
64QAM-Modulation ANT3			
	2690	-27.54	compliant
64QAM-Modulation ANT4			
	2690	-26.42	compliant
256QAM-Modulation ANT1			
	2690	-28.20	compliant
256QAM-Modulation ANT2			
	2690	-26.04	compliant
256QAM-Modulation ANT3			
	2690	-27.47	compliant
256QAM-Modulation ANT4			
	2690	-26.47	compliant

Table 21 Spurious Emissions (Upper band edge) (5 MHz CH BW)

Config A Spurious emissions:

Carrier Frequency: 2655 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
0.009 – 26900	2651	-20.03	compliant
QPSK-Modulation ANT2			
0.009 – 26900	2651	-19.68	compliant
QPSK-Modulation ANT3			
0.009 – 26900	2651	-19.71	compliant
QPSK-Modulation ANT4			
0.009 – 26900	2651	-19.94	compliant
16QAM-Modulation ANT1			
0.009 – 26900	2659	-19.51	compliant

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 48 of 301



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

16QAM-Modulation ANT2			
0.009 – 26900	2651	-20.12	compliant
16QAM-Modulation ANT3			
0.009 – 26900	2651	-20.30	compliant
16QAM-Modulation ANT4			
0.009 – 26900	2659	-19.30	compliant
64QAM-Modulation ANT1			
0.009 – 26900	2651	-20.32	compliant
64QAM-Modulation ANT2			
0.009 – 26900	2651	-19.82	compliant
64QAM-Modulation ANT3			
0.009 – 26900	2651	-19.82	compliant
64QAM-Modulation ANT4			
0.009 – 26900	2651	-20.27	compliant
256QAM-Modulation ANT1			
0.009 – 26900	2659	-20.81	compliant
256QAM-Modulation ANT2			
0.009 – 26900	2651	-20.50	compliant
256QAM-Modulation ANT3			
0.009 – 26900	2659	-19.27	compliant
256QAM-Modulation ANT4			
0.009 – 26900	2651	-20.93	compliant
Measurement Uncertainty:		$f < 1.0\text{GHz}: \pm 1.1\text{dB},$ $1.0\text{GHz} \leq f < 3.6\text{GHz}: \pm 1.2\text{dB},$ $3.6\text{GHz} \leq f < 8.0\text{GHz}: \pm 1.6\text{dB},$ $8.0\text{GHz} \leq f: \pm 1.9\text{dB}$	

Table 22 Spurious Emissions (5 MHz Channel BW)

Config B Lower band edge:

Carrier Frequency: 2625 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
	2620	-27.27	compliant
QPSK-Modulation ANT2			
	2620	-26.30	compliant
QPSK-Modulation ANT3			
	2620	-29.07	compliant

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 49 of 301



FCC ID: VBNAIHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

QPSK-Modulation ANT4			
	2620	-27.81	compliant
16QAM-Modulation ANT1			
	2620	-29.49	compliant
16QAM-Modulation ANT2			
	2620	-28.34	compliant
16QAM-Modulation ANT3			
	2620	-30.05	compliant
16QAM-Modulation ANT4			
	2620	-29.17	compliant
64QAM-Modulation ANT1			
	2620	-29.34	compliant
64QAM-Modulation ANT2			
	2620	-27.87	compliant
64QAM-Modulation ANT3			
	2620	-29.76	compliant
64QAM-Modulation ANT4			
	2620	-29.02	compliant
256QAM-Modulation ANT1			
	2620	-28.68	compliant
256QAM-Modulation ANT2			
	2620	-27.97	compliant
256QAM-Modulation ANT3			
	2620	-29.86	compliant
256QAM-Modulation ANT4			
	2620	-29.00	compliant
Measurement Uncertainty:		$f < 1.0\text{GHz}: \pm 1.1\text{dB},$ $1.0\text{GHz} \leq f < 3.6\text{GHz}: \pm 1.2\text{dB},$ $3.6\text{GHz} \leq f < 8.0\text{GHz}: \pm 1.6\text{dB},$ $8.0\text{GHz} \leq f: \pm 1.9\text{dB}$	

Table 23 Spurious Emissions (Lower band edge) (10 MHz CH BW)

Config B Upper band edge:

Carrier Frequency: 2685 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
	2690	-27.84	compliant

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 50 of 301



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

QPSK-Modulation ANT2			
	2690	-27.25	compliant
QPSK-Modulation ANT3			
	2690	-27.71	compliant
QPSK-Modulation ANT4			
	2690	-27.78	compliant
16QAM-Modulation ANT1			
	2690	-28.03	compliant
16QAM-Modulation ANT2			
	2690	-27.14	compliant
16QAM-Modulation ANT3			
	2690	-27.89	compliant
16QAM-Modulation ANT4			
	2690	-27.64	compliant
64QAM-Modulation ANT1			
	2690	-28.30	compliant
64QAM-Modulation ANT2			
	2690	-26.20	compliant
64QAM-Modulation ANT3			
	2690	-27.85	compliant
64QAM-Modulation ANT4			
	2690	-26.36	compliant
256QAM-Modulation ANT1			
	2690	-27.96	compliant
256QAM-Modulation ANT2			
	2690	-27.27	compliant
256QAM-Modulation ANT3			
	2690	-27.98	compliant
256QAM-Modulation ANT4			
	2690	-27.71	compliant
Measurement Uncertainty:		$f < 1.0\text{GHz}: \pm 1.1\text{dB},$ $1.0\text{GHz} \leq f < 3.6\text{GHz}: \pm 1.2\text{dB},$ $3.6\text{GHz} \leq f < 8.0\text{GHz}: \pm 1.6\text{dB},$ $8.0\text{GHz} \leq f: \pm 1.9\text{dB}$	

Table 24 Spurious Emissions (Upper band edge) (10 MHz CH BW)

Config B Spurious emissions:

Carrier Frequency: 2655 MHz

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 51 of 301



FCC ID: VBNAIHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
0.009 – 26900	2661	-21.36	compliant
QPSK-Modulation ANT2			
0.009 – 26900	2661	-20.01	compliant
QPSK-Modulation ANT3			
0.009 – 26900	2649	-20.41	compliant
QPSK-Modulation ANT4			
0.009 – 26900	2661	-19.42	compliant
16QAM-Modulation ANT1			
0.009 – 26900	2649	-19.28	compliant
16QAM-Modulation ANT2			
0.009 – 26900	2661	-20.36	compliant
16QAM-Modulation ANT3			
0.009 – 26900	2661	-21.25	compliant
16QAM-Modulation ANT4			
0.009 – 26900	2661	-19.35	compliant
64QAM-Modulation ANT1			
0.009 – 26900	2661	-21.19	compliant
64QAM-Modulation ANT2			
0.009 – 26900	2661	-19.44	compliant
64QAM-Modulation ANT3			
0.009 – 26900	2661	-21.02	compliant
64QAM-Modulation ANT4			
0.009 – 26900	2661	-20.05	compliant
256QAM-Modulation ANT1			
0.009 – 26900	2661	-21.55	compliant
256QAM-Modulation ANT2			
0.009 – 26900	2661	-19.59	compliant
256QAM-Modulation ANT3			
0.009 – 26900	2661	-20.84	compliant
256QAM-Modulation ANT4			
0.009 – 26900	2661	-20.07	compliant
Measurement Uncertainty:		$f < 1.0\text{GHz}: \pm 1.1\text{dB},$ $1.0\text{GHz} \leq f < 3.6\text{GHz}: \pm 1.2\text{dB},$ $3.6\text{GHz} \leq f < 8.0\text{GHz}: \pm 1.6\text{dB},$ $8.0\text{GHz} \leq f: \pm 1.9\text{dB}$	

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 52 of 301



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

Table 25 Spurious Emissions (10 MHz CH BW)

Config C Lower band edge:

Carrier Frequency: 2627.5 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
	2620	-23.37	compliant
QPSK-Modulation ANT2			
	2620	-22.88	compliant
QPSK-Modulation ANT3			
	2620	-24.04	compliant
QPSK-Modulation ANT4			
	2620	-23.78	compliant
16QAM-Modulation ANT1			
	2620	-24.45	compliant
16QAM-Modulation ANT2			
	2620	-24.42	compliant
16QAM-Modulation ANT3			
	2620	-25.75	compliant
16QAM-Modulation ANT4			
	2620	-24.90	compliant
64QAM-Modulation ANT1			
	2620	-24.76	compliant
64QAM-Modulation ANT2			
	2620	-24.24	compliant
64QAM-Modulation ANT3			
	2620	-25.32	compliant
64QAM-Modulation ANT4			
	2620	-24.35	compliant
256QAM-Modulation ANT1			
	2620	-24.78	compliant
256QAM-Modulation ANT2			
	2620	-24.47	compliant
256QAM-Modulation ANT3			
	2620	-25.19	compliant
256QAM-Modulation ANT4			
	2620	-24.27	compliant

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 53 of 301



FCC ID: VBNAIHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

Measurement Uncertainty:	$f < 1.0\text{GHz}: \pm 1.1\text{dB},$ $1.0\text{GHz} \leq f < 3.6\text{GHz}: \pm 1.2\text{dB},$ $3.6\text{GHz} \leq f < 8.0\text{GHz}: \pm 1.6\text{dB},$ $8.0\text{GHz} \leq f: \pm 1.9\text{dB}$
--------------------------	--

Table 26 Spurious Emissions (Lower band edge) (15 MHz CH BW)

Config C Upper band edge:

Carrier Frequency: 2682.5 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
	2690	-24.66	compliant
QPSK-Modulation ANT2			
	2690	-24.42	compliant
QPSK-Modulation ANT3			
	2690	-26.46	compliant
QPSK-Modulation ANT4			
	2690	-25.82	compliant
16QAM-Modulation ANT1			
	2690	-25.65	compliant
16QAM-Modulation ANT2			
	2690	-25.36	compliant
16QAM-Modulation ANT3			
	2690	-26.60	compliant
16QAM-Modulation ANT4			
	2690	-25.97	compliant
64QAM-Modulation ANT1			
	2690	-25.61	compliant
64QAM-Modulation ANT2			
	2690	-24.89	compliant
64QAM-Modulation ANT3			
	2690	-26.42	compliant
64QAM-Modulation ANT425-67			
	2690	-26.30	compliant
256QAM-Modulation ANT1			
	2690	-25.67	compliant
256QAM-Modulation ANT2			
	2690	-24.79	compliant

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 54 of 301



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

256QAM-Modulation ANT3			
	2690	-26.35	compliant
256QAM-Modulation ANT4			
	2690	-26.01	compliant
Measurement Uncertainty:		$f < 1.0\text{GHz}: \pm 1.1\text{dB},$ $1.0\text{GHz} \leq f < 3.6\text{GHz}: \pm 1.2\text{dB},$ $3.6\text{GHz} \leq f < 8.0\text{GHz}: \pm 1.6\text{dB},$ $8.0\text{GHz} \leq f: \pm 1.9\text{dB}$	

Table 27 Spurious Emissions (Upper band edge) (15 MHz CH BW)

Config C Spurious emissions:

Carrier Frequency: 2655 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
0.009 – 26900	2664	-21.91	compliant
QPSK-Modulation ANT2			
0.009 – 26900	2646	-21.51	compliant
QPSK-Modulation ANT3			
0.009 – 26900	2646	-22.47	compliant
QPSK-Modulation ANT4			
0.009 – 26900	2646	-21.73	compliant
16QAM-Modulation ANT1			
0.009 – 26900	2646	-21.21	compliant
16QAM-Modulation ANT2			
0.009 – 26900	2646	-19.27	compliant
16QAM-Modulation ANT3			
0.009 – 26900	2664	-20.51	compliant
16QAM-Modulation ANT4			
0.009 – 26900	2646	-22.39	compliant
64QAM-Modulation ANT1			
0.009 – 26900	2664	-20.72	compliant
64QAM-Modulation ANT2			
0.009 – 26900	2646	-19.09	compliant

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 55 of 301



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

64QAM-Modulation ANT3			
0.009 – 26900	2664	-20.01	compliant
64QAM-Modulation ANT4			
0.009 – 26900	2664	-21.87	compliant
256QAM-Modulation ANT1			
0.009 – 26900	2664	-20.66	compliant
256QAM-Modulation ANT2			
0.009 – 26900	2646	-19.19	compliant
256QAM-Modulation ANT3			
0.009 – 26900	2664	-20.23	compliant
256QAM-Modulation ANT4			
0.009 – 26900	2664	-21.75	compliant
Measurement Uncertainty:		$f < 1.0\text{GHz}: \pm 1.1\text{dB},$ $1.0\text{GHz} \leq f < 3.6\text{GHz}: \pm 1.2\text{dB},$ $3.6\text{GHz} \leq f < 8.0\text{GHz}: \pm 1.6\text{dB},$ $8.0\text{GHz} \leq f: \pm 1.9\text{dB}$	

Table 28 Spurious Emissions (15 MHz CH BW)

Config D Lower band edge:

Carrier Frequency: 2610 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
	2620	-26.49	compliant
QPSK-Modulation ANT2			
	2620	-27.09	compliant
QPSK-Modulation ANT3			
	2620	-28.12	compliant
QPSK-Modulation ANT4			
	2620	-27.30	compliant
16QAM-Modulation ANT1			
	2620	-28.03	compliant
16QAM-Modulation ANT2			
	2620	-27.09	compliant
16QAM-Modulation ANT3			
	2620	-28.38	compliant

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 56 of 301



FCC ID: VBNAIHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

16QAM-Modulation ANT4			
	2620	-28.18	compliant
64QAM-Modulation ANT1			
	2620	-28.23	compliant
64QAM-Modulation ANT2			
	2620	-27.37	compliant
64QAM-Modulation ANT3			
	2620	-28.53	compliant
64QAM-Modulation ANT4			
	2620	-28.10	compliant
256QAM-Modulation ANT1			
	2620	-28.37	compliant
256QAM-Modulation ANT2			
	2620	-27.40	compliant
256QAM-Modulation ANT3			
	2620	-28.98	compliant
256QAM-Modulation ANT4--			
	2620	-28.48	compliant
Measurement Uncertainty:		$f < 1.0\text{GHz}: \pm 1.1\text{dB},$ $1.0\text{GHz} \leq f < 3.6\text{GHz}: \pm 1.2\text{dB},$ $3.6\text{GHz} \leq f < 8.0\text{GHz}: \pm 1.6\text{dB},$ $8.0\text{GHz} \leq f: \pm 1.9\text{dB}$	

Table 29 Spurious Emissions (Lower band edge) (20 MHz CH BW)

Config D Upper band edge:

Carrier Frequency: 2680.0 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
	2690	-26.73	compliant
QPSK-Modulation ANT2			
	2690	-27.07	compliant
QPSK-Modulation ANT3			
	2690	-27.98	compliant
QPSK-Modulation ANT4			
	2690	-28.19	compliant

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 57 of 301



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

16QAM-Modulation ANT1			
	2690	-28.16	compliant
16QAM-Modulation ANT2			
	2690	-27.76	compliant
16QAM-Modulation ANT3			
	2690	-28.92	compliant
16QAM-Modulation ANT4			
	2690	-28.87	compliant
64QAM-Modulation ANT1			
	2690	-28.31	compliant
64QAM-Modulation ANT2			
	2690	-27.59	compliant
64QAM-Modulation ANT3			
	2690	-29.20	compliant
64QAM-Modulation ANT4			
	2690	-29.20	compliant
256QAM-Modulation ANT1			
	2690	-28.38	compliant
256QAM-Modulation ANT2			
	2690	-26.92	compliant
256QAM-Modulation ANT3			
	2690	-28.31	compliant
256QAM-Modulation ANT4			
	2690	-28.71	compliant
Measurement Uncertainty:		$f < 1.0\text{GHz}: \pm 1.1\text{dB},$ $1.0\text{GHz} \leq f < 3.6\text{GHz}: \pm 1.2\text{dB},$ $3.6\text{GHz} \leq f < 8.0\text{GHz}: \pm 1.6\text{dB},$ $8.0\text{GHz} \leq f: \pm 1.9\text{dB}$	

Table 30 Spurious Emissions (Upper band edge) (20 MHz CH BW)

Config D Spurious emissions:

Carrier Frequency: 2655 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
0.009 – 26900	2644	-22.70	compliant
QPSK-Modulation ANT2			
0.009 – 26900	2644	-21.78	compliant

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 58 of 301



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

QPSK-Modulation ANT3			
0.009 – 26900	2644	-22.44	compliant
QPSK-Modulation ANT4			
0.009 – 26900	2644	-22.18	compliant
16QAM-Modulation ANT1			
0.009 – 26900	2644	-21.66	compliant
16QAM-Modulation ANT2			
0.009 – 26900	2644	-20.68	compliant
16QAM-Modulation ANT3			
0.009 – 26900	2666	-22.46	compliant
16QAM-Modulation ANT4			
0.009 – 26900	2644	-22.76	compliant
64QAM-Modulation ANT1			
0.009 – 26900	2644	-21.48	compliant
64QAM-Modulation ANT2			
0.009 – 26900	2644	-20.53	compliant
64QAM-Modulation ANT3			
0.009 – 26900	2666	-22.26	compliant
64QAM-Modulation ANT4			
0.009 – 26900	2644	-22.78	compliant
256QAM-Modulation ANT1			
0.009 – 26900	2644	-21.13	compliant
256QAM-Modulation ANT2			
0.009 – 26900	2644	-20.17	compliant
256QAM-Modulation ANT3			
0.009 – 26900	2666	-21.51	compliant
256QAM-Modulation ANT4			
0.009 – 26900	2644	-22.33	compliant
Measurement Uncertainty:		$f < 1.0\text{GHz}: \pm 1.1\text{dB},$ $1.0\text{GHz} \leq f < 3.6\text{GHz}: \pm 1.2\text{dB},$ $3.6\text{GHz} \leq f < 8.0\text{GHz}: \pm 1.6\text{dB},$ $8.0\text{GHz} \leq f: \pm 1.9\text{dB}$	

Table 31 Spurious Emissions (20 MHz CH BW)



FCC ID: VBNAIHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

Config E Lower band edge:

Carrier Frequency: 2622.5 / 2627.5 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
	2620	-23.21	compliant
QPSK-Modulation ANT2			
	2620	-22.80	compliant
QPSK-Modulation ANT3			
	2620	-23.55	compliant
QPSK-Modulation ANT4			
	2620	-22.65	compliant
16QAM-Modulation ANT1			
	2620	-24.54	compliant
16QAM-Modulation ANT2			
	2620	-24.71	compliant
16QAM-Modulation ANT3			
	2620	-26.08	compliant
16QAM-Modulation ANT4			
	2620	-25.14	compliant
64QAM-Modulation ANT1			
	2620	-25.75	compliant
64QAM-Modulation ANT2			
	2620	-25.04	compliant
64QAM-Modulation ANT3			
	2620	-26.21	compliant
64QAM-Modulation ANT4			
	2620	-25.09	compliant
256QAM-Modulation ANT1			
	2620	-25.58	compliant
256QAM-Modulation ANT2			
	2620	-25.17	compliant
256QAM-Modulation ANT3			
	2620	-26.21	compliant
256QAM-Modulation ANT4			
	2620	-25.58	compliant
Measurement Uncertainty:		$f < 1.0\text{GHz}$: $\pm 1.1\text{dB}$, $1.0\text{GHz} \leq f < 3.6\text{GHz}$: $\pm 1.2\text{dB}$, $3.6\text{GHz} \leq f < 8.0\text{GHz}$: $\pm 1.6\text{dB}$,	

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 60 of 301



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

	8.0GHz ≤ f: ±1.9dB
--	--------------------

Table 32 Spurious Emissions (Lower band edge) (5+5 MHz CH BW)

Config E Upper band edge:

Carrier Frequency: 2682.5 / 2687.5 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
	2690	-24.50	compliant
QPSK-Modulation ANT2			
	2690	-25.67	compliant
QPSK-Modulation ANT3			
	2690	-24.68	compliant
QPSK-Modulation ANT4			
	2690	-24.68	compliant
16QAM-Modulation ANT1			
	2690	-24.74	compliant
16QAM-Modulation ANT2			
	2690	-26.14	compliant
16QAM-Modulation ANT3			
	2690	-24.96	compliant
16QAM-Modulation ANT4			
	2690	-24.64	compliant
64QAM-Modulation ANT1			
	2690	-24.48	compliant
64QAM-Modulation ANT2			
	2690	-25.92	compliant
64QAM-Modulation ANT3			
	2690	-24.49	compliant
64QAM-Modulation ANT4			
	2690	-24.37	compliant
256QAM-Modulation ANT1			
	2690	-24.59	compliant
256QAM-Modulation ANT2			
	2690	-25.77	compliant
256QAM-Modulation ANT3			

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 61 of 301



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

	2690	-24.65	compliant
256QAM-Modulation ANT4			
	2690	-24.66	compliant
Measurement Uncertainty:	$f < 1.0\text{GHz}: \pm 1.1\text{dB},$ $1.0\text{GHz} \leq f < 3.6\text{GHz}: \pm 1.2\text{dB},$ $3.6\text{GHz} \leq f < 8.0\text{GHz}: \pm 1.6\text{dB},$ $8.0\text{GHz} \leq f: \pm 1.9\text{dB}$		

Table 33 Spurious Emissions (Upper band edge) (5+5 MHz CH BW)

Config E Spurious emissions:

Carrier Frequency: 2652.5 / 2657.5 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
0.009 – 26900	2649	-23.20	compliant
QPSK-Modulation ANT2			
0.009 – 26900	2649	-20.91	compliant
QPSK-Modulation ANT3			
0.009 – 26900	2649	-22.95	compliant
QPSK-Modulation ANT4			
0.009 – 26900	2649	-21.05	compliant
16QAM-Modulation ANT1			
0.009 – 26900	2649	-23.20	compliant
16QAM-Modulation ANT2			
0.009 – 26900	2649	-21.33	compliant
16QAM-Modulation ANT3			
0.009 – 26900	2649	-22.78	compliant
16QAM-Modulation ANT4			
0.009 – 26900	2649	-20.91	compliant
64QAM-Modulation ANT1			
0.009 – 26900	2649	-21.99	compliant
64QAM-Modulation ANT2			
0.009 – 26900	2649	-20.72	compliant
64QAM-Modulation ANT3			
0.009 – 26900	2649	-22.13	compliant
64QAM-Modulation ANT4			
0.009 – 26900	2649	-20.86	compliant
256QAM-Modulation ANT1			

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 62 of 301



FCC ID: VBNAIHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

0.009 – 26900	2649	-23.10	compliant
256QAM-Modulation ANT2			
0.009 – 26900	2649	-20.86	compliant
256QAM-Modulation ANT3			
0.009 – 26900	2661	-22.27	compliant
256QAM-Modulation ANT4			
0.009 – 26900	2649	-19.51	compliant
Measurement Uncertainty:		$f < 1.0\text{GHz}: \pm 1.1\text{dB},$ $1.0\text{GHz} \leq f < 3.6\text{GHz}: \pm 1.2\text{dB},$ $3.6\text{GHz} \leq f < 8.0\text{GHz}: \pm 1.6\text{dB},$ $8.0\text{GHz} \leq f: \pm 1.9\text{dB}$	

Table 34 Spurious Emissions (5+5 MHz CH BW)

Config F Lower band edge:

Carrier Frequency: 2625 / 2635 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
	2620	-24.17	compliant
QPSK-Modulation ANT2			
	2620	-24.18	compliant
QPSK-Modulation ANT3			
	2620	-24.80	compliant
QPSK-Modulation ANT4			
	2620	-22.95	compliant
16QAM-Modulation ANT1			
	2620	-24.78	compliant
16QAM-Modulation ANT2			
	2620	-24.19	compliant
16QAM-Modulation ANT3			
	2620	-25.83	compliant
16QAM-Modulation ANT4			
	2620	-24.33	compliant
64QAM-Modulation ANT1			
	2620	-25.20	compliant
64QAM-Modulation ANT2			

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 63 of 301



FCC ID: VBNAIHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

	2620	-24.51	compliant
64QAM-Modulation ANT3			
	2620	-25.30	compliant
64QAM-Modulation ANT4			
	2620	-24.80	compliant
256QAM-Modulation ANT1			
	2620	-24.63	compliant
256QAM-Modulation ANT2			
	2620	-24.16	compliant
256QAM-Modulation ANT3			
	2620	-25.10	compliant
256QAM-Modulation ANT4			
	2620	-24.89	compliant
Measurement Uncertainty:		$f < 1.0\text{GHz}: \pm 1.1\text{dB},$ $1.0\text{GHz} \leq f < 3.6\text{GHz}: \pm 1.2\text{dB},$ $3.6\text{GHz} \leq f < 8.0\text{GHz}: \pm 1.6\text{dB},$ $8.0\text{GHz} \leq f: \pm 1.9\text{dB}$	

Table 35 Spurious Emissions (Lower band edge) (10+10 MHz CH BW)

Config F Upper band edge:

Carrier Frequency: 2675 / 2685 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
	2690	-25.60	compliant
QPSK-Modulation ANT2			
	2690	-24.58	compliant
QPSK-Modulation ANT3			
	2690	-25.38	compliant
QPSK-Modulation ANT4			
	2690	-24.99	compliant
16QAM-Modulation ANT1			
	2690	-25.78	compliant
16QAM-Modulation ANT2			
	2690	-25.63	compliant
16QAM-Modulation ANT3			
	2690	-27.47	compliant
16QAM-Modulation ANT4			

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 64 of 301



FCC ID: VBNAIHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

	2690	-26.68	compliant
64QAM-Modulation ANT1			
	2690	-26.49	compliant
64QAM-Modulation ANT2			
	2690	-25.52	compliant
64QAM-Modulation ANT3			
	2690	-27.18	compliant
64QAM-Modulation ANT4			
	2690	-26.92	compliant
256QAM-Modulation ANT1			
	2690	-25.94	compliant
256QAM-Modulation ANT2			
	2690	-25.71	compliant
256QAM-Modulation ANT3			
	2690	-27.00	compliant
256QAM-Modulation ANT4			
	2690	-26.56	compliant
Measurement Uncertainty:		$f < 1.0\text{GHz}: \pm 1.1\text{dB},$ $1.0\text{GHz} \leq f < 3.6\text{GHz}: \pm 1.2\text{dB},$ $3.6\text{GHz} \leq f < 8.0\text{GHz}: \pm 1.6\text{dB},$ $8.0\text{GHz} \leq f: \pm 1.9\text{dB}$	

Table 36 Spurious Emissions (Upper band edge) (10+10 MHz CH BW)

Config F Spurious emissions:

Carrier Frequency: 2650 / 2660 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
0.009 – 26900	2643	-21.61	compliant
QPSK-Modulation ANT2			
0.009 – 26900	2644	-21.10	compliant
QPSK-Modulation ANT3			
0.009 – 26900	2644	-23.17	compliant
QPSK-Modulation ANT4			
0.009 – 26900	2644	-21.78	compliant
16QAM-Modulation ANT1			
0.009 – 26900	2644	-22.79	compliant
16QAM-Modulation ANT2			

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 65 of 301



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

0.009 – 26900	2666	-21.59	compliant
16QAM-Modulation ANT3			
0.009 – 26900	2644	-22.88	compliant
16QAM-Modulation ANT4			
0.009 – 26900	2644	-20.50	compliant
64QAM-Modulation ANT1			
0.009 – 26900	2644	-22.33	compliant
64QAM-Modulation ANT2			
0.009 – 26900	2644	-21.44	compliant
64QAM-Modulation ANT3			
0.009 – 26900	2644	-22.74	compliant
64QAM-Modulation ANT4			
0.009 – 26900	2644	-21.21	compliant
256QAM-Modulation ANT1			
0.009 – 26900	2644	-22.04	compliant
256QAM-Modulation ANT2			
0.009 – 26900	2644	-21.21	compliant
256QAM-Modulation ANT3			
0.009 – 26900	2644	-22.52	compliant
256QAM-Modulation ANT4			
0.009 – 26900	2644	-20.82	compliant
Measurement Uncertainty:		$f < 1.0\text{GHz}: \pm 1.1\text{dB},$ $1.0\text{GHz} \leq f < 3.6\text{GHz}: \pm 1.2\text{dB},$ $3.6\text{GHz} \leq f < 8.0\text{GHz}: \pm 1.6\text{dB},$ $8.0\text{GHz} \leq f: \pm 1.9\text{dB}$	

Table 37 Spurious Emissions (10+10 MHz CH BW)

Config G Lower band edge:

Carrier Frequency: 2627.5 / 2642.5 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
	2620	-22.70	compliant
QPSK-Modulation ANT2			
	2620	-23.05	compliant
QPSK-Modulation ANT3			
	2620	-22.94	compliant
QPSK-Modulation ANT4			

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 66 of 301



FCC ID: VBNAIHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

	2620	-21.85	compliant
16QAM-Modulation ANT1			
	2620	-21.84	compliant
16QAM-Modulation ANT2			
	2620	-22.83	compliant
16QAM-Modulation ANT3			
	2620	-23.12	compliant
16QAM-Modulation ANT4			
	2620	-21.52	compliant
64QAM-Modulation ANT1			
	2620	-23.28	compliant
64QAM-Modulation ANT2			
	2620	-21.22	compliant
64QAM-Modulation ANT3			
	2620	-23.24	compliant
64QAM-Modulation ANT4			
	2620	-22.06	compliant
256QAM-Modulation ANT1			
	2620	-23.09	compliant
256QAM-Modulation ANT2			
	2620	-21.44	compliant
256QAM-Modulation ANT3			
	2620	-22.03	compliant
256QAM-Modulation ANT4			
	2620	-21.75	compliant
Measurement Uncertainty:		$f < 1.0\text{GHz}: \pm 1.1\text{dB},$ $1.0\text{GHz} \leq f < 3.6\text{GHz}: \pm 1.2\text{dB},$ $3.6\text{GHz} \leq f < 8.0\text{GHz}: \pm 1.6\text{dB},$ $8.0\text{GHz} \leq f: \pm 1.9\text{dB}$	

Table 38 Spurious Emissions (Lower band edge) (15+15MHz CH BW)

Config G Upper band edge:

Carrier Frequency: 2627.5 / 2642.5 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 67 of 301



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

	2690	-22.82	compliant
QPSK-Modulation ANT2			
	2690	-22.52	compliant
QPSK-Modulation ANT3			
	2690	-24.29	compliant
QPSK-Modulation ANT4			
	2690	-20.60	compliant
16QAM-Modulation ANT1			
	2690	-21.46	compliant
16QAM-Modulation ANT2			
	2690	-22.56	compliant
16QAM-Modulation ANT3			
	2690	-23.10	compliant
16QAM-Modulation ANT4			
	2690	-21.83	compliant
64QAM-Modulation ANT1			
	2690	-22.51	compliant
64QAM-Modulation ANT2			
	2690	-22.25	compliant
64QAM-Modulation ANT3			
	2690	-23.23	compliant
64QAM-Modulation ANT4			
	2690	-22.69	compliant
256QAM-Modulation ANT1			
	2690	-22.47	compliant
256QAM-Modulation ANT2			
	2690	-22.64	compliant
256QAM-Modulation ANT3			
	2690	-22.86	compliant
256QAM-Modulation ANT4			
	2690	-22.43	compliant
Measurement Uncertainty:		$f < 1.0\text{GHz}: \pm 1.1\text{dB},$ $1.0\text{GHz} \leq f < 3.6\text{GHz}: \pm 1.2\text{dB},$ $3.6\text{GHz} \leq f < 8.0\text{GHz}: \pm 1.6\text{dB},$ $8.0\text{GHz} \leq f: \pm 1.9\text{dB}$	

Table 39 Spurious Emissions (Upper band edge) (15+15MHz CH BW)

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 68 of 301



FCC ID: VBNAHHB-01
IC ID: 661AI-AHHB

Test Report No:
D564660096

Config G Spurious emissions:

Carrier Frequency: 2647.5 / 2662.5 MHz			
Frequency Range [MHz]	Emission Frequency [MHz]	Maximum Emission Level [dBm]	Result
QPSK-Modulation ANT1			
0.009 – 26900	2671	-24.21	compliant
QPSK-Modulation ANT2			
0.009 – 26900	21625	-24.27	compliant
QPSK-Modulation ANT3			
0.009 – 26900	2671	-24.21	compliant
QPSK-Modulation ANT4			
0.009 – 26900	21624	-24.24	compliant
16QAM-Modulation ANT1			
0.009 – 26900	2671	-24.15	compliant
16QAM-Modulation ANT2			
0.009 – 26900	2671	-24.08	compliant
16QAM-Modulation ANT3			
0.009 – 26900	2671	-24.54	compliant
16QAM-Modulation ANT4			
0.009 – 26900	2671	-24.43	compliant
64QAM-Modulation ANT1			
0.009 – 26900	2671	-24.07	compliant
64QAM-Modulation ANT2			
0.009 – 26900	2671	-24.22	compliant
64QAM-Modulation ANT3			
0.009 – 26900	2671	-24.45	compliant
64QAM-Modulation ANT4			
0.009 – 26900	2671	-24.24	compliant
256QAM-Modulation ANT1			
0.009 – 26900	2671	-24.03	compliant
256QAM-Modulation ANT2			
0.009 – 26900	2671	-24.05	compliant
256QAM-Modulation ANT3			
0.009 – 26900	2671	-23.54	compliant
256QAM-Modulation ANT4			
0.009 – 26900	2671	-24.17	compliant
Measurement Uncertainty:		f < 1.0GHz: ±1.1dB,	

FCC 47 CFR part 27 (2017)
Industry Canada RSS-199
(2016)

30. April 2018
Page 69 of 301