



Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 10:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5260MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10520.000	49.274	49.694	-24.726	74.000	-0.420	PK
2		15780.000	48.850	44.460	-25.150	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 10:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5300MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	47.063	47.483	-26.937	74.000	-0.420	PK
2	*	15900.000	48.188	43.798	-25.812	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 10:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5300MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	47.913	48.333	-26.087	74.000	-0.420	PK
2	*	15900.000	50.158	45.768	-23.842	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 10:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.098	45.518	-28.902	74.000	-0.420	PK
2	*	15960.000	48.100	43.710	-25.900	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 10:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	47.238	47.658	-26.762	74.000	-0.420	PK
2	*	15960.000	48.732	44.342	-25.268	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 10:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5500MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.815	45.695	-28.185	74.000	0.120	PK
2	*	16500.000	48.528	43.288	-25.472	74.000	5.240	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 10:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5500MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	46.140	46.020	-27.860	74.000	0.120	PK
2	*	16500.000	47.369	42.129	-26.631	74.000	5.240	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 10:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5580MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.836	46.716	-27.164	74.000	0.120	PK
2	*	16740.000	48.772	43.382	-25.228	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 10:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5580MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.349	46.229	-27.651	74.000	0.120	PK
2	*	16740.000	48.596	43.206	-25.404	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 10:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5700MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	45.652	46.642	-28.348	74.000	-0.990	PK
2	*	17100.000	50.892	45.592	-23.108	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 10:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5700MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.683	45.673	-29.317	74.000	-0.990	PK
2	*	17100.000	50.339	45.039	-23.661	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 10:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.772	44.762	-30.228	74.000	-0.990	PK
2	*	17235.000	50.083	44.783	-23.917	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 10:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.207	45.197	-29.793	74.000	-0.990	PK
2	*	17235.000	49.107	43.807	-24.893	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.737	45.727	-29.263	74.000	-0.990	PK
2	*	17355.000	48.909	43.609	-25.091	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.048	45.038	-29.952	74.000	-0.990	PK
2	*	17355.000	47.509	42.209	-26.491	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.742	45.732	-29.258	74.000	-0.990	PK
2	*	17475.000	50.103	44.803	-23.897	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.712	45.702	-29.288	74.000	-0.990	PK
2	*	17475.000	49.427	44.127	-24.573	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 9::Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.140	45.560	-28.860	74.000	-0.420	PK
2	*	15570.000	46.243	43.863	-27.757	74.000	2.380	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 9::Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.948	46.368	-28.052	74.000	-0.420	PK
2	*	15570.000	46.750	44.370	-27.250	74.000	2.380	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 9::Transmit at 5230MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	46.529	46.949	-27.471	74.000	-0.420	PK
2	*	15690.000	47.987	43.597	-26.013	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 9::Transmit at 5230MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	46.459	46.879	-27.541	74.000	-0.420	PK
2	*	15690.000	48.719	44.329	-25.281	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 9::Transmit at 5270MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.003	46.423	-27.997	74.000	-0.420	PK
2	*	15810.000	48.536	44.146	-25.464	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 9::Transmit at 5270MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.817	46.237	-28.183	74.000	-0.420	PK
2	*	15810.000	46.557	42.167	-27.443	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 9::Transmit at 5310MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.704	46.124	-28.296	74.000	-0.420	PK
2	*	15930.000	48.337	43.947	-25.663	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 9::Transmit at 5310MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.797	46.217	-28.203	74.000	-0.420	PK
2	*	15930.000	48.389	43.999	-25.611	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 9::Transmit at 5510MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.611	45.491	-28.389	74.000	0.120	PK
2	*	16530.000	48.988	43.748	-25.012	74.000	5.240	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 9::Transmit at 5510MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	46.399	46.279	-27.601	74.000	0.120	PK
2	*	16530.000	47.739	42.499	-26.261	74.000	5.240	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 9::Transmit at 5550MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	45.914	45.794	-28.086	74.000	0.120	PK
2	*	16650.000	49.785	44.395	-24.215	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 9::Transmit at 5550MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	46.005	45.885	-27.995	74.000	0.120	PK
2	*	16650.000	49.194	43.804	-24.806	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 9::Transmit at 5670MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.840	45.981	-28.160	74.000	-0.141	PK
2	*	17010.000	50.508	45.118	-23.492	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 9::Transmit at 5670MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	46.038	46.179	-27.962	74.000	-0.141	PK
2	*	17010.000	49.572	44.182	-24.428	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 9::Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.055	46.045	-28.945	74.000	-0.990	PK
2	*	17265.000	50.448	45.148	-23.552	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 9::Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.241	45.231	-29.759	74.000	-0.990	PK
2	*	17265.000	49.534	44.234	-24.466	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 9::Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.011	45.001	-29.989	74.000	-0.990	PK
2	*	17385.000	48.659	43.359	-25.341	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 9::Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.513	45.503	-29.487	74.000	-0.990	PK
2	*	17385.000	48.546	43.246	-25.454	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	46.904	47.958	-27.096	74.000	-1.054	PK
2		15540.000	45.870	43.490	-28.130	74.000	2.380	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	46.141	47.195	-27.859	74.000	-1.054	PK
2		15540.000	46.104	43.724	-27.896	74.000	2.380	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5220MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	47.080	47.500	-26.920	74.000	-0.420	PK
2	*	15660.000	48.925	44.535	-25.075	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5220MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	48.515	48.935	-25.485	74.000	-0.420	PK
2	*	15660.000	49.867	45.477	-24.133	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5240MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	48.288	48.708	-25.712	74.000	-0.420	PK
2	*	15720.000	48.578	44.188	-25.422	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5240MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10480.000	48.499	48.919	-25.501	74.000	-0.420	PK
2		15720.000	47.994	43.604	-26.006	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5260MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10520.000	48.983	49.403	-25.017	74.000	-0.420	PK
2		15780.000	48.550	44.160	-25.450	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5260MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10520.000	48.807	49.227	-25.193	74.000	-0.420	PK
2		15780.000	47.724	43.334	-26.276	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5300MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	47.519	47.939	-26.481	74.000	-0.420	PK
2	*	15900.000	47.592	43.202	-26.408	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5300MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	47.631	48.051	-26.369	74.000	-0.420	PK
2	*	15900.000	47.879	43.489	-26.121	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5320MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11640.000	45.605	46.595	-28.395	74.000	-0.990	PK
2	*	15960.000	47.816	43.426	-26.184	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5320MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10640.000	47.640	48.060	-26.360	74.000	-0.420	PK
2		15960.000	47.537	43.147	-26.463	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5500MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	46.421	46.301	-27.579	74.000	0.120	PK
2	*	16500.000	47.753	42.513	-26.247	74.000	5.240	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5500MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	46.002	45.882	-27.998	74.000	0.120	PK
2	*	16500.000	46.996	41.756	-27.004	74.000	5.240	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5580MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.126	46.006	-27.874	74.000	0.120	PK
2	*	16740.000	50.538	45.148	-23.462	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5580MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	45.825	45.705	-28.175	74.000	0.120	PK
2	*	16740.000	49.158	43.768	-24.842	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5700MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.149	45.139	-29.851	74.000	-0.990	PK
2	*	17100.000	50.889	45.589	-23.111	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5700MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.549	44.539	-30.451	74.000	-0.990	PK
2	*	17100.000	50.201	44.901	-23.799	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.725	44.715	-30.275	74.000	-0.990	PK
2	*	17235.000	48.632	43.332	-25.368	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.046	45.036	-29.954	74.000	-0.990	PK
2	*	17235.000	50.047	44.747	-23.953	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5785MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.142	46.132	-28.858	74.000	-0.990	PK
2	*	17355.000	49.140	43.840	-24.860	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5785MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.429	45.419	-29.571	74.000	-0.990	PK
2	*	17355.000	48.355	43.055	-25.645	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5825MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.245	47.235	-27.755	74.000	-0.990	PK
2	*	17475.000	49.160	43.860	-24.840	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 10:Transmit at 5825MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.617	45.607	-29.383	74.000	-0.990	PK
2	*	17475.000	50.502	45.202	-23.498	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	47.062	47.482	-26.938	74.000	-0.420	PK
2	*	15570.000	47.274	44.894	-26.726	74.000	2.380	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.757	46.177	-28.243	74.000	-0.420	PK
2	*	15570.000	46.855	44.475	-27.145	74.000	2.380	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5230MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	48.449	48.869	-25.551	74.000	-0.420	PK
2	*	15690.000	50.158	45.768	-23.842	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5230MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	49.110	49.530	-24.890	74.000	-0.420	PK
2	*	15690.000	49.819	45.429	-24.181	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5270MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10540.000	47.374	47.794	-26.626	74.000	-0.420	PK
2		15810.000	47.077	42.687	-26.923	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5270MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.966	47.386	-27.034	74.000	-0.420	PK
2	*	15810.000	47.056	42.666	-26.944	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5310MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	47.136	47.556	-26.864	74.000	-0.420	PK
2	*	15930.000	47.839	43.449	-26.161	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5310MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.915	46.335	-28.085	74.000	-0.420	PK
2	*	15930.000	49.129	44.739	-24.871	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5510MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	46.309	46.189	-27.691	74.000	0.120	PK
2	*	16530.000	47.606	42.366	-26.394	74.000	5.240	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5510MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	46.453	46.333	-27.547	74.000	0.120	PK
2	*	16530.000	47.984	42.744	-26.016	74.000	5.240	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5550MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	46.606	46.486	-27.394	74.000	0.120	PK
2	*	16650.000	50.025	44.635	-23.975	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5550MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	46.677	46.557	-27.323	74.000	0.120	PK
2	*	16650.000	49.028	43.638	-24.972	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5670MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.797	45.938	-28.203	74.000	-0.141	PK
2	*	17010.000	50.403	45.013	-23.597	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5670MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.678	45.819	-28.322	74.000	-0.141	PK
2	*	17010.000	49.632	44.242	-24.368	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5755MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.416	45.406	-29.584	74.000	-0.990	PK
2	*	17265.000	51.235	45.935	-22.765	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5755MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.393	45.383	-29.607	74.000	-0.990	PK
2	*	17265.000	49.272	43.972	-24.728	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5795MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.870	44.860	-30.130	74.000	-0.990	PK
2	*	17385.000	48.840	43.540	-25.160	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 11:Transmit at 5795MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.912	45.902	-29.088	74.000	-0.990	PK
2	*	17385.000	49.507	44.207	-24.493	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 12::Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	45.085	45.505	-28.915	74.000	-0.420	PK
2	*	15630.000	47.312	43.750	-26.688	74.000	3.562	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 12::Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.580	45.000	-29.420	74.000	-0.420	PK
2	*	15630.000	47.014	43.452	-26.986	74.000	3.562	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 12::Transmit at 5290MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	46.132	46.552	-27.868	74.000	-0.420	PK
2	*	15870.000	47.908	43.518	-26.092	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 12::Transmit at 5290MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	46.679	47.099	-27.321	74.000	-0.420	PK
2	*	15870.000	48.863	44.473	-25.137	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 12::Transmit at 5530MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	46.369	46.249	-27.631	74.000	0.120	PK
2	*	16590.000	48.842	43.452	-25.158	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 12::Transmit at 5530MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	46.587	46.467	-27.413	74.000	0.120	PK
2	*	16590.000	48.292	42.902	-25.708	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 12::Transmit at 5775MHz by 802.11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.999	45.989	-29.001	74.000	-0.990	PK
2	*	17325.000	47.911	42.611	-26.089	74.000	5.300	PK


Engineer: Simon	
Site: AC5	Time: 2017/11/08 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 12::Transmit at 5775MHz by 802.11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.794	44.784	-30.206	74.000	-0.990	PK
2	*	17325.000	49.000	43.700	-25.000	74.000	5.300	PK


Beam-forming:

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 21:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	47.470	48.524	-26.530	74.000	-1.054	PK
2	*	15540.000	48.769	46.389	-25.231	74.000	2.380	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 21:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.752	45.806	-29.248	74.000	-1.054	PK
2	*	15540.000	45.302	42.922	-28.698	74.000	2.380	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5220MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.528	44.948	-29.472	74.000	-0.420	PK
2	*	15660.000	48.753	44.363	-25.247	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5220MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.571	45.991	-28.429	74.000	-0.420	PK
2	*	15660.000	47.857	43.467	-26.143	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5240MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.928	46.348	-28.072	74.000	-0.420	PK
2	*	15720.000	48.207	43.817	-25.793	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5240MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.457	45.877	-28.543	74.000	-0.420	PK
2	*	15720.000	48.243	43.853	-25.757	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5260MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.137	46.557	-27.863	74.000	-0.420	PK
2	*	15780.000	48.115	43.725	-25.885	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5260MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.610	46.030	-28.390	74.000	-0.420	PK
2	*	15780.000	47.609	43.219	-26.391	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5300MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	46.895	47.315	-27.105	74.000	-0.420	PK
2	*	15900.000	47.221	42.831	-26.779	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5300MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	47.595	48.015	-26.405	74.000	-0.420	PK
2	*	15900.000	48.498	44.108	-25.502	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	46.617	47.037	-27.383	74.000	-0.420	PK
2	*	15960.000	47.038	42.648	-26.962	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5320MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	46.457	46.877	-27.543	74.000	-0.420	PK
2	*	15960.000	48.453	44.063	-25.547	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5500MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.552	45.432	-28.448	74.000	0.120	PK
2	*	16500.000	48.625	43.385	-25.375	74.000	5.240	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5500MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	46.884	46.764	-27.116	74.000	0.120	PK
2	*	16500.000	48.291	43.051	-25.709	74.000	5.240	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5580MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.107	45.987	-27.893	74.000	0.120	PK
2	*	16740.000	49.669	44.279	-24.331	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5580MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	47.047	46.927	-26.953	74.000	0.120	PK
2	*	16740.000	50.316	44.926	-23.684	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5700MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	44.374	45.364	-29.626	74.000	-0.990	PK
2	*	17100.000	49.671	44.371	-24.329	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5700MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.596	44.586	-30.404	74.000	-0.990	PK
2	*	17100.000	49.717	44.417	-24.283	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.269	45.259	-29.731	74.000	-0.990	PK
2	*	17235.000	49.084	43.784	-24.916	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.164	45.154	-29.836	74.000	-0.990	PK
2	*	17235.000	49.457	44.157	-24.543	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.420	45.410	-29.580	74.000	-0.990	PK
2	*	17355.000	48.579	43.279	-25.421	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.254	47.244	-27.746	74.000	-0.990	PK
2	*	17355.000	50.353	45.053	-23.647	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.515	44.505	-30.485	74.000	-0.990	PK
2	*	17475.000	49.700	44.400	-24.300	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 13:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.665	46.655	-28.335	74.000	-0.990	PK
2	*	17475.000	49.257	43.957	-24.743	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 14:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.825	45.245	-29.175	74.000	-0.420	PK
2	*	15570.000	47.131	44.751	-26.869	74.000	2.380	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 14:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.081	45.501	-28.919	74.000	-0.420	PK
2	*	15570.000	46.136	43.756	-27.864	74.000	2.380	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 14:Transmit at 5230MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	45.576	45.996	-28.424	74.000	-0.420	PK
2	*	15690.000	48.115	43.725	-25.885	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 14:Transmit at 5230MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.894	45.314	-29.106	74.000	-0.420	PK
2	*	15690.000	48.557	44.167	-25.443	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 14:Transmit at 5270MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.922	45.342	-29.078	74.000	-0.420	PK
2	*	15810.000	46.762	42.372	-27.238	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 14:Transmit at 5270MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.711	46.131	-28.289	74.000	-0.420	PK
2	*	15810.000	46.410	42.020	-27.590	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 14:Transmit at 5310MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.950	46.370	-28.050	74.000	-0.420	PK
2	*	15930.000	47.732	43.342	-26.268	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 14:Transmit at 5310MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.535	45.955	-28.465	74.000	-0.420	PK
2	*	15930.000	47.024	42.634	-26.976	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 14:Transmit at 5510MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	45.406	45.286	-28.594	74.000	0.120	PK
2	*	16530.000	49.040	43.800	-24.960	74.000	5.240	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 14:Transmit at 5510MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	46.318	46.198	-27.682	74.000	0.120	PK
2	*	16530.000	46.828	41.588	-27.172	74.000	5.240	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 14:Transmit at 5550MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	46.254	46.134	-27.746	74.000	0.120	PK
2	*	16650.000	50.373	44.983	-23.627	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 14:Transmit at 5550MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	46.458	46.338	-27.542	74.000	0.120	PK
2	*	16650.000	50.013	44.623	-23.987	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 14:Transmit at 5670MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.561	45.702	-28.439	74.000	-0.141	PK
2	*	17010.000	49.794	44.404	-24.206	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 14:Transmit at 5670MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	45.198	45.339	-28.802	74.000	-0.141	PK
2	*	17010.000	48.912	43.522	-25.088	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 14:Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.835	45.825	-29.165	74.000	-0.990	PK
2	*	17265.000	49.761	44.461	-24.239	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 14:Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.024	45.014	-29.976	74.000	-0.990	PK
2	*	17265.000	49.722	44.422	-24.278	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 14:Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.474	44.464	-30.526	74.000	-0.990	PK
2	*	17385.000	48.650	43.350	-25.350	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 14:Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.621	43.611	-31.379	74.000	-0.990	PK
2	*	17385.000	49.666	44.366	-24.334	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.727	45.781	-29.273	74.000	-1.054	PK
2	*	15540.000	44.825	42.445	-29.175	74.000	2.380	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.038	46.092	-28.962	74.000	-1.054	PK
2	*	15540.000	45.386	43.006	-28.614	74.000	2.380	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5200MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10400.000	44.335	44.755	-29.665	74.000	-0.420	PK
2		15600.000	44.062	41.682	-29.938	74.000	2.380	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5200MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10400.000	44.409	44.829	-29.591	74.000	-0.420	PK
2	*	15600.000	45.140	42.760	-28.860	74.000	2.380	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5240MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.474	45.894	-28.526	74.000	-0.420	PK
2	*	15720.000	49.393	45.003	-24.607	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5240MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.939	45.359	-29.061	74.000	-0.420	PK
2	*	15720.000	48.548	44.158	-25.452	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5260MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.604	46.024	-28.396	74.000	-0.420	PK
2	*	15780.000	48.373	43.983	-25.627	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5260MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.724	46.144	-28.276	74.000	-0.420	PK
2	*	15780.000	48.758	44.368	-25.242	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5300MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	46.117	46.537	-27.883	74.000	-0.420	PK
2	*	15900.000	46.997	42.607	-27.003	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5300MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.580	46.000	-28.420	74.000	-0.420	PK
2	*	15900.000	47.428	43.038	-26.572	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5320MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10640.000	47.863	48.283	-26.137	74.000	-0.420	PK
2		15960.000	47.067	42.677	-26.933	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5320MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	46.232	46.652	-27.768	74.000	-0.420	PK
2	*	15960.000	47.998	43.608	-26.002	74.000	4.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5500MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	47.584	47.464	-26.416	74.000	0.120	PK
2	*	16500.000	48.561	43.321	-25.439	74.000	5.240	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5500MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	45.654	45.534	-28.346	74.000	0.120	PK
2	*	16500.000	47.347	42.107	-26.653	74.000	5.240	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5580MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.698	46.578	-27.302	74.000	0.120	PK
2	*	16740.000	50.512	45.122	-23.488	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5580MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	46.452	46.332	-27.548	74.000	0.120	PK
2	*	16740.000	48.408	43.018	-25.592	74.000	5.390	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5700MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.911	44.901	-30.089	74.000	-0.990	PK
2	*	17100.000	48.222	42.922	-25.778	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5700MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.522	44.512	-30.478	74.000	-0.990	PK
2	*	17100.000	48.802	43.502	-25.198	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.752	44.742	-30.248	74.000	-0.990	PK
2	*	17235.000	48.766	43.466	-25.234	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.129	45.119	-29.871	74.000	-0.990	PK
2	*	17235.000	49.605	44.305	-24.395	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5785MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.882	44.872	-30.118	74.000	-0.990	PK
2	*	17355.000	48.083	42.783	-25.917	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5785MHz by 802.11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.385	45.375	-29.615	74.000	-0.990	PK
2	*	17355.000	48.465	43.165	-25.535	74.000	5.300	PK

Engineer: Simon	
Site: AC5	Time: 2017/11/23 - 22:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 15:Transmit at 5825MHz by 802.11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.798	44.788	-30.202	74.000	-0.990	PK
2	*	17475.000	49.091	43.791	-24.909	74.000	5.300	PK