


Mode:	802.11 g(6Mbps) Transmitting	Channel:	2412
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	48.96	52.14	74.00	21.86	Pass	Vertical
2	2413.4856	32.28	13.36	-42.43	94.60	97.81	74.00	-23.81	Pass	Vertical

Mode:	802.11 g(6Mbps) Transmitting	Channel:	2412
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	38.32	41.50	54.00	12.50	Pass	Horizontal
2	2412.7660	32.28	13.36	-42.43	64.32	67.53	54.00	-13.53	Pass	Horizontal

Mode:	802.11 g(6Mbps) Transmitting	Channel:	2412
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	38.38	41.56	54.00	12.44	Pass	Vertical
2	2413.0538	32.28	13.36	-42.43	64.90	68.11	54.00	-14.11	Pass	Vertical

Mode:	802.11 g(6Mbps) Transmitting	Channel:	2462
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2463.4693	32.35	13.47	-42.41	95.38	98.79	74.00	-24.79	Pass	Horizontal
2	2483.5000	32.38	13.38	-42.40	49.44	52.80	74.00	21.20	Pass	Horizontal

Mode:	802.11 g(6Mbps) Transmitting	Channel:	2462
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2463.4693	32.35	13.47	-42.41	94.76	98.17	74.00	-24.17	Pass	Vertical
2	2483.5000	32.38	13.38	-42.40	49.54	52.90	74.00	21.10	Pass	Vertical

Mode:	802.11 g(6Mbps) Transmitting	Channel:	2462
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2463.3242	32.35	13.47	-42.41	66.50	69.91	54.00	-15.91	Pass	Horizontal
2	2483.5000	32.38	13.38	-42.40	40.37	43.73	54.00	10.27	Pass	Horizontal

Mode:	802.11 g(6Mbps) Transmitting	Channel:	2462
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2463.1064	32.35	13.47	-42.41	66.40	69.81	54.00	-15.81	Pass	Vertical
2	2483.5000	32.38	13.38	-42.40	40.43	43.79	54.00	10.21	Pass	Vertical

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2412
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	53.55	56.73	74.00	17.27	Pass	Horizontal
2	2413.3417	32.28	13.36	-42.43	92.91	96.12	74.00	-22.12	Pass	Horizontal

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2412
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	51.91	55.09	74.00	18.91	Pass	Vertical
2	2414.2053	32.28	13.37	-42.43	92.31	95.53	74.00	-21.53	Pass	Vertical

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2412
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	39.97	43.15	54.00	10.85	Pass	Horizontal
2	2413.6295	32.28	13.36	-42.43	83.54	86.75	54.00	-32.75	Pass	Horizontal

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channe	2412
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	39.49	42.67	54.00	11.33	Pass	Vertical
2	2413.6295	32.28	13.36	-42.43	81.73	84.94	54.00	-30.94	Pass	Vertical

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2462
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2463.3967	32.35	13.47	-42.41	94.67	98.08	74.00	-24.08	Pass	Horizontal
2	2483.5000	32.38	13.38	-42.40	52.93	56.29	74.00	17.71	Pass	Horizontal

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2462
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2464.1227	32.35	13.47	-42.41	97.37	100.78	74.00	-26.78	Pass	Vertical
2	2483.5000	32.38	13.38	-42.40	53.63	56.99	74.00	17.01	Pass	Vertical

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2462
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2463.4693	32.35	13.47	-42.41	85.42	88.83	54.00	-34.83	Pass	Horizontal
2	2483.5000	32.38	13.38	-42.40	40.76	44.12	54.00	9.88	Pass	Horizontal

Mode:	802.11 n(HT20) (6.5Mbps) Transmitting	Channel:	2462
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2463.5419	32.35	13.47	-42.41	87.12	90.53	54.00	-36.53	Pass	Vertical
2	2483.5000	32.38	13.38	-42.40	40.77	44.13	54.00	9.87	Pass	Vertical

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2422
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	52.86	56.04	74.00	17.96	Pass	Horizontal
2	2434.9312	32.31	13.46	-42.42	86.33	89.68	74.00	-15.68	Pass	Horizontal

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2422
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	53.79	56.97	74.00	17.03	Pass	Vertical
2	2424.2428	32.29	13.41	-42.42	89.23	92.51	74.00	-18.51	Pass	Vertical

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2422
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	40.53	43.71	54.00	10.29	Pass	Horizontal
2	2427.3967	32.30	13.43	-42.43	74.86	78.16	54.00	-24.16	Pass	Horizontal

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Chan	2422
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	41.73	44.91	54.00	9.09	Pass	Vertical
2	2426.1702	32.30	13.42	-42.43	75.84	79.13	54.00	-25.13	Pass	Vertical

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2452
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2464.6809	32.35	13.46	-42.40	88.89	92.30	74.00	-18.30	Pass	Horizontal
2	2483.5000	32.38	13.38	-42.40	49.63	52.99	74.00	21.01	Pass	Horizontal

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2452
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2465.0000	32.35	13.46	-42.40	88.93	92.34	74.00	-18.34	Pass	Vertical
2	2483.5000	32.38	13.38	-42.40	52.13	55.49	74.00	18.51	Pass	Vertical

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2452
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2458.0851	32.34	13.49	-42.40	76.10	79.53	54.00	-25.53	Pass	Horizontal
2	2483.5000	32.38	13.38	-42.40	38.71	42.07	54.00	11.93	Pass	Horizontal

Mode:	802.11 n(HT40) (13.5Mbps) Transmitting	Channel:	2452
Remark:	AV		

Test Graph




NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2449.1489	32.33	13.53	-42.42	76.75	80.19	54.00	-26.19	Pass	Vertical
2	2483.5000	32.38	13.38	-42.40	39.06	42.42	54.00	11.58	Pass	Vertical

ANT2

Mode:	802.11 b(11Mbps) Transmitting	Channel:	2412
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	49.44	52.62	74.00	21.38	Pass	Horizontal
2	2413.1977	32.28	13.36	-42.43	96.57	99.78	74.00	-25.78	Pass	Horizontal

Mode:	802.11 b(11Mbps) Transmitting	Channel:	2412
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	49.95	53.13	74.00	20.87	Pass	Vertical
2	2413.1977	32.28	13.36	-42.43	96.38	99.59	74.00	-25.59	Pass	Vertical

Mode:	802.11 b(11Mbps) Transmitting	Channel:	2412
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	39.21	42.39	54.00	11.61	Pass	Horizontal
2	2410.6070	32.27	13.35	-42.43	94.07	97.26	54.00	-43.26	Pass	Horizontal

Mode:	802.11 b(11Mbps) Transmitting	Channel:	2412
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2390.0000	32.25	13.37	-42.44	39.03	42.21	54.00	11.79	Pass	Vertical
2	2410.7509	32.28	13.35	-42.43	93.85	97.05	54.00	-43.05	Pass	Vertical

Mode:	802.11 b(11Mbps) Transmitting	Channel:	2462
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2463.1064	32.35	13.47	-42.41	98.14	101.55	74.00	-27.55	Pass	Horizontal
2	2483.5000	32.38	13.38	-42.40	49.52	52.88	74.00	21.12	Pass	Horizontal

Mode:	802.11 b(11Mbps) Transmitting	Channel:	2462
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2463.1064	32.35	13.47	-42.41	99.47	102.88	74.00	-28.88	Pass	Vertical
2	2483.5000	32.38	13.38	-42.40	50.01	53.37	74.00	20.63	Pass	Vertical

Mode:	802.11 b(11Mbps) Transmitting	Channel:	2462
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2461.0738	32.35	13.48	-42.41	96.82	100.24	54.00	-46.24	Pass	Horizontal
2	2483.5000	32.38	13.38	-42.40	40.72	44.08	54.00	9.92	Pass	Horizontal

Mode:	802.11 b(11Mbps) Transmitting	Channel:	2462
Remark:	AV		

Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	2461.0013	32.35	13.48	-42.41	97.46	100.88	54.00	-46.88	Pass	Vertical
2	2483.5000	32.38	13.38	-42.40	40.80	44.16	54.00	9.84	Pass	Vertical