



Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Average / Port 1 / 18GHz~40GHz




Date: 24.MAR.2018 03:01:56

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Peak / Port 1 / 18GHz~40GHz




Date: 24.MAR.2018 03:02:22

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Average / Port 2 / 18GHz~40GHz



Date: 24.MAR.2018 03:12:02

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Peak / Port 2 / 18GHz~40GHz



Date: 24.MAR.2018 03:13:06

For Conducted Bandedge

For Ant. 2


IEEE 802.11ac Nss1 MCS0 VHT20 / Average

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Bandedge Level (dBm)	TX2 Bandedge Level (dBm)	Total TX Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
5260	16.00	-59.04	-62.22	-41.33	-41.25	0.08
5300	16.00	-59.69	-60.97	-41.27	-41.25	0.02
5320	16.00	-59.80	-61.57	-41.59	-41.25	0.34
5500	16.00	-59.36	-61.85	-41.42	-41.25	0.17
5580	16.00	-59.02	-62.75	-41.49	-41.25	0.24
5700	16.00	-60.13	-60.49	-41.30	-41.25	0.05
5720	16.00	-60.57	-61.46	-41.98	-41.25	0.73


IEEE 802.11ac Nss1 MCS0 VHT20 / Peak

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Bandedge Level (dBm)	TX2 Bandedge Level (dBm)	Total TX Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
5260	16.00	-49.04	-49.92	-30.45	-21.25	9.20
5300	16.00	-47.80	-48.34	-29.05	-21.25	7.80
5320	16.00	-48.09	-48.90	-29.47	-21.25	8.22
5500	16.00	-48.84	-49.87	-30.31	-21.25	9.06
5580	16.00	-49.92	-51.91	-31.79	-21.25	10.54
5700	16.00	-48.50	-48.18	-29.33	-21.25	8.08
5720	16.00	-51.65	-50.83	-32.21	-21.25	10.96


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5260 MHz / Average / Port 1




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5260 MHz / Peak / Port 1




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5260 MHz / Average / Port 2




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5260 MHz / Peak / Port 2




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5300 MHz / Average / Port 1




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5300 MHz / Peak / Port 1




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5300 MHz / Average / Port 2




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5300 MHz / Peak / Port 2




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5320 MHz / Average / Port 1




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5320 MHz / Peak / Port 1



Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5320 MHz / Average / Port 2




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5320 MHz / Peak / Port 2







Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5500 MHz / Average / Port 1



Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5500 MHz / Peak / Port 1




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5500 MHz / Average / Port 2




Date: 17.MAR.2018 20:42:05

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5500 MHz / Peak / Port 2




Date: 17.MAR.2018 20:43:18

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5580 MHz / Average / Port 1




Date: 17. MAR 2018 20:45:42

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5580 MHz / Peak / Port 1




Date: 17. MAR 2018 20:50:09

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5580 MHz / Average / Port 2




Date: 17. MAR 2018 20:47:21

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5580 MHz / Peak / Port 2




Date: 17. MAR 2018 20:48:39

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5700 MHz / Average / Port 1




Date: 17.MAR.2018 20:57:37

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5700 MHz / Peak / Port 1




Date: 17.MAR.2018 20:59:18

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5700 MHz / Average / Port 2




Date: 17 MAR 2018 20:54:20

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5700 MHz / Peak / Port 2




Date: 17 MAR 2018 20:55:33

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5720 MHz / Average / Port 1




Date: 17.MAR.2018 21:33:04

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5720 MHz / Peak / Port 1




Date: 17.MAR.2018 21:34:34

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5720 MHz / Average / Port 2



Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5720 MHz / Peak / Port 2




IEEE 802.11ac Nss1 MCS0 VHT80 / Average

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Bandedge Level (dBm)	TX2 Bandedge Level (dBm)	Total TX Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
5290	16.00	-60.61	-59.97	-41.27	-41.25	0.02
5530	16.00	-62.02	-59.11	-41.32	-41.25	0.07
5610	16.00	-59.48	-63.84	-42.12	-41.25	0.87
5690	16.00	-61.22	-61.17	-42.18	-41.25	0.93


IEEE 802.11ac Nss1 MCS0 VHT80 / Peak

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Bandedge Level (dBm)	TX2 Bandedge Level (dBm)	Total TX Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
5290	16.00	-47.93	-47.52	-28.71	-21.25	7.46
5530	16.00	-49.71	-46.57	-28.85	-21.25	7.60
5610	16.00	-47.51	-51.52	-30.06	-21.25	8.81
5690	16.00	-48.65	-47.29	-28.91	-21.25	7.66


Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5290 MHz / Average / Port 1




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5290 MHz / Peak / Port 1




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5290 MHz / Average / Port 2



Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5290 MHz / Peak / Port 2




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5530 MHz / Average / Port 1




Date: 17. MAR 2018 23:05:12

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5530 MHz / Peak / Port 1




Date: 17. MAR 2018 23:06:46

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5530 MHz / Average / Port 2




Date: 17. MAR 2018 23:01:32

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5530 MHz / Peak / Port 2




Date: 17. MAR 2018 23:03:29

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5610 MHz / Average / Port 1




Date: 17.MAR.2018 23:15:55

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5610 MHz / Peak / Port 1




Date: 17.MAR.2018 23:17:12


Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5610 MHz / Average / Port 2




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5610 MHz / Peak / Port 2




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Average / Port 1




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Peak / Port 1



Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Average / Port 2



Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Peak / Port 2



For Ant. 3


IEEE 802.11ac Nss1 MCS0 VHT20 / Average

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Bandedge Level (dBm)	TX2 Bandedge Level (dBm)	Total TX Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
5260	2.00	-53.74	-57.79	-50.30	-41.25	9.05
5300	2.00	-55.36	-51.96	-48.33	-41.25	7.08
5320	2.00	-48.05	-45.64	-41.67	-41.25	0.42
5500	2.00	-46.98	-47.09	-42.02	-41.25	0.77
5580	2.00	-55.89	-58.16	-51.87	-41.25	10.62
5700	2.00	-47.87	-47.26	-42.54	-41.25	1.29
5720	2.00	-56.99	-59.12	-52.92	-41.25	11.67

IEEE 802.11ac Nss1 MCS0 VHT20 / Peak


Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Bandedge Level (dBm)	TX2 Bandedge Level (dBm)	Total TX Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
5260	2.00	-43.47	-44.90	-39.12	-21.25	17.87
5300	2.00	-40.38	-35.04	-31.93	-21.25	10.68
5320	2.00	-33.77	-31.75	-27.63	-21.25	6.38
5500	2.00	-29.91	-31.26	-25.52	-21.25	4.27
5580	2.00	-45.77	-46.64	-41.17	-21.25	19.92
5700	2.00	-31.05	-30.78	-25.90	-21.25	4.65
5720	2.00	-45.20	-46.09	-40.61	-21.25	19.36

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5260 MHz / Average / Port 1




Date: 26.MAR.2018 16:48:16

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5260 MHz / Peak / Port 1




Date: 26.MAR.2018 16:50:00

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5260 MHz / Average / Port 2




Date: 23.MAR.2018 00:16:37

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5260 MHz / Peak / Port 2




Date: 23.MAR.2018 00:17:40

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5300 MHz / Average / Port 1




Date: 23.MAR.2018 01:41:19

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5300 MHz / Peak / Port 1




Date: 23.MAR.2018 01:42:04


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5300 MHz / Average / Port 2




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5300 MHz / Peak / Port 2




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5320 MHz / Average / Port 1




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5320 MHz / Peak / Port 1




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5320 MHz / Average / Port 2



Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5320 MHz / Peak / Port 2




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5500 MHz / Average / Port 1




Date: 23.MAR.2018 10:27:48

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5500 MHz / Peak / Port 1




Date: 23.MAR.2018 10:29:57

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5500 MHz / Average / Port 2




Date: 23.MAR.2018 10:37:58

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5500 MHz / Peak / Port 2




Date: 23.MAR.2018 10:39:13

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5580 MHz / Average / Port 1




Date: 23.MAR.2018 10:42:41

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5580 MHz / Peak / Port 1




Date: 23.MAR.2018 10:45:00

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5580 MHz / Average / Port 2




Date: 23.MAR.2018 10:47:07

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5580 MHz / Peak / Port 2




Date: 23.MAR.2018 10:49:16

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5700 MHz / Average / Port 1




Date: 23.MAR.2018 11:00:31

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5700 MHz / Peak / Port 1




Date: 23.MAR.2018 11:01:41

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5700 MHz / Average / Port 2




Date: 23.MAR.2018 10:56:38

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5700 MHz / Peak / Port 2




Date: 23.MAR.2018 10:57:55


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5720 MHz / Average / Port 1



Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5720 MHz / Peak / Port 1




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5720 MHz / Average / Port 2



Date: 23.MAR.2018 11:23:30

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5720 MHz / Peak / Port 2



Date: 23.MAR.2018 11:25:28


IEEE 802.11ac Nss1 MCS0 VHT80 / Average

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Bandedge Level (dBm)	TX2 Bandedge Level (dBm)	Total TX Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
5290	2.00	-47.57	-46.21	-41.83	-41.25	0.58
5530	2.00	-46.85	-47.24	-42.03	-41.25	0.78
5610	2.00	-44.99	-48.31	-41.33	-41.25	0.08
5690	2.00	-45.80	-49.43	-42.24	-41.25	0.99


IEEE 802.11ac Nss1 MCS0 VHT80 / Peak

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Bandedge Level (dBm)	TX2 Bandedge Level (dBm)	Total TX Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
5290	2.00	-33.84	-32.65	-28.19	-21.25	6.94
5530	2.00	-33.97	-35.33	-29.59	-21.25	8.34
5610	2.00	-30.44	-34.13	-26.89	-21.25	5.64
5690	2.00	-30.35	-32.98	-26.46	-21.25	5.21


Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5290 MHz / Average / Port 1



Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5290 MHz / Peak / Port 1




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5290 MHz / Average / Port 2



Date: 23.MAR.2018 01:32:43

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5290 MHz / Peak / Port 2




Date: 23.MAR.2018 01:33:41

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5530 MHz / Average / Port 1



Date: 23.MAR.2018 14:20:48

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5530 MHz / Peak / Port 1




Date: 23.MAR.2018 14:22:11

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5530 MHz / Average / Port 2



Date: 23.MAR.2018 14:25:52

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5530 MHz / Peak / Port 2




Date: 23.MAR.2018 14:28:06

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5610 MHz / Average / Port 1



Date: 23.MAR.2018 14:44:42

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5610 MHz / Peak / Port 1




Date: 23.MAR.2018 14:45:53

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5610 MHz / Average / Port 2



Date: 23.MAR.2018 14:39:07

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5610 MHz / Peak / Port 2




Date: 23.MAR.2018 14:40:31

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Average / Port 1



Date: 23.MAR.2018 14:49:32

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Peak / Port 1



Date: 23.MAR.2018 14:51:35

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Average / Port 2



Date: 23.MAR.2018 14:54:26

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Peak / Port 2



Date: 23.MAR.2018 14:56:35

For Cabinet

