


Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11648.4000	41.75	8.45	50.20	54.00	-3.80	AVG	
2	11652.5000	52.00	8.45	60.45	74.00	-13.55	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	50.48	13.01	63.49	109.40	-45.91	Peak	
2	5725.0000	63.95	13.03	76.98	122.20	-45.22	Peak	
3 *	5744.7000	105.17	13.06	118.23	122.20	-3.97	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11511.8500	48.09	8.50	56.59	74.00	-17.41	Peak	
2 *	11515.8500	36.29	8.50	44.79	54.00	-9.21	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5790.7000	103.86	13.14	117.00	122.20	-5.20	Peak	No Limit
2	5850.0000	46.21	13.24	59.45	122.20	-62.75	Peak	
3	5860.0000	40.39	13.26	53.65	109.40	-55.75	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11588.2500	36.70	8.47	45.17	54.00	-8.83	AVG	
2	11610.5500	50.80	8.47	59.27	74.00	-14.73	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	54.27	13.01	67.28	109.40	-42.12	Peak	
2	5725.0000	62.44	13.03	75.47	122.20	-46.73	Peak	
3 *	5783.4000	102.68	13.13	115.81	122.20	-6.39	Peak	No Limit
4	5850.0000	56.11	13.24	69.35	122.20	-52.85	Peak	
5	5860.0000	55.41	13.26	68.67	109.40	-40.73	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11533.8000	44.44	8.49	52.93	74.00	-21.07	Peak	
2 *	11571.2500	34.90	8.48	43.38	54.00	-10.62	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE20) Mode Channel 165 (UNII-3)	Polarization	Vertical
-----------	---------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39351.000	49.68	12.12	61.80	83.50	-21.70	peak	
2 *		39351.000	40.78	12.12	52.90	63.50	-10.60	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE20) Mode Channel 165 (UNII-3)	Polarization	Horizontal
-----------	---------------------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39483.000	49.15	12.20	61.35	83.50	-22.15	peak	
2 *		39483.000	40.70	12.20	52.90	63.50	-10.60	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.650	16.800
40	5200	21.790	16.900
48	5240	21.687	16.800

CH36




Date: 12.JUN.2024 19:08:43

CH40
26 dB Bandwidth




Date: 12.JUN.2024 19:25:24

CH48




Date: 12.JUN.2024 19:26:26


99 % Occupied Bandwidth



Date: 12.JUN.2024 19:08:07



Date: 12.JUN.2024 19:24:47




Date: 12.JUN.2024 19:25:01

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	22.690	18.000
40	5200	23.199	18.000
48	5240	23.049	18.000

CH36




Date: 12.JUN.2024 19:32:14

CH40
26 dB Bandwidth




Date: 12.JUN.2024 19:33:29

CH48




Date: 12.JUN.2024 19:36:15


99 % Occupied Bandwidth



Date: 12.JUN.2024 19:31:58



Date: 12.JUN.2024 19:32:55




Date: 12.JUN.2024 19:36:02

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	39.900	36.400
46	5230	39.790	36.200


CH38



Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	22.950	19.200
40	5200	22.800	19.300
48	5240	22.150	19.200

CH36




Date: 12.JUN.2024 19:59:18

CH40
26 dB Bandwidth




Date: 12.JUN.2024 20:00:05

CH48




Date: 12.JUN.2024 20:01:16


99 % Occupied Bandwidth



Date: 12.JUN.2024 19:59:18



Date: 12.JUN.2024 19:59:31




Date: 12.JUN.2024 20:01:42

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	83.600	77.600

CH42 26 dB Bandwidth



Date: 12 JUN 2024 20:12:08

99 % Occupied Bandwidth




Date: 12 JUN 2024 20:11:24

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode
-----------	-----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	164.000	153.600

CH50 26 dB Bandwidth



Date: 12 JUN 2024 19:56:37

99 % Occupied Bandwidth




Date: 12 JUN 2024 19:55:51

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode
-----------	----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	163.190	155.200

CH50 26 dB Bandwidth



Date: 12 JUN 2024 20:14:53

99 % Occupied Bandwidth




Date: 12 JUN 2024 20:14:04

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.450	16.800	0.5	Complies
157	5785	16.450	16.800	0.5	Complies
165	5825	16.450	16.800	0.5	Complies

CH149




Date: 12.JUN.2024 19:27:17

CH157
6 dB Bandwidth




Date: 12.JUN.2024 19:29:29

CH165




Date: 12.JUN.2024 19:30:24


99 % Occupied Bandwidth



Date: 12.JUN.2024 19:26:37



Date: 12.JUN.2024 19:28:49




Date: 12.JUN.2024 19:29:44

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.650	18.000	0.5	Complies
157	5785	17.650	18.000	0.5	Complies
165	5825	17.650	18.000	0.5	Complies

CH149




Date: 12.JUN.2024 19:38:16

CH157
6 dB Bandwidth




Date: 12.JUN.2024 19:40:25

CH165




Date: 12.JUN.2024 19:41:33


99 % Occupied Bandwidth



Date: 12.JUN.2024 19:37:37



Date: 12.JUN.2024 19:39:46




Date: 12.JUN.2024 19:40:55

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.959	19.200	0.5	Complies
157	5785	19.050	19.200	0.5	Complies
165	5825	18.950	19.200	0.5	Complies

CH149




Date: 12.JUN.2024 20:03:44

CH157
6 dB Bandwidth




Date: 12.JUN.2024 20:04:44

CH165




Date: 12.JUN.2024 20:05:36


99 % Occupied Bandwidth



Date: 12.JUN.2024 20:03:07



Date: 12.JUN.2024 20:04:07




Date: 12.JUN.2024 20:04:58


Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	73.392	77.200	0.5	Complies

CH155 6 dB Bandwidth



99 % Occupied Bandwidth



APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.97	0.14	21.11	29.00	0.7943	Complies
40	5200	21.03	0.14	21.17	29.00	0.7943	Complies
48	5240	20.80	0.14	20.94	29.00	0.7943	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.81	0.14	20.95	29.00	0.7943	Complies
40	5200	21.06	0.14	21.20	29.00	0.7943	Complies
48	5240	21.18	0.14	21.32	29.00	0.7943	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.63	0.14	20.77	29.00	0.7943	Complies
40	5200	20.73	0.14	20.87	29.00	0.7943	Complies
48	5240	20.82	0.14	20.96	29.00	0.7943	Complies

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.02	0.14	21.16	29.00	0.7943	Complies
40	5200	20.82	0.14	20.96	29.00	0.7943	Complies
48	5240	20.97	0.14	21.11	29.00	0.7943	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	27.02	29.00	0.7943	Complies
40	5200	27.07	29.00	0.7943	Complies
48	5240	27.10	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.51	0.66	20.17	29.00	0.7943	Complies
40	5200	19.56	0.66	20.22	29.00	0.7943	Complies
48	5240	19.77	0.66	20.43	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.18	0.66	19.84	29.00	0.7943	Complies
40	5200	19.38	0.66	20.04	29.00	0.7943	Complies
48	5240	19.98	0.66	20.64	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.26	0.66	19.92	29.00	0.7943	Complies
40	5200	19.34	0.66	20.00	29.00	0.7943	Complies
48	5240	19.92	0.66	20.58	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.53	0.66	20.19	29.00	0.7943	Complies
40	5200	19.48	0.66	20.14	29.00	0.7943	Complies
48	5240	19.95	0.66	20.61	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26.06	29.00	0.7943	Complies
40	5200	26.12	29.00	0.7943	Complies
48	5240	26.59	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.12	0.65	18.77	29.00	0.7943	Complies
46	5230	21.96	0.65	22.61	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.24	0.65	18.89	29.00	0.7943	Complies
46	5230	22.37	0.65	23.02	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.95	0.65	18.60	29.00	0.7943	Complies
46	5230	22.16	0.65	22.81	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.86	0.65	18.51	29.00	0.7943	Complies
46	5230	21.95	0.65	22.60	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	24.72	29.00	0.7943	Complies
46	5230	28.78	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.90	0.65	19.55	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.24	0.65	19.89	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.00	0.65	19.65	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.78	0.65	19.43	29.00	0.7943	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	25.66	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.67	0.65	20.32	29.00	0.7943	Complies
40	5200	19.70	0.65	20.35	29.00	0.7943	Complies
48	5240	19.68	0.65	20.33	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.57	0.65	20.22	29.00	0.7943	Complies
40	5200	19.48	0.65	20.13	29.00	0.7943	Complies
48	5240	19.42	0.65	20.07	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.25	0.65	19.90	29.00	0.7943	Complies
40	5200	19.27	0.65	19.92	29.00	0.7943	Complies
48	5240	19.35	0.65	20.00	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.52	0.65	20.17	29.00	0.7943	Complies
40	5200	19.48	0.65	20.13	29.00	0.7943	Complies
48	5240	19.64	0.65	20.29	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26.18	29.00	0.7943	Complies
40	5200	26.16	29.00	0.7943	Complies
48	5240	26.19	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.64	0.66	18.30	29.00	0.7943	Complies
46	5230	22.23	0.66	22.89	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.83	0.66	18.49	29.00	0.7943	Complies
46	5230	22.48	0.66	23.14	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.54	0.66	18.20	29.00	0.7943	Complies
46	5230	22.27	0.66	22.93	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.42	0.66	18.08	29.00	0.7943	Complies
46	5230	22.00	0.66	22.66	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	24.29	29.00	0.7943	Complies
46	5230	28.93	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.96	0.65	19.61	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.31	0.65	19.96	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.97	0.65	19.62	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.67	0.65	19.32	29.00	0.7943	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	25.65	29.00	0.7943	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.42	0.32	16.74	22.98	0.1986	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.18	0.32	16.50	22.98	0.1986	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	16.37	0.32	16.69	22.98	0.1986	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.89	0.32	16.21	22.98	0.1986	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	22.56	22.98	0.1986	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.73	0.73	16.46	22.98	0.1986	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.70	0.73	16.43	22.98	0.1986	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.88	0.73	16.61	22.98	0.1986	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.37	0.73	16.10	22.98	0.1986	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	22.42	22.98	0.1986	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.81	0.14	21.95	29.00	0.7943	Complies
157	5785	22.01	0.14	22.15	29.00	0.7943	Complies
165	5825	21.89	0.14	22.03	29.00	0.7943	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.02	0.14	22.16	29.00	0.7943	Complies
157	5785	22.41	0.14	22.55	29.00	0.7943	Complies
165	5825	22.04	0.14	22.18	29.00	0.7943	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.94	0.14	22.08	29.00	0.7943	Complies
157	5785	21.84	0.14	21.98	29.00	0.7943	Complies
165	5825	21.65	0.14	21.79	29.00	0.7943	Complies

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.55	0.14	21.69	29.00	0.7943	Complies
157	5785	22.06	0.14	22.20	29.00	0.7943	Complies
165	5825	22.54	0.14	22.68	29.00	0.7943	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.99	29.00	0.7943	Complies
157	5785	28.24	29.00	0.7943	Complies
165	5825	28.20	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.79	0.66	22.45	29.00	0.7943	Complies
157	5785	22.31	0.66	22.97	29.00	0.7943	Complies
165	5825	22.09	0.66	22.75	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.08	0.66	22.74	29.00	0.7943	Complies
157	5785	22.37	0.66	23.03	29.00	0.7943	Complies
165	5825	22.10	0.66	22.76	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.70	0.66	22.36	29.00	0.7943	Complies
157	5785	22.01	0.66	22.67	29.00	0.7943	Complies
165	5825	21.89	0.66	22.55	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.59	0.66	22.25	29.00	0.7943	Complies
157	5785	22.03	0.66	22.69	29.00	0.7943	Complies
165	5825	22.27	0.66	22.93	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.48	29.00	0.7943	Complies
157	5785	28.87	29.00	0.7943	Complies
165	5825	28.77	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.14	0.65	22.79	29.00	0.7943	Complies
159	5795	22.13	0.65	22.78	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.46	0.65	23.11	29.00	0.7943	Complies
159	5795	22.23	0.65	22.88	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.90	0.65	22.55	29.00	0.7943	Complies
159	5795	21.72	0.65	22.37	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.82	0.65	22.47	29.00	0.7943	Complies
159	5795	21.91	0.65	22.56	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.76	29.00	0.7943	Complies
159	5795	28.67	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.97	0.65	22.62	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.34	0.65	22.99	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.88	0.65	22.53	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.25	0.65	22.90	29.00	0.7943	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	28.79	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.88	0.65	22.53	29.00	0.7943	Complies
157	5785	21.81	0.65	22.46	29.00	0.7943	Complies
165	5825	22.24	0.65	22.89	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.36	0.65	23.01	29.00	0.7943	Complies
157	5785	22.14	0.65	22.79	29.00	0.7943	Complies
165	5825	22.31	0.65	22.96	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.74	0.65	22.39	29.00	0.7943	Complies
157	5785	21.70	0.65	22.35	29.00	0.7943	Complies
165	5825	21.98	0.65	22.63	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.82	0.65	22.47	29.00	0.7943	Complies
157	5785	21.88	0.65	22.53	29.00	0.7943	Complies
165	5825	22.59	0.65	23.24	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.63	29.00	0.7943	Complies
157	5785	28.56	29.00	0.7943	Complies
165	5825	28.96	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.88	0.66	22.54	29.00	0.7943	Complies
159	5795	21.85	0.66	22.51	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.13	0.66	22.79	29.00	0.7943	Complies
159	5795	22.08	0.66	22.74	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.59	0.66	22.25	29.00	0.7943	Complies
159	5795	21.60	0.66	22.26	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.65	0.66	22.31	29.00	0.7943	Complies
159	5795	21.82	0.66	22.48	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.50	29.00	0.7943	Complies
159	5795	28.52	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.97	0.65	22.62	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.35	0.65	23.00	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.98	0.65	22.63	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.15	0.65	22.80	29.00	0.7943	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	28.79	29.00	0.7943	Complies

Note: Output power = Measure result + Cable loss

The e.i.r.p. at any elevation angle above 30 degrees:

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
36	5180	19.02	21.00	125	Complies
40	5200	19.07	21.00	125	Complies
48	5240	19.10	21.00	125	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
36	5180	18.06	21.00	125	Complies
40	5200	18.12	21.00	125	Complies
48	5240	18.59	21.00	125	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
38	5190	16.71	21.00	125	Complies
46	5230	20.78	21.00	125	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
42	5210	17.66	21.00	125	Complies

Test Mode	UNII-1_TX AC(VHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
50	5250	14.56	21.00	125	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
36	5180	18.18	21.00	125	Complies
40	5200	18.16	21.00	125	Complies
48	5240	18.19	21.00	125	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
38	5190	16.29	21.00	125	Complies
46	5230	20.93	21.00	125	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
42	5210	17.65	21.00	125	Complies

Test Mode	UNII-1_TX AC(VHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
50	5250	14.42	21.00	125	Complies

Note: The maximum e.i.r.p is 20.93 dBm at any elevation angle above 30 degrees .
It dosen't exceed 125mW (21dBm).

Beamforming

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.19	0.66	16.85	28.00	0.6310	Complies
40	5200	16.17	0.66	16.83	28.00	0.6310	Complies
48	5240	15.89	0.66	16.55	28.00	0.6310	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.69	0.66	16.35	28.00	0.6310	Complies
40	5200	15.75	0.66	16.41	28.00	0.6310	Complies
48	5240	15.97	0.66	16.63	28.00	0.6310	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.68	0.66	16.34	28.00	0.6310	Complies
40	5200	15.64	0.66	16.30	28.00	0.6310	Complies
48	5240	15.80	0.66	16.46	28.00	0.6310	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.17	0.66	16.83	28.00	0.6310	Complies
40	5200	16.07	0.66	16.73	28.00	0.6310	Complies
48	5240	16.13	0.66	16.79	28.00	0.6310	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.62	28.00	0.6310	Complies
40	5200	22.60	28.00	0.6310	Complies
48	5240	22.63	28.00	0.6310	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.14	0.65	16.79	28.00	0.6310	Complies
46	5230	15.93	0.65	16.58	28.00	0.6310	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.17	0.65	16.82	28.00	0.6310	Complies
46	5230	16.16	0.65	16.81	28.00	0.6310	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.95	0.65	16.60	28.00	0.6310	Complies
46	5230	16.03	0.65	16.68	28.00	0.6310	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.14	0.65	16.79	28.00	0.6310	Complies
46	5230	16.05	0.65	16.70	28.00	0.6310	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.77	28.00	0.6310	Complies
46	5230	22.71	28.00	0.6310	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.90	0.65	16.55	28.00	0.6310	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.97	0.65	16.62	28.00	0.6310	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.77	0.65	16.42	28.00	0.6310	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.75	0.65	16.40	28.00	0.6310	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	22.52	28.00	0.6310	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.11	0.65	16.76	28.00	0.6310	Complies
40	5200	16.27	0.65	16.92	28.00	0.6310	Complies
48	5240	16.07	0.65	16.72	28.00	0.6310	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.79	0.65	16.44	28.00	0.6310	Complies
40	5200	15.89	0.65	16.54	28.00	0.6310	Complies
48	5240	15.82	0.65	16.47	28.00	0.6310	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.58	0.65	16.23	28.00	0.6310	Complies
40	5200	15.57	0.65	16.22	28.00	0.6310	Complies
48	5240	15.75	0.65	16.40	28.00	0.6310	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.11	0.65	16.76	28.00	0.6310	Complies
40	5200	15.96	0.65	16.61	28.00	0.6310	Complies
48	5240	16.17	0.65	16.82	28.00	0.6310	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.57	28.00	0.6310	Complies
40	5200	22.60	28.00	0.6310	Complies
48	5240	22.63	28.00	0.6310	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.11	0.66	16.77	28.00	0.6310	Complies
46	5230	16.12	0.66	16.78	28.00	0.6310	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.17	0.66	16.83	28.00	0.6310	Complies
46	5230	16.23	0.66	16.89	28.00	0.6310	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.90	0.66	16.56	28.00	0.6310	Complies
46	5230	16.19	0.66	16.85	28.00	0.6310	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.94	0.66	16.60	28.00	0.6310	Complies
46	5230	16.11	0.66	16.77	28.00	0.6310	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.72	28.00	0.6310	Complies
46	5230	22.85	28.00	0.6310	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.88	0.65	16.53	28.00	0.6310	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.28	0.65	16.93	28.00	0.6310	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.90	0.65	16.55	28.00	0.6310	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.74	0.65	16.39	28.00	0.6310	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	22.62	28.00	0.6310	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.53	0.32	15.85	21.98	0.1578	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.32	0.32	15.64	21.98	0.1578	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.43	0.32	15.75	21.98	0.1578	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 4
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.91	0.32	15.23	21.98	0.1578	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	21.65	21.98	0.1578	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.87	0.73	15.60	21.98	0.1578	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.91	0.73	15.64	21.98	0.1578	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.89	0.73	15.62	21.98	0.1578	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 4
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	14.31	0.73	15.04	21.98	0.1578	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	21.50	21.98	0.1578	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.86	0.66	21.52	28.00	0.6310	Complies
157	5785	20.86	0.66	21.52	28.00	0.6310	Complies
165	5825	21.32	0.66	21.98	28.00	0.6310	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.15	0.66	21.81	28.00	0.6310	Complies
157	5785	21.03	0.66	21.69	28.00	0.6310	Complies
165	5825	21.38	0.66	22.04	28.00	0.6310	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.74	0.66	21.40	28.00	0.6310	Complies
157	5785	20.74	0.66	21.40	28.00	0.6310	Complies
165	5825	21.11	0.66	21.77	28.00	0.6310	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.75	0.66	21.41	28.00	0.6310	Complies
157	5785	20.68	0.66	21.34	28.00	0.6310	Complies
165	5825	21.25	0.66	21.91	28.00	0.6310	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.56	28.00	0.6310	Complies
157	5785	27.51	28.00	0.6310	Complies
165	5825	27.95	28.00	0.6310	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.23	0.65	21.88	28.00	0.6310	Complies
159	5795	21.27	0.65	21.92	28.00	0.6310	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.48	0.65	22.13	28.00	0.6310	Complies
159	5795	21.31	0.65	21.96	28.00	0.6310	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.12	0.65	21.77	28.00	0.6310	Complies
159	5795	20.81	0.65	21.46	28.00	0.6310	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.93	0.65	21.58	28.00	0.6310	Complies
159	5795	20.92	0.65	21.57	28.00	0.6310	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.87	28.00	0.6310	Complies
159	5795	27.75	28.00	0.6310	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.02	0.65	21.67	28.00	0.6310	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.38	0.65	22.03	28.00	0.6310	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.93	0.65	21.58	28.00	0.6310	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.31	0.65	21.96	28.00	0.6310	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	27.84	28.00	0.6310	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.24	0.65	21.89	28.00	0.6310	Complies
157	5785	20.84	0.65	21.49	28.00	0.6310	Complies
165	5825	20.85	0.65	21.50	28.00	0.6310	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.53	0.65	22.18	28.00	0.6310	Complies
157	5785	21.31	0.65	21.96	28.00	0.6310	Complies
165	5825	20.94	0.65	21.59	28.00	0.6310	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.04	0.65	21.69	28.00	0.6310	Complies
157	5785	20.76	0.65	21.41	28.00	0.6310	Complies
165	5825	20.63	0.65	21.28	28.00	0.6310	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.02	0.65	21.67	28.00	0.6310	Complies
157	5785	20.93	0.65	21.58	28.00	0.6310	Complies
165	5825	21.01	0.65	21.66	28.00	0.6310	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.88	28.00	0.6310	Complies
157	5785	27.64	28.00	0.6310	Complies
165	5825	27.53	28.00	0.6310	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.92	0.66	21.58	28.00	0.6310	Complies
159	5795	20.81	0.66	21.47	28.00	0.6310	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.24	0.66	21.90	28.00	0.6310	Complies
159	5795	21.12	0.66	21.78	28.00	0.6310	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.62	0.66	21.28	28.00	0.6310	Complies
159	5795	20.67	0.66	21.33	28.00	0.6310	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.74	0.66	21.40	28.00	0.6310	Complies
159	5795	20.87	0.66	21.53	28.00	0.6310	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.57	28.00	0.6310	Complies
159	5795	27.55	28.00	0.6310	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.14	0.65	21.79	28.00	0.6310	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.42	0.65	22.07	28.00	0.6310	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.84	0.65	21.49	28.00	0.6310	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.24	0.65	21.89	28.00	0.6310	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	27.84	28.00	0.6310	Complies

Note: Output power = Measure result + Cable loss

The e.i.r.p. at any elevation angle above 30 degrees:

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
36	5180	20.62	21.00	125	Complies
40	5200	20.60	21.00	125	Complies
48	5240	20.63	21.00	125	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
38	5190	20.77	21.00	125	Complies
46	5230	20.71	21.00	125	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
42	5210	20.52	21.00	125	Complies

Test Mode	UNII-1_TX AC(VHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
50	5250	19.65	21.00	125	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
36	5180	20.57	21.00	125	Complies
40	5200	20.60	21.00	125	Complies
48	5240	20.63	21.00	125	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
38	5190	20.72	21.00	125	Complies
46	5230	20.85	21.00	125	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
42	5210	20.62	21.00	125	Complies

Test Mode	UNII-1_TX AX(HE160) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (mW)	Result
50	5250	19.50	21.00	125	Complies


Note: The maximum e.i.r.p is 20.85 dBm at any elevation angle above 30 degrees .
It dosen't exceed 125mW (21dBm).

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.69	0.14	9.83	16	Complies
40	5200	9.35	0.14	9.49	16	Complies
48	5240	8.84	0.14	8.98	16	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.77	0.14	9.91	16	Complies
40	5200	9.80	0.14	9.94	16	Complies
48	5240	9.55	0.14	9.69	16	Complies

CH36



CH40



CH48

