







11AX20MIMO_Ant0_5320





11AX20MIMO_Ant1_5320




11AX20MIMO_Ant0_5500









11AX20MIMO_Ant1_5700





11AX20MIMO_Ant0_5720




11AX20MIMO_Ant1_5720









11AX20MIMO_Ant0_5825








11AX20MIMO_Ant1_5825





11AX40MIMO_Ant0_5190














11AX40MIMO_Ant0_5670





11AX40MIMO_Ant1_5670




11AX40MIMO_Ant0_5710









11AX40MIMO_Ant1_5795





11AX80MIMO_Ant0_5210




11AX80MIMO_Ant1_5210









11AX80MIMO_Ant0_5610




11AX80MIMO_Ant1_5610



11AX80MIMO_Ant0_5690






11.3. APPENDIX C: MIN EMISSION BANDWIDTH


11.3.1. Test Result

Test Mode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant0	5720	16.36	5711.80	5728.16	≥0.5	PASS
	Ant1	5720	16.32	5711.80	5728.12	≥0.5	PASS
	Ant0	5720 UNII-3	3.16	5725	5728.16	≥0.5	PASS
	Ant1	5720 UNII-3	3.12	5725	5728.12	≥0.5	PASS
	Ant0	5745	16.36	5736.80	5753.16	≥0.5	PASS
	Ant1	5745	16.36	5736.80	5753.16	≥0.5	PASS
	Ant0	5785	16.36	5776.80	5793.16	≥0.5	PASS
	Ant1	5785	15.36	5777.20	5792.56	≥0.5	PASS
	Ant0	5825	16.04	5817.08	5833.12	≥0.5	PASS
11N20MIMO	Ant1	5825	15.16	5817.72	5832.88	≥0.5	PASS
	Ant0	5720	17.56	5711.24	5728.80	≥0.5	PASS
	Ant1	5720	17.56	5711.20	5728.76	≥0.5	PASS
	Ant0	5720 UNII-3	3.8	5725	5728.80	≥0.5	PASS
	Ant1	5720 UNII-3	3.76	5725	5728.76	≥0.5	PASS
	Ant0	5745	17.52	5736.24	5753.76	≥0.5	PASS
	Ant1	5745	17.16	5736.24	5753.40	≥0.5	PASS
	Ant0	5785	17.60	5776.20	5793.80	≥0.5	PASS
	Ant1	5785	17.56	5776.24	5793.80	≥0.5	PASS
11N40MIMO	Ant0	5825	17.52	5816.24	5833.76	≥0.5	PASS
	Ant1	5825	16.32	5817.44	5833.76	≥0.5	PASS
	Ant0	5710	35.12	5692.48	5727.60	≥0.5	PASS
	Ant1	5710	35.12	5692.48	5727.60	≥0.5	PASS
	Ant0	5710 UNII-3	2.6	5725	5727.60	≥0.5	PASS
	Ant1	5710 UNII-3	2.6	5725	5727.60	≥0.5	PASS
	Ant0	5755	35.12	5737.48	5772.60	≥0.5	PASS
	Ant1	5755	35.04	5737.48	5772.52	≥0.5	PASS
	Ant0	5795	35.12	5777.48	5812.60	≥0.5	PASS
11AC80MIMO	Ant1	5795	35.12	5777.48	5812.60	≥0.5	PASS
	Ant0	5690	75.20	5652.40	5727.60	≥0.5	PASS
	Ant1	5690	75.20	5652.40	5727.60	≥0.5	PASS
	Ant0	5690 UNII-3	2.6	5725	5727.60	≥0.5	PASS
	Ant1	5690 UNII-3	2.6	5725	5727.60	≥0.5	PASS
	Ant0	5775	75.20	5737.40	5812.60	≥0.5	PASS
11AX20MIMO	Ant1	5775	75.20	5737.40	5812.60	≥0.5	PASS
	Ant0	5720	17.08	5711.96	5729.04	≥0.5	PASS
	Ant1	5720	16.88	5712.36	5729.24	≥0.5	PASS
	Ant0	5720 UNII-3	4.04	5725	5729.04	≥0.5	PASS
	Ant1	5720 UNII-3	4.24	5725	5729.24	≥0.5	PASS
	Ant0	5745	19.04	5735.48	5754.52	≥0.5	PASS
	Ant1	5745	18.08	5736.20	5754.28	≥0.5	PASS
	Ant0	5785	18.76	5775.64	5794.40	≥0.5	PASS
	Ant1	5785	17.84	5775.92	5793.76	≥0.5	PASS
	Ant0	5825	15.60	5816.96	5832.56	≥0.5	PASS
11AX40MIMO	Ant1	5825	17.72	5816.20	5833.92	≥0.5	PASS
	Ant0	5710	35.92	5692.48	5728.40	≥0.5	PASS
	Ant1	5710	36.40	5692.40	5728.80	≥0.5	PASS
	Ant0	5710 UNII-3	3.4	5725	5728.40	≥0.5	PASS
	Ant1	5710 UNII-3	3.8	5725	5728.80	≥0.5	PASS
	Ant0	5755	36.24	5737.24	5773.48	≥0.5	PASS
	Ant1	5755	35.12	5737.48	5772.60	≥0.5	PASS
	Ant0	5795	37.12	5776.60	5813.72	≥0.5	PASS
11AX80MIMO	Ant1	5795	36.40	5776.20	5812.60	≥0.5	PASS
	Ant0	5690	76.48	5652.40	5728.88	≥0.5	PASS
	Ant1	5690	75.20	5652.40	5727.60	≥0.5	PASS
11AX80MIMO	Ant0	5690 UNII-3	3.88	5725	5728.88	≥0.5	PASS


	Ant1	5690 UNII-3	2.6	5725	5727.60	≥0.5	PASS
	Ant0	5775	76.16	5736.44	5812.60	≥0.5	PASS
	Ant1	5775	75.20	5737.40	5812.60	≥0.5	PASS

11.3.2. Test Graphs







11A Ant1 5745




11A Ant0 5785



11A Ant1 5785




11A_Ant0_5825




Date: 12 NOV 2023 04:42:28

11A_Ant1_5825




Date: 12 NOV 2023 05:32:32

11N20MIMO_Ant0_5720




Date: 12 NOV 2023 05:33:33


11N20MIMO_Ant1_5720




11N20MIMO_Ant0_5745




11N20MIMO_Ant1_5745



11N20MIMO_Ant0_5785




11N20MIMO_Ant1_5785




Date: 12 NOV 2023 05:39:02

11N20MIMO_Ant0_5825




Date: 12 NOV 2023 05:39:34

11N20MIMO_Ant1_5825




Date: 12 NOV 2023 06:27:29


11N40MIMO_Ant0_5710




11N40MIMO_Ant1_5710




11N40MIMO_Ant0_5755



11N40MIMO_Ant1_5755




11N40MIMO_Ant0_5795




Date: 12 NOV 2023 06:32:40

11N40MIMO_Ant1_5795




Date: 12 NOV 2023 07:56:18

11AC80MIMO_Ant0_5690




Date: 12 NOV 2023 06:52:00


11AC80MIMO_Ant1_5690




11AC80MIMO_Ant0_5775





11AC80MIMO_Ant1_5775




11AX20MIMO_Ant0_5720









11AX20MIMO_Ant1_5785





11AX20MIMO_Ant0_5825




11AX20MIMO_Ant1_5825









11AX40MIMO_Ant0_5795




11AX40MIMO_Ant1_5795



11AX80MIMO_Ant0_5690





11.4. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER

11.4.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power [dBm]	FCC Limit [dBm]	ISED Limit [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant0	5180	14.54	≤23.98	---	20.62	≤22.68	PASS
	Ant1	5180	14.84	≤23.98	---	20.92	≤22.69	PASS
	Ant0	5200	14.80	≤23.98	---	20.88	≤22.76	PASS
	Ant1	5200	14.47	≤23.98	---	20.55	≤22.79	PASS
	Ant0	5240	14.28	≤23.98	---	20.36	≤22.34	PASS
	Ant1	5240	14.45	≤23.98	---	20.53	≤22.35	PASS
	Ant0	5260	15.99	≤23.98	≤23.75	22.07	≤29.75	PASS
	Ant1	5260	15.87	≤23.98	≤23.75	21.95	≤29.75	PASS
	Ant0	5280	15.82	≤23.98	≤23.76	21.90	≤29.76	PASS
	Ant1	5280	15.45	≤23.98	≤23.75	21.53	≤29.75	PASS
	Ant0	5320	15.93	≤23.98	≤23.79	22.01	≤29.79	PASS
	Ant1	5320	15.13	≤23.98	≤23.78	21.21	≤29.78	PASS
	Ant0	5500	15.95	≤23.98	≤23.76	22.03	≤29.76	PASS
	Ant1	5500	16.02	≤23.98	≤23.79	22.10	≤29.79	PASS
	Ant0	5580	15.64	≤23.98	≤23.77	21.72	≤29.77	PASS
	Ant1	5580	15.29	≤23.98	≤23.78	21.37	≤29.78	PASS
	Ant0	5700	15.73	≤23.98	≤23.77	21.81	≤29.77	PASS
	Ant1	5700	15.93	≤23.98	≤23.80	22.01	≤29.80	PASS
	Ant0	5720 UNII-2C	14.07	≤23.12	≤22.60	20.15	≤28.60	PASS
	Ant1	5720 UNII-2C	13.67	≤23.13	≤22.56	19.75	≤28.56	PASS
	Ant0	5720 UNII-3	5.38	≤29.92	≤29.92	11.46	---	PASS
	Ant1	5720 UNII-3	5.16	≤29.92	≤29.92	11.24	---	PASS
	Ant0	5745	16.06	≤29.92	≤29.92	22.14	---	PASS
	Ant1	5745	16.11	≤29.92	≤29.92	22.19	---	PASS
	Ant0	5785	16.55	≤29.92	≤29.92	22.63	---	PASS
	Ant1	5785	16.32	≤29.92	≤29.92	22.40	---	PASS
	Ant0	5825	16.18	≤29.92	≤29.92	22.26	---	PASS
	Ant1	5825	15.61	≤29.92	≤29.92	21.69	---	PASS
11N20MIMO	Ant0	5180	7.69	≤23.90	---	13.77	≤22.88	PASS
	Ant1	5180	9.33	≤23.90	---	15.41	≤22.69	PASS
	total	5180	11.60	≤23.90	---	17.68	≤22.69	PASS
	Ant0	5200	7.82	≤23.90	---	13.90	≤22.92	PASS
	Ant1	5200	9.16	≤23.90	---	15.24	≤22.68	PASS
	total	5200	11.55	≤23.90	---	17.63	≤22.68	PASS
	Ant0	5240	8.08	≤23.90	---	14.16	≤22.53	PASS
	Ant1	5240	9.28	≤23.90	---	15.36	≤22.48	PASS
	total	5240	11.73	≤23.90	---	17.81	≤22.48	PASS
	Ant0	5260	14.10	≤23.90	≤23.86	20.18	≤29.94	PASS
	Ant1	5260	14.70	≤23.90	≤23.60	20.78	≤29.68	PASS
	total	5260	17.42	≤23.90	≤23.60	23.50	≤29.68	PASS
	Ant0	5280	14.42	≤23.90	≤23.79	20.50	≤29.87	PASS
	Ant1	5280	14.72	≤23.90	≤23.58	20.80	≤29.66	PASS
	total	5280	17.58	≤23.90	≤23.58	23.66	≤29.66	PASS
	Ant0	5320	13.39	≤23.90	≤23.84	19.47	≤29.92	PASS
	Ant1	5320	14.43	≤23.90	≤23.65	20.51	≤29.73	PASS
	total	5320	16.95	≤23.90	≤23.65	23.03	≤29.73	PASS
	Ant0	5500	14.36	≤23.90	≤23.81	20.44	≤29.89	PASS
	Ant1	5500	15.50	≤23.90	≤23.63	21.58	≤29.71	PASS
	total	5500	17.98	≤23.90	≤23.63	24.06	≤29.71	PASS
	Ant0	5580	13.14	≤23.90	≤23.86	19.22	≤29.94	PASS
	Ant1	5580	14.94	≤23.90	≤23.59	21.02	≤29.67	PASS
	total	5580	17.14	≤23.90	≤23.59	23.22	≤29.67	PASS
	Ant0	5700	13.98	≤23.90	≤23.82	20.06	≤29.90	PASS
	Ant1	5700	14.91	≤23.90	≤23.62	20.99	≤29.70	PASS
	total	5700	17.48	≤23.90	≤23.62	23.56	≤29.70	PASS
	Ant0	5720 UNII-2C	11.95	≤23.17	≤22.58	18.03	≤28.66	PASS
	Ant1	5720 UNII-2C	12.81	≤23.17	≤22.45	18.89	≤28.53	PASS

	total	5720 UNII-2C	15.41	≤23.90	≤22.45	21.49	≤28.53	PASS
	Ant0	5720 UNII-3	3.75	≤29.92	≤29.92	9.83	---	PASS
	Ant1	5720 UNII-3	4.77	≤29.92	≤29.92	10.85	---	PASS
	total	5720 UNII-3	7.30	≤29.92	≤29.92	13.38	---	PASS
	Ant0	5745	14.15	≤29.92	≤29.92	20.23	---	PASS
	Ant1	5745	14.98	≤29.92	≤29.92	21.06	---	PASS
	total	5745	17.60	≤29.92	≤29.92	23.68	---	PASS
	Ant0	5785	14.02	≤29.92	≤29.92	20.10	---	PASS
	Ant1	5785	15.40	≤29.92	≤29.92	21.48	---	PASS
	total	5785	17.77	≤29.92	≤29.92	23.85	---	PASS
	Ant0	5825	14.69	≤29.92	≤29.92	20.77	---	PASS
	Ant1	5825	15.40	≤29.92	≤29.92	21.48	---	PASS
	total	5825	18.07	≤29.92	≤29.92	24.15	---	PASS
11N40MIMO	Ant0	5190	10.70	≤23.90	---	16.78	≤23.00	PASS
	Ant1	5190	11.79	≤23.90	---	17.87	≤23.00	PASS
	total	5190	14.29	≤23.90	---	20.37	≤23.00	PASS
	Ant0	5230	10.56	≤23.90	---	16.64	≤23.00	PASS
	Ant1	5230	12.04	≤23.90	---	18.12	≤23.00	PASS
	total	5230	14.37	≤23.90	---	20.45	≤23.00	PASS
	Ant0	5270	13.93	≤23.90	≤23.92	20.01	≤30.00	PASS
	Ant1	5270	14.77	≤23.90	≤23.92	20.85	≤30.00	PASS
	total	5270	17.38	≤23.90	≤23.92	23.46	≤30.00	PASS
	Ant0	5310	13.32	≤23.90	≤23.92	19.40	≤30.00	PASS
	Ant1	5310	14.67	≤23.90	≤23.92	20.75	≤30.00	PASS
	total	5310	17.06	≤23.90	≤23.92	23.14	≤30.00	PASS
	Ant0	5510	13.98	≤23.90	≤23.92	20.06	≤30.00	PASS
	Ant1	5510	14.91	≤23.90	≤23.92	20.99	≤30.00	PASS
	total	5510	17.48	≤23.90	≤23.92	23.56	≤30.00	PASS
	Ant0	5550	13.50	≤23.90	≤23.92	19.58	≤30.00	PASS
	Ant1	5550	14.73	≤23.90	≤23.92	20.81	≤30.00	PASS
	total	5550	17.17	≤23.90	≤23.92	23.25	≤30.00	PASS
	Ant0	5670	13.44	≤23.90	≤23.92	19.52	≤30.00	PASS
	Ant1	5670	14.65	≤23.90	≤23.92	20.73	≤30.00	PASS
	total	5670	17.10	≤23.90	≤23.92	23.18	≤30.00	PASS
	Ant0	5710 UNII-2C	12.29	≤23.90	≤23.92	18.37	≤30.00	PASS
	Ant1	5710 UNII-2C	13.10	≤23.90	≤23.92	19.18	≤30.00	PASS
	total	5710 UNII-2C	15.72	≤23.90	≤23.92	21.80	≤30.00	PASS
	Ant0	5710 UNII-3	-2.41	≤29.92	≤29.92	3.67	---	PASS
	Ant1	5710 UNII-3	-1.67	≤29.92	≤29.92	4.41	---	PASS
	total	5710 UNII-3	0.99	≤29.92	≤29.92	7.07	---	PASS
	Ant0	5755	14.21	≤29.92	≤29.92	20.29	---	PASS
	Ant1	5755	15.06	≤29.92	≤29.92	21.14	---	PASS
	total	5755	17.67	≤29.92	≤29.92	23.75	---	PASS
	Ant0	5795	14.14	≤29.92	≤29.92	20.22	---	PASS
	Ant1	5795	14.91	≤29.92	≤29.92	20.99	---	PASS
	total	5795	17.55	≤29.92	≤29.92	23.63	---	PASS
11AC80MIMO	Ant0	5210	12.31	≤23.90	---	18.39	≤23.00	PASS
	Ant1	5210	14.10	≤23.90	---	20.18	≤23.00	PASS
	total	5210	16.31	≤23.90	---	22.39	≤23.00	PASS
	Ant0	5290	13.61	≤23.90	≤23.92	19.69	≤30.00	PASS
	Ant1	5290	14.82	≤23.90	≤23.92	20.90	≤30.00	PASS
	total	5290	17.27	≤23.90	≤23.92	23.35	≤30.00	PASS
	Ant0	5530	11.74	≤23.90	≤23.92	17.82	≤30.00	PASS
	Ant1	5530	12.62	≤23.90	≤23.92	18.70	≤30.00	PASS
	total	5530	15.21	≤23.90	≤23.92	21.29	≤30.00	PASS
	Ant0	5610	12.43	≤23.90	≤23.92	18.51	≤30.00	PASS
	Ant1	5610	12.73	≤23.90	≤23.92	18.81	≤30.00	PASS
	total	5610	15.59	≤23.90	≤23.92	21.67	≤30.00	PASS
	Ant0	5690 UNII-2C	11.78	≤23.90	≤23.92	17.86	≤30.00	PASS
	Ant1	5690 UNII-2C	12.82	≤23.90	≤23.92	18.90	≤30.00	PASS
	total	5690 UNII-2C	15.34	≤23.90	≤23.92	21.42	≤30.00	PASS
	Ant0	5690 UNII-3	-5.21	≤29.92	≤29.92	0.87	---	PASS
	Ant1	5690 UNII-3	-4.19	≤29.92	≤29.92	1.89	---	PASS
	total	5690 UNII-3	-1.66	≤29.92	≤29.92	4.42	---	PASS

	Ant0	5775	13.02	≤29.92	≤29.92	19.10	---	PASS
	Ant1	5775	14.05	≤29.92	≤29.92	20.13	---	PASS
	total	5775	16.58	≤29.92	≤29.92	22.66	---	PASS
11AX20MIMO	Ant0	5180	8.66	≤23.90	---	14.74	≤22.86	PASS
	Ant1	5180	9.75	≤23.90	---	15.83	≤22.82	PASS
	total	5180	12.25	≤23.90	---	18.33	≤22.82	PASS
	Ant0	5200	8.70	≤23.90	---	14.78	≤22.86	PASS
	Ant1	5200	10.36	≤23.90	---	16.44	≤22.86	PASS
	total	5200	12.62	≤23.90	---	18.70	≤22.86	PASS
	Ant0	5240	8.20	≤23.90	---	14.28	≤22.76	PASS
	Ant1	5240	10.29	≤23.90	---	16.37	≤22.76	PASS
	total	5240	12.38	≤23.90	---	18.46	≤22.76	PASS
	Ant0	5260	10.65	≤23.90	≤23.76	16.73	≤29.84	PASS
	Ant1	5260	11.84	≤23.90	≤23.76	17.92	≤29.84	PASS
	total	5260	14.30	≤23.90	≤23.76	20.38	≤29.84	PASS
	Ant0	5280	11.04	≤23.90	≤23.77	17.12	≤29.85	PASS
	Ant1	5280	11.91	≤23.90	≤23.75	17.99	≤29.83	PASS
	total	5280	14.51	≤23.90	≤23.75	20.59	≤29.83	PASS
	Ant0	5320	10.01	≤23.90	≤23.77	16.09	≤29.85	PASS
	Ant1	5320	11.76	≤23.90	≤23.75	17.84	≤29.83	PASS
	total	5320	13.98	≤23.90	≤23.75	20.06	≤29.83	PASS
	Ant0	5500	10.98	≤23.90	≤23.76	17.06	≤29.84	PASS
	Ant1	5500	11.83	≤23.90	≤23.86	17.91	≤29.86	PASS
	total	5500	14.44	≤23.90	≤23.76	20.52	≤29.84	PASS
	Ant0	5580	10.35	≤23.90	≤23.76	16.43	≤29.84	PASS
	Ant1	5580	11.56	≤23.90	≤23.76	17.64	≤29.84	PASS
	total	5580	14.01	≤23.90	≤23.76	20.09	≤29.84	PASS
	Ant0	5700	10.76	≤23.90	≤23.76	16.84	≤29.84	PASS
	Ant1	5700	11.81	≤23.90	≤23.78	17.89	≤29.86	PASS
	total	5700	14.33	≤23.90	≤23.76	20.41	≤29.84	PASS
	Ant0	5720 UNII-2C	8.42	≤22.88	≤22.55	14.50	≤28.63	PASS
	Ant1	5720 UNII-2C	9.22	≤22.84	≤22.55	15.30	≤28.63	PASS
	total	5720 UNII-2C	11.85	≤23.90	≤22.55	17.93	≤28.63	PASS
	Ant0	5720 UNII-3	0.32	≤29.92	≤29.92	6.40	---	PASS
	Ant1	5720 UNII-3	1.25	≤29.92	≤29.92	7.33	---	PASS
	total	5720 UNII-3	3.82	≤29.92	≤29.92	9.90	---	PASS
	Ant0	5745	11.30	≤29.92	≤29.92	17.38	---	PASS
	Ant1	5745	12.18	≤29.92	≤29.92	18.26	---	PASS
	total	5745	14.77	≤29.92	≤29.92	20.85	---	PASS
	Ant0	5785	11.01	≤29.92	≤29.92	17.09	---	PASS
	Ant1	5785	11.98	≤29.92	≤29.92	18.06	---	PASS
	total	5785	14.53	≤29.92	≤29.92	20.61	---	PASS
	Ant0	5825	11.75	≤29.92	≤29.92	17.83	---	PASS
	Ant1	5825	12.34	≤29.92	≤29.92	18.42	---	PASS
	total	5825	15.07	≤29.92	≤29.92	21.15	---	PASS
11AX40MIMO	Ant0	5190	11.07	≤23.90	---	17.15	≤23.00	PASS
	Ant1	5190	11.93	≤23.90	---	18.01	≤23.00	PASS
	total	5190	14.53	≤23.90	---	20.61	≤23.00	PASS
	Ant0	5230	9.74	≤23.90	---	15.82	≤23.00	PASS
	Ant1	5230	11.47	≤23.90	---	17.55	≤23.00	PASS
	total	5230	13.70	≤23.90	---	19.78	≤23.00	PASS
	Ant0	5270	10.53	≤23.90	≤23.92	16.61	≤30.00	PASS
	Ant1	5270	12.13	≤23.90	≤23.92	18.21	≤30.00	PASS
	total	5270	14.41	≤23.90	≤23.92	20.49	≤30.00	PASS
	Ant0	5310	9.98	≤23.90	≤23.92	16.06	≤30.00	PASS
	Ant1	5310	11.18	≤23.90	≤23.92	17.26	≤30.00	PASS
	total	5310	13.63	≤23.90	≤23.92	19.71	≤30.00	PASS
	Ant0	5510	11.31	≤23.90	≤23.92	17.39	≤30.00	PASS
	Ant1	5510	11.97	≤23.90	≤23.92	18.05	≤30.00	PASS
	total	5510	14.66	≤23.90	≤23.92	20.74	≤30.00	PASS
	Ant0	5550	10.10	≤23.90	≤23.92	16.18	≤30.00	PASS
	Ant1	5550	11.90	≤23.90	≤23.92	17.98	≤30.00	PASS
	total	5550	14.10	≤23.90	≤23.92	20.18	≤30.00	PASS
	Ant0	5670	10.58	≤23.90	≤23.92	16.66	≤30.00	PASS

	Ant1	5670	11.83	≤23.90	≤23.92	17.91	≤30.00	PASS
	total	5670	14.26	≤23.90	≤23.92	20.34	≤30.00	PASS
	Ant0	5710 UNII-2C	8.94	≤23.90	≤23.92	15.02	≤30.00	PASS
	Ant1	5710 UNII-2C	9.85	≤23.90	≤23.92	15.93	≤30.00	PASS
	total	5710 UNII-2C	12.43	≤23.90	≤23.92	18.51	≤30.00	PASS
	Ant0	5710 UNII-3	-4.70	≤29.92	≤29.92	1.38	---	PASS
	Ant1	5710 UNII-3	-3.94	≤29.92	≤29.92	2.14	---	PASS
	total	5710 UNII-3	-1.29	≤29.92	≤29.92	4.79	---	PASS
	Ant0	5755	11.15	≤29.92	≤29.92	17.23	---	PASS
	Ant1	5755	12.58	≤29.92	≤29.92	18.66	---	PASS
	total	5755	14.93	≤29.92	≤29.92	21.01	---	PASS
	Ant0	5795	11.61	≤29.92	≤29.92	17.69	---	PASS
	Ant1	5795	12.08	≤29.92	≤29.92	18.16	---	PASS
	total	5795	14.86	≤29.92	≤29.92	20.94	---	PASS
11AX80MIMO	Ant0	5210	10.31	≤23.90	---	16.39	≤23.00	PASS
	Ant1	5210	11.76	≤23.90	---	17.84	≤23.00	PASS
	total	5210	14.11	≤23.90	---	20.19	≤23.00	PASS
	Ant0	5290	10.59	≤23.90	≤23.92	16.67	≤30.00	PASS
	Ant1	5290	11.96	≤23.90	≤23.92	18.04	≤30.00	PASS
	total	5290	14.34	≤23.90	≤23.92	20.42	≤30.00	PASS
	Ant0	5530	10.70	≤23.90	≤23.92	16.78	≤30.00	PASS
	Ant1	5530	11.84	≤23.90	≤23.92	17.92	≤30.00	PASS
	total	5530	14.32	≤23.90	≤23.92	20.40	≤30.00	PASS
	Ant0	5610	10.89	≤23.90	≤23.92	16.97	≤30.00	PASS
	Ant1	5610	11.85	≤23.90	≤23.92	17.93	≤30.00	PASS
	total	5610	14.41	≤23.90	≤23.92	20.49	≤30.00	PASS
	Ant0	5690 UNII-2C	9.00	≤23.90	≤23.92	15.08	≤30.00	PASS
	Ant1	5690 UNII-2C	9.93	≤23.90	≤23.92	16.01	≤30.00	PASS
	total	5690 UNII-2C	12.50	≤23.90	≤23.92	18.58	≤30.00	PASS
	Ant0	5690 UNII-3	-7.35	≤29.92	≤29.92	-1.27	---	PASS
	Ant1	5690 UNII-3	-7.07	≤29.92	≤29.92	-0.99	---	PASS
	total	5690 UNII-3	-4.20	≤29.92	≤29.92	1.88	---	PASS
	Ant0	5775	10.69	≤29.92	≤29.92	16.77	---	PASS
	Ant1	5775	11.54	≤29.92	≤29.92	17.62	---	PASS
	total	5775	14.15	≤29.92	≤29.92	20.23	---	PASS

Note: The Duty Cycle Factor is compensated in the graph.

11.4.2. Test Graphs

