



Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10620.9800	44.70	16.54	61.24	74.00	-12.76	Peak	
2 *	10621.8350	32.50	16.54	49.04	54.00	-4.96	AVG	


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5314.000	65.03	41.93	106.96	68.30	38.66	peak	No Limit
2	X	5316.000	52.88	41.94	94.82	68.30	26.52	AVG	No Limit
3		5350.000	13.88	42.12	56.00	74.00	-18.00	peak	
4		5350.000	4.63	42.12	46.75	54.00	-7.25	AVG	
5		5477.800	21.61	42.76	64.37	68.30	-3.93	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10617.2000	35.37	16.55	51.92	54.00	-2.08	AVG	
2	10621.7000	47.48	16.54	64.02	74.00	-9.98	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5164.0000	19.29	41.17	60.46	68.30	-7.84	Peak	
2	5325.5000	52.53	41.99	94.52	999.00	-904.48	AVG	No Limit
3 *	5326.5000	64.17	42.00	106.17	68.30	37.87	Peak	No Limit
4	5350.0000	19.37	42.12	61.49	74.00	-12.51	Peak	
5	5350.0000	9.05	42.12	51.17	999.00	-947.83	AVG	
6	5464.0000	22.43	42.70	65.13	68.30	-3.17	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10579.6600	42.75	16.60	59.35	68.30	-8.95	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5165.0000	18.51	41.18	59.69	68.30	-8.61	Peak	
2 *	5303.0000	63.54	41.88	105.42	68.30	37.12	Peak	No Limit
3	5305.5000	52.19	41.89	94.08	999.00	-904.92	AVG	No Limit
4	5350.0000	18.90	42.12	61.02	74.00	-12.98	Peak	
5	5350.0000	8.99	42.12	51.11	999.00	-947.89	AVG	
6	5459.0000	18.48	42.67	61.15	74.00	-12.85	Peak	
7	5459.0000	9.98	42.67	52.65	54.00	-1.35	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10596.5000	46.76	16.57	63.33	68.30	-4.97	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5344.5000	23.09	42.09	65.18	74.30	-9.12	Peak	
2	5414.7000	20.49	42.45	62.94	80.00	-17.06	Peak	
3	5415.0000	9.89	42.45	52.34	60.00	-7.66	AVG	
4	5460.0000	14.50	42.68	57.18	80.00	-22.82	Peak	
5	5460.0000	4.67	42.68	47.35	60.00	-12.65	AVG	
6 *	5494.0000	65.47	42.85	108.32	74.30	34.02	Peak	No Limit
7	5494.5000	55.50	42.85	98.35	999.00	-900.65	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11000.0000	52.95	16.03	68.98	74.00	-5.02	Peak	
2 *	11000.0000	33.60	16.03	49.63	54.00	-4.37	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5336.0000	22.71	42.05	64.76	68.30	-3.54	Peak	
2	5413.4000	19.28	42.44	61.72	74.00	-12.28	Peak	
3	5415.5000	9.82	42.45	52.27	54.00	-1.73	AVG	
4 *	5506.5000	67.54	42.90	110.44	68.30	42.14	Peak	No Limit
5	5506.5000	55.21	42.90	98.11	999.00	-900.89	AVG	No Limit
6	5655.0000	22.41	43.35	65.76	68.30	-2.54	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10997.1000	47.28	16.03	63.31	74.00	-10.69	Peak	
2 *	11002.0500	35.69	16.04	51.73	54.00	-2.27	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5417.0000	24.78	42.46	67.24	80.00	-12.76	Peak	
2	5417.0000	15.18	42.46	57.64	60.00	-2.36	AVG	
3 *	5586.0000	65.44	43.14	108.58	74.30	34.28	Peak	No Limit
4	5586.0000	55.79	43.14	98.93	999.00	-900.07	AVG	No Limit
5	5737.0000	25.58	43.60	69.18	74.30	-5.12	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11160.0000	48.24	16.59	64.83	74.00	-9.17	Peak	
2 *	11160.0000	32.80	16.59	49.39	54.00	-4.61	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5415.5000	19.59	42.45	62.04	74.00	-11.96	Peak	
2	5415.5000	10.27	42.45	52.72	54.00	-1.28	AVG	
3	5586.0000	53.19	43.14	96.33	999.00	-902.67	AVG	No Limit
4 *	5587.0000	64.99	43.14	108.13	68.30	39.83	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11161.2500	35.15	16.60	51.75	54.00	-2.25	AVG	
2	11161.6500	49.87	16.60	66.47	74.00	-7.53	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5465.0000	22.80	42.70	65.50	74.30	-8.80	Peak	
2	5465.0000	12.94	42.70	55.64	999.00	-943.36	AVG	
3	5544.5000	27.56	43.01	70.57	74.30	-3.73	Peak	
4	5694.5000	55.84	43.47	99.31	999.00	-899.69	AVG	No Limit
5 *	5695.5000	66.27	43.47	109.74	74.30	35.44	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11400.0250	48.43	17.43	65.86	74.00	-8.14	Peak	
2 *	11401.2250	34.86	17.44	52.30	54.00	-1.70	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5535.5000	22.57	42.99	65.56	68.30	-2.74	Peak	
2 *	5706.0000	63.60	43.50	107.10	68.30	38.80	Peak	No Limit
3	5855.0000	23.20	43.95	67.15	68.30	-1.15	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11401.1000	34.55	17.44	51.99	54.00	-2.01	AVG	
2	11401.3500	47.04	17.44	64.48	74.00	-9.52	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5344.5000	21.11	42.09	63.20	68.30	-5.10	Peak	
2	5460.0000	15.25	42.68	57.93	74.00	-16.07	Peak	
3	5460.0000	5.38	42.68	48.06	54.00	-5.94	AVG	
4 *	5524.5000	64.77	42.95	107.72	68.30	39.42	Peak	No Limit
5	5525.5000	53.95	42.96	96.91	999.00	-902.09	AVG	No Limit
6	5685.5000	20.46	43.44	63.90	68.30	-4.40	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11021.0900	55.10	16.10	71.20	74.00	-2.80	Peak	
2	11021.4950	35.09	16.11	51.20	54.00	-2.80	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5356.5000	22.65	42.15	64.80	74.00	-9.20	Peak	
2	5356.5000	10.66	42.15	52.81	54.00	-1.19	AVG	
3	5460.0000	12.22	42.68	54.90	74.00	-19.10	Peak	
4	5460.0000	4.71	42.68	47.39	54.00	-6.61	AVG	
5	5470.0000	15.40	42.73	58.13	68.30	-10.17	Peak	
6 *	5508.5000	63.11	42.91	106.02	68.30	37.72	Peak	No Limit
7	5516.0000	53.02	42.93	95.95	999.00	-903.05	AVG	No Limit
8	5659.0000	20.23	43.36	63.59	68.30	-4.71	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11016.5000	45.44	16.09	61.53	74.00	-12.47	Peak	
2 *	11018.6000	32.87	16.10	48.97	54.00	-5.03	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5405.0000	21.56	42.40	63.96	74.00	-10.04	Peak	
2	5405.0000	9.86	42.40	52.26	54.00	-1.74	AVG	
3 *	5541.0000	64.40	43.00	107.40	68.30	39.10	Peak	No Limit
4	5565.5000	52.76	43.08	95.84	999.00	-903.16	AVG	No Limit
5	5699.5000	20.86	43.48	64.34	68.30	-3.96	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11097.9250	54.41	16.37	70.78	74.00	-3.22	Peak	
2	11098.6849	34.19	16.38	50.57	54.00	-3.43	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5396.0000	18.97	42.35	61.32	74.00	-12.68	Peak	
2	5396.0000	9.85	42.35	52.20	54.00	-1.80	AVG	
3 *	5537.5000	63.88	42.99	106.87	68.30	38.57	Peak	No Limit
4	5556.0000	52.06	43.05	95.11	999.00	-903.89	AVG	No Limit
5	5704.5000	19.38	43.50	62.88	68.30	-5.42	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11096.4000	41.78	16.37	58.15	74.00	-15.85	Peak	
2 *	11101.0000	28.45	16.38	44.83	54.00	-9.17	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5421.0000	15.93	42.48	58.41	74.00	-15.59	Peak	
2	5421.0000	7.41	42.48	49.89	54.00	-4.11	AVG	
3	5504.0000	22.60	42.89	65.49	68.30	-2.81	Peak	
4 *	5664.5000	64.93	43.38	108.31	68.30	40.01	Peak	No Limit
5	5685.5000	53.57	43.44	97.01	999.00	-901.99	AVG	No Limit
6	5825.0000	20.98	43.86	64.84	68.30	-3.46	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11340.4500	46.49	17.22	63.71	74.00	-10.29	Peak	
2 *	11341.2600	31.04	17.23	48.27	54.00	-5.73	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5433.7000	15.28	42.54	57.82	74.00	-16.18	Peak	
2	5436.0000	6.49	42.55	49.04	54.00	-4.96	AVG	
3	5516.0000	20.75	42.93	63.68	68.30	-4.62	Peak	
4	5516.0000	10.36	42.93	53.29	999.00	-945.71	AVG	
5	5676.5000	51.94	43.41	95.35	999.00	-903.65	AVG	No Limit
6 *	5677.5000	63.26	43.42	106.68	68.30	38.38	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11337.2000	33.97	17.21	51.18	54.00	-2.82	AVG	
2	11337.3000	49.49	17.21	66.70	74.00	-7.30	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5405.0000	20.73	42.40	63.13	74.00	-10.87	Peak	
2	5405.0000	9.35	42.40	51.75	54.00	-2.25	AVG	
3	5460.0000	19.63	42.68	62.31	74.00	-11.69	Peak	
4	5460.0000	8.34	42.68	51.02	54.00	-2.98	AVG	
5	5470.0000	17.51	42.73	60.24	68.30	-8.06	Peak	
6 *	5536.0000	63.58	42.99	106.57	68.30	38.27	Peak	No Limit
7	5544.0000	52.40	43.01	95.41	999.00	-903.59	AVG	No Limit
8	5706.0000	18.93	43.50	62.43	68.30	-5.87	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11061.3300	35.02	16.25	51.27	54.00	-2.73	AVG	
2	11060.4800	50.84	16.24	67.08	74.00	-6.92	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5405.5000	14.73	42.40	57.13	74.00	-16.87	Peak	
2	5405.5000	7.60	42.40	50.00	54.00	-4.00	AVG	
3	5460.0000	13.60	42.68	56.28	74.00	-17.72	Peak	
4	5470.0000	16.33	42.73	59.06	68.30	-9.24	Peak	
5 *	5512.5000	63.22	42.92	106.14	68.30	37.84	Peak	No Limit
6	5561.5000	52.05	43.07	95.12	999.00	-903.88	AVG	No Limit
7	5677.0000	19.81	43.41	63.22	68.30	-5.08	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11071.8000	28.62	16.28	44.90	54.00	-9.10	AVG	
2	11076.4000	43.31	16.30	59.61	74.00	-14.39	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5461.5000	9.15	42.68	51.83	999.00	-947.17	AVG	
2	5464.5000	18.58	42.70	61.28	68.30	-7.02	Peak	
3 *	5584.0000	63.55	43.13	106.68	68.30	38.38	Peak	No Limit
4	5584.5000	51.56	43.14	94.70	999.00	-904.30	AVG	No Limit
5	5735.0000	17.59	43.59	61.18	68.30	-7.12	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11221.5700	29.45	16.81	46.26	74.00	-27.74	Peak	
2 *	11219.8400	41.73	16.80	58.53	74.00	-15.47	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5485.5000	19.73	42.81	62.54	68.30	-5.76	Peak	
2	5596.0000	53.63	43.17	96.80	999.00	-902.20	AVG	No Limit
3 *	5616.5000	64.97	43.23	108.20	68.30	39.90	Peak	No Limit
4	5756.5000	22.85	43.65	66.50	68.30	-1.80	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11234.2000	34.41	16.85	51.26	54.00	-2.74	AVG	
2	11236.6000	49.58	16.86	66.44	74.00	-7.56	Peak	

TX A Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 2.06 msec

T_{Total} : 2.18 msec

Duty cycle: 94.50%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.25



Date: 1.MAR.2018 09:44:42

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be caculated as Output Power = Measured power + Ducy factor
Power Spectral Density = Measured density + Duty factor

TX N20 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 1.92 msec

T_{Total} : 2.03 msec

Duty cycle: 94.58%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.24



Date: 1.MAR.2018 09:46:04

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as Output Power = Measured power + Duty factor
 Power Spectral Density = Measured density + Duty factor

TX N40 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 0.92 msec

T_{Total} : 1.05 msec

Duty cycle: 87.62%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.57



Date: 1.MAR.2018 09:48:01

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducy factor
Power Spectral Density = Measured density + Duty factor

TX AC20 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 0.52 msec

T_{Total} : 0.56 msec

Duty cycle: 92.86%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.32



Date: 1.MAR.2018 09:47:13

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as
 Output Power = Measured power + Duty factor
 Power Spectral Density = Measured density + Duty factor

TX AC40 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 0.25 msec

T_{Total} : 0.32 msec

Duty cycle: 78.12%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 1.07



Date: 1.MAR.2018 09:48:59

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as
 Output Power = Measured power + Ducus factor
 Power Spectral Density = Measured density + Duty factor

TX AC80 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 0.13 msec

T_{Total} : 0.19 msec

Duty cycle: 68.42%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 1.65



Date: 1.MAR.2018 10:27:23

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducy factor
 Power Spectral Density = Measured density + Duty factor


APPENDIX E - BANDWIDTH

Non-Beamforming

Test Mode: UNII-2A/TX A Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	21.69	17.30
CH60	5300	21.85	17.30
CH64	5320	21.85	17.30

TX CH52




Date: 1.MAR.2018 11:25:58

TX CH60



Date: 1.MAR.2018 11:26:57

TX CH64




Date: 1.MAR.2018 11:27:59

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	22.10	18.30
CH60	5300	22.16	18.30
CH64	5320	21.91	18.30

TX CH52




Date: 1.MAR.2018 15:26:51

TX CH60



Date: 1.MAR.2018 15:27:49

TX CH64




Date: 1.MAR.2018 15:28:55

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	41.30	36.80
CH62	5310	41.40	36.80

TX CH54



Date: 1.MAR.2018 15:42:04

TX CH62




Date: 1.MAR.2018 15:43:28

Test Mode: UNII-2C/TX A Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	21.65	17.20
CH116	5580	21.69	17.30
CH140	5700	21.75	17.30

TX CH100




Date: 1.MAR.2018 11:29:15

TX CH116



Date: 1.MAR.2018 11:30:22

TX CH140




Date: 1.MAR.2018 11:31:33

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	22.01	18.30
CH116	5580	22.10	18.30
CH140	5700	22.05	18.30

TX CH100




Date: 1.MAR.2018 15:30:18

TX CH116



Date: 1.MAR.2018 15:31:21

TX CH140




Date: 1.MAR.2018 15:32:19

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	41.30	36.80
CH110	5550	41.60	36.80
CH134	5670	41.60	36.80

TX CH102




Date: 1.MAR.2018 15:45:09

TX CH110



Date: 1.MAR.2018 15:47:21

TX CH134




Date: 1.MAR.2018 15:48:41

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	21.79	18.10
CH60	5300	22.00	18.10
CH64	5320	21.60	18.10

TX CH52




Date: 1.MAR.2018 17:21:25

TX CH60



Date: 1.MAR.2018 17:23:16

TX CH64




Date: 1.MAR.2018 20:16:22

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	41.50	36.80
CH62	5310	41.30	37.00

TX CH54



Date: 2.MAR.2018 14:11:53

TX CH62




Date: 2.MAR.2018 14:20:02

Test Mode: UNII-2A/TX AC80 Mode_CH58

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH58	5290	82.20	76.40

TX CH58




Date: 2.MAR.2018 14:59:06

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	21.71	18.20
CH116	5580	21.90	18.10
CH140	5700	21.60	18.20

TX CH100




Date: 1.MAR.2018 19:17:14

TX CH116



Date: 1.MAR.2018 19:18:19

TX CH140




Date: 1.MAR.2018 19:19:46

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	41.00	37.00
CH110	5550	41.40	36.80
CH134	5670	41.60	36.80

TX CH102




Date: 2.MAR.2018 14:26:39

TX CH110



Date: 2.MAR.2018 14:28:18

TX CH134




Date: 2.MAR.2018 14:29:43

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH106	5530	82.40	76.40
CH122	5610	82.40	76.40

TX CH106



Date: 2.MAR.2018 15:00:19

TX CH122




Date: 2.MAR.2018 15:24:43

Beamforming

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	21.75	18.10
CH60	5300	21.90	18.10
CH64	5320	21.85	18.10

TX CH52




Date: 3.MAR.2018 16:05:26

TX CH60



Date: 3.MAR.2018 16:09:49

TX CH64




Date: 3.MAR.2018 16:13:38

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	41.50	36.80
CH62	5310	41.30	37.00

TX CH54



Date: 2.MAR.2018 14:11:53

TX CH62




Date: 2.MAR.2018 14:20:02

Test Mode: UNII-2A/TX AC80 Mode_CH58

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH58	5290	82.20	76.40

TX CH58




Date: 2.MAR.2018 14:59:06

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	21.60	18.10
CH116	5580	21.90	18.10
CH140	5700	21.66	18.20

TX CH100




Date: 3.MAR.2018 16:21:14

TX CH116



Date: 1.MAR.2018 19:18:19

TX CH140




Date: 3.MAR.2018 16:46:42

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	41.00	37.00
CH110	5550	41.40	36.80
CH134	5670	41.60	36.80

TX CH102




Date: 2.MAR.2018 14:26:39

TX CH110



Date: 2.MAR.2018 14:28:18

TX CH134




Date: 2.MAR.2018 14:29:43

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH106	5530	82.40	76.40
CH122	5610	82.60	76.40

TX CH106



Date: 2.MAR.2018 15:00:19

TX CH122



Date: 3.MAR.2018 17:24:29

APPENDIX F - MAXIMUM OUTPUT POWER

Non-Beamforming

Test Mode: UNII-2A/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	12.04	0.25	12.29	21.18	0.13
CH60	5300	11.46	0.25	11.71	21.18	0.13
CH64	5320	12.35	0.25	12.60	21.18	0.13

Test Mode: UNII-2A/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	12.06	0.25	12.31	21.18	0.13
CH60	5300	11.55	0.25	11.80	21.18	0.13
CH64	5320	12.27	0.25	12.52	21.18	0.13

Test Mode: UNII-2A/TX A Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	11.93	0.25	12.18	21.18	0.13
CH60	5300	11.32	0.25	11.57	21.18	0.13
CH64	5320	12.12	0.25	12.37	21.18	0.13

Test Mode: UNII-2A/TX A Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	12.76	0.25	13.01	21.18	0.13
CH60	5300	12.64	0.25	12.89	21.18	0.13
CH64	5320	13.08	0.25	13.33	21.18	0.13

Test Mode: UNII-2A/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	18.48	21.18	0.13
CH60	5300	18.04	21.18	0.13
CH64	5320	18.74	21.18	0.13

Test Mode: UNII-2A/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	11.32	0.24	11.56	21.18	0.13
CH60	5300	11.21	0.24	11.45	21.18	0.13
CH64	5320	12.25	0.24	12.49	21.18	0.13

Test Mode: UNII-2A/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	11.37	0.24	11.61	21.18	0.13
CH60	5300	11.36	0.24	11.60	21.18	0.13
CH64	5320	12.19	0.24	12.43	21.18	0.13

Test Mode: UNII-2A/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	11.14	0.24	11.38	21.18	0.13
CH60	5300	11.01	0.24	11.25	21.18	0.13
CH64	5320	12.14	0.24	12.38	21.18	0.13

Test Mode: UNII-2A/TX N20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	11.90	0.24	12.14	21.18	0.13
CH60	5300	11.96	0.24	12.20	21.18	0.13
CH64	5320	13.38	0.24	13.38	21.18	0.13

Test Mode: UNII-2A/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	17.70	21.18	0.13
CH60	5300	17.66	21.18	0.13
CH64	5320	18.71	21.18	0.13

Test Mode: UNII-2A/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	14.24	0.57	14.84	21.18	0.13
CH62	5310	13.41	0.57	14.01	21.18	0.13

Test Mode: UNII-2A/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	14.27	0.57	14.87	21.18	0.13
CH62	5310	13.59	0.57	14.19	21.18	0.13

Test Mode: UNII-2A/TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	13.87	0.57	14.47	21.18	0.13
CH62	5310	13.52	0.57	14.12	21.18	0.13

Test Mode: UNII-2A/TX N40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	14.96	0.57	15.56	21.18	0.13
CH62	5310	14.48	0.57	15.08	21.18	0.13

Test Mode: UNII-2A/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	20.95	21.18	0.13
CH62	5310	20.37	21.18	0.13

Test Mode: UNII-2C/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	11.94	0.25	12.19	21.18	0.13
CH116	5580	10.28	0.25	10.53	21.18	0.13
CH140	5700	8.77	0.25	9.02	21.18	0.13

Test Mode: UNII-2C/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	11.75	0.25	12.00	21.18	0.13
CH116	5580	10.12	0.25	10.37	21.18	0.13
CH140	5700	9.12	0.25	9.37	21.18	0.13

Test Mode: UNII-2C/TX A Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	11.49	0.25	11.74	21.18	0.13
CH116	5580	9.75	0.25	10.00	21.18	0.13
CH140	5700	8.37	0.25	8.62	21.18	0.13

Test Mode: UNII-2C/TX A Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	13.91	0.25	14.16	21.18	0.13
CH116	5580	12.03	0.25	12.28	21.18	0.13
CH140	5700	10.68	0.25	10.93	21.18	0.13

Test Mode: UNII-2C/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	18.65	21.18	0.13
CH116	5580	16.91	21.18	0.13
CH140	5700	15.59	21.18	0.13

Test Mode: UNII-2C/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	12.04	0.24	12.28	21.18	0.13
CH116	5580	10.38	0.24	10.62	21.18	0.13
CH140	5700	8.72	0.24	8.96	21.18	0.13

Test Mode: UNII-2C/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	11.97	0.24	12.21	21.18	0.13
CH116	5580	10.11	0.24	10.35	21.18	0.13
CH140	5700	9.09	0.24	9.33	21.18	0.13

Test Mode: UNII-2C/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	11.61	0.24	11.85	21.18	0.13
CH116	5580	16.94	0.24	17.18	21.18	0.13
CH140	5700	8.39	0.24	8.63	21.18	0.13

Test Mode: UNII-2C/TX N20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	13.66	0.24	13.90	21.18	0.13
CH116	5580	11.98	0.24	12.22	21.18	0.13
CH140	5700	10.48	0.24	10.72	21.18	0.13

Test Mode: UNII-2C/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	18.66	21.18	0.13
CH116	5580	19.60	21.18	0.13
CH140	5700	15.51	21.18	0.13

Test Mode: UNII-2C/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	13.63	0.57	14.20	21.18	0.13
CH110	5550	13.01	0.57	13.58	21.18	0.13
CH134	5670	12.32	0.57	12.89	21.18	0.13

Test Mode: UNII-2C/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	13.28	0.57	13.85	21.18	0.13
CH110	5550	12.73	0.57	13.30	21.18	0.13
CH134	5670	12.64	0.57	13.21	21.18	0.13

Test Mode: UNII-2C/TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	12.88	0.57	13.45	21.18	0.13
CH110	5550	12.63	0.57	13.20	21.18	0.13
CH134	5670	12.25	0.57	12.82	21.18	0.13

Test Mode: UNII-2C/TX N40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.94	0.57	15.51	21.18	0.13
CH110	5550	14.64	0.57	15.21	21.18	0.13
CH134	5670	13.84	0.57	14.41	21.18	0.13

Test Mode: UNII-2C/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	20.35	21.18	0.13
CH110	5550	19.93	21.18	0.13
CH134	5670	19.41	21.18	0.13

Test Mode: UNII-2A/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	10.76	0.32	11.08	21.18	0.13
CH60	5300	10.62	0.32	10.94	21.18	0.13
CH64	5320	10.54	0.32	10.86	21.18	0.13

Test Mode: UNII-2A/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	10.78	0.32	11.10	21.18	0.13
CH60	5300	10.84	0.32	11.16	21.18	0.13
CH64	5320	10.63	0.32	10.95	21.18	0.13

Test Mode: UNII-2A/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	10.53	0.32	10.85	21.18	0.13
CH60	5300	10.65	0.32	10.97	21.18	0.13
CH64	5320	10.09	0.32	10.41	21.18	0.13

Test Mode: UNII-2A/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	11.31	0.32	11.63	21.18	0.13
CH60	5300	11.39	0.32	11.71	21.18	0.13
CH64	5320	11.41	0.32	11.73	21.18	0.13

Test Mode: UNII-2A/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	17.20	21.18	0.13
CH60	5300	17.23	21.18	0.13
CH64	5320	17.04	21.18	0.13

Test Mode: UNII-2A/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	12.19	1.07	13.26	21.18	0.13
CH62	5310	13.51	1.07	14.58	21.18	0.13

Test Mode: UNII-2A/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	12.47	1.07	13.54	21.18	0.13
CH62	5310	13.82	1.07	14.89	21.18	0.13

Test Mode: UNII-2A/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	12.32	1.07	13.39	21.18	0.13
CH62	5310	13.67	1.07	14.74	21.18	0.13

Test Mode: UNII-2A/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	13.15	1.07	14.22	21.18	0.13
CH62	5310	14.59	1.07	15.66	21.18	0.13

Test Mode: UNII-2A/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	19.64	21.18	0.13
CH62	5310	21.01	21.18	0.13

Test Mode: UNII-2A/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	13.42	1.65	15.07	21.18	0.13

Test Mode: UNII-2A/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	13.34	1.65	14.99	21.18	0.13

Test Mode: UNII-2A/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	13.19	1.65	14.84	21.18	0.13

Test Mode: UNII-2A/TX AC80 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	12.95	1.65	14.60	21.18	0.13

Test Mode: UNII-2A/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	20.90	21.18	0.13

Test Mode: UNII-2C/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	10.84	0.32	11.16	21.18	0.13
CH116	5580	9.08	0.32	9.40	21.18	0.13
CH140	5700	9.62	0.32	9.94	21.18	0.13

Test Mode: UNII-2C/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	10.76	0.32	11.08	21.18	0.13
CH116	5580	8.97	0.32	9.29	21.18	0.13
CH140	5700	8.87	0.32	9.19	21.18	0.13

Test Mode: UNII-2C/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	10.26	0.32	10.58	21.18	0.13
CH116	5580	8.90	0.32	9.22	21.18	0.13
CH140	5700	9.04	0.32	9.36	21.18	0.13

Test Mode: UNII-2C/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	11.54	0.32	11.86	21.18	0.13
CH116	5580	10.78	0.32	11.10	21.18	0.13
CH140	5700	10.86	0.32	11.18	21.18	0.13

Test Mode: UNII-2C/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	17.22	21.18	0.13
CH116	5580	15.85	21.18	0.13
CH140	5700	16.01	21.18	0.13

Test Mode: UNII-2C/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	12.25	1.07	13.32	21.18	0.13
CH110	5550	10.17	1.07	11.24	21.18	0.13
CH134	5670	12.55	1.07	13.62	21.18	0.13

Test Mode: UNII-2C/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	12.13	1.07	13.20	21.18	0.13
CH110	5550	10.21	1.07	11.28	21.18	0.13
CH134	5670	12.83	1.07	13.90	21.18	0.13

Test Mode: UNII-2C/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	11.92	1.07	12.99	21.18	0.13
CH110	5550	10.07	1.07	11.14	21.18	0.13
CH134	5670	12.48	1.07	13.55	21.18	0.13

Test Mode: UNII-2C/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	13.82	1.07	14.89	21.18	0.13
CH110	5550	11.96	1.07	13.03	21.18	0.13
CH134	5670	14.13	1.07	15.20	21.18	0.13

Test Mode: UNII-2C/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	19.69	21.18	0.13
CH110	5550	17.77	21.18	0.13
CH134	5670	20.14	21.18	0.13

Test Mode: UNII-2C/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	12.16	1.65	13.81	21.18	0.13
CH122	5610	13.45	1.65	15.10	21.18	0.13

Test Mode: UNII-2C/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	12.02	1.65	13.67	21.18	0.13
CH122	5610	13.25	1.65	14.90	21.18	0.13

Test Mode: UNII-2C/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	12.03	1.65	13.68	21.18	0.13
CH122	5610	13.12	1.65	14.77	21.18	0.13

Test Mode: UNII-2C/TX AC80 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	13.28	1.65	14.93	21.18	0.13
CH122	5610	13.37	1.65	15.02	21.18	0.13

Test Mode: UNII-2C/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	20.07	21.18	0.13
CH122	5610	20.97	21.18	0.13

Beamforming

Test Mode: UNII-2A/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	11.02	0.32	11.34	21.20	0.13
CH60	5300	10.92	0.32	11.24	21.20	0.13
CH64	5320	11.04	0.32	11.36	21.20	0.13

Test Mode: UNII-2A/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	11.01	0.32	11.33	21.20	0.13
CH60	5300	11.16	0.32	11.48	21.20	0.13
CH64	5320	11.10	0.32	11.42	21.20	0.13

Test Mode: UNII-2A/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	10.83	0.32	11.15	21.20	0.13
CH60	5300	10.85	0.32	11.17	21.20	0.13
CH64	5320	10.58	0.32	10.90	21.20	0.13

Test Mode: UNII-2A/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	11.62	0.32	11.94	21.20	0.13
CH60	5300	11.66	0.32	11.98	21.20	0.13
CH64	5320	11.74	0.32	12.06	21.20	0.13

Test Mode: UNII-2A/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	17.47	21.20	0.13
CH60	5300	17.50	21.20	0.13
CH64	5320	17.48	21.20	0.13

Test Mode: UNII-2A/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	12.19	1.07	13.26	21.20	0.13
CH62	5310	13.51	1.07	14.58	21.20	0.13

Test Mode: UNII-2A/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	12.47	1.07	13.54	21.20	0.13
CH62	5310	13.82	1.07	14.89	21.20	0.13

Test Mode: UNII-2A/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	12.32	1.07	13.39	21.20	0.13
CH62	5310	13.67	1.07	14.74	21.20	0.13

Test Mode: UNII-2A/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	13.15	1.07	14.22	21.20	0.13
CH62	5310	14.59	1.07	15.66	21.20	0.13

Test Mode: UNII-2A/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	19.64	21.20	0.13
CH62	5310	21.01	21.20	0.13

Test Mode: UNII-2A/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	13.38	1.65	15.03	21.20	0.13

Test Mode: UNII-2A/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	13.32	1.65	14.97	21.20	0.13

Test Mode: UNII-2A/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	12.75	1.65	14.40	21.20	0.13

Test Mode: UNII-2A/TX AC80 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	13.23	1.65	14.88	21.20	0.13

Test Mode: UNII-2A/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	20.85	21.20	0.13

Test Mode: UNII-2C/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	11.12	0.32	11.44	21.20	0.13
CH116	5580	9.08	0.32	9.40	21.20	0.13
CH140	5700	11.12	0.32	11.44	21.20	0.13

Test Mode: UNII-2C/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	11.07	0.32	11.39	21.20	0.13
CH116	5580	8.97	0.32	9.29	21.20	0.13
CH140	5700	11.37	0.32	11.69	21.20	0.13

Test Mode: UNII-2C/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	10.46	0.32	10.78	21.20	0.13
CH116	5580	8.90	0.32	9.22	21.20	0.13
CH140	5700	10.04	0.32	10.36	21.20	0.13

Test Mode: UNII-2C/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	11.88	0.32	12.20	21.20	0.13
CH116	5580	10.78	0.32	11.10	21.20	0.13
CH140	5700	12.86	0.32	13.18	21.20	0.13

Test Mode: UNII-2C/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	17.50	21.20	0.13
CH116	5580	15.85	21.20	0.13
CH140	5700	17.81	21.20	0.13

Test Mode: UNII-2C/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	12.25	1.07	13.32	21.20	0.13
CH110	5550	10.17	1.07	11.24	21.20	0.13
CH134	5670	12.55	1.07	13.62	21.20	0.13

Test Mode: UNII-2C/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	12.13	1.07	13.20	21.20	0.13
CH110	5550	10.21	1.07	11.28	21.20	0.13
CH134	5670	12.83	1.07	13.90	21.20	0.13

Test Mode: UNII-2C/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	11.92	1.07	12.99	21.20	0.13
CH110	5550	10.07	1.07	11.14	21.20	0.13
CH134	5670	12.48	1.07	13.55	21.20	0.13

Test Mode: UNII-2C/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	13.82	1.07	14.89	21.20	0.13
CH110	5550	11.96	1.07	13.03	21.20	0.13
CH134	5670	14.13	1.07	15.20	21.20	0.13

Test Mode: UNII-2C/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	19.69	21.20	0.13
CH110	5550	17.77	21.20	0.13
CH134	5670	20.14	21.20	0.13

Test Mode: UNII-2C/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	13.17	1.65	14.82	21.20	0.13
CH122	5610	12.69	1.65	14.34	21.20	0.13

Test Mode: UNII-2C/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	13.02	1.65	14.67	21.20	0.13
CH122	5610	12.78	1.65	14.43	21.20	0.13

Test Mode: UNII-2C/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	12.94	1.65	14.59	21.20	0.13
CH122	5610	12.52	1.65	14.17	21.20	0.13

Test Mode: UNII-2C/TX AC80 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	14.01	1.65	15.66	21.20	0.13
CH122	5610	13.27	1.65	14.92	21.20	0.13

Test Mode: UNII-2C/TX AC80 Mode_Total


Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	20.98	21.20	0.13
CH122	5610	20.49	21.20	0.13

APPENDIX G - POWER SPECTRAL DENSITY

Non-Beamforming


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.10	0.25	3.35	8.18
CH60	5300	2.84	0.25	3.09	8.18
CH64	5320	0.72	0.25	0.97	8.18




Date: 1.MAR.2018 11:26:07

CH60



Date: 1.MAR.2018 11:27:06


CH64



Date: 1.MAR.2018 11:28:08


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.51	0.25	3.76	8.18
CH60	5300	2.98	0.25	3.23	8.18
CH64	5320	0.57	0.25	0.82	8.18




Date: 1.MAR.2018 11:41:08

CH60



Date: 1.MAR.2018 11:43:24


CH64



Date: 1.MAR.2018 11:44:54


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.90	0.25	3.15	8.18
CH60	5300	2.71	0.25	2.96	8.18
CH64	5320	0.15	0.25	0.40	8.18




Date: 1.MAR.2018 11:58:47

CH60



Date: 1.MAR.2018 12:00:01


CH64



Date: 1.MAR.2018 12:00:59


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.12	0.25	4.37	8.18
CH60	5300	4.14	0.25	4.39	8.18
CH64	5320	1.94	0.25	2.19	8.18




Date: 1.MAR.2018 14:01:06

CH60



Date: 1.MAR.2018 14:02:35

CH64



Date: 1.MAR.2018 14:03:41


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.70	8.18
CH60	5300	9.47	8.18
CH64	5320	7.16	8.18

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.87	0.24	2.11	8.18
CH60	5300	1.39	0.24	1.63	8.18
CH64	5320	0.81	0.24	1.05	8.18

CH52




Date: 1.MAR.2018 15:27:00

CH60



Date: 1.MAR.2018 15:27:57

CH64




Date: 1.MAR.2018 15:29:04

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.68	0.24	1.92	8.18
CH60	5300	1.23	0.24	1.47	8.18
CH64	5320	0.40	0.24	0.64	8.18

CH52




Date: 1.MAR.2018 14:49:57

CH60



Date: 1.MAR.2018 14:51:07

CH64




Date: 1.MAR.2018 14:52:18

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.03	0.24	3.27	8.18
CH60	5300	2.37	0.24	2.61	8.18
CH64	5320	2.25	0.24	2.49	8.18

CH52




Date: 1.MAR.2018 14:33:57

CH60



Date: 1.MAR.2018 14:34:57

CH64




Date: 1.MAR.2018 14:35:52

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.01	0.24	3.25	8.18
CH60	5300	2.54	0.24	2.78	8.18
CH64	5320	1.91	0.24	2.15	8.18

CH52




Date: 1.MAR.2018 14:16:20

CH60



Date: 1.MAR.2018 14:17:48

CH64



Date: 1.MAR.2018 14:18:47


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.70	8.18
CH60	5300	8.19	8.18
CH64	5320	7.67	8.18

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.73	0.57	1.30	8.18
CH62	5310	-1.32	0.57	-0.75	8.18

CH54



Date: 1.MAR.2018 15:42:15

CH62




Date: 1.MAR.2018 15:43:40

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-4.66	0.57	-4.09	8.18
CH62	5310	-7.20	0.57	-6.63	8.18

CH54



Date: 1.MAR.2018 15:56:36

CH62




Date: 1.MAR.2018 15:57:47

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.21	0.57	0.78	8.18
CH62	5310	-1.50	0.57	-0.93	8.18

CH54



Date: 1.MAR.2018 16:10:10

CH62




Date: 1.MAR.2018 16:11:30

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.67	0.57	2.24	8.18
CH62	5310	0.33	0.57	0.90	8.18

CH54



Date: 1.MAR.2018 16:25:33

CH62



Date: 1.MAR.2018 16:27:09


Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	6.64	8.18
CH62	5310	4.91	8.18

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.60	0.25	1.85	8.18
CH116	5580	-0.27	0.25	-0.02	8.18
CH140	5700	-1.83	0.25	-1.58	8.18

CH100




Date: 1.MAR.2018 11:29:24

CH116



Date: 1.MAR.2018 11:30:31

CH140




Date: 1.MAR.2018 11:31:41

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.51	0.25	1.76	8.18
CH116	5580	0.42	0.25	0.67	8.18
CH140	5700	-1.26	0.25	-1.01	8.18

CH100




Date: 1.MAR.2018 11:47:29

CH116



Date: 1.MAR.2018 11:48:42

CH140




Date: 1.MAR.2018 11:50:00

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.91	0.25	1.16	8.18
CH116	5580	-0.26	0.25	-0.01	8.18
CH140	5700	-2.55	0.25	-2.30	8.18

CH100




Date: 1.MAR.2018 12:02:17

CH116



Date: 1.MAR.2018 13:40:14

CH140




Date: 1.MAR.2018 13:41:32

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.60	0.25	2.85	8.18
CH116	5580	1.70	0.25	1.95	8.18
CH140	5700	-0.18	0.25	0.07	8.18

CH100




Date: 1.MAR.2018 14:04:45

CH116



Date: 1.MAR.2018 14:05:46

CH140



Date: 1.MAR.2018 14:06:50


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.96	8.18
CH116	5580	6.74	8.18
CH140	5700	4.90	8.18

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.98	0.24	1.22	8.18
CH116	5580	0.28	0.24	0.52	8.18
CH140	5700	-2.46	0.24	-2.22	8.18

CH100



Date: 1.MAR.2018 15:30:27