














































































Temperature:	26 °C	Relative Humidity:	54%
Pressure:	101KPa	Test Voltage:	AC 120V/60Hz
Test Mode:	(5260-5320MHz)		



Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)		Verdict
			Ant A	Ant B	
NVNT	a	5260	18.665	18.695	Pass
NVNT	a	5280	18.704	18.594	Pass
NVNT	a	5320	18.713	18.742	Pass
NVNT	n20	5260	19.577	19.566	Pass
NVNT	n20	5280	19.638	19.631	Pass
NVNT	n20	5320	19.619	19.665	Pass
NVNT	n40	5270	38.773	38.773	Pass
NVNT	n40	5310	38.813	38.822	Pass
NVNT	ac20	5260	19.596	19.617	Pass
NVNT	ac20	5280	19.605	19.456	Pass
NVNT	ac20	5320	19.653	19.636	Pass
NVNT	ac40	5270	38.572	38.76	Pass
NVNT	ac40	5310	38.612	38.508	Pass
NVNT	ac80	5290	84.485	84.742	Pass
NVNT	ax20	5260	20.614	20.601	Pass
NVNT	ax20	5280	20.609	20.652	Pass
NVNT	ax20	5320	20.629	20.625	Pass
NVNT	ax40	5270	39.585	39.588	Pass
NVNT	ax40	5310	39.638	39.635	Pass
NVNT	ax80	5290	81.982	80.747	Pass







Condition	Mode	Frequency (MHz)	99% OBW (MHz)	
			Ant A	Ant B
NVNT	a	5260	16.331	16.34
NVNT	a	5280	16.347	16.344
NVNT	a	5320	16.332	16.347
NVNT	n20	5260	17.49	17.498
NVNT	n20	5280	17.501	17.506
NVNT	n20	5320	17.496	17.49
NVNT	n40	5270	36.022	35.997
NVNT	n40	5310	36.039	36.038
NVNT	ac20	5260	17.521	17.511
NVNT	ac20	5280	17.498	17.521
NVNT	ac20	5320	17.496	17.517
NVNT	ac40	5270	36.055	36.068
NVNT	ac40	5310	36.037	36.059
NVNT	ac80	5290	76.1	76.152
NVNT	ax20	5260	18.874	17.511
NVNT	ax20	5280	18.88	18.911
NVNT	ax20	5320	18.864	18.879
NVNT	ax40	5270	37.628	37.622
NVNT	ax40	5310	37.622	37.646
NVNT	ax80	5290	77.261	77.274



Note: A(B) Represent the value of antenna A and B, The worst data is Antenna B, only shown Antenna B Plot.






































































Temperature:	26 °C	Relative Humidity:	54%
Pressure:	101KPa	Test Voltage:	AC 120V/60Hz
Test Mode:	(5500-5700MHz)		

Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)		Verdict
			Ant A	Ant B	
NVNT	a	5500	18.807	18.491	Pass
NVNT	a	5580	18.577	18.57	Pass
NVNT	a	5700	18.491	18.516	Pass
NVNT	n20	5500	19.452	19.488	Pass
NVNT	n20	5580	19.777	19.435	Pass
NVNT	n20	5700	19.472	19.51	Pass
NVNT	n40	5510	40.069	40.155	Pass
NVNT	n40	5550	40.085	39.947	Pass
NVNT	n40	5670	40.053	39.884	Pass
NVNT	ac20	5500	19.713	19.635	Pass
NVNT	ac20	5580	19.521	19.578	Pass
NVNT	ac20	5700	19.337	19.633	Pass
NVNT	ac40	5510	39.861	39.917	Pass
NVNT	ac40	5550	39.917	39.737	Pass
NVNT	ac40	5670	39.884	39.842	Pass
NVNT	ac80	5530	88.207	88.215	Pass
NVNT	ax20	5500	20.668	20.642	Pass
NVNT	ax20	5580	20.257	20.579	Pass
NVNT	ax20	5700	20.588	20.581	Pass
NVNT	ax40	5510	39.61	39.626	Pass
NVNT	ax40	5550	39.617	39.619	Pass
NVNT	ax40	5670	39.57	39.589	Pass
NVNT	ax80	5530	82.029	80.778	Pass

Condition	Mode	Frequency (MHz)	99% OBW (MHz)	
			Ant A	Ant B
NVNT	a	5500	16.348	16.35
NVNT	a	5580	16.329	16.338
NVNT	a	5700	16.335	16.324
NVNT	n20	5500	17.517	17.511
NVNT	n20	5580	17.507	17.508
NVNT	n20	5700	17.487	17.485
NVNT	n40	5510	36.01	36.052
NVNT	n40	5550	35.982	36.032
NVNT	n40	5670	35.968	35.985
NVNT	ac20	5500	17.499	17.515
NVNT	ac20	5580	17.505	17.509
NVNT	ac20	5700	17.48	17.51
NVNT	ac40	5510	36.045	36.017
NVNT	ac40	5550	36.029	36.032
NVNT	ac40	5670	36.006	36.007
NVNT	ac80	5530	76.272	76.276
NVNT	ax20	5500	18.921	18.859
NVNT	ax20	5580	18.865	18.895
NVNT	ax20	5700	18.857	18.877
NVNT	ax40	5510	37.662	37.637
NVNT	ax40	5550	37.605	37.637
NVNT	ax40	5670	37.629	37.638
NVNT	ax80	5530	77.245	77.241

Note: A(B) Represent the value of antenna A and B, The worst data is Antenna B, only shown Antenna B Plot.

