


VERTICAL RESULTS PEAK




No.	Frequency (MHz)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.0000	60.71	74.00	-13.29	peak
		47.40	54.00	-6.60	average
2	5410.0583	60.34	74.00	-13.66	peak
		47.03	54.00	-6.97	average

Note: 1. Measurement = Reading Level + Correct Factor.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Peak: Peak detector.
 4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.



HARMONICS AND SPURIOUS EMISSIONS LOW CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1398.8165	41.48	74	-32.52	54	-12.52	peak
2	2499.9167	45.38	74	-28.62	54	-8.62	peak
3	3823.804	47.36	74	-26.64	54	-6.64	peak
4	6157.1095	49.93	74	-24.07	54	-4.07	peak
5	12404.3174	52.13	74	-21.87	54	-1.87	peak
6	15463.8273	55.22	74	-18.78	54	1.22	peak
7	15463.8273	41.10	74	-32.90	54	-12.90	average
8	17198.6998	54.07	74	-19.93	54	0.07	peak
9	17198.6998	43.57	74	-30.43	54	-10.43	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1198.9498	38.59	74	-35.41	54	-15.41	peak
2	2398.1497	50.53	74	-23.47	54	-3.47	peak
3	4119.9367	47.59	74	-26.41	54	-6.41	peak
4	6350.5584	49.88	74	-24.12	54	-4.12	peak
5	12436.9062	52.6	74	-21.40	54	-1.40	peak
6	15550.0917	54.85	74	-19.15	54	0.85	peak
7	15550.0917	42.11	74	-31.89	54	-11.89	average
8	17196.7828	54.31	74	-19.69	54	0.31	peak
9	17196.7828	45.48	74	-28.52	54	-8.52	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



HARMONICS AND SPURIOUS EMISSIONS MID CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1249.3749	38.83	74	-35.17	54	-15.17	peak
2	2499.9167	46.43	74	-27.57	54	-7.57	peak
3	4242.7905	48.18	74	-25.82	54	-5.82	peak
4	6324.8875	50.29	74	-23.71	54	-3.71	peak
5	11547.4246	52.19	74	-21.81	54	-1.81	peak
6	15239.5399	54.24	74	-19.76	54	0.24	peak
7	15239.5399	40.59	74	-33.41	54	-13.41	average
8	17189.1149	55.06	74	-18.94	54	1.06	peak
9	17189.1149	45.14	74	-28.86	54	-8.86	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1799.4666	44.68	74	-29.32	54	-9.32	peak
2	2392.6488	50.01	74	-23.99	54	-3.99	peak
3	3826.5544	47.91	74	-26.09	54	-6.09	peak
4	7795.8826	50.74	74	-23.26	54	-3.26	peak
5	12415.8193	52.53	74	-21.47	54	-1.47	peak
6	15569.2615	54.63	74	-19.37	54	0.63	peak
7	15569.2615	41.69	74	-32.31	54	-12.31	average
8	17200.6168	54.12	74	19.88	54	0.12	peak
9	17200.6168	43.89	74	-30.11	54	-10.11	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1249.3749	38.56	74	-35.44	54	-15.44	peak
2	2498.9998	45.77	74	-28.23	54	-8.23	peak
3	3887.0645	47.65	74	-26.35	54	-6.35	peak
4	6203.8673	50.89	74	-23.11	54	-3.11	peak
5	11208.118	51.50	74	-22.50	54	-2.50	peak
6	15452.3254	54.59	74	-19.41	54	0.59	peak
7	15452.3254	41.61	74	-32.39	54	-12.39	average
8	16937.9897	52.86	74	-21.14	54	-1.14	peak
9	16937.9897	41.77	74	-32.23	54	-12.23	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1195.2825	40.95	74	-33.05	54	-13.05	peak
2	2396.3161	49.47	74	-24.53	54	-4.53	peak
3	4058.5098	48.30	74	-25.70	54	-5.70	peak
4	6460.5768	51.25	74	-22.75	54	-2.75	peak
5	11566.5944	53.01	74	-20.99	54	-0.99	peak
6	15450.4084	54.73	74	-19.27	54	0.73	peak
7	15450.4084	41.79	74	-32.21	54	-12.21	average
8	17202.5338	53.93	74	-20.07	54	-0.07	peak
9	17202.5338	44.31	74	-29.69	54	-9.69	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.

7.1.3. UNII-2C BAND

RESTRICTED BANDEDGE LOW CHANNEL

HORIZONTAL RESULTS PEAK




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5350.0000	61.94	74.00	-12.06	peak
		47.25	54.00	-6.75	average
2	5395.3017	61.02	74.00	-12.98	peak
		47.26	54.00	-6.74	average
3	5470.000	59.95	74.00	-14.05	peak
		48.27	54.00	-5.73	average

Note: 1. Measurement = Reading Level + Correct Factor.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Peak: Peak detector.
 4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.



VERTICAL RESULTS




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5350.0000	60.09	74.00	-13.91	peak
		47.24	54.00	-6.76	average
2	5411.3704	60.69	74.00	-13.31	peak
		47.04	54.00	-6.96	average
3	5470.000	59.51	74.00	-14.49	peak
		47.22	54.00	-6.78	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.



RESTRICTED BANDEDGE HIGH CHANNEL

HORIZONTAL RESULTS




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5778.7699	62.59	74.00	-11.41	peak
		47.71	54.00	-6.29	average
2	5850.0000	60.91	74.00	-13.09	peak
		47.64	54.00	-6.36	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.



VERTICAL RESULTS




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5779.2099	63.14	74.00	-10.86	peak
		47.47	54.00	-6.53	average
2	5850.0000	61.12	74.00	-12.88	peak
		47.57	54.00	-6.43	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.



HARMONICS AND SPURIOUS EMISSIONS LOW CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1793.9657	43.67	74	-30.33	54	-10.33	peak
2	2602.6004	46.57	74	-27.43	54	-7.43	peak
3	4090.5984	47.33	74	-26.67	54	-6.67	peak
4	8020.1700	50.19	74	-23.81	54	-3.81	peak
5	12417.7363	52.33	74	-21.67	54	-1.67	peak
6	17202.5338	56.25	74	-17.75	54	2.25	peak
7	17202.5338	44.61	74	-29.39	54	-9.39	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1793.0488	43.00	74	-31	54	-11.00	peak
2	2292.7155	48.81	74	-25.19	54	-5.19	peak
3	3414.9025	47.19	74	-26.81	54	-6.81	peak
4	6282.7138	50.48	74	-23.52	54	-3.52	peak
5	11595.3492	52.75	74	-21.25	54	-1.25	peak
6	16752.042	56.21	74	-17.79	54	2.21	peak
7	16752.042	42.50	74	-31.5	54	-11.5	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



HARMONICS AND SPURIOUS EMISSIONS MID CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1617.93630	39.64	74	-34.36	54	-14.36	peak
2	2499.91670	45.80	74	-28.20	54	-8.20	peak
3	6355.14250	50.80	74	-23.20	54	-3.20	peak
4	7813.12670	50.67	74	-23.33	54	-3.33	peak
5	11497.5773	51.87	74	-22.13	54	-2.13	peak
6	15444.6552	54.75	74	-19.25	54	0.75	peak
7	15444.6552	41.79	74	-32.21	54	-12.21	average
8	17127.7705	53.35	74	-20.65	54	-0.65	peak
9	17127.7705	43.02	74	-30.98	54	-10.98	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1176.9462	38.58	74	-35.42	54	-15.42	peak
2	2394.4824	51.50	74	-22.50	54	-2.50	peak
3	3163.6939	46.93	74	-27.07	54	-7.07	peak
4	7884.0552	50.38	74	-23.62	54	-3.62	peak
5	11526.3321	52.19	74	-21.81	54	-1.81	peak
6	17208.284	56.52	74	-17.48	54	2.52	peak
7	17208.284	43.66	74	-30.34	54	-10.34	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1345.6409	38.46	74	-35.54	54	-15.54	peak
2	2538.4231	47.00	74	-27.00	54	-7.00	peak
3	3194.8658	46.63	74	-27.37	54	-7.37	peak
4	6047.0912	49.98	74	-24.02	54	-4.02	peak
5	11518.6641	52.34	74	-21.66	54	-1.66	peak
6	15580.7614	54.67	74	-19.33	54	0.67	peak
7	15580.7614	40.55	74	-33.45	54	-13.45	average
8	17204.4501	54.94	74	-19.06	54	0.94	peak
9	17204.4501	44.03	74	-29.97	54	-9.97	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz



No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1798.5498	42.84	74	-31.16	54	-11.16	peak
2	2323.8873	47.74	74	-26.26	54	-6.26	peak
3	3193.0322	47.16	74	-26.84	54	-6.84	peak
4	6456.9095	50.78	74	-23.22	54	-3.22	peak
5	11574.2568	52.86	74	-21.14	54	-1.14	peak
6	17208.284	56.53	74	-17.47	54	2.53	peak
7	17208.284	43.27	74	-30.73	54	-10.73	average


Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



7.1.4. UNII-3 BAND

RESTRICTED BANDEDGE LOW CHANNEL

HORIZONTAL RESULTS




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5639.0447	61.72	68.20	-6.48	peak
		48.66	62.20	-13.54	average
2	5725.0000	67.57	122.20	-54.63	peak
		52.24	116.20	-63.96	average

Note: 1. Measurement = Reading Level + Correct Factor.



VERTICAL RESULTS




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5635.7843	65.53	68.20	-2.67	peak
		48.57	62.20	-13.63	average
2	5725.0000	64.54	122.20	-57.66	peak
		49.88	116.20	-66.32	average

Note: 1. Measurement = Reading Level + Correct Factor.



RESTRICTED BANDEDGE HIGH CHANNEL

HORIZONTAL RESULTS




No.	Frequency (MHz)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5850.0000	62.19	122.20	-60.01	peak
		49.18	116.20	-67.02	average
2	5969.7924	62.90	68.20	-5.30	peak
		49.44	62.20	-12.76	average

Note: 1. Measurement = Reading Level + Correct Factor.



VERTICAL RESULTS




No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5850.0000	62.98	122.20	-59.22	peak
		49.11	116.20	-67.09	average
2	5965.0363	63.03	68.20	-5.17	peak
		49.43	62.20	-12.77	average

Note: 1. Measurement = Reading Level + Correct Factor.



HARMONICS AND SPURIOUS EMISSIONS LOW CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1347.4746	38.34	74	-35.66	54	-15.66	peak
2	2499.9167	46.12	74	-27.88	54	-7.88	peak
3	3746.7911	46.54	74	-27.46	54	-7.46	peak
4	5682.197	51.25	74	-22.75	54	-2.75	peak
5	8760.1187	49.56	74	-24.44	54	-4.44	peak
6	17198.6991	56.39	74	-17.61	54	2.39	peak
7	17198.6991	44.35	74	-29.65	54	-9.65	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1201.7003	39.82	74	-34.18	54	-14.18	peak
2	2432.072	49.16	74	-24.84	54	-4.84	peak
3	4359.2265	47.79	74	-26.21	54	-6.21	peak
4	5739.9567	50.19	74	-23.81	54	-3.81	peak
5	11547.419	51.90	74	-22.10	54	-2.10	peak
6	15573.0934	54.73	74	-19.27	54	0.73	peak
7	15573.0934	41.36	74	-32.64	54	-12.64	average
8	17035.7551	53.20	74	-20.80	54	-0.80	peak
9	17035.7551	42.69	74	-31.31	54	-11.31	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



HARMONICS AND SPURIOUS EMISSIONS MID CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1377.7296	37.62	74	36.38	54	-16.38	peak
2	2499.9167	45.49	74	-28.51	54	-8.51	peak
3	4128.1880	47.41	74	-26.59	54	-6.59	peak
4	5758.2930	50.74	74	-23.26	54	-3.26	peak
5	7928.1459	50.28	74	-23.72	54	-3.72	peak
6	16591.0139	52.12	74	-21.88	54	-1.88	peak
7	16591.0139	40.46	74	-33.54	54	-13.54	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1794.8825	40.37	74	-33.63	54	-13.63	peak
2	2399.0665	49.82	74	-24.18	54	-4.18	peak
3	5715.2025	50.38	74	-23.62	54	-3.62	peak
4	7974.1536	50.34	74	-23.66	54	-3.66	peak
5	12415.8144	52.21	74	-21.79	54	-1.79	peak
6	16951.4077	53.14	74	-20.86	54	-0.86	peak
7	16951.4077	42.66	74	-31.34	54	-11.34	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1194.3657	39.22	74	-34.78	54	-14.78	peak
2	2499.9167	46.51	74	-27.49	54	-7.49	peak
3	5876.5628	50.78	74	-23.22	54	-3.22	peak
4	8037.4142	50.74	74	-23.26	54	-3.26	peak
5	12406.2295	51.97	74	-22.03	54	-2.03	peak
6	17131.6045	53.28	74	-18.48	54	1.52	peak
7	17131.6045	42.42	74	-21.34	54	-1.34	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1198.0330	40.69	74	-33.31	54	-13.31	peak
2	2399.0665	50.93	74	-23.07	54	-3.07	peak
3	4054.8425	47.01	74	-26.99	54	-6.99	peak
4	5742.7071	50.37	74	-23.63	54	-3.63	peak
5	11572.3398	52.59	74	-21.41	54	-1.41	peak
6	15542.4216	54.28	74	-19.72	54	0.28	peak
7	15542.4216	41.52	74	-32.48	54	-12.48	average
8	17192.9481	54.76	74	-19.24	54	0.76	peak
9	17192.9481	44.55	74	-29.45	54	-9.45	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.

7.1.5. STRADDLE CHANNEL 144

MIMO MODE (WORST-CASE CONFIGURATION) HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak)	(Peak)	(Ave)	(Ave)	
			(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1524.4207	38.49	74	-35.51	54	-15.51	peak
2	2498.0830	48.35	74	-25.65	54	-5.65	peak
3	3617.5196	48.45	74	-25.55	54	-5.55	peak
4	7813.1267	50.67	74	-23.33	54	-3.33	peak
5	11497.5773	51.87	74	-22.13	54	-2.13	peak
6	15617.1841	52.32	74	-21.68	54	-1.68	peak
7	15617.1841	41.21	74	-32.79	54	-12.79	average
8	17175.6952	53.76	74	-21.68	54	-1.68	peak
9	17175.6952	42.56	74	-31.44	54	-11.44	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz



No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1188.8648	37.46	74	-36.54	54	-16.54	peak
2	2361.4769	47.35	74	-26.65	54	-6.65	peak
3	3503.8340	46.61	74	-27.39	54	-7.39	peak
4	6104.8508	50.68	74	-23.32	54	-3.32	peak
5	11526.3321	52.19	74	-21.81	54	-1.81	peak
6	16504.7495	52.28	74	-21.72	54	-1.72	peak
7	16504.7495	42.14	74	-31.86	54	-11.86	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.


7.2. 802.11ac HT20 MODE

MIMO CDD MODE (WORST-CASE CONFIGURATION)

7.2.1. UNII-1 BAND

RESTRICTED BANDEDGE LOW CHANNEL

HORIZONTAL RESULTS




No.	Frequency (MHz)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4691.5999	64.63	74.00	-9.37	peak
		46.35	54.00	-7.65	average
2	4880.1798	60.87	74.00	-13.13	peak
		47.81	54.00	-6.19	average
3	5150.0000	61.69	74.00	-12.31	peak
		48.18	54.00	-5.82	average

Note: 1. Measurement = Reading Level + Correct Factor.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Peak: Peak detector.
 4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.



VERTICAL RESULTS




No.	Frequency (MHz)	Result	Limit	Margin	Remark
		(dBuV/m)	(dBuV/m)	(dB)	
1	4672.4909	60.18	74.00	-13.82	peak
		46.20	54.00	-7.80	average
2	4871.4122	61.02	74.00	-12.98	peak
		47.83	54.00	-6.17	average
3	5150.0000	60.05	74.00	-13.95	peak
		46.89	54.00	-7.11	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.



HARMONICS AND SPURIOUS EMISSIONS LOW CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1249.3749	40.38	74	-33.62	54	-13.62	peak
2	2499.9167	46.68	74	-27.32	54	-7.32	peak
3	5182.5304	52.11	74	-21.89	54	-1.89	peak
4	6906.4011	52.62	74	-21.38	54	-1.38	peak
5	11545.5076	52.51	74	-21.49	54	-1.49	peak
6	17200.6168	56.76	74	-17.24	54	2.76	peak
7	17200.6168	45.18	74	-28.82	54	-8.82	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1177.863	40.08	74	-33.92	54	-13.92	peak
2	1792.132	46.04	74	-27.96	54	-7.96	peak
3	2390.8151	50.96	74	-23.04	54	-3.04	peak
4	6098.4331	51.20	74	-22.80	54	-2.80	peak
5	11545.5076	52.99	74	-21.01	54	-1.01	peak
6	17026.171	55.96	74	-18.04	54	1.96	peak
7	17026.171	42.44	74	-31.56	54	-11.56	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



HARMONICS AND SPURIOUS EMISSIONS MID CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1249.3749	39.59	74	-34.41	54	-14.41	peak
2	2498.9998	46.41	74	-27.59	54	-7.59	peak
3	3611.1019	46.92	74	-27.08	54	-7.08	peak
4	5090.8485	49.60	74	-24.40	54	-4.40	peak
5	11535.9227	52.46	74	-21.54	54	-1.54	peak
6	17204.4507	56.32	74	-17.68	54	2.32	peak
7	17204.4507	44.10	74	-29.90	54	-9.90	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1176.9462	38.90	74	-35.10	54	-15.10	peak
2	1794.8825	42.82	74	-31.18	54	-11.18	peak
3	2390.8151	51.20	74	-22.80	54	-2.80	peak
4	4252.8755	48.54	74	-25.46	54	-5.46	peak
5	11543.5906	52.15	74	-21.85	54	-1.85	peak
6	15408.2347	54.36	74	-19.64	54	0.36	peak
7	15408.2347	40.99	74	-33.01	54	-13.01	average
8	17202.5338	54.15	74	-19.85	54	0.15	peak
9	17202.5338	44.14	74	-29.86	54	-9.86	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1249.3749	39.19	74	-34.81	54	-14.81	peak
2	2498.9998	46.08	74	-27.92	54	-7.92	peak
3	4051.1752	47.12	74	-26.88	54	-6.88	peak
4	6984.9975	51.92	74	-22.08	54	-2.08	peak
5	11589.5983	52.35	74	-21.65	54	-1.65	peak
6	17187.1979	56.19	74	-17.81	54	2.19	peak
7	17187.1979	43.33	74	-30.67	54	-10.67	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1438.2397	45.52	74	-28.48	54	-8.48	peak
2	2358.7265	48.69	74	-25.31	54	-5.31	peak
3	3953.0755	47.35	74	-26.65	54	-6.65	peak
4	6488.9982	50.88	74	-23.12	54	-3.12	peak
5	12423.4872	52.34	74	-21.66	54	-1.66	peak
6	15436.9895	54.89	74	-19.11	54	0.89	peak
7	15436.9895	42.11	74	-31.89	54	-11.89	average
8	17039.5899	54.53	74	-19.47	54	0.53	peak
9	17039.5899	43.61	74	-30.39	54	-10.39	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.

7.2.2. UNII-2A BAND

RESTRICTED BANDEDGE HIGH CHANNEL


HORIZONTAL RESULTS PEAK



No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5350.0000	61.22	74.00	-12.78	peak
		47.54	54.00	-6.46	average
2	5442.3595	61.06	74.00	-12.94	peak
		47.51	54.00	-6.49	average

Note: 1. Measurement = Reading Level + Correct Factor.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Peak: Peak detector.
 4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.

VERTICAL RESULTS




No.	Frequency (MHz)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Remark
1	5350.0000	60.68	74.00	-13.32	peak
		47.52	54.00	-6.48	average
2	5432.3469	60.28	74.00	-13.72	peak
		47.26	54.00	-6.74	average

Note: 1. Measurement = Reading Level + Correct Factor.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Peak: Peak detector.
 4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.



HARMONICS AND SPURIOUS EMISSIONS LOW CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1250.2917	39.78	74	-34.22	54	-14.22	peak
2	1792.132	41.12	74	-32.88	54	-12.88	peak
3	2499.9167	46.20	74	-27.80	54	-7.80	peak
4	5104.6008	48.71	74	-25.29	54	-5.29	peak
5	7874.4791	50.20	74	-23.8	54	-3.80	peak
6	17187.1979	53.55	74	-20.45	54	-0.45	peak
7	17187.1979	43.20	74	-30.80	54	-10.80	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1176.9462	39.01	74	-34.99	54	-14.99	peak
2	1793.0488	42.14	74	-31.86	54	-11.86	peak
3	2334.8891	49.31	74	-24.69	54	-4.69	peak
4	6172.6954	50.36	74	-23.64	54	-3.64	peak
5	11518.6698	52.22	74	-21.78	54	-1.78	peak
6	17212.1187	55.81	74	-18.19	54	1.81	peak
7	17212.1187	42.97	74	-31.03	54	-11.03	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



HARMONICS AND SPURIOUS EMISSIONS MID CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1250.2917	39.08	74	-34.92	54	-14.92	peak
2	2498.9998	46.33	74	-27.67	54	-7.67	peak
3	3932.9055	46.94	74	-27.06	54	-7.06	peak
4	5882.0637	50.45	74	-23.55	54	-3.55	peak
5	11564.6774	52.75	74	-21.25	54	-1.25	peak
6	17200.6168	55.85	74	-18.15	54	1.85	peak
7	17200.6168	43.38	74	-30.62	54	-10.62	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1793.9657	43.22	74	-30.78	54	-10.78	peak
2	2397.2329	49.52	74	-24.48	54	-4.48	peak
3	3921.9037	47.38	74	-26.62	54	-6.62	peak
4	6288.2147	50.56	74	-23.44	54	-3.44	peak
5	11555.0925	52.70	74	-21.30	54	-1.30	peak
6	17187.1979	56.81	74	-17.19	54	2.81	peak
7	17187.1979	43.55	74	-30.45	54	-10.45	average

- Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



HARMONICS AND SPURIOUS EMISSIONS HIGH CHANNEL

HORIZONTAL RESULTS 1-18GHz




No.	Frequency	Result	Limit	Margin	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(Peak) (dBuV/m)	(Peak) (dB)	(Ave) (dBuV/m)	(Ave) (dB)	
1	1249.3749	39.55	74	-34.45	54	-14.45	peak
2	2499.9167	45.98	74	-28.02	54	-8.02	peak
3	3822.8871	47.54	74	-26.46	54	-6.46	peak
4	6318.4697	50.13	74	-23.87	54	-3.87	peak
5	11639.4399	51.83	74	-22.17	54	-2.17	peak
6	17196.7828	55.97	74	-18.03	54	1.97	peak
7	17196.7828	44.04	74	-29.96	54	-9.96	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.



VERTICAL RESULTS
1-18GHz




No.	Frequency	Result	Limit (Peak)	Margin (Peak)	Limit (Ave)	Margin (Ave)	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV/m)	(dB)	
1	1176.9462	38.71	74	-35.29	54	-15.29	peak
2	2399.0665	51.79	74	-22.21	54	-2.21	peak
3	3896.2327	47.17	74	-26.83	54	-6.83	peak
4	6106.6844	50.54	74	-23.46	54	-3.46	peak
5	11562.7605	52.04	74	-21.96	54	-1.96	peak
6	17202.5338	56.34	74	-17.66	54	2.34	peak
7	17202.5338	43.24	74	-30.76	54	-10.76	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.

7.2.3. UNII-2C BAND

RESTRICTED BANDEDGE LOW CHANNEL

HORIZONTAL RESULTS




No.	Frequency (MHz)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.0000	66.77	74.00	-7.23	peak
		47.30	54.00	-6.70	average
2	5378.6465	60.74	74.00	-13.26	peak
		47.42	54.00	-6.58	average
3	5470.000	59.43	74.00	-14.57	peak
		48.41	54.00	-5.59	average

Note: 1. Measurement = Reading Level + Correct Factor.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Peak: Peak detector.
 4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.



VERTICAL RESULTS



No.	Frequency	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	
1	5310.8457	61.50	74.00	-12.50	peak
		47.28	54.00	-6.72	average
2	5350.0000	61.33	74.00	-12.67	peak
		47.32	54.00	-6.68	average
3	5470.000	58.89	74.00	-15.11	peak
		48.76	54.00	-5.24	average

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Only the worst case emission will be recorder, if it complies with the limit, the other emissions deemed to comply with the limit.