



Test Mode UNII-1_TX A Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	19.59	16.70
40	5200	19.40	16.40
48	5240	19.45	16.40

CH36




Date: 4.SEP.2020 16:16:33

CH40
26 dB Bandwidth



Date: 4.SEP.2020 16:17:58

CH48




Date: 4.SEP.2020 16:19:19


99 % Emission Bandwidth



Date: 4.SEP.2020 16:15:40



Date: 4.SEP.2020 16:17:05




Date: 4.SEP.2020 16:18:28


Test Mode UNII-3_TX A Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.45	17.00	500	Complies
157	5785	14.99	16.90	500	Complies
165	5825	15.95	17.20	500	Complies

CH149




Date: 4.SEP.2020 16:21:01

CH157
6 dB Bandwidth



Date: 4.SEP.2020 16:21:46

CH165




Date: 4.SEP.2020 16:21:28


99 % Emission Bandwidth



Date: 4.SEP.2020 16:21:06



Date: 4.SEP.2020 16:21:47




Date: 4.SEP.2020 16:21:31


Test Mode UNII-1_TX AC (VHT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	20.89	17.80
40	5200	21.05	17.60
48	5240	21.00	17.60

CH36




Date: 4.SEP.2020 16:48:21

CH40
26 dB Bandwidth



Date: 4.SEP.2020 16:52:37

CH48




Date: 4.SEP.2020 16:54:06


99 % Emission Bandwidth



Date: 4.SEP.2020 16:47:32



Date: 4.SEP.2020 16:51:47



Date: 4.SEP.2020 16:53:18



Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	40.20	36.60
46	5230	40.80	36.80

CH38

CH46



26 dB Bandwidth



Date: 4.SEP.2020 17:09:33

Date: 4.SEP.2020 17:11:01

99 % Emission Bandwidth




Date: 4.SEP.2020 17:08:39

Date: 4.SEP.2020 17:10:12

Test Mode	UNII-1_TX AC (VHT80)
-----------	----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	82.20	76.00

CH42 26 dB Bandwidth



Date: 22.SEP.2020 11:24:30

99 % Emission Bandwidth




Date: 9.SEP.2020 09:39:11


Test Mode UNII-3_TX AC (VHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	14.00	18.00	500	Complies
157	5785	15.79	17.80	500	Complies
165	5825	16.35	18.10	500	Complies

CH149




Date: 4.SEP.2020 16:56:15

CH157
6 dB Bandwidth



Date: 4.SEP.2020 16:57:59

CH165




Date: 4.SEP.2020 16:59:51


99 % Emission Bandwidth



Date: 4.SEP.2020 16:54:54



Date: 4.SEP.2020 16:57:01



Date: 4.SEP.2020 16:58:55



Test Mode UNII-3_TX AC (VHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	34.00	37.60	500	Complies
159	5795	34.01	37.80	500	Complies



CH151

CH159

6 dB Bandwidth




99 % Emission Bandwidth



Test Mode	UNII-3_TX AC (VHT80)
-----------	----------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	73.99	76.40	500	Complies

CH155 6 dB Bandwidth



Date: 4.8EP.2020 17:24:01

99 % Emission Bandwidth




Date: 4.8EP.2020 17:22:54


Test Mode UNII-1_TX AX (HE20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	21.39	19.10
40	5200	21.30	19.20
48	5240	21.50	19.20

CH36




Date: 4.8EP.2020 17:26:15

CH40
26 dB Bandwidth



Date: 4.8EP.2020 17:27:57

CH48




Date: 4.8EP.2020 17:29:15


99 % Emission Bandwidth



Date: 4.8EP.2020 17:25:27



Date: 4.8EP.2020 17:27:09



Date: 4.8EP.2020 17:28:27



Test Mode	UNII-1_TX AX (HE40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	41.00	38.40
46	5230	49.79	38.60



CH38

CH46

26 dB Bandwidth




99 % Emission Bandwidth




Test Mode UNII-3_TX AX (HE20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	18.95	19.30	500	Complies
157	5785	19.05	19.30	500	Complies
165	5825	17.15	19.10	500	Complies

CH149




Date: 4.8EP.2020 17:30:51

CH157
6 dB Bandwidth



Date: 4.8EP.2020 17:32:49

CH165




Date: 4.8EP.2020 17:40:40


99 % Emission Bandwidth



Date: 4.8EP.2020 17:30:50



Date: 4.8EP.2020 17:31:55



Date: 4.8EP.2020 17:39:44



Test Mode UNII-3_TX AX (HE40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	35.60	39.00	500	Complies
159	5795	36.80	39.00	500	Complies



CH151

CH159

6 dB Bandwidth




99 % Emission Bandwidth



Test Mode	UNII-3_TX AX (HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	74.40	78.00	500	Complies

CH155 6 dB Bandwidth



Date: 4.8EP.2020 17:53:29

99 % Emission Bandwidth



Date: 4.8EP.2020 17:52:24

APPENDIX F - MAXIMUM OUTPUT POWER

Non-Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.65	0.24	19.89	30.00	1.00	Complies
40	5200	21.83	0.24	22.07	30.00	1.00	Complies
48	5240	21.65	0.24	21.89	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.91	0.24	20.15	30.00	1.00	Complies
40	5200	22.24	0.24	22.48	30.00	1.00	Complies
48	5240	21.94	0.24	22.18	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.04	30.00	1.00	Complies
40	5200	25.29	30.00	1.00	Complies
48	5240	25.05	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.07	0.24	22.31	30.00	1.00	Complies
157	5785	22.72	0.24	22.96	30.00	1.00	Complies
165	5825	22.13	0.24	22.37	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.82	0.24	22.06	30.00	1.00	Complies
157	5785	23.88	0.24	24.12	30.00	1.00	Complies
165	5825	22.18	0.24	22.42	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.20	30.00	1.00	Complies
157	5785	26.59	30.00	1.00	Complies
165	5825	25.41	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.85	0.20	20.05	30.00	1.00	Complies
40	5200	21.39	0.20	21.59	30.00	1.00	Complies
48	5240	21.84	0.20	22.04	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.13	0.20	20.33	30.00	1.00	Complies
40	5200	21.77	0.20	21.97	30.00	1.00	Complies
48	5240	22.03	0.20	22.23	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.20	30.00	1.00	Complies
40	5200	24.80	30.00	1.00	Complies
48	5240	25.15	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.14	0.23	18.37	30.00	1.00	Complies
46	5230	21.34	0.23	21.57	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.73	0.23	18.96	30.00	1.00	Complies
46	5230	21.58	0.23	21.81	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.69	30.00	1.00	Complies
46	5230	24.70	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.83	0.19	18.02	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.01	0.19	18.20	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.12	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.85	0.20	22.05	30.00	1.00	Complies
157	5785	23.74	0.20	23.94	30.00	1.00	Complies
165	5825	24.06	0.20	24.26	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.97	0.20	22.17	30.00	1.00	Complies
157	5785	22.26	0.20	22.46	30.00	1.00	Complies
165	5825	21.80	0.20	22.00	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.12	30.00	1.00	Complies
157	5785	26.28	30.00	1.00	Complies
165	5825	26.29	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.08	0.23	23.31	30.00	1.00	Complies
159	5795	23.42	0.23	23.65	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.06	0.23	22.29	30.00	1.00	Complies
159	5795	22.04	0.23	22.27	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.84	30.00	1.00	Complies
159	5795	26.03	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.85	0.19	22.04	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.69	0.19	20.88	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.51	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.82	0.21	20.03	30.00	1.00	Complies
40	5200	21.11	0.21	21.32	30.00	1.00	Complies
48	5240	21.88	0.21	22.09	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.06	0.21	20.27	30.00	1.00	Complies
40	5200	21.58	0.21	21.79	30.00	1.00	Complies
48	5240	21.93	0.21	22.14	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.16	30.00	1.00	Complies
40	5200	24.57	30.00	1.00	Complies
48	5240	25.12	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.69	0.19	17.88	30.00	1.00	Complies
46	5230	20.44	0.19	20.63	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.12	0.19	18.31	30.00	1.00	Complies
46	5230	20.73	0.19	20.92	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.11	30.00	1.00	Complies
46	5230	23.78	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.32	0.32	17.68	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.69	0.32	18.01	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.84	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.94	0.21	22.15	30.00	1.00	Complies
157	5785	23.33	0.21	23.54	30.00	1.00	Complies
165	5825	22.98	0.21	23.19	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.15	0.21	22.36	30.00	1.00	Complies
157	5785	21.86	0.21	22.07	30.00	1.00	Complies
165	5825	22.17	0.21	22.38	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.26	30.00	1.00	Complies
157	5785	25.87	30.00	1.00	Complies
165	5825	25.81	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.78	0.19	22.97	30.00	1.00	Complies
159	5795	22.69	0.19	22.88	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.16	0.19	22.35	30.00	1.00	Complies
159	5795	22.03	0.19	22.22	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.68	30.00	1.00	Complies
159	5795	25.57	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.55	0.32	21.87	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.06	0.32	21.38	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.65	30.00	1.00	Complies

Beamforming

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.45	0.20	19.66	30.00	1.00	Complies
40	5200	20.98	0.20	21.19	30.00	1.00	Complies
48	5240	21.46	0.20	21.67	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.73	0.20	19.94	30.00	1.00	Complies
40	5200	21.36	0.20	21.57	30.00	1.00	Complies
48	5240	21.77	0.20	21.98	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.80	30.00	1.00	Complies
40	5200	24.39	30.00	1.00	Complies
48	5240	24.83	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.75	0.23	17.99	30.00	1.00	Complies
46	5230	20.96	0.23	21.20	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.39	0.23	18.63	30.00	1.00	Complies
46	5230	21.18	0.23	21.42	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.32	30.00	1.00	Complies
46	5230	24.31	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.45	0.19	17.65	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.66	0.19	17.86	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.76	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.43	0.20	21.64	30.00	1.00	Complies
157	5785	23.37	0.20	23.58	30.00	1.00	Complies
165	5825	23.71	0.20	23.92	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.56	0.20	21.77	30.00	1.00	Complies
157	5785	21.85	0.20	22.06	30.00	1.00	Complies
165	5825	21.42	0.20	21.63	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.71	30.00	1.00	Complies
157	5785	25.89	30.00	1.00	Complies
165	5825	25.93	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.69	0.23	22.93	30.00	1.00	Complies
159	5795	22.98	0.23	23.22	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.75	0.23	21.99	30.00	1.00	Complies
159	5795	21.76	0.23	22.00	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.49	30.00	1.00	Complies
159	5795	25.65	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.43	0.19	21.63	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.31	0.19	20.51	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.11	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.41	0.21	19.62	30.00	1.00	Complies
40	5200	20.76	0.21	20.97	30.00	1.00	Complies
48	5240	21.43	0.21	21.64	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.68	0.21	19.89	30.00	1.00	Complies
40	5200	21.22	0.21	21.43	30.00	1.00	Complies
48	5240	21.58	0.21	21.79	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.76	30.00	1.00	Complies
40	5200	24.21	30.00	1.00	Complies
48	5240	24.72	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.22	0.19	17.41	30.00	1.00	Complies
46	5230	19.89	0.19	20.08	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.74	0.19	17.93	30.00	1.00	Complies
46	5230	20.25	0.19	20.44	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40)) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.68	30.00	1.00	Complies
46	5230	23.27	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.94	0.32	17.26	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.21	0.32	17.53	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.41	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.47	0.21	21.69	30.00	1.00	Complies
157	5785	22.86	0.21	23.08	30.00	1.00	Complies
165	5825	22.61	0.21	22.83	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.76	0.21	21.98	30.00	1.00	Complies
157	5785	21.59	0.21	21.81	30.00	1.00	Complies
165	5825	21.63	0.21	21.85	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.83	30.00	1.00	Complies
157	5785	25.49	30.00	1.00	Complies
165	5825	25.36	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.36	0.19	22.56	30.00	1.00	Complies
159	5795	22.25	0.19	22.45	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.85	0.19	22.05	30.00	1.00	Complies
159	5795	21.68	0.19	21.88	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.31	30.00	1.00	Complies
159	5795	25.17	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.07	0.32	21.40	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.66	0.32	20.99	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.20	30.00	1.00	Complies

APPENDIX G - POWER SPECTRAL DENSITY

Non-Beamforming


Test Mode UNII-1_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.55	0.24	9.79	17.00	Complies
40	5200	10.95	0.24	11.19	17.00	Complies
48	5240	11.13	0.24	11.37	17.00	Complies



Test Mode UNII-1_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.96	0.24	10.20	17.00	Complies
40	5200	11.22	0.24	11.46	17.00	Complies
48	5240	11.23	0.24	11.47	17.00	Complies




Test Mode UNII-1_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.01	17.00	Complies
40	5200	14.34	17.00	Complies
48	5240	14.44	17.00	Complies


Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.37	0.24	10.61	30.00	Complies
157	5785	11.61	0.24	11.85	30.00	Complies
165	5825	10.40	0.24	10.64	30.00	Complies


CH149



CH157




CH165




Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.64	0.24	9.88	30.00	Complies
157	5785	10.22	0.24	10.46	30.00	Complies
165	5825	10.15	0.24	10.39	30.00	Complies


CH149



CH157



CH165






Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.28	30.00	Complies
157	5785	14.23	30.00	Complies
165	5825	13.53	30.00	Complies




Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.87	0.20	10.07	17.00	Complies
40	5200	11.43	0.20	11.63	17.00	Complies
48	5240	12.05	0.20	12.25	17.00	Complies



Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.94	0.20	10.14	17.00	Complies
40	5200	11.21	0.20	11.41	17.00	Complies
48	5240	12.21	0.20	12.41	17.00	Complies




Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.12	17.00	Complies
40	5200	14.53	17.00	Complies
48	5240	15.35	17.00	Complies


Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.82	0.23	5.05	17.00	Complies
46	5230	7.66	0.23	7.89	17.00	Complies

CH38




CH46




Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.65	0.23	4.88	17.00	Complies
46	5230	7.56	0.23	7.79	17.00	Complies

CH38



CH46




Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.98	17.00	Complies
46	5230	10.85	17.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.01	0.26	1.27	17.00	Complies


CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.15	0.26	1.41	17.00	Complies

CH42




Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.35	17.00	Complies


Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.61	0.20	10.81	30.00	Complies
157	5785	11.33	0.20	11.53	30.00	Complies
165	5825	11.15	0.20	11.35	30.00	Complies


CH149



CH157




CH165




Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.11	0.20	10.31	30.00	Complies
157	5785	12.62	0.20	12.82	30.00	Complies
165	5825	12.81	0.20	13.01	30.00	Complies


CH149



CH157



CH165




Test Mode UNII-3_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.58	30.00	Complies
157	5785	15.24	30.00	Complies
165	5825	15.27	30.00	Complies


Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.39	0.23	8.62	30.00	Complies
159	5795	8.49	0.23	8.72	30.00	Complies

CH151




CH159




Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.45	0.23	8.68	30.00	Complies
159	5795	9.47	0.23	9.70	30.00	Complies

CH151



CH159




Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.66	30.00	Complies
159	5795	12.25	30.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.32	0.26	4.58	30.00	Complies


CH155



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.54	0.26	3.80	30.00	Complies

CH155



Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	7.22	30.00	Complies