

Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band7


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.87	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.03	-25	Pass	2985
30	1000	0.1	RMS	988.999	-55.46	-25	Pass	9700
1000	2490	1	RMS	2460.981	-40.22	-25	Pass	1490
2490	2580	1	RMS	2500.35	23	60	Pass	601
2580	3000	1	RMS	2661.2	-40.63	-25	Pass	601
3000	12000	1	RMS	11915.991	-48.58	-25	Pass	9000
12000	26000	1	RMS	25911.994	-30.44	-25	Pass	14000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.93	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.76	-25	Pass	2985
30	1000	0.1	RMS	923.292	-55.6	-25	Pass	9700
1000	2490	1	RMS	2453.976	-41.52	-25	Pass	1490
2490	2580	1	RMS	2504.7	23	60	Pass	601
2580	3000	1	RMS	2660.5	-40.62	-25	Pass	601
3000	12000	1	RMS	11910.99	-48.51	-25	Pass	9000
12000	26000	1	RMS	25954.997	-30.33	-25	Pass	14000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.8	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.26	-25	Pass	2985
30	1000	0.1	RMS	906.29	-55.73	-25	Pass	9700
1000	2490	1	RMS	2458.979	-41.51	-25	Pass	1490
2490	2580	1	RMS	2500.35	22.3	60	Pass	601
2580	3000	1	RMS	2660.5	-40.57	-25	Pass	601
3000	12000	1	RMS	11913.99	-48.63	-25	Pass	9000
12000	26000	1	RMS	25954.997	-30.5	-25	Pass	14000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.65	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.64	-25	Pass	2985
30	1000	0.1	RMS	900.79	-55.71	-25	Pass	9700
1000	2490	1	RMS	2460.981	-40.72	-25	Pass	1490
2490	2580	1	RMS	2504.7	22.21	60	Pass	601
2580	3000	1	RMS	2659.8	-40.59	-25	Pass	601
3000	12000	1	RMS	11911.99	-48.64	-25	Pass	9000
12000	26000	1	RMS	25952.997	-30.42	-25	Pass	14000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.2	-25	Pass	2985
30	1000	0.1	RMS	902.89	-55.52	-25	Pass	9700
1000	2490	1	RMS	2420.954	-41.53	-25	Pass	1490
2490	2580	1	RMS	2532.9	23.24	60	Pass	601
2580	3000	1	RMS	2659.8	-40.62	-25	Pass	601
3000	12000	1	RMS	11915.991	-48.64	-25	Pass	9000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.31	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.1	-25	Pass	2985
30	1000	0.1	RMS	909.991	-55.48	-25	Pass	9700
1000	2490	1	RMS	2449.973	-41.51	-25	Pass	1490
2490	2580	1	RMS	2537.1	23.24	60	Pass	601
2580	3000	1	RMS	2659.8	-40.59	-25	Pass	601
3000	12000	1	RMS	11926.992	-48.65	-25	Pass	9000
12000	26000	1	RMS	25966.998	-30.41	-25	Pass	14000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.61	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.42	-25	Pass	2985
30	1000	0.1	RMS	858.085	-55.51	-25	Pass	9700
1000	2490	1	RMS	2463.983	-40.56	-25	Pass	1490
2490	2580	1	RMS	2532.9	22.51	60	Pass	601
2580	3000	1	RMS	2660.5	-40.61	-25	Pass	601
3000	12000	1	RMS	11899.989	-48.63	-25	Pass	9000
12000	26000	1	RMS	25914.994	-30.46	-25	Pass	14000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.02	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.69	-25	Pass	2985
30	1000	0.1	RMS	891.289	-53.31	-25	Pass	9700
1000	2490	1	RMS	2459.98	-41.24	-25	Pass	1490
2490	2580	1	RMS	2537.1	22.49	60	Pass	601
2580	3000	1	RMS	2659.8	-40.61	-25	Pass	601
3000	12000	1	RMS	11907.99	-48.66	-25	Pass	9000
12000	26000	1	RMS	25974.998	-30.49	-25	Pass	14000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.97	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.62	-25	Pass	2985
30	1000	0.1	RMS	894.889	-55.18	-25	Pass	9700
1000	2490	1	RMS	2460.981	-41.13	-25	Pass	1490
2490	2580	1	RMS	2565.3	23.38	60	Pass	601
2580	3000	1	RMS	2658.4	-40.63	-25	Pass	601
3000	12000	1	RMS	11907.99	-48.72	-25	Pass	9000
12000	26000	1	RMS	25945.996	-30.44	-25	Pass	14000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.46	-25	Pass	2985
30	1000	0.1	RMS	910.991	-55.62	-25	Pass	9700
1000	2490	1	RMS	2460.981	-40.57	-25	Pass	1490
2490	2580	1	RMS	2569.65	23.33	60	Pass	601
2580	3000	1	RMS	2661.2	-40.65	-25	Pass	601
3000	12000	1	RMS	11936.993	-48.67	-25	Pass	9000
12000	26000	1	RMS	25957.997	-30.44	-25	Pass	14000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.98	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.45	-25	Pass	2985
30	1000	0.1	RMS	917.592	-55.68	-25	Pass	9700
1000	2490	1	RMS	2452.975	-41.5	-25	Pass	1490
2490	2580	1	RMS	2565.3	22.48	60	Pass	601
2580	3000	1	RMS	2660.5	-40.63	-25	Pass	601
3000	12000	1	RMS	11907.99	-48.52	-25	Pass	9000
12000	26000	1	RMS	25974.998	-30.53	-25	Pass	14000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.7	-25	Pass	2985
30	1000	0.1	RMS	891.689	-55.47	-25	Pass	9700
1000	2490	1	RMS	2461.981	-40.31	-25	Pass	1490
2490	2580	1	RMS	2569.65	22.41	60	Pass	601
2580	3000	1	RMS	2657.7	-40.64	-25	Pass	601
3000	12000	1	RMS	11908.99	-48.65	-25	Pass	9000
12000	26000	1	RMS	25967.998	-30.54	-25	Pass	14000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.31	-25	Pass	2985
30	1000	0.1	RMS	939.794	-55.67	-25	Pass	9700
1000	2490	1	RMS	2482.995	-41.16	-25	Pass	1490
2490	2580	1	RMS	2500.65	23.04	60	Pass	601
2580	3000	1	RMS	2658.4	-40.61	-25	Pass	601
3000	12000	1	RMS	11999	-48.63	-25	Pass	9000
12000	26000	1	RMS	25962.997	-30.52	-25	Pass	14000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.39	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.97	-25	Pass	2985
30	1000	0.1	RMS	924.992	-55.54	-25	Pass	9700
1000	2490	1	RMS	2490	-41.35	-25	Pass	1490
2490	2580	1	RMS	2509.35	23.1	60	Pass	601
2580	3000	1	RMS	2658.4	-40.63	-25	Pass	601
3000	12000	1	RMS	11903.989	-48.59	-25	Pass	9000
12000	26000	1	RMS	25988.999	-30.45	-25	Pass	14000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.7	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.73	-25	Pass	2985
30	1000	0.1	RMS	978.298	-55.51	-25	Pass	9700
1000	2490	1	RMS	2461.981	-41.27	-25	Pass	1490
2490	2580	1	RMS	2500.65	22.27	60	Pass	601
2580	3000	1	RMS	2659.8	-40.61	-25	Pass	601
3000	12000	1	RMS	11899.989	-48.68	-25	Pass	9000
12000	26000	1	RMS	25995	-30.39	-25	Pass	14000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.43	-25	Pass	2985
30	1000	0.1	RMS	891.789	-55.46	-25	Pass	9700
1000	2490	1	RMS	2490	-41.49	-25	Pass	1490
2490	2580	1	RMS	2509.35	22.25	60	Pass	601
2580	3000	1	RMS	2659.8	-40.6	-25	Pass	601
3000	12000	1	RMS	11923.992	-48.62	-25	Pass	9000
12000	26000	1	RMS	25988.999	-30.38	-25	Pass	14000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.08	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.6	-25	Pass	2985
30	1000	0.1	RMS	903.19	-55.6	-25	Pass	9700
1000	2490	1	RMS	2416.951	-41.5	-25	Pass	1490
2490	2580	1	RMS	2530.65	23.27	60	Pass	601
2580	3000	1	RMS	2661.2	-40.63	-25	Pass	601
3000	12000	1	RMS	11916.991	-48.61	-25	Pass	9000
12000	26000	1	RMS	25937.996	-30.44	-25	Pass	14000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.04	-25	Pass	2985
30	1000	0.1	RMS	980.898	-55.64	-25	Pass	9700




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2490	2580	1	RMS	2539.35	23.4	60	Pass	601
2580	3000	1	RMS	2661.2	-40.63	-25	Pass	601
3000	12000	1	RMS	11926.992	-48.62	-25	Pass	9000
12000	26000	1	RMS	25939.996	-30.49	-25	Pass	14000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.57	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.5	-25	Pass	2985
30	1000	0.1	RMS	957.796	-55.62	-25	Pass	9700
1000	2490	1	RMS	2426.958	-41.54	-25	Pass	1490
2490	2580	1	RMS	2530.65	22.3	60	Pass	601
2580	3000	1	RMS	2659.8	-40.62	-25	Pass	601
3000	12000	1	RMS	11904.989	-48.68	-25	Pass	9000
12000	26000	1	RMS	25952.997	-30.48	-25	Pass	14000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.84	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.38	-25	Pass	2985
30	1000	0.1	RMS	994.999	-55.68	-25	Pass	9700
1000	2490	1	RMS	2462.982	-41.39	-25	Pass	1490
2490	2580	1	RMS	2539.35	22.41	60	Pass	601
2580	3000	1	RMS	2659.8	-40.63	-25	Pass	601
3000	12000	1	RMS	11908.99	-48.66	-25	Pass	9000
12000	26000	1	RMS	25995	-30.42	-25	Pass	14000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.87	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.63	-25	Pass	2985
30	1000	0.1	RMS	993.599	-55.49	-25	Pass	9700
1000	2490	1	RMS	2420.954	-41.52	-25	Pass	1490
2490	2580	1	RMS	2560.65	23.53	60	Pass	601
2580	3000	1	RMS	2661.9	-40.62	-25	Pass	601
3000	12000	1	RMS	11916.991	-48.68	-25	Pass	9000
12000	26000	1	RMS	25984.999	-30.53	-25	Pass	14000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.99	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.74	-25	Pass	2985
30	1000	0.1	RMS	993.899	-55.56	-25	Pass	9700
1000	2490	1	RMS	2458.979	-41.16	-25	Pass	1490
2490	2580	1	RMS	2569.35	23.38	60	Pass	601
2580	3000	1	RMS	2587	-39.6	-25	Pass	601
3000	12000	1	RMS	11917.991	-48.55	-25	Pass	9000
12000	26000	1	RMS	25952.997	-30.51	-25	Pass	14000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.19	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52	-25	Pass	2985
30	1000	0.1	RMS	907.29	-49.03	-25	Pass	9700
1000	2490	1	RMS	2462.982	-41.17	-25	Pass	1490
2490	2580	1	RMS	2560.65	22.57	60	Pass	601
2580	3000	1	RMS	2659.1	-40.61	-25	Pass	601
3000	12000	1	RMS	12000	-48.66	-25	Pass	9000
12000	26000	1	RMS	25958.997	-30.47	-25	Pass	14000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.19	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.62	-25	Pass	2985
30	1000	0.1	RMS	896.789	-54.41	-25	Pass	9700
1000	2490	1	RMS	2459.98	-41.09	-25	Pass	1490
2490	2580	1	RMS	2569.5	22.45	60	Pass	601
2580	3000	1	RMS	2587	-40.6	-25	Pass	601
3000	12000	1	RMS	11910.99	-48.63	-25	Pass	9000
12000	26000	1	RMS	25961.997	-30.47	-25	Pass	14000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.26	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.71	-25	Pass	2985
30	1000	0.1	RMS	932.993	-55.73	-25	Pass	9700
1000	2490	1	RMS	2487.999	-40.56	-25	Pass	1490
2490	2580	1	RMS	2500.8	23.04	60	Pass	601
2580	3000	1	RMS	2661.2	-40.61	-25	Pass	601
3000	12000	1	RMS	11920.991	-48.67	-25	Pass	9000
12000	26000	1	RMS	25950.997	-30.39	-25	Pass	14000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.04	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.69	-25	Pass	2985
30	1000	0.1	RMS	891.289	-55.68	-25	Pass	9700
1000	2490	1	RMS	2487.999	-32.21	-25	Pass	1490
2490	2580	1	RMS	2514.15	23.15	60	Pass	601
2580	3000	1	RMS	2660.5	-40.63	-25	Pass	601
3000	12000	1	RMS	11921.991	-48.65	-25	Pass	9000
12000	26000	1	RMS	25949.996	-30.39	-25	Pass	14000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.62	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.2	-25	Pass	2985
30	1000	0.1	RMS	909.991	-55.7	-25	Pass	9700
1000	2490	1	RMS	2487.999	-40.82	-25	Pass	1490
2490	2580	1	RMS	2500.8	22.2	60	Pass	601
2580	3000	1	RMS	2660.5	-40.61	-25	Pass	601
3000	12000	1	RMS	11903.989	-48.62	-25	Pass	9000
12000	26000	1	RMS	25964.998	-30.44	-25	Pass	14000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-25	Pass	601
0.15	30	0.01	RMS	0.16	-52.2	-25	Pass	2985
30	1000	0.1	RMS	953.995	-55.6	-25	Pass	9700
1000	2490	1	RMS	2487.999	-33.76	-25	Pass	1490
2490	2580	1	RMS	2514.15	22.34	60	Pass	601
2580	3000	1	RMS	2657	-40.65	-25	Pass	601
3000	12000	1	RMS	11914.991	-48.62	-25	Pass	9000
12000	26000	1	RMS	25942.996	-30.44	-25	Pass	14000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.41	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.49	-25	Pass	2985
30	1000	0.1	RMS	996.4	-55.43	-25	Pass	9700
1000	2490	1	RMS	2425.957	-41.52	-25	Pass	1490
2490	2580	1	RMS	2528.4	23.25	60	Pass	601
2580	3000	1	RMS	2659.1	-40.59	-25	Pass	601
3000	12000	1	RMS	11913.99	-48.61	-25	Pass	9000
12000	26000	1	RMS	25981.999	-30.46	-25	Pass	14000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.84	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.99	-25	Pass	2985
30	1000	0.1	RMS	893.889	-55.67	-25	Pass	9700
1000	2490	1	RMS	2459.98	-41.34	-25	Pass	1490
2490	2580	1	RMS	2541.6	23.35	60	Pass	601
2580	3000	1	RMS	2661.2	-40.61	-25	Pass	601
3000	12000	1	RMS	11923.992	-48.67	-25	Pass	9000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.18	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.8	-25	Pass	2985
30	1000	0.1	RMS	989.799	-55.64	-25	Pass	9700
1000	2490	1	RMS	2428.959	-41.53	-25	Pass	1490
2490	2580	1	RMS	2528.4	22.29	60	Pass	601
2580	3000	1	RMS	2656.3	-40.63	-25	Pass	601
3000	12000	1	RMS	11903.989	-48.62	-25	Pass	9000
12000	26000	1	RMS	25957.997	-30.45	-25	Pass	14000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.73	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.15	-25	Pass	2985
30	1000	0.1	RMS	998.8	-55.78	-25	Pass	9700
1000	2490	1	RMS	2461.981	-41.21	-25	Pass	1490
2490	2580	1	RMS	2541.6	22.21	60	Pass	601
2580	3000	1	RMS	2660.5	-40.74	-25	Pass	601
3000	12000	1	RMS	11918.991	-48.63	-25	Pass	9000
12000	26000	1	RMS	25961.997	-30.55	-25	Pass	14000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.43	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.2	-25	Pass	2985
30	1000	0.1	RMS	994.799	-55.89	-25	Pass	9700
1000	2490	1	RMS	2461.981	-41.2	-25	Pass	1490
2490	2580	1	RMS	2555.85	23.33	60	Pass	601
2580	3000	1	RMS	2582.8	-29.19	-25	Pass	601
3000	12000	1	RMS	11909.99	-48.74	-25	Pass	9000
12000	26000	1	RMS	25949.996	-30.52	-25	Pass	14000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.58	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.75	-25	Pass	2985
30	1000	0.1	RMS	913.691	-55.84	-25	Pass	9700
1000	2490	1	RMS	2464.983	-41.56	-25	Pass	1490
2490	2580	1	RMS	2569.2	23.22	60	Pass	601
2580	3000	1	RMS	2659.8	-40.74	-25	Pass	601
3000	12000	1	RMS	11972.997	-48.8	-25	Pass	9000
12000	26000	1	RMS	25952.997	-30.59	-25	Pass	14000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.04	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.29	-25	Pass	2985
30	1000	0.1	RMS	998.9	-55.55	-25	Pass	9700
1000	2490	1	RMS	2459.98	-41.24	-25	Pass	1490
2490	2580	1	RMS	2555.85	22.48	60	Pass	601
2580	3000	1	RMS	2582.8	-30.37	-25	Pass	601
3000	12000	1	RMS	11915.991	-48.71	-25	Pass	9000
12000	26000	1	RMS	25991.999	-30.57	-25	Pass	14000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.21	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.72	-25	Pass	2985
30	1000	0.1	RMS	900.89	-55.71	-25	Pass	9700
1000	2490	1	RMS	2463.983	-41.39	-25	Pass	1490
2490	2580	1	RMS	2569.2	22.41	60	Pass	601
2580	3000	1	RMS	2659.8	-40.7	-25	Pass	601
3000	12000	1	RMS	11916.991	-48.68	-25	Pass	9000
12000	26000	1	RMS	25940.996	-30.47	-25	Pass	14000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.49	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.21	-25	Pass	2985
30	1000	0.1	RMS	901.59	-55.84	-25	Pass	9700
1000	2490	1	RMS	2460.981	-40.67	-25	Pass	1490
2490	2580	1	RMS	2501.1	22.86	60	Pass	601
2580	3000	1	RMS	2660.5	-40.72	-25	Pass	601
3000	12000	1	RMS	11913.99	-48.7	-25	Pass	9000
12000	26000	1	RMS	25942.996	-30.57	-25	Pass	14000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.8	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.72	-25	Pass	2985
30	1000	0.1	RMS	943.894	-55.64	-25	Pass	9700
1000	2490	1	RMS	2482.995	-39.02	-25	Pass	1490
2490	2580	1	RMS	2518.95	22.96	60	Pass	601
2580	3000	1	RMS	2659.8	-40.74	-25	Pass	601
3000	12000	1	RMS	11922.991	-48.72	-25	Pass	9000
12000	26000	1	RMS	25925.995	-30.5	-25	Pass	14000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.4	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.23	-25	Pass	2985
30	1000	0.1	RMS	934.893	-55.72	-25	Pass	9700
1000	2490	1	RMS	2490	-41.31	-25	Pass	1490
2490	2580	1	RMS	2501.1	22.09	60	Pass	601
2580	3000	1	RMS	2660.5	-40.73	-25	Pass	601
3000	12000	1	RMS	11918.991	-48.76	-25	Pass	9000
12000	26000	1	RMS	25930.995	-30.53	-25	Pass	14000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.58	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.22	-25	Pass	2985
30	1000	0.1	RMS	996.9	-55.65	-25	Pass	9700
1000	2490	1	RMS	2482.995	-39.74	-25	Pass	1490
2490	2580	1	RMS	2518.95	22.13	60	Pass	601
2580	3000	1	RMS	2658.4	-40.73	-25	Pass	601
3000	12000	1	RMS	11913.99	-48.84	-25	Pass	9000
12000	26000	1	RMS	25951.997	-30.61	-25	Pass	14000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.64	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.87	-25	Pass	2985
30	1000	0.1	RMS	934.993	-55.81	-25	Pass	9700
1000	2490	1	RMS	2490	-40.75	-25	Pass	1490
2490	2580	1	RMS	2526.15	23.03	60	Pass	601
2580	3000	1	RMS	2660.5	-40.76	-25	Pass	601
3000	12000	1	RMS	11901.989	-48.73	-25	Pass	9000
12000	26000	1	RMS	25957.997	-30.64	-25	Pass	14000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.54	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.13	-25	Pass	2985
30	1000	0.1	RMS	940.294	-55.61	-25	Pass	9700
1000	2490	1	RMS	2461.981	-41.51	-25	Pass	1490
2490	2580	1	RMS	2543.85	23.17	60	Pass	601
2580	3000	1	RMS	2580	-39.64	-25	Pass	601
3000	12000	1	RMS	11941.994	-48.66	-25	Pass	9000
12000	26000	1	RMS	25948.996	-30.5	-25	Pass	14000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.24	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.38	-25	Pass	2985
30	1000	0.1	RMS	976.698	-55.87	-25	Pass	9700




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2490	2580	1	RMS	2526.15	22.07	60	Pass	601
2580	3000	1	RMS	2657.7	-40.79	-25	Pass	601
3000	12000	1	RMS	11914.991	-48.77	-25	Pass	9000
12000	26000	1	RMS	25960.997	-30.59	-25	Pass	14000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.49	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.59	-25	Pass	2985
30	1000	0.1	RMS	967.197	-55.73	-25	Pass	9700
1000	2490	1	RMS	2451.974	-41.62	-25	Pass	1490
2490	2580	1	RMS	2543.85	22.19	60	Pass	601
2580	3000	1	RMS	2580	-40.76	-25	Pass	601
3000	12000	1	RMS	11911.99	-48.74	-25	Pass	9000
12000	26000	1	RMS	25950.997	-30.6	-25	Pass	14000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.92	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.49	-25	Pass	2985
30	1000	0.1	RMS	907.59	-55.63	-25	Pass	9700
1000	2490	1	RMS	2464.983	-41.58	-25	Pass	1490
2490	2580	1	RMS	2551.05	23.2	60	Pass	601
2580	3000	1	RMS	2587	-29.53	-25	Pass	601
3000	12000	1	RMS	11906.99	-48.75	-25	Pass	9000
12000	26000	1	RMS	25934.995	-30.62	-25	Pass	14000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.08	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.6	-25	Pass	2985
30	1000	0.1	RMS	951.895	-55.82	-25	Pass	9700
1000	2490	1	RMS	2458.979	-41.5	-25	Pass	1490
2490	2580	1	RMS	2568.9	23.19	60	Pass	601
2580	3000	1	RMS	2587	-40.74	-25	Pass	601
3000	12000	1	RMS	11997	-48.71	-25	Pass	9000
12000	26000	1	RMS	25966.998	-30.57	-25	Pass	14000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.59	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.15	-25	Pass	2985
30	1000	0.1	RMS	962.996	-55.79	-25	Pass	9700
1000	2490	1	RMS	2461.981	-41.11	-25	Pass	1490
2490	2580	1	RMS	2551.05	22.26	60	Pass	601
2580	3000	1	RMS	2587	-31.09	-25	Pass	601
3000	12000	1	RMS	11919.991	-48.74	-25	Pass	9000
12000	26000	1	RMS	25995	-30.48	-25	Pass	14000



1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.16	-25	Pass	2985
30	1000	0.1	RMS	935.693	-55.81	-25	Pass	9700
1000	2490	1	RMS	2456.978	-41.57	-25	Pass	1490
2490	2580	1	RMS	2568.9	22.17	60	Pass	601
2580	3000	1	RMS	2659.8	-40.74	-25	Pass	601
3000	12000	1	RMS	11903.989	-48.79	-25	Pass	9000
12000	26000	1	RMS	25989.999	-30.65	-25	Pass	14000



END