

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Gain (dBm)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
n66	15	5	342500	12@6	DFT_BPSK	19.71	-1.74	17.97	30	PASS
n66	15	5	342500	1@1	DFT_BPSK	19.70	-1.74	17.96	30	PASS
n66	15	5	342500	1@23	DFT_BPSK	19.76	-1.74	18.02	30	PASS
n66	15	5	342500	12@6	DFT_QPSK	19.92	-1.74	18.18	30	PASS
n66	15	5	342500	1@1	DFT_QPSK	19.83	-1.74	18.09	30	PASS
n66	15	5	342500	1@23	DFT_QPSK	19.75	-1.74	18.01	30	PASS
n66	15	5	342500	12@6	DFT_QAM16	19.99	-1.74	18.25	30	PASS
n66	15	5	342500	1@1	DFT_QAM16	20.33	-1.74	18.59	30	PASS
n66	15	5	342500	1@23	DFT_QAM16	20.36	-1.74	18.62	30	PASS
n66	15	5	342500	12@6	DFT_QAM64	19.85	-1.74	18.11	30	PASS
n66	15	5	342500	1@1	DFT_QAM64	20.32	-1.74	18.58	30	PASS
n66	15	5	342500	1@23	DFT_QAM64	20.17	-1.74	18.43	30	PASS
n66	15	5	342500	12@6	DFT_QAM256	18.52	-1.74	16.78	30	PASS
n66	15	5	342500	1@1	DFT_QAM256	19.00	-1.74	17.26	30	PASS
n66	15	5	342500	1@23	DFT_QAM256	18.71	-1.74	16.97	30	PASS
n66	15	5	342500	13@6	CP_QPSK	19.99	-1.74	18.25	30	PASS
n66	15	5	342500	1@1	CP_QPSK	19.94	-1.74	18.2	30	PASS
n66	15	5	342500	1@23	CP_QPSK	19.96	-1.74	18.22	30	PASS
n66	15	5	342500	13@6	CP_QAM16	20.06	-1.74	18.32	30	PASS
n66	15	5	342500	1@1	CP_QAM16	20.01	-1.74	18.27	30	PASS
n66	15	5	342500	1@23	CP_QAM16	19.99	-1.74	18.25	30	PASS
n66	15	5	342500	13@6	CP_QAM64	19.67	-1.74	17.93	30	PASS
n66	15	5	342500	1@1	CP_QAM64	19.83	-1.74	18.09	30	PASS
n66	15	5	342500	1@23	CP_QAM64	19.83	-1.74	18.09	30	PASS
n66	15	5	342500	13@6	CP_QAM256	16.41	-1.74	14.67	30	PASS
n66	15	5	342500	1@1	CP_QAM256	16.48	-1.74	14.74	30	PASS
n66	15	5	342500	1@23	CP_QAM256	16.47	-1.74	14.73	30	PASS
n66	15	5	349000	12@6	DFT_BPSK	20.22	-1.74	18.48	30	PASS
n66	15	5	349000	1@1	DFT_BPSK	20.24	-1.74	18.5	30	PASS
n66	15	5	349000	1@23	DFT_BPSK	20.26	-1.74	18.52	30	PASS
n66	15	5	349000	12@6	DFT_QPSK	20.26	-1.74	18.52	30	PASS
n66	15	5	349000	1@1	DFT_QPSK	20.20	-1.74	18.46	30	PASS
n66	15	5	349000	1@23	DFT_QPSK	20.06	-1.74	18.32	30	PASS
n66	15	5	349000	12@6	DFT_QAM16	20.42	-1.74	18.68	30	PASS
n66	15	5	349000	1@1	DFT_QAM16	20.78	-1.74	19.04	30	PASS
n66	15	5	349000	1@23	DFT_QAM16	20.71	-1.74	18.97	30	PASS
n66	15	5	349000	12@6	DFT_QAM64	20.33	-1.74	18.59	30	PASS
n66	15	5	349000	1@1	DFT_QAM64	20.69	-1.74	18.95	30	PASS
n66	15	5	349000	1@23	DFT_QAM64	20.56	-1.74	18.82	30	PASS

n66	15	5	349000	12@6	DFT_QAM256	18.78	-1.74	17.04	30	PASS
n66	15	5	349000	1@1	DFT_QAM256	19.23	-1.74	17.49	30	PASS
n66	15	5	349000	1@23	DFT_QAM256	19.17	-1.74	17.43	30	PASS
n66	15	5	349000	13@6	CP_QPSK	20.31	-1.74	18.57	30	PASS
n66	15	5	349000	1@1	CP_QPSK	20.41	-1.74	18.67	30	PASS
n66	15	5	349000	1@23	CP_QPSK	20.39	-1.74	18.65	30	PASS
n66	15	5	349000	13@6	CP_QAM16	20.29	-1.74	18.55	30	PASS
n66	15	5	349000	1@1	CP_QAM16	20.08	-1.74	18.34	30	PASS
n66	15	5	349000	1@23	CP_QAM16	20.17	-1.74	18.43	30	PASS
n66	15	5	349000	13@6	CP_QAM64	19.99	-1.74	18.25	30	PASS
n66	15	5	349000	1@1	CP_QAM64	19.90	-1.74	18.16	30	PASS
n66	15	5	349000	1@23	CP_QAM64	20.07	-1.74	18.33	30	PASS
n66	15	5	349000	13@6	CP_QAM256	16.58	-1.74	14.84	30	PASS
n66	15	5	349000	1@1	CP_QAM256	16.72	-1.74	14.98	30	PASS
n66	15	5	349000	1@23	CP_QAM256	16.69	-1.74	14.95	30	PASS
n66	15	5	355500	12@6	DFT_BPSK	20.13	-1.74	18.39	30	PASS
n66	15	5	355500	1@1	DFT_BPSK	20.00	-1.74	18.26	30	PASS
n66	15	5	355500	1@23	DFT_BPSK	20.17	-1.74	18.43	30	PASS
n66	15	5	355500	12@6	DFT_QPSK	20.23	-1.74	18.49	30	PASS
n66	15	5	355500	1@1	DFT_QPSK	20.07	-1.74	18.33	30	PASS
n66	15	5	355500	1@23	DFT_QPSK	20.07	-1.74	18.33	30	PASS
n66	15	5	355500	12@6	DFT_QAM16	20.26	-1.74	18.52	30	PASS
n66	15	5	355500	1@1	DFT_QAM16	20.24	-1.74	18.5	30	PASS
n66	15	5	355500	1@23	DFT_QAM16	20.51	-1.74	18.77	30	PASS
n66	15	5	355500	12@6	DFT_QAM64	20.12	-1.74	18.38	30	PASS
n66	15	5	355500	1@1	DFT_QAM64	20.26	-1.74	18.52	30	PASS
n66	15	5	355500	1@23	DFT_QAM64	20.34	-1.74	18.6	30	PASS
n66	15	5	355500	12@6	DFT_QAM256	18.66	-1.74	16.92	30	PASS
n66	15	5	355500	1@1	DFT_QAM256	19.00	-1.74	17.26	30	PASS
n66	15	5	355500	1@23	DFT_QAM256	18.96	-1.74	17.22	30	PASS
n66	15	5	355500	13@6	CP_QPSK	20.26	-1.74	18.52	30	PASS
n66	15	5	355500	1@1	CP_QPSK	20.04	-1.74	18.3	30	PASS
n66	15	5	355500	1@23	CP_QPSK	20.03	-1.74	18.29	30	PASS
n66	15	5	355500	13@6	CP_QAM16	20.23	-1.74	18.49	30	PASS
n66	15	5	355500	1@1	CP_QAM16	19.95	-1.74	18.21	30	PASS
n66	15	5	355500	1@23	CP_QAM16	19.97	-1.74	18.23	30	PASS
n66	15	5	355500	13@6	CP_QAM64	19.90	-1.74	18.16	30	PASS
n66	15	5	355500	1@1	CP_QAM64	19.91	-1.74	18.17	30	PASS
n66	15	5	355500	1@23	CP_QAM64	20.05	-1.74	18.31	30	PASS
n66	15	5	355500	13@6	CP_QAM256	16.54	-1.74	14.8	30	PASS
n66	15	5	355500	1@1	CP_QAM256	16.50	-1.74	14.76	30	PASS
n66	15	5	355500	1@23	CP_QAM256	16.66	-1.74	14.92	30	PASS
n66	15	10	343000	25@12	DFT_BPSK	19.83	-1.74	18.09	30	PASS

n66	15	10	343000	1@1	DFT_BPSK	19.84	-1.74	18.1	30	PASS
n66	15	10	343000	1@50	DFT_BPSK	19.71	-1.74	17.97	30	PASS
n66	15	10	343000	25@12	DFT_QPSK	19.72	-1.74	17.98	30	PASS
n66	15	10	343000	1@1	DFT_QPSK	19.66	-1.74	17.92	30	PASS
n66	15	10	343000	1@50	DFT_QPSK	19.69	-1.74	17.95	30	PASS
n66	15	10	343000	25@12	DFT_QAM16	19.76	-1.74	18.02	30	PASS
n66	15	10	343000	1@1	DFT_QAM16	20.16	-1.74	18.42	30	PASS
n66	15	10	343000	1@50	DFT_QAM16	19.96	-1.74	18.22	30	PASS
n66	15	10	343000	25@12	DFT_QAM64	19.84	-1.74	18.1	30	PASS
n66	15	10	343000	1@1	DFT_QAM64	20.07	-1.74	18.33	30	PASS
n66	15	10	343000	1@50	DFT_QAM64	19.92	-1.74	18.18	30	PASS
n66	15	10	343000	25@12	DFT_QAM256	18.29	-1.74	16.55	30	PASS
n66	15	10	343000	1@1	DFT_QAM256	18.78	-1.74	17.04	30	PASS
n66	15	10	343000	1@50	DFT_QAM256	18.48	-1.74	16.74	30	PASS
n66	15	10	343000	26@13	CP_QPSK	19.75	-1.74	18.01	30	PASS
n66	15	10	343000	1@1	CP_QPSK	19.76	-1.74	18.02	30	PASS
n66	15	10	343000	1@50	CP_QPSK	19.69	-1.74	17.95	30	PASS
n66	15	10	343000	26@13	CP_QAM16	19.79	-1.74	18.05	30	PASS
n66	15	10	343000	1@1	CP_QAM16	19.70	-1.74	17.96	30	PASS
n66	15	10	343000	1@50	CP_QAM16	19.67	-1.74	17.93	30	PASS
n66	15	10	343000	26@13	CP_QAM64	19.31	-1.74	17.57	30	PASS
n66	15	10	343000	1@1	CP_QAM64	19.30	-1.74	17.56	30	PASS
n66	15	10	343000	1@50	CP_QAM64	19.20	-1.74	17.46	30	PASS
n66	15	10	343000	26@13	CP_QAM256	16.21	-1.74	14.47	30	PASS
n66	15	10	343000	1@1	CP_QAM256	16.36	-1.74	14.62	30	PASS
n66	15	10	343000	1@50	CP_QAM256	16.18	-1.74	14.44	30	PASS
n66	15	10	349000	25@12	DFT_BPSK	20.08	-1.74	18.34	30	PASS
n66	15	10	349000	1@1	DFT_BPSK	20.01	-1.74	18.27	30	PASS
n66	15	10	349000	1@50	DFT_BPSK	19.96	-1.74	18.22	30	PASS
n66	15	10	349000	25@12	DFT_QPSK	20.08	-1.74	18.34	30	PASS
n66	15	10	349000	1@1	DFT_QPSK	19.90	-1.74	18.16	30	PASS
n66	15	10	349000	1@50	DFT_QPSK	19.84	-1.74	18.1	30	PASS
n66	15	10	349000	25@12	DFT_QAM16	20.07	-1.74	18.33	30	PASS
n66	15	10	349000	1@1	DFT_QAM16	20.48	-1.74	18.74	30	PASS
n66	15	10	349000	1@50	DFT_QAM16	20.42	-1.74	18.68	30	PASS
n66	15	10	349000	25@12	DFT_QAM64	20.17	-1.74	18.43	30	PASS
n66	15	10	349000	1@1	DFT_QAM64	20.37	-1.74	18.63	30	PASS
n66	15	10	349000	1@50	DFT_QAM64	20.17	-1.74	18.43	30	PASS
n66	15	10	349000	25@12	DFT_QAM256	18.61	-1.74	16.87	30	PASS
n66	15	10	349000	1@1	DFT_QAM256	18.66	-1.74	16.92	30	PASS
n66	15	10	349000	1@50	DFT_QAM256	18.70	-1.74	16.96	30	PASS
n66	15	10	349000	26@13	CP_QPSK	20.10	-1.74	18.36	30	PASS
n66	15	10	349000	1@1	CP_QPSK	20.03	-1.74	18.29	30	PASS

n66	15	10	349000	1@50	CP_QPSK	19.87	-1.74	18.13	30	PASS
n66	15	10	349000	26@13	CP_QAM16	20.09	-1.74	18.35	30	PASS
n66	15	10	349000	1@1	CP_QAM16	19.95	-1.74	18.21	30	PASS
n66	15	10	349000	1@50	CP_QAM16	19.98	-1.74	18.24	30	PASS
n66	15	10	349000	26@13	CP_QAM64	19.70	-1.74	17.96	30	PASS
n66	15	10	349000	1@1	CP_QAM64	19.83	-1.74	18.09	30	PASS
n66	15	10	349000	1@50	CP_QAM64	19.71	-1.74	17.97	30	PASS
n66	15	10	349000	26@13	CP_QAM256	16.47	-1.74	14.73	30	PASS
n66	15	10	349000	1@1	CP_QAM256	16.51	-1.74	14.77	30	PASS
n66	15	10	349000	1@50	CP_QAM256	16.48	-1.74	14.74	30	PASS
n66	15	10	355000	25@12	DFT_BPSK	19.89	-1.74	18.15	30	PASS
n66	15	10	355000	1@1	DFT_BPSK	19.72	-1.74	17.98	30	PASS
n66	15	10	355000	1@50	DFT_BPSK	19.92	-1.74	18.18	30	PASS
n66	15	10	355000	25@12	DFT_QPSK	19.94	-1.74	18.2	30	PASS
n66	15	10	355000	1@1	DFT_QPSK	19.65	-1.74	17.91	30	PASS
n66	15	10	355000	1@50	DFT_QPSK	19.82	-1.74	18.08	30	PASS
n66	15	10	355000	25@12	DFT_QAM16	19.98	-1.74	18.24	30	PASS
n66	15	10	355000	1@1	DFT_QAM16	19.99	-1.74	18.25	30	PASS
n66	15	10	355000	1@50	DFT_QAM16	20.29	-1.74	18.55	30	PASS
n66	15	10	355000	25@12	DFT_QAM64	19.93	-1.74	18.19	30	PASS
n66	15	10	355000	1@1	DFT_QAM64	19.99	-1.74	18.25	30	PASS
n66	15	10	355000	1@50	DFT_QAM64	20.22	-1.74	18.48	30	PASS
n66	15	10	355000	25@12	DFT_QAM256	18.42	-1.74	16.68	30	PASS
n66	15	10	355000	1@1	DFT_QAM256	18.75	-1.74	17.01	30	PASS
n66	15	10	355000	1@50	DFT_QAM256	18.71	-1.74	16.97	30	PASS
n66	15	10	355000	26@13	CP_QPSK	19.92	-1.74	18.18	30	PASS
n66	15	10	355000	1@1	CP_QPSK	19.64	-1.74	17.9	30	PASS
n66	15	10	355000	1@50	CP_QPSK	19.90	-1.74	18.16	30	PASS
n66	15	10	355000	26@13	CP_QAM16	19.94	-1.74	18.2	30	PASS
n66	15	10	355000	1@1	CP_QAM16	19.69	-1.74	17.95	30	PASS
n66	15	10	355000	1@50	CP_QAM16	19.81	-1.74	18.07	30	PASS
n66	15	10	355000	26@13	CP_QAM64	19.49	-1.74	17.75	30	PASS
n66	15	10	355000	1@1	CP_QAM64	19.64	-1.74	17.9	30	PASS
n66	15	10	355000	1@50	CP_QAM64	19.87	-1.74	18.13	30	PASS
n66	15	10	355000	26@13	CP_QAM256	16.34	-1.74	14.6	30	PASS
n66	15	10	355000	1@1	CP_QAM256	16.19	-1.74	14.45	30	PASS
n66	15	10	355000	1@50	CP_QAM256	16.47	-1.74	14.73	30	PASS
n66	15	15	343500	36@18	DFT_BPSK	19.97	-1.74	18.23	30	PASS
n66	15	15	343500	1@1	DFT_BPSK	19.82	-1.74	18.08	30	PASS
n66	15	15	343500	1@77	DFT_BPSK	19.77	-1.74	18.03	30	PASS
n66	15	15	343500	36@18	DFT_QPSK	19.88	-1.74	18.14	30	PASS
n66	15	15	343500	1@1	DFT_QPSK	19.74	-1.74	18	30	PASS
n66	15	15	343500	1@77	DFT_QPSK	19.64	-1.74	17.9	30	PASS

n66	15	15	343500	36@18	DFT_QAM16	19.93	-1.74	18.19	30	PASS
n66	15	15	343500	1@1	DFT_QAM16	20.08	-1.74	18.34	30	PASS
n66	15	15	343500	1@77	DFT_QAM16	19.95	-1.74	18.21	30	PASS
n66	15	15	343500	36@18	DFT_QAM64	20.01	-1.74	18.27	30	PASS
n66	15	15	343500	1@1	DFT_QAM64	20.15	-1.74	18.41	30	PASS
n66	15	15	343500	1@77	DFT_QAM64	19.91	-1.74	18.17	30	PASS
n66	15	15	343500	36@18	DFT_QAM256	18.47	-1.74	16.73	30	PASS
n66	15	15	343500	1@1	DFT_QAM256	18.67	-1.74	16.93	30	PASS
n66	15	15	343500	1@77	DFT_QAM256	18.70	-1.74	16.96	30	PASS
n66	15	15	343500	39@19	CP_QPSK	19.96	-1.74	18.22	30	PASS
n66	15	15	343500	1@1	CP_QPSK	19.83	-1.74	18.09	30	PASS
n66	15	15	343500	1@77	CP_QPSK	19.81	-1.74	18.07	30	PASS
n66	15	15	343500	39@19	CP_QAM16	20.01	-1.74	18.27	30	PASS
n66	15	15	343500	1@1	CP_QAM16	19.82	-1.74	18.08	30	PASS
n66	15	15	343500	1@77	CP_QAM16	19.95	-1.74	18.21	30	PASS
n66	15	15	343500	39@19	CP_QAM64	19.51	-1.74	17.77	30	PASS
n66	15	15	343500	1@1	CP_QAM64	19.81	-1.74	18.07	30	PASS
n66	15	15	343500	1@77	CP_QAM64	19.67	-1.74	17.93	30	PASS
n66	15	15	343500	39@19	CP_QAM256	16.34	-1.74	14.6	30	PASS
n66	15	15	343500	1@1	CP_QAM256	16.43	-1.74	14.69	30	PASS
n66	15	15	343500	1@77	CP_QAM256	16.30	-1.74	14.56	30	PASS
n66	15	15	349000	36@18	DFT_BPSK	20.20	-1.74	18.46	30	PASS
n66	15	15	349000	1@1	DFT_BPSK	19.85	-1.74	18.11	30	PASS
n66	15	15	349000	1@77	DFT_BPSK	19.96	-1.74	18.22	30	PASS
n66	15	15	349000	36@18	DFT_QPSK	20.19	-1.74	18.45	30	PASS
n66	15	15	349000	1@1	DFT_QPSK	19.90	-1.74	18.16	30	PASS
n66	15	15	349000	1@77	DFT_QPSK	19.84	-1.74	18.1	30	PASS
n66	15	15	349000	36@18	DFT_QAM16	20.21	-1.74	18.47	30	PASS
n66	15	15	349000	1@1	DFT_QAM16	20.17	-1.74	18.43	30	PASS
n66	15	15	349000	1@77	DFT_QAM16	20.08	-1.74	18.34	30	PASS
n66	15	15	349000	36@18	DFT_QAM64	20.38	-1.74	18.64	30	PASS
n66	15	15	349000	1@1	DFT_QAM64	20.25	-1.74	18.51	30	PASS
n66	15	15	349000	1@77	DFT_QAM64	20.19	-1.74	18.45	30	PASS
n66	15	15	349000	36@18	DFT_QAM256	18.69	-1.74	16.95	30	PASS
n66	15	15	349000	1@1	DFT_QAM256	18.82	-1.74	17.08	30	PASS
n66	15	15	349000	1@77	DFT_QAM256	18.95	-1.74	17.21	30	PASS
n66	15	15	349000	39@19	CP_QPSK	20.34	-1.74	18.6	30	PASS
n66	15	15	349000	1@1	CP_QPSK	19.92	-1.74	18.18	30	PASS
n66	15	15	349000	1@77	CP_QPSK	19.96	-1.74	18.22	30	PASS
n66	15	15	349000	39@19	CP_QAM16	20.25	-1.74	18.51	30	PASS
n66	15	15	349000	1@1	CP_QAM16	20.19	-1.74	18.45	30	PASS
n66	15	15	349000	1@77	CP_QAM16	20.22	-1.74	18.48	30	PASS
n66	15	15	349000	39@19	CP_QAM64	19.81	-1.74	18.07	30	PASS

n66	15	15	349000	1@1	CP_QAM64	19.92	-1.74	18.18	30	PASS
n66	15	15	349000	1@77	CP_QAM64	19.55	-1.74	17.81	30	PASS
n66	15	15	349000	39@19	CP_QAM256	16.60	-1.74	14.86	30	PASS
n66	15	15	349000	1@1	CP_QAM256	16.57	-1.74	14.83	30	PASS
n66	15	15	349000	1@77	CP_QAM256	16.54	-1.74	14.8	30	PASS
n66	15	15	354500	36@18	DFT_BPSK	19.97	-1.74	18.23	30	PASS
n66	15	15	354500	1@1	DFT_BPSK	19.74	-1.74	18	30	PASS
n66	15	15	354500	1@77	DFT_BPSK	19.95	-1.74	18.21	30	PASS
n66	15	15	354500	36@18	DFT_QPSK	19.97	-1.74	18.23	30	PASS
n66	15	15	354500	1@1	DFT_QPSK	19.60	-1.74	17.86	30	PASS
n66	15	15	354500	1@77	DFT_QPSK	19.96	-1.74	18.22	30	PASS
n66	15	15	354500	36@18	DFT_QAM16	20.08	-1.74	18.34	30	PASS
n66	15	15	354500	1@1	DFT_QAM16	19.81	-1.74	18.07	30	PASS
n66	15	15	354500	1@77	DFT_QAM16	20.41	-1.74	18.67	30	PASS
n66	15	15	354500	36@18	DFT_QAM64	20.07	-1.74	18.33	30	PASS
n66	15	15	354500	1@1	DFT_QAM64	19.83	-1.74	18.09	30	PASS
n66	15	15	354500	1@77	DFT_QAM64	20.17	-1.74	18.43	30	PASS
n66	15	15	354500	36@18	DFT_QAM256	18.46	-1.74	16.72	30	PASS
n66	15	15	354500	1@1	DFT_QAM256	18.61	-1.74	16.87	30	PASS
n66	15	15	354500	1@77	DFT_QAM256	18.84	-1.74	17.1	30	PASS
n66	15	15	354500	39@19	CP_QPSK	20.09	-1.74	18.35	30	PASS
n66	15	15	354500	1@1	CP_QPSK	19.73	-1.74	17.99	30	PASS
n66	15	15	354500	1@77	CP_QPSK	20.13	-1.74	18.39	30	PASS
n66	15	15	354500	39@19	CP_QAM16	19.99	-1.74	18.25	30	PASS
n66	15	15	354500	1@1	CP_QAM16	19.67	-1.74	17.93	30	PASS
n66	15	15	354500	1@77	CP_QAM16	19.91	-1.74	18.17	30	PASS
n66	15	15	354500	39@19	CP_QAM64	19.60	-1.74	17.86	30	PASS
n66	15	15	354500	1@1	CP_QAM64	19.11	-1.74	17.37	30	PASS
n66	15	15	354500	1@77	CP_QAM64	19.52	-1.74	17.78	30	PASS
n66	15	15	354500	39@19	CP_QAM256	16.48	-1.74	14.74	30	PASS
n66	15	15	354500	1@1	CP_QAM256	16.23	-1.74	14.49	30	PASS
n66	15	15	354500	1@77	CP_QAM256	16.56	-1.74	14.82	30	PASS
n66	15	20	344000	50@25	DFT_BPSK	19.90	-1.74	18.16	30	PASS
n66	15	20	344000	1@1	DFT_BPSK	19.82	-1.74	18.08	30	PASS
n66	15	20	344000	1@104	DFT_BPSK	19.69	-1.74	17.95	30	PASS
n66	15	20	344000	50@25	DFT_QPSK	19.91	-1.74	18.17	30	PASS
n66	15	20	344000	1@1	DFT_QPSK	19.81	-1.74	18.07	30	PASS
n66	15	20	344000	1@104	DFT_QPSK	19.55	-1.74	17.81	30	PASS
n66	15	20	344000	50@25	DFT_QAM16	19.84	-1.74	18.1	30	PASS
n66	15	20	344000	1@1	DFT_QAM16	20.21	-1.74	18.47	30	PASS
n66	15	20	344000	1@104	DFT_QAM16	19.78	-1.74	18.04	30	PASS
n66	15	20	344000	50@25	DFT_QAM64	19.96	-1.74	18.22	30	PASS
n66	15	20	344000	1@1	DFT_QAM64	20.19	-1.74	18.45	30	PASS

n66	15	20	344000	1@104	DFT_QAM64	19.95	-1.74	18.21	30	PASS
n66	15	20	344000	50@25	DFT_QAM256	18.39	-1.74	16.65	30	PASS
n66	15	20	344000	1@1	DFT_QAM256	18.67	-1.74	16.93	30	PASS
n66	15	20	344000	1@104	DFT_QAM256	18.72	-1.74	16.98	30	PASS
n66	15	20	344000	53@26	CP_QPSK	19.95	-1.74	18.21	30	PASS
n66	15	20	344000	1@1	CP_QPSK	19.86	-1.74	18.12	30	PASS
n66	15	20	344000	1@104	CP_QPSK	19.74	-1.74	18	30	PASS
n66	15	20	344000	53@26	CP_QAM16	19.85	-1.74	18.11	30	PASS
n66	15	20	344000	1@1	CP_QAM16	20.16	-1.74	18.42	30	PASS
n66	15	20	344000	1@104	CP_QAM16	19.96	-1.74	18.22	30	PASS
n66	15	20	344000	53@26	CP_QAM64	19.40	-1.74	17.66	30	PASS
n66	15	20	344000	1@1	CP_QAM64	19.35	-1.74	17.61	30	PASS
n66	15	20	344000	1@104	CP_QAM64	19.19	-1.74	17.45	30	PASS
n66	15	20	344000	53@26	CP_QAM256	16.22	-1.74	14.48	30	PASS
n66	15	20	344000	1@1	CP_QAM256	16.41	-1.74	14.67	30	PASS
n66	15	20	344000	1@104	CP_QAM256	16.25	-1.74	14.51	30	PASS
n66	15	20	349000	50@25	DFT_BPSK	20.19	-1.74	18.45	30	PASS
n66	15	20	349000	1@1	DFT_BPSK	19.83	-1.74	18.09	30	PASS
n66	15	20	349000	1@104	DFT_BPSK	19.88	-1.74	18.14	30	PASS
n66	15	20	349000	50@25	DFT_QPSK	20.21	-1.74	18.47	30	PASS
n66	15	20	349000	1@1	DFT_QPSK	19.70	-1.74	17.96	30	PASS
n66	15	20	349000	1@104	DFT_QPSK	19.74	-1.74	18	30	PASS
n66	15	20	349000	50@25	DFT_QAM16	20.30	-1.74	18.56	30	PASS
n66	15	20	349000	1@1	DFT_QAM16	20.32	-1.74	18.58	30	PASS
n66	15	20	349000	1@104	DFT_QAM16	20.29	-1.74	18.55	30	PASS
n66	15	20	349000	50@25	DFT_QAM64	20.29	-1.74	18.55	30	PASS
n66	15	20	349000	1@1	DFT_QAM64	20.33	-1.74	18.59	30	PASS
n66	15	20	349000	1@104	DFT_QAM64	20.13	-1.74	18.39	30	PASS
n66	15	20	349000	50@25	DFT_QAM256	18.69	-1.74	16.95	30	PASS
n66	15	20	349000	1@1	DFT_QAM256	18.82	-1.74	17.08	30	PASS
n66	15	20	349000	1@104	DFT_QAM256	18.90	-1.74	17.16	30	PASS
n66	15	20	349000	53@26	CP_QPSK	20.28	-1.74	18.54	30	PASS
n66	15	20	349000	1@1	CP_QPSK	19.82	-1.74	18.08	30	PASS
n66	15	20	349000	1@104	CP_QPSK	20.00	-1.74	18.26	30	PASS
n66	15	20	349000	53@26	CP_QAM16	20.16	-1.74	18.42	30	PASS
n66	15	20	349000	1@1	CP_QAM16	19.80	-1.74	18.06	30	PASS
n66	15	20	349000	1@104	CP_QAM16	19.90	-1.74	18.16	30	PASS
n66	15	20	349000	53@26	CP_QAM64	19.80	-1.74	18.06	30	PASS
n66	15	20	349000	1@1	CP_QAM64	19.74	-1.74	18	30	PASS
n66	15	20	349000	1@104	CP_QAM64	19.78	-1.74	18.04	30	PASS
n66	15	20	349000	53@26	CP_QAM256	16.58	-1.74	14.84	30	PASS
n66	15	20	349000	1@1	CP_QAM256	16.41	-1.74	14.67	30	PASS
n66	15	20	349000	1@104	CP_QAM256	16.35	-1.74	14.61	30	PASS

n66	15	20	354000	50@25	DFT_BPSK	19.86	-1.74	18.12	30	PASS
n66	15	20	354000	1@1	DFT_BPSK	19.73	-1.74	17.99	30	PASS
n66	15	20	354000	1@104	DFT_BPSK	19.99	-1.74	18.25	30	PASS
n66	15	20	354000	50@25	DFT_QPSK	19.91	-1.74	18.17	30	PASS
n66	15	20	354000	1@1	DFT_QPSK	19.61	-1.74	17.87	30	PASS
n66	15	20	354000	1@104	DFT_QPSK	19.99	-1.74	18.25	30	PASS
n66	15	20	354000	50@25	DFT_QAM16	19.96	-1.74	18.22	30	PASS
n66	15	20	354000	1@1	DFT_QAM16	20.04	-1.74	18.3	30	PASS
n66	15	20	354000	1@104	DFT_QAM16	20.40	-1.74	18.66	30	PASS
n66	15	20	354000	50@25	DFT_QAM64	19.98	-1.74	18.24	30	PASS
n66	15	20	354000	1@1	DFT_QAM64	20.02	-1.74	18.28	30	PASS
n66	15	20	354000	1@104	DFT_QAM64	20.20	-1.74	18.46	30	PASS
n66	15	20	354000	50@25	DFT_QAM256	18.38	-1.74	16.64	30	PASS
n66	15	20	354000	1@1	DFT_QAM256	18.76	-1.74	17.02	30	PASS
n66	15	20	354000	1@104	DFT_QAM256	19.01	-1.74	17.27	30	PASS
n66	15	20	354000	53@26	CP_QPSK	19.98	-1.74	18.24	30	PASS
n66	15	20	354000	1@1	CP_QPSK	19.71	-1.74	17.97	30	PASS
n66	15	20	354000	1@104	CP_QPSK	19.97	-1.74	18.23	30	PASS
n66	15	20	354000	53@26	CP_QAM16	20.02	-1.74	18.28	30	PASS
n66	15	20	354000	1@1	CP_QAM16	19.75	-1.74	18.01	30	PASS
n66	15	20	354000	1@104	CP_QAM16	19.97	-1.74	18.23	30	PASS
n66	15	20	354000	53@26	CP_QAM64	19.55	-1.74	17.81	30	PASS
n66	15	20	354000	1@1	CP_QAM64	19.64	-1.74	17.9	30	PASS
n66	15	20	354000	1@104	CP_QAM64	19.81	-1.74	18.07	30	PASS
n66	15	20	354000	53@26	CP_QAM256	16.36	-1.74	14.62	30	PASS
n66	15	20	354000	1@1	CP_QAM256	16.25	-1.74	14.51	30	PASS
n66	15	20	354000	1@104	CP_QAM256	16.55	-1.74	14.81	30	PASS
n66	15	40	346000	108@54	DFT_BPSK	19.82	-1.74	18.08	30	PASS
n66	15	40	346000	1@1	DFT_BPSK	19.44	-1.74	17.7	30	PASS
n66	15	40	346000	1@214	DFT_BPSK	19.57	-1.74	17.83	30	PASS
n66	15	40	346000	108@54	DFT_QPSK	19.83	-1.74	18.09	30	PASS
n66	15	40	346000	1@1	DFT_QPSK	19.29	-1.74	17.55	30	PASS
n66	15	40	346000	1@214	DFT_QPSK	19.40	-1.74	17.66	30	PASS
n66	15	40	346000	108@54	DFT_QAM16	19.91	-1.74	18.17	30	PASS
n66	15	40	346000	1@1	DFT_QAM16	19.69	-1.74	17.95	30	PASS
n66	15	40	346000	1@214	DFT_QAM16	19.95	-1.74	18.21	30	PASS
n66	15	40	346000	108@54	DFT_QAM64	19.93	-1.74	18.19	30	PASS
n66	15	40	346000	1@1	DFT_QAM64	19.69	-1.74	17.95	30	PASS
n66	15	40	346000	1@214	DFT_QAM64	19.79	-1.74	18.05	30	PASS
n66	15	40	346000	108@54	DFT_QAM256	18.40	-1.74	16.66	30	PASS
n66	15	40	346000	1@1	DFT_QAM256	18.17	-1.74	16.43	30	PASS
n66	15	40	346000	1@214	DFT_QAM256	18.56	-1.74	16.82	30	PASS
n66	15	40	346000	108@54	CP_QPSK	19.84	-1.74	18.1	30	PASS

n66	15	40	346000	1@1	CP_QPSK	19.47	-1.74	17.73	30	PASS
n66	15	40	346000	1@214	CP_QPSK	19.52	-1.74	17.78	30	PASS
n66	15	40	346000	108@54	CP_QAM16	19.88	-1.74	18.14	30	PASS
n66	15	40	346000	1@1	CP_QAM16	19.34	-1.74	17.6	30	PASS
n66	15	40	346000	1@214	CP_QAM16	19.48	-1.74	17.74	30	PASS
n66	15	40	346000	108@54	CP_QAM64	19.33	-1.74	17.59	30	PASS
n66	15	40	346000	1@1	CP_QAM64	19.36	-1.74	17.62	30	PASS
n66	15	40	346000	1@214	CP_QAM64	19.42	-1.74	17.68	30	PASS
n66	15	40	346000	108@54	CP_QAM256	16.33	-1.74	14.59	30	PASS
n66	15	40	346000	1@1	CP_QAM256	15.96	-1.74	14.22	30	PASS
n66	15	40	346000	1@214	CP_QAM256	16.05	-1.74	14.31	30	PASS
n66	15	40	349000	108@54	DFT_BPSK	20.05	-1.74	18.31	30	PASS
n66	15	40	349000	1@1	DFT_BPSK	19.13	-1.74	17.39	30	PASS
n66	15	40	349000	1@214	DFT_BPSK	19.21	-1.74	17.47	30	PASS
n66	15	40	349000	108@54	DFT_QPSK	20.06	-1.74	18.32	30	PASS
n66	15	40	349000	1@1	DFT_QPSK	19.15	-1.74	17.41	30	PASS
n66	15	40	349000	1@214	DFT_QPSK	19.19	-1.74	17.45	30	PASS
n66	15	40	349000	108@54	DFT_QAM16	20.16	-1.74	18.42	30	PASS
n66	15	40	349000	1@1	DFT_QAM16	19.62	-1.74	17.88	30	PASS
n66	15	40	349000	1@214	DFT_QAM16	19.66	-1.74	17.92	30	PASS
n66	15	40	349000	108@54	DFT_QAM64	20.11	-1.74	18.37	30	PASS
n66	15	40	349000	1@1	DFT_QAM64	19.44	-1.74	17.7	30	PASS
n66	15	40	349000	1@214	DFT_QAM64	19.47	-1.74	17.73	30	PASS
n66	15	40	349000	108@54	DFT_QAM256	18.59	-1.74	16.85	30	PASS
n66	15	40	349000	1@1	DFT_QAM256	18.14	-1.74	16.4	30	PASS
n66	15	40	349000	1@214	DFT_QAM256	18.21	-1.74	16.47	30	PASS
n66	15	40	349000	108@54	CP_QPSK	20.10	-1.74	18.36	30	PASS
n66	15	40	349000	1@1	CP_QPSK	19.33	-1.74	17.59	30	PASS
n66	15	40	349000	1@214	CP_QPSK	19.26	-1.74	17.52	30	PASS
n66	15	40	349000	108@54	CP_QAM16	20.16	-1.74	18.42	30	PASS
n66	15	40	349000	1@1	CP_QAM16	19.30	-1.74	17.56	30	PASS
n66	15	40	349000	1@214	CP_QAM16	19.15	-1.74	17.41	30	PASS
n66	15	40	349000	108@54	CP_QAM64	19.58	-1.74	17.84	30	PASS
n66	15	40	349000	1@1	CP_QAM64	19.00	-1.74	17.26	30	PASS
n66	15	40	349000	1@214	CP_QAM64	19.13	-1.74	17.39	30	PASS
n66	15	40	349000	108@54	CP_QAM256	16.57	-1.74	14.83	30	PASS
n66	15	40	349000	1@1	CP_QAM256	15.75	-1.74	14.01	30	PASS
n66	15	40	349000	1@214	CP_QAM256	15.81	-1.74	14.07	30	PASS
n66	15	40	352000	108@54	DFT_BPSK	19.88	-1.74	18.14	30	PASS
n66	15	40	352000	1@1	DFT_BPSK	19.55	-1.74	17.81	30	PASS
n66	15	40	352000	1@214	DFT_BPSK	19.55	-1.74	17.81	30	PASS
n66	15	40	352000	108@54	DFT_QPSK	19.86	-1.74	18.12	30	PASS
n66	15	40	352000	1@1	DFT_QPSK	19.40	-1.74	17.66	30	PASS

n66	15	40	352000	1@214	DFT_QPSK	19.48	-1.74	17.74	30	PASS
n66	15	40	352000	108@54	DFT_QAM16	19.93	-1.74	18.19	30	PASS
n66	15	40	352000	1@1	DFT_QAM16	20.10	-1.74	18.36	30	PASS
n66	15	40	352000	1@214	DFT_QAM16	20.04	-1.74	18.3	30	PASS
n66	15	40	352000	108@54	DFT_QAM64	19.95	-1.74	18.21	30	PASS
n66	15	40	352000	1@1	DFT_QAM64	19.79	-1.74	18.05	30	PASS
n66	15	40	352000	1@214	DFT_QAM64	19.76	-1.74	18.02	30	PASS
n66	15	40	352000	108@54	DFT_QAM256	18.34	-1.74	16.6	30	PASS
n66	15	40	352000	1@1	DFT_QAM256	18.39	-1.74	16.65	30	PASS
n66	15	40	352000	1@214	DFT_QAM256	18.37	-1.74	16.63	30	PASS
n66	15	40	352000	108@54	CP_QPSK	19.88	-1.74	18.14	30	PASS
n66	15	40	352000	1@1	CP_QPSK	19.73	-1.74	17.99	30	PASS
n66	15	40	352000	1@214	CP_QPSK	19.72	-1.74	17.98	30	PASS
n66	15	40	352000	108@54	CP_QAM16	19.93	-1.74	18.19	30	PASS
n66	15	40	352000	1@1	CP_QAM16	19.44	-1.74	17.7	30	PASS
n66	15	40	352000	1@214	CP_QAM16	19.51	-1.74	17.77	30	PASS
n66	15	40	352000	108@54	CP_QAM64	19.44	-1.74	17.7	30	PASS
n66	15	40	352000	1@1	CP_QAM64	19.03	-1.74	17.29	30	PASS
n66	15	40	352000	1@214	CP_QAM64	19.44	-1.74	17.7	30	PASS
n66	15	40	352000	108@54	CP_QAM256	16.32	-1.74	14.58	30	PASS
n66	15	40	352000	1@1	CP_QAM256	16.09	-1.74	14.35	30	PASS
n66	15	40	352000	1@214	CP_QAM256	16.15	-1.74	14.41	30	PASS


2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n66	15	40	349000	108@54	DFT_BPSK	-1.12	0.00	-2.5	2.5	PASS
n66	15	40	349000	1@1	DFT_BPSK	-0.65	0.00	-2.5	2.5	PASS
n66	15	40	349000	1@214	DFT_BPSK	-1.57	0.00	-2.5	2.5	PASS
n66	15	40	349000	108@54	DFT_QPSK	3.23	0.00	-2.5	2.5	PASS
n66	15	40	349000	1@1	DFT_QPSK	2.16	0.00	-2.5	2.5	PASS
n66	15	40	349000	1@214	DFT_QPSK	1.71	0.00	-2.5	2.5	PASS


3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n66	15	5	349000	25@0	DFT_BPSK	4.67	13	PASS
n66	15	5	349000	25@0	DFT_QPSK	5.46	13	PASS
n66	15	5	349000	25@0	DFT_QAM16	5.76	13	PASS
n66	15	5	349000	25@0	DFT_QAM64	5.80	13	PASS
n66	15	5	349000	25@0	DFT_QAM256	6.84	13	PASS
n66	15	10	349000	50@0	DFT_BPSK	4.74	13	PASS
n66	15	10	349000	50@0	DFT_QPSK	5.60	13	PASS
n66	15	10	349000	50@0	DFT_QAM16	5.91	13	PASS
n66	15	10	349000	50@0	DFT_QAM64	5.98	13	PASS
n66	15	10	349000	50@0	DFT_QAM256	7.07	13	PASS
n66	15	15	349000	75@0	DFT_BPSK	4.74	13	PASS
n66	15	15	349000	75@0	DFT_QPSK	5.68	13	PASS
n66	15	15	349000	75@0	DFT_QAM16	5.92	13	PASS
n66	15	15	349000	75@0	DFT_QAM64	6.05	13	PASS
n66	15	15	349000	75@0	DFT_QAM256	7.05	13	PASS
n66	15	20	349000	100@0	DFT_BPSK	4.60	13	PASS
n66	15	20	349000	100@0	DFT_QPSK	5.70	13	PASS
n66	15	20	349000	100@0	DFT_QAM16	6.17	13	PASS
n66	15	20	349000	100@0	DFT_QAM64	6.23	13	PASS
n66	15	20	349000	100@0	DFT_QAM256	7.01	13	PASS
n66	15	40	349000	216@0	DFT_BPSK	5.27	13	PASS
n66	15	40	349000	216@0	DFT_QPSK	5.83	13	PASS
n66	15	40	349000	216@0	DFT_QAM16	6.29	13	PASS
n66	15	40	349000	216@0	DFT_QAM64	6.45	13	PASS
n66	15	40	349000	216@0	DFT_QAM256	6.85	13	PASS


n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QAM16 BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QAM64 BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QAM256 BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_BPSK BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_QPSK BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_QAM16 BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_QAM64 BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_QAM256 BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_BPSK BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_QPSK BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_QAM16 BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_QAM64 BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_QAM256 BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_BPSK BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_QPSK BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_QAM16 BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_QAM64 BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_QAM256 BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_BPSK BW=40MHz Channel=349000 RB=216@0




n66 SCS=15kHz DFT_QPSK BW=40MHz Channel=349000 RB=216@0




n66 SCS=15kHz DFT_QAM16 BW=40MHz Channel=349000 RB=216@0



n66 SCS=15kHz DFT_QAM64 BW=40MHz Channel=349000 RB=216@0



n66 SCS=15kHz DFT_QAM256 BW=40MHz Channel=349000 RB=216@0




4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n66	15	5	342500	25@0	DFT_BPSK	4.480	4.770	PASS
n66	15	5	342500	25@0	DFT_QPSK	4.490	4.760	PASS
n66	15	5	342500	25@0	DFT_QAM16	4.480	4.740	PASS
n66	15	5	342500	25@0	DFT_QAM64	4.490	4.780	PASS
n66	15	5	342500	25@0	DFT_QAM256	4.490	4.790	PASS
n66	15	5	342500	25@0	CP_QPSK	4.490	4.790	PASS
n66	15	5	349000	25@0	DFT_BPSK	4.480	4.770	PASS
n66	15	5	349000	25@0	DFT_QPSK	4.490	4.760	PASS
n66	15	5	349000	25@0	DFT_QAM16	4.490	4.770	PASS
n66	15	5	349000	25@0	DFT_QAM64	4.490	4.770	PASS
n66	15	5	349000	25@0	DFT_QAM256	4.490	4.780	PASS
n66	15	5	349000	25@0	CP_QPSK	4.500	4.840	PASS
n66	15	5	355500	25@0	DFT_BPSK	4.480	4.770	PASS
n66	15	5	355500	25@0	DFT_QPSK	4.490	4.760	PASS
n66	15	5	355500	25@0	DFT_QAM16	4.480	4.750	PASS
n66	15	5	355500	25@0	DFT_QAM64	4.490	4.770	PASS
n66	15	5	355500	25@0	DFT_QAM256	4.490	4.770	PASS
n66	15	5	355500	25@0	CP_QPSK	4.500	4.910	PASS
n66	15	10	343000	50@0	DFT_BPSK	9.180	9.480	PASS
n66	15	10	343000	50@0	DFT_QPSK	9.200	9.470	PASS
n66	15	10	343000	50@0	DFT_QAM16	9.210	9.460	PASS
n66	15	10	343000	50@0	DFT_QAM64	9.220	9.500	PASS
n66	15	10	343000	50@0	DFT_QAM256	9.210	9.480	PASS
n66	15	10	343000	52@0	CP_QPSK	9.330	9.870	PASS
n66	15	10	349000	50@0	DFT_BPSK	9.210	9.460	PASS
n66	15	10	349000	50@0	DFT_QPSK	9.210	9.480	PASS
n66	15	10	349000	50@0	DFT_QAM16	9.220	9.470	PASS
n66	15	10	349000	50@0	DFT_QAM64	9.250	9.480	PASS
n66	15	10	349000	50@0	DFT_QAM256	9.220	9.470	PASS
n66	15	10	349000	52@0	CP_QPSK	9.330	9.890	PASS
n66	15	10	355000	50@0	DFT_BPSK	9.210	9.460	PASS
n66	15	10	355000	50@0	DFT_QPSK	9.210	9.460	PASS
n66	15	10	355000	50@0	DFT_QAM16	9.210	9.470	PASS
n66	15	10	355000	50@0	DFT_QAM64	9.250	9.480	PASS
n66	15	10	355000	50@0	DFT_QAM256	9.220	9.490	PASS
n66	15	10	355000	52@0	CP_QPSK	9.330	9.870	PASS
n66	15	15	343500	75@0	DFT_BPSK	14.000	14.200	PASS
n66	15	15	343500	75@0	DFT_QPSK	13.950	14.200	PASS
n66	15	15	343500	75@0	DFT_QAM16	13.950	14.200	PASS


n66	15	15	343500	75@0	DFT_QAM64	13.990	14.200	PASS
n66	15	15	343500	75@0	DFT_QAM256	13.990	14.210	PASS
n66	15	15	343500	79@0	CP_QPSK	14.170	14.950	PASS
n66	15	15	349000	75@0	DFT_BPSK	14.010	14.200	PASS
n66	15	15	349000	75@0	DFT_QPSK	14.000	14.200	PASS
n66	15	15	349000	75@0	DFT_QAM16	14.000	14.200	PASS
n66	15	15	349000	75@0	DFT_QAM64	14.010	14.210	PASS
n66	15	15	349000	75@0	DFT_QAM256	14.000	14.210	PASS
n66	15	15	349000	79@0	CP_QPSK	14.180	15.000	PASS
n66	15	15	354500	75@0	DFT_BPSK	14.010	14.200	PASS
n66	15	15	354500	75@0	DFT_QPSK	14.000	14.200	PASS
n66	15	15	354500	75@0	DFT_QAM16	13.990	14.210	PASS
n66	15	15	354500	75@0	DFT_QAM64	14.000	14.200	PASS
n66	15	15	354500	75@0	DFT_QAM256	14.000	14.210	PASS
n66	15	15	354500	79@0	CP_QPSK	14.170	14.990	PASS
n66	15	20	344000	100@0	DFT_BPSK	18.680	18.900	PASS
n66	15	20	344000	100@0	DFT_QPSK	18.730	18.900	PASS
n66	15	20	344000	100@0	DFT_QAM16	18.750	18.910	PASS
n66	15	20	344000	100@0	DFT_QAM64	18.680	18.910	PASS
n66	15	20	344000	100@0	DFT_QAM256	18.750	18.910	PASS
n66	15	20	344000	106@0	CP_QPSK	18.990	20.010	PASS
n66	15	20	349000	100@0	DFT_BPSK	18.800	18.910	PASS
n66	15	20	349000	100@0	DFT_QPSK	18.820	18.910	PASS
n66	15	20	349000	100@0	DFT_QAM16	18.800	18.910	PASS
n66	15	20	349000	100@0	DFT_QAM64	18.740	18.900	PASS
n66	15	20	349000	100@0	DFT_QAM256	18.740	18.910	PASS
n66	15	20	349000	106@0	CP_QPSK	19.000	20.070	PASS
n66	15	20	354000	100@0	DFT_BPSK	18.740	18.910	PASS
n66	15	20	354000	100@0	DFT_QPSK	18.830	18.900	PASS
n66	15	20	354000	100@0	DFT_QAM16	18.810	18.910	PASS
n66	15	20	354000	100@0	DFT_QAM64	18.750	18.910	PASS
n66	15	20	354000	100@0	DFT_QAM256	18.810	18.910	PASS
n66	15	20	354000	106@0	CP_QPSK	18.990	20.040	PASS
n66	15	40	346000	216@0	DFT_BPSK	38.630	40.710	PASS
n66	15	40	346000	216@0	DFT_QPSK	38.630	40.710	PASS
n66	15	40	346000	216@0	DFT_QAM16	38.620	40.690	PASS
n66	15	40	346000	216@0	DFT_QAM64	38.640	40.710	PASS
n66	15	40	346000	216@0	DFT_QAM256	38.630	40.710	PASS
n66	15	40	346000	216@0	CP_QPSK	38.720	40.770	PASS
n66	15	40	349000	216@0	DFT_BPSK	38.620	40.700	PASS
n66	15	40	349000	216@0	DFT_QPSK	38.610	40.690	PASS
n66	15	40	349000	216@0	DFT_QAM16	38.610	40.690	PASS
n66	15	40	349000	216@0	DFT_QAM64	38.620	40.720	PASS

n66	15	40	349000	216@0	DFT_QAM256	38.610	40.700	PASS
n66	15	40	349000	216@0	CP_QPSK	38.630	40.780	PASS
n66	15	40	352000	216@0	DFT_BPSK	38.730	40.740	PASS
n66	15	40	352000	216@0	DFT_QPSK	38.730	40.730	PASS
n66	15	40	352000	216@0	DFT_QAM16	38.720	40.720	PASS
n66	15	40	352000	216@0	DFT_QAM64	38.740	40.730	PASS
n66	15	40	352000	216@0	DFT_QAM256	38.720	40.720	PASS
n66	15	40	352000	216@0	CP_QPSK	38.750	40.820	PASS


n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=342500 RB=25@0



n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=342500 RB=25@0




n66 SCS=15kHz DFT_QAM16 BW=5MHz Channel=342500 RB=25@0




n66 SCS=15kHz DFT_QAM64 BW=5MHz Channel=342500 RB=25@0




n66 SCS=15kHz DFT_QAM256 BW=5MHz Channel=342500 RB=25@0




n66 SCS=15kHz CP_QPSK BW=5MHz Channel=342500 RB=25@0




n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QAM16 BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QAM64 BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QAM256 BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz CP_QPSK BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=355500 RB=25@0



n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=355500 RB=25@0




n66 SCS=15kHz DFT_QAM16 BW=5MHz Channel=355500 RB=25@0



n66 SCS=15kHz DFT_QAM64 BW=5MHz Channel=355500 RB=25@0




n66 SCS=15kHz DFT_QAM256 BW=5MHz Channel=355500 RB=25@0



n66 SCS=15kHz CP_QPSK BW=5MHz Channel=355500 RB=25@0




n66 SCS=15kHz DFT_BPSK BW=10MHz Channel=343000 RB=50@0



n66 SCS=15kHz DFT_QPSK BW=10MHz Channel=343000 RB=50@0




n66 SCS=15kHz DFT_QAM16 BW=10MHz Channel=343000 RB=50@0



n66 SCS=15kHz DFT_QAM64 BW=10MHz Channel=343000 RB=50@0



n66 SCS=15kHz DFT_QAM256 BW=10MHz Channel=343000 RB=50@0



n66 SCS=15kHz CP_QPSK BW=10MHz Channel=343000 RB=52@0

