

RF Test Data for 5G Wi-Fi

(Conducted Measurements)

General Description of EUT	
Product Name:	11.6"Tablet
Test Model:	100043279
Sample ID:	20210528-22-2#
Environmental Conditions	
Temperature:	23.9℃
Relative Humidity:	47%
Test Voltage:	DC 5V
Test Engineer:	HeJingchang
Note: For a more detailed features description, please refer to the report TB-RF180815.	

Contents

1. Emission Bandwidth	3
1.1. Test Result	3
1.2. Test Graphs	5
2. Occupied channel bandwidth	20
2.1. Test Result	20
2.2. Test Graphs	22
3. Min emission bandwidth	42
3.1. Test Result	42
3.2. Test Graphs	43
4. Maximum conducted output power	48
4.1. Test Result	48
5. Maximum power spectral density	50
5.1. Test Result	50
5.2. Test Graphs	52
6. Emissions in Restricted Bands	74
6.1. Test Result	74
6.2. Test Graphs	78
7. Conducted Spurious Emission	98
7.1. Test Result	98
7.2. Test Graphs	101
8. Frequency Stability	141
8.1. Test Result	141
9. Duty Cycle	145
9.1. Test Result	145
9.2. Test Graphs	147

1. Emission Bandwidth


1.1. Test Result

TestMode	Antenna	Channel	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	19.480	5170.200	5189.680	---	PASS
		5200	19.600	5190.200	5209.800	---	PASS
		5240	20.040	5229.920	5249.960	---	PASS
		5260	19.760	5250.160	5269.920	---	PASS
		5280	19.600	5270.200	5289.800	---	PASS
		5320	20.080	5309.920	5330.000	---	PASS
		5500	20.120	5489.880	5510.000	---	PASS
		5580	20.160	5569.920	5590.080	---	PASS
		5720	19.960	5709.960	5729.920	---	PASS
		5720_UNII-2C	15.04	5709.960	5725	---	PASS
		5720_UNII-3	4.92	5725	5729.920	---	PASS
11N20SISO	Ant1	5180	20.200	5169.880	5190.080	---	PASS
		5200	20.240	5189.800	5210.040	---	PASS
		5240	20.000	5230.040	5250.040	---	PASS
		5260	20.000	5250.040	5270.040	---	PASS
		5280	20.120	5269.960	5290.080	---	PASS
		5320	20.240	5309.760	5330.000	---	PASS
		5500	20.200	5489.920	5510.120	---	PASS
		5580	20.200	5569.960	5590.160	---	PASS
		5720	20.360	5709.800	5730.160	---	PASS
		5720_UNII-2C	15.2	5709.800	5725	---	PASS
		5720_UNII-3	5.16	5725	5730.160	---	PASS
11N40SISO	Ant1	5190	41.520	5169.040	5210.560	---	PASS
		5230	40.560	5209.280	5249.840	---	PASS
		5270	40.320	5249.840	5290.160	---	PASS
		5310	40.480	5289.680	5330.160	---	PASS
		5510	40.160	5490.000	5530.160	---	PASS
		5550	40.720	5529.840	5570.560	---	PASS
		5710	40.400	5689.840	5730.240	---	PASS
		5710_UNII-2C	35.16	5689.840	5725	---	PASS
		5710_UNII-3	5.24	5725	5730.240	---	PASS
11AC20SISO	Ant1	5180	20.040	5169.960	5190.000	---	PASS
		5200	20.400	5189.720	5210.120	---	PASS
		5240	20.400	5229.840	5250.240	---	PASS
		5260	20.320	5249.880	5270.200	---	PASS
		5280	20.120	5269.960	5290.080	---	PASS
		5320	19.920	5310.040	5329.960	---	PASS
		5500	20.160	5489.880	5510.040	---	PASS
		5580	20.360	5569.880	5590.240	---	PASS
		5720	20.240	5709.840	5730.080	---	PASS
		5720_UNII-2C	15.16	5709.840	5725	---	PASS
		5720_UNII-3	5.08	5725	5730.080	---	PASS


11AC40SISO	Ant1	5190	41.920	5168.480	5210.400	---	PASS
		5230	40.640	5209.360	5250.000	---	PASS
		5270	40.640	5249.680	5290.320	---	PASS
		5310	41.200	5289.360	5330.560	---	PASS
		5510	40.640	5489.360	5530.000	---	PASS
		5550	40.400	5529.600	5570.000	---	PASS
		5710	40.240	5689.760	5730.000	---	PASS
		5710_UNII-2C	35.24	5689.760	5725	---	PASS
		5710_UNII-3	5	5725	5730.000	---	PASS
11AC80SISO	Ant1	5210	80.800	5170.160	5250.960	---	PASS
		5290	79.840	5250.000	5329.840	---	PASS
		5530	79.680	5490.160	5569.840	---	PASS
		5690	80.480	5649.200	5729.680	---	PASS
		5690_UNII-2C	75.8	5649.200	5725	---	PASS
		5690_UNII-3	4.68	5725	5729.680	---	PASS

1.2. Test Graphs







11A_Ant1_5280




11A_Ant1_5320




11A_Ant1_5500




11A_Ant1_5580




11A_Ant1_5720




11N20SISO_Ant1_5180




11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




11N20SISO_Ant1_5260




11N20SISO_Ant1_5280




11N20SISO_Ant1_5320




11N20SISO_Ant1_5500




11N20SISO_Ant1_5580




11N20SISO_Ant1_5720




11N40SISO_Ant1_5190




11N40SISO_Ant1_5230




11N40SISO_Ant1_5270




11N40SISO_Ant1_5310




11N40SISO_Ant1_5510




11N40SISO_Ant1_5550




11N40SISO_Ant1_5710




11AC20SISO_Ant1_5180




11AC20SISO_Ant1_5200




11AC20SISO_Ant1_5240



11AC20SISO_Ant1_5260




11AC20SISO_Ant1_5280




11AC20SISO_Ant1_5320




11AC20SISO_Ant1_5500




11AC20SISO_Ant1_5580




11AC20SISO_Ant1_5720




11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230




11AC40SISO_Ant1_5270




11AC40SISO_Ant1_5310




11AC40SISO_Ant1_5510




11AC40SISO_Ant1_5550




11AC40SISO_Ant1_5710




11AC80SISO_Ant1_5210




11AC80SISO_Ant1_5290



11AC80SISO_Ant1_5530



11AC80SISO_Ant1_5690



2. Occupied channel bandwidth

2.1. Test Result

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	17.063	5171.409	5188.472	---	PASS
		5200	17.263	5191.209	5208.472	---	PASS
		5240	16.743	5231.728	5248.472	---	PASS
		5260	17.143	5251.528	5268.671	---	PASS
		5280	16.903	5271.568	5288.472	---	PASS
		5320	16.863	5311.568	5328.432	---	PASS
		5500	16.943	5491.568	5508.511	---	PASS
		5580	16.823	5571.568	5588.392	---	PASS
		5720	17.063	5711.608	5728.671	---	PASS
		5720_UNII-2C	13.392	5711.608	5725	---	PASS
		5720_UNII-3	3.671	5725	5728.671	---	PASS
		5745	17.263	5736.409	5753.671	---	PASS
		5785	17.263	5776.369	5793.631	---	PASS
		5825	17.463	5816.369	5833.831	---	PASS
11N20SISO	Ant1	5180	17.822	5171.089	5188.911	---	PASS
		5200	17.822	5191.129	5208.951	---	PASS
		5240	17.942	5230.929	5248.871	---	PASS
		5260	17.822	5251.169	5268.991	---	PASS
		5280	17.662	5271.169	5288.831	---	PASS
		5320	17.942	5311.009	5328.951	---	PASS
		5500	17.822	5491.049	5508.871	---	PASS
		5580	17.862	5571.009	5588.871	---	PASS
		5720	17.782	5711.089	5728.871	---	PASS
		5720_UNII-2C	13.911	5711.089	5725	---	PASS
		5720_UNII-3	3.871	5725	5728.871	---	PASS
		5745	18.142	5736.009	5754.151	---	PASS
		5785	17.982	5776.009	5793.991	---	PASS
		5825	17.942	5816.009	5833.951	---	PASS
11N40SISO	Ant1	5190	36.044	5172.018	5208.062	---	PASS
		5230	36.044	5211.938	5247.982	---	PASS
		5270	36.124	5251.938	5288.062	---	PASS
		5310	36.204	5291.938	5328.142	---	PASS
		5510	36.044	5492.018	5528.062	---	PASS
		5550	36.364	5531.938	5568.302	---	PASS
		5710	35.964	5691.938	5727.902	---	PASS
		5710_UNII-2C	33.062	5691.938	5725	---	PASS
		5710_UNII-3	2.902	5725	5727.902	---	PASS
		5755	36.444	5736.858	5773.302	---	PASS
		5795	36.364	5776.698	5813.062	---	PASS
11AC20SISO	Ant1	5180	17.902	5171.089	5188.991	---	PASS
		5200	17.862	5191.089	5208.951	---	PASS
		5240	17.662	5231.169	5248.831	---	PASS

		5260	18.022	5251.049	5269.071	---	PASS
		5280	17.822	5271.089	5288.911	---	PASS
		5320	17.942	5311.089	5329.031	---	PASS
		5500	17.742	5491.129	5508.871	---	PASS
		5580	17.782	5571.169	5588.951	---	PASS
		5720	17.902	5710.969	5728.871	---	PASS
		5720_UNII-2C	14.031	5710.969	5725	---	PASS
		5720_UNII-3	3.871	5725	5728.871	---	PASS
		5745	18.102	5735.969	5754.071	---	PASS
		5785	17.782	5776.129	5793.911	---	PASS
		5825	17.982	5815.849	5833.831	---	PASS
11AC40SISO	Ant1	5190	36.124	5171.938	5208.062	---	PASS
		5230	36.523	5211.858	5248.382	---	PASS
		5270	36.124	5251.858	5287.982	---	PASS
		5310	35.964	5292.018	5327.982	---	PASS
		5510	36.204	5491.858	5528.062	---	PASS
		5550	36.124	5531.938	5568.062	---	PASS
		5710	36.204	5691.858	5728.062	---	PASS
		5710_UNII-2C	33.142	5691.858	5725	---	PASS
		5710_UNII-3	3.062	5725	5728.062	---	PASS
		5755	36.284	5737.018	5773.302	---	PASS
		5795	36.204	5776.858	5813.062	---	PASS
11AC80SISO	Ant1	5210	75.924	5172.118	5248.042	---	PASS
		5290	76.084	5251.958	5328.042	---	PASS
		5530	76.563	5491.798	5568.362	---	PASS
		5690	76.084	5651.479	5727.562	---	PASS
		5690_UNII-2C	73.521	5651.479	5725	---	PASS
		5690_UNII-3	2.562	5725	5727.562	---	PASS
		5775	76.244	5736.798	5813.042	---	PASS

2.2. Test Graphs

11A_Ant1_5180



11A_Ant1_5200



11A_Ant1_5240



11A_Ant1_5260



11A_Ant1_5280



11A_Ant1_5320



11A_Ant1_5500



11A_Ant1_5580



11A_Ant1_5720




11A_Ant1_5745



11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5200



11N20SISO_Ant1_5240



11N20SISO_Ant1_5260



11N20SISO_Ant1_5280



11N20SISO_Ant1_5320




11N20SISO_Ant1_5500



11N20SISO_Ant1_5580



11N20SISO_Ant1_5720




11N20SISO_Ant1_5745



11N20SISO_Ant1_5785



11N20SISO_Ant1_5825



11N40SISO_Ant1_5190



11N40SISO_Ant1_5230




11N40SISO_Ant1_5270




11N40SISO_Ant1_5310



11N40SISO_Ant1_5510



11N40SISO_Ant1_5550



11N40SISO_Ant1_5710



11N40SISO_Ant1_5755



11N40SISO_Ant1_5795



11AC20SISO_Ant1_5180



11AC20SISO_Ant1_5200



11AC20SISO_Ant1_5240



11AC20SISO_Ant1_5260



11AC20SISO_Ant1_5280



11AC20SISO_Ant1_5320



11AC20SISO_Ant1_5500



11AC20SISO_Ant1_5580



11AC20SISO_Ant1_5720



11AC20SISO_Ant1_5745



11AC20SISO_Ant1_5785



11AC20SISO_Ant1_5825



11AC40SISO_Ant1_5190



11AC40SISO_Ant1_5230



11AC40SISO_Ant1_5270



11AC40SISO_Ant1_5310



11AC40SISO_Ant1_5510




11AC40SISO_Ant1_5550




11AC40SISO_Ant1_5710




11AC40SISO_Ant1_5755




11AC40SISO_Ant1_5795




11AC80SISO_Ant1_5210




11AC80SISO_Ant1_5290



11AC80SISO_Ant1_5530



11AC80SISO_Ant1_5690



11AC80SISO_Ant1_5775




3. Min emission bandwidth

3.1.Test Result


TestMode	Antenna	Channel	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	16.400	5736.800	5753.200	0.5	PASS
		5785	16.400	5776.800	5793.200	0.5	PASS
		5825	16.400	5816.800	5833.200	0.5	PASS
11N20SISO	Ant1	5745	17.640	5736.160	5753.800	0.5	PASS
		5785	17.640	5776.160	5793.800	0.5	PASS
		5825	17.600	5816.200	5833.800	0.5	PASS
11N40SISO	Ant1	5755	36.480	5736.760	5773.240	0.5	PASS
		5795	36.240	5777.000	5813.240	0.5	PASS
11AC20SISO	Ant1	5745	17.600	5736.200	5753.800	0.5	PASS
		5785	17.600	5776.200	5793.800	0.5	PASS
		5825	17.640	5816.160	5833.800	0.5	PASS
11AC40SISO	Ant1	5755	36.480	5736.760	5773.240	0.5	PASS
		5795	35.440	5777.160	5812.600	0.5	PASS
11AC80SISO	Ant1	5775	76.800	5736.600	5813.400	0.5	PASS

3.2. Test Graphs


11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795




11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5755



11AC40SISO_Ant1_5795



11AC80SISO_Ant1_5775



4. Maximum conducted output power

4.1. Test Result

TestMode	Antenna	Channel	Conducted power [dBm]	Limit [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	10.14	<=23.98	12.13	<=22.32	PASS
		5200	10.91	<=23.98	12.90	<=22.37	PASS
		5240	10.17	<=23.98	12.16	<=22.24	PASS
		5260	9.51	<=23.96	11.50	<=29.34	PASS
		5280	9.47	<=23.92	11.46	<=29.28	PASS
		5320	9.52	<=23.98	11.51	<=29.27	PASS
		5500	6.47	<=23.98	8.46	<=29.29	PASS
		5580	9.35	<=23.98	11.34	<=29.26	PASS
		5720_UNII-2C	5.65	<=22.77	7.64	<=28.27	PASS
		5720_UNII-3	-2.25	<=30	-0.26	---	PASS
		5745	6.09	<=30	8.08	---	PASS
		5785	6.41	<=30	8.40	---	PASS
11N20SISO	Ant1	5180	10.26	<=23.98	12.25	<=22.51	PASS
		5200	10.69	<=23.98	12.68	<=22.51	PASS
		5240	10.24	<=23.98	12.23	<=22.54	PASS
		5260	9.55	<=23.98	11.54	<=29.51	PASS
		5280	9.52	<=23.98	11.51	<=29.47	PASS
		5320	9.59	<=23.98	11.58	<=29.54	PASS
		5500	6.32	<=23.98	8.31	<=29.51	PASS
		5580	9.27	<=23.98	11.26	<=29.52	PASS
		5720_UNII-2C	5.32	<=22.82	7.31	<=28.43	PASS
		5720_UNII-3	-2.11	<=30	-0.12	---	PASS
		5745	5.90	<=30	7.89	---	PASS
		5785	6.11	<=30	8.10	---	PASS
11N40SISO	Ant1	5190	12.70	<=23.98	14.69	<=23	PASS
		5230	12.76	<=23.98	14.75	<=23	PASS
		5270	12.04	<=23.98	14.03	<=30	PASS
		5310	12.17	<=23.98	14.16	<=30	PASS
		5510	9.05	<=23.98	11.04	<=30	PASS
		5550	9.65	<=23.98	11.64	<=30	PASS
		5710_UNII-2C	8.62	<=23.98	10.61	<=30	PASS
		5710_UNII-3	-4.39	<=30	-2.40	---	PASS
		5755	8.93	<=30	10.92	---	PASS
		5795	9.04	<=30	11.03	---	PASS
11AC20SISO	Ant1	5180	10.50	<=23.98	12.49	<=22.53	PASS
		5200	10.94	<=23.98	12.93	<=22.52	PASS
		5240	10.40	<=23.98	12.39	<=22.47	PASS
		5260	10.46	<=23.98	12.45	<=29.56	PASS

		5280	10.73	≤ 23.98	12.72	≤ 29.51	PASS
		5320	10.01	≤ 23.98	12.00	≤ 29.54	PASS
		5500	8.45	≤ 23.98	10.44	≤ 29.49	PASS
		5580	10.88	≤ 23.98	12.87	≤ 29.50	PASS
		5720_UNII-2C	7.58	≤ 22.81	9.57	≤ 28.47	PASS
		5720_UNII-3	0.14	≤ 30	2.13	---	PASS
		5745	8.91	≤ 30	10.90	---	PASS
		5785	8.69	≤ 30	10.68	---	PASS
		5825	9.06	≤ 30	11.05	---	PASS
11AC40SISO	Ant1	5190	12.75	≤ 23.98	14.74	≤ 23	PASS
		5230	12.82	≤ 23.98	14.81	≤ 23	PASS
		5270	12.11	≤ 23.98	14.10	≤ 30	PASS
		5310	12.20	≤ 23.98	14.19	≤ 30	PASS
		5510	8.97	≤ 23.98	10.96	≤ 30	PASS
		5550	9.60	≤ 23.98	11.59	≤ 30	PASS
		5710_UNII-2C	8.57	≤ 23.98	10.56	≤ 30	PASS
		5710_UNII-3	-4.45	≤ 30	-2.46	---	PASS
		5755	8.98	≤ 30	10.97	---	PASS
		5795	9.11	≤ 30	11.10	---	PASS
11AC80SISO	Ant1	5210	10.55	≤ 23.98	12.54	≤ 23	PASS
		5290	10.01	≤ 23.98	12.00	≤ 30	PASS
		5530	6.63	≤ 23.98	8.62	≤ 30	PASS
		5690_UNII-2C	7.33	≤ 23.98	9.32	≤ 30	PASS
		5690_UNII-3	-8.28	≤ 30	-6.29	---	PASS
		5775	6.64	≤ 30	8.63	---	PASS

Note: The Duty Cycle Factor is compensated in the graph.

5. Maximum power spectral density

5.1. Test Result

TestMode	Antenna	Channel	Power [dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant1	5180	-0.05	<=11	1.94	<=10	PASS
		5200	0.73	<=11	2.72	<=10	PASS
		5240	-0.08	<=11	1.91	<=10	PASS
		5260	-0.36	<=11	---	---	PASS
		5280	-0.54	<=11	---	---	PASS
		5320	-0.49	<=11	---	---	PASS
		5500	-4.01	<=11	---	---	PASS
		5580	-0.94	<=11	---	---	PASS
		5720_UNII-2C	-4.15	<=11	---	---	PASS
		5720_UNII-3	-9.41	<=11	---	---	PASS
		5745	-6.87	<=30	---	---	PASS
		5785	-6.46	<=30	---	---	PASS
		5825	-6.81	<=30	---	---	PASS
11N20SISO	Ant1	5180	0.08	<=11	2.07	<=10	PASS
		5200	0.56	<=11	2.55	<=10	PASS
		5240	0.09	<=11	2.08	<=10	PASS
		5260	-0.73	<=11	---	---	PASS
		5280	-0.63	<=11	---	---	PASS
		5320	-0.69	<=11	---	---	PASS
		5500	-3.51	<=11	---	---	PASS
		5580	-0.82	<=11	---	---	PASS
		5720_UNII-2C	-4.94	<=11	---	---	PASS
		5720_UNII-3	-9.66	<=11	---	---	PASS
		5745	-7.68	<=30	---	---	PASS
		5785	-7.24	<=30	---	---	PASS
		5825	-7.1	<=30	---	---	PASS
11N40SISO	Ant1	5190	0.09	<=11	2.08	<=10	PASS
		5230	-0.21	<=11	1.78	<=10	PASS
		5270	-0.74	<=11	---	---	PASS
		5310	-0.46	<=11	---	---	PASS
		5510	-4.39	<=11	---	---	PASS
		5550	-3.84	<=11	---	---	PASS
		5710_UNII-2C	-4.6	<=11	---	---	PASS
		5710_UNII-3	-12.17	<=11	---	---	PASS
		5755	-7.08	<=30	---	---	PASS
		5795	-7.16	<=30	---	---	PASS
11AC20SISO	Ant1	5180	-0.28	<=11	1.71	<=10	PASS
		5200	0.84	<=11	2.83	<=10	PASS
		5240	-0.22	<=11	1.77	<=10	PASS
		5260	0.29	<=11	---	---	PASS
		5280	0.34	<=11	---	---	PASS

		5320	-0.25	≤ 11	---	---	PASS
		5500	-1.65	≤ 11	---	---	PASS
		5580	0.55	≤ 11	---	---	PASS
		5720_UNII-2C	-2.37	≤ 11	---	---	PASS
		5720_UNII-3	-6.97	≤ 11	---	---	PASS
		5745	-3.83	≤ 30	---	---	PASS
		5785	-4.33	≤ 30	---	---	PASS
		5825	-3.99	≤ 30	---	---	PASS
11AC40SISO	Ant1	5190	0.12	≤ 11	2.11	≤ 10	PASS
		5230	0.1	≤ 11	2.09	≤ 10	PASS
		5270	-1.67	≤ 11	---	---	PASS
		5310	-0.89	≤ 11	---	---	PASS
		5510	-4.05	≤ 11	---	---	PASS
		5550	-3.76	≤ 11	---	---	PASS
		5710_UNII-2C	-4.18	≤ 11	---	---	PASS
		5710_UNII-3	-11.43	≤ 11	---	---	PASS
		5755	-6.9	≤ 30	---	---	PASS
		5795	-6.99	≤ 30	---	---	PASS
11AC80SISO	Ant1	5210	-5.61	≤ 11	-3.62	≤ 10	PASS
		5290	-6.71	≤ 11	---	---	PASS
		5530	-10.37	≤ 11	---	---	PASS
		5690_UNII-2C	-9.37	≤ 11	---	---	PASS
		5690_UNII-3	-16.45	≤ 11	---	---	PASS
		5775	-12.5	≤ 30	---	---	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

5.2. Test Graphs

11A_Ant1_5180



11A_Ant1_5200



11A_Ant1_5240



11A_Ant1_5260



11A_Ant1_5280



11A_Ant1_5320




11A_Ant1_5500



11A_Ant1_5580



11A_Ant1_5720_UNII-2C



11A_Ant1_5720_UNII-3




11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825



11N20SISO_Ant1_5180



11N20SISO_Ant1_5200



11N20SISO_Ant1_5240



11N20SISO_Ant1_5260



11N20SISO_Ant1_5280



11N20SISO_Ant1_5320



11N20SISO_Ant1_5500



11N20SISO_Ant1_5580



11N20SISO_Ant1_5720_UNII-2C