



Profile: 1842039	Page No.: 1
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 11:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5180MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.435	40.089	-34.565	74.000	-0.654	PK
2	*	15540.000	44.903	40.090	-29.097	74.000	4.813	PK

Profile: 1842039	Page No.: 2
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 11:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5180MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.707	40.361	-34.293	74.000	-0.654	PK
2	*	15540.000	44.839	40.026	-29.161	74.000	4.813	PK

Profile: 1842039	Page No.: 3
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5220MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.456	40.884	-33.544	74.000	-0.428	PK
2	*	15660.000	45.717	40.750	-28.283	74.000	4.968	PK

Profile: 1842039	Page No.: 4
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5220MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.859	40.287	-34.141	74.000	-0.428	PK
2	*	15660.000	45.429	40.462	-28.571	74.000	4.968	PK

Profile: 1842039	Page No.: 5
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5240MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.030	40.611	-33.970	74.000	-0.580	PK
2	*	15720.000	46.509	40.952	-27.491	74.000	5.557	PK

Profile: 1842039	Page No.: 6
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5240MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.249	40.830	-33.751	74.000	-0.580	PK
2	*	15720.000	45.987	40.430	-28.013	74.000	5.557	PK

Profile: 1842039	Page No.: 7
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5260MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.101	40.073	-33.899	74.000	0.028	PK
2	*	15780.000	47.404	40.573	-26.596	74.000	6.831	PK

Profile: 1842039	Page No.: 8
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5260MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.563	40.535	-33.437	74.000	0.028	PK
2	*	15780.000	46.943	40.112	-27.057	74.000	6.831	PK

Profile: 1842039	Page No.: 9
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5300MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.176	40.081	-33.824	74.000	0.094	PK
2	*	15900.000	47.219	40.205	-26.781	74.000	7.015	PK

Profile: 1842039	Page No.: 10
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5300MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.098	40.003	-33.902	74.000	0.094	PK
2	*	15900.000	47.288	40.274	-26.712	74.000	7.015	PK

Profile: 1842039	Page No.: 11
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5320MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.349	40.642	-33.651	74.000	-0.293	PK
2	*	15960.000	45.815	40.190	-28.185	74.000	5.625	PK

Profile: 1842039	Page No.: 12
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5320MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.369	40.662	-33.631	74.000	-0.293	PK
2	*	15960.000	46.182	40.557	-27.818	74.000	5.625	PK

Profile: 1842039	Page No.: 13
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5500MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.269	40.537	-33.731	74.000	-0.269	PK
2	*	16500.000	45.996	40.813	-28.004	74.000	5.183	PK

Profile: 1842039	Page No.: 14
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5500MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.428	40.696	-33.572	74.000	-0.269	PK
2	*	16500.000	45.457	40.274	-28.543	74.000	5.183	PK

Profile: 1842039	Page No.: 15
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5580MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.162	40.725	-32.838	74.000	0.437	PK
2	*	16740.000	45.840	40.125	-28.160	74.000	5.716	PK

Profile: 1842039	Page No.: 16
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5580MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.086	40.649	-32.914	74.000	0.437	PK
2	*	16740.000	46.610	40.895	-27.390	74.000	5.716	PK

Profile: 1842039	Page No.: 17
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5700MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.891	40.546	-33.109	74.000	0.346	PK
2	*	17100.000	46.421	40.093	-27.579	74.000	6.328	PK

Profile: 1842039	Page No.: 18
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5700MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.735	40.390	-33.265	74.000	0.346	PK
2	*	17100.000	47.237	40.909	-26.763	74.000	6.328	PK

Profile: 1842039	Page No.: 19
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5720MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	40.452	40.057	-33.548	74.000	0.394	PK
2	*	17160.000	46.809	40.548	-27.191	74.000	6.261	PK

Profile: 1842039	Page No.: 20
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5720MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	41.143	40.748	-32.857	74.000	0.394	PK
2	*	17160.000	47.067	40.806	-26.933	74.000	6.261	PK

Profile: 1842039	Page No.: 21
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5745MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.519	40.663	-33.481	74.000	-0.144	PK
2	*	17235.000	45.932	40.641	-28.068	74.000	5.291	PK

Profile: 1842039	Page No.: 22
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5745MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.732	40.876	-33.268	74.000	-0.144	PK
2	*	17235.000	46.145	40.854	-27.855	74.000	5.291	PK

Profile: 1842039	Page No.: 23
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5785MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.932	40.553	-33.068	74.000	0.379	PK
2	*	17355.000	46.533	40.612	-27.467	74.000	5.921	PK

Profile: 1842039	Page No.: 24
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5785MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.727	40.348	-33.273	74.000	0.379	PK
2	*	17355.000	46.027	40.106	-27.973	74.000	5.921	PK

Profile: 1842039	Page No.: 25
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5825MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.625	40.077	-33.375	74.000	0.549	PK
2	*	17475.000	47.778	40.953	-26.222	74.000	6.825	PK

Profile: 1842039	Page No.: 26
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5825MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.219	40.671	-32.781	74.000	0.549	PK
2	*	17475.000	47.246	40.421	-26.754	74.000	6.825	PK

Profile: 1842039	Page No.: 27
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5180MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.750	40.404	-34.250	74.000	-0.654	PK
2	*	15540.000	45.419	40.606	-28.581	74.000	4.813	PK

Profile: 1842039	Page No.: 28
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5180MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.469	40.123	-34.531	74.000	-0.654	PK
2	*	15540.000	45.205	40.392	-28.795	74.000	4.813	PK

Profile: 1842039	Page No.: 29
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5220MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.931	40.359	-34.069	74.000	-0.428	PK
2	*	15660.000	45.733	40.766	-28.267	74.000	4.968	PK

Profile: 1842039	Page No.: 30
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5220MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.219	40.647	-33.781	74.000	-0.428	PK
2	*	15660.000	45.275	40.308	-28.725	74.000	4.968	PK

Profile: 1842039	Page No.: 31
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5240MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.120	40.701	-33.880	74.000	-0.580	PK
2	*	15720.000	45.815	40.258	-28.185	74.000	5.557	PK

Profile: 1842039	Page No.: 32
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5240MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.334	40.915	-33.666	74.000	-0.580	PK
2	*	15720.000	45.587	40.030	-28.413	74.000	5.557	PK

Profile: 1842039	Page No.: 33
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5260MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.269	40.241	-33.731	74.000	0.028	PK
2	*	15780.000	46.892	40.061	-27.108	74.000	6.831	PK

Profile: 1842039	Page No.: 34
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5260MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.535	40.507	-33.465	74.000	0.028	PK
2	*	15780.000	47.197	40.366	-26.803	74.000	6.831	PK

Profile: 1842039	Page No.: 35
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5300MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.259	40.164	-33.741	74.000	0.094	PK
2	*	15900.000	47.721	40.707	-26.279	74.000	7.015	PK

Profile: 1842039	Page No.: 36
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5300MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.282	40.187	-33.718	74.000	0.094	PK
2	*	15900.000	47.209	40.195	-26.791	74.000	7.015	PK

Profile: 1842039	Page No.: 37
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5320MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	39.793	40.086	-34.207	74.000	-0.293	PK
2	*	15960.000	46.188	40.563	-27.812	74.000	5.625	PK

Profile: 1842039	Page No.: 38
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5320MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.424	40.717	-33.576	74.000	-0.293	PK
2	*	15690.000	47.523	40.732	-26.477	74.000	6.791	PK

Profile: 1842039	Page No.: 39
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5500MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.801	40.069	-34.199	74.000	-0.269	PK
2	*	16500.000	45.419	40.236	-28.581	74.000	5.183	PK

Profile: 1842039	Page No.: 40
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5500MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.963	40.231	-34.037	74.000	-0.269	PK
2	*	16500.000	46.075	40.892	-27.925	74.000	5.183	PK

Profile: 1842039	Page No.: 41
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5580MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.925	40.488	-33.075	74.000	0.437	PK
2	*	16740.000	46.474	40.759	-27.526	74.000	5.716	PK

Profile: 1842039	Page No.: 42
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5580MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.102	40.665	-32.898	74.000	0.437	PK
2	*	16740.000	46.252	40.537	-27.748	74.000	5.716	PK

Profile: 1842039	Page No.: 43
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5700MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.312	40.967	-32.688	74.000	0.346	PK
2	*	17100.000	46.711	40.383	-27.289	74.000	6.328	PK

Profile: 1842039	Page No.: 44
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5700MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.380	40.035	-33.620	74.000	0.346	PK
2	*	17100.000	46.436	40.108	-27.564	74.000	6.328	PK

Profile: 1842039	Page No.: 45
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5720MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	41.016	40.621	-32.984	74.000	0.394	PK
2	*	17160.000	46.979	40.718	-27.021	74.000	6.261	PK

Profile: 1842039	Page No.: 46
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5720MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	40.651	40.256	-33.349	74.000	0.394	PK
2	*	17160.000	46.835	40.574	-27.165	74.000	6.261	PK

Profile: 1842039	Page No.: 47
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5745MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	39.943	40.087	-34.057	74.000	-0.144	PK
2	*	17235.000	45.726	40.435	-28.274	74.000	5.291	PK

Profile: 1842039	Page No.: 48
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5745MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.019	40.163	-33.981	74.000	-0.144	PK
2	*	17235.000	45.655	40.364	-28.345	74.000	5.291	PK

Profile: 1842039	Page No.: 49
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5785MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.031	40.652	-32.969	74.000	0.379	PK
2	*	17355.000	45.969	40.048	-28.031	74.000	5.921	PK

Profile: 1842039	Page No.: 50
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5785MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.059	40.680	-32.941	74.000	0.379	PK
2	*	17355.000	46.117	40.196	-27.883	74.000	5.921	PK

Profile: 1842039	Page No.: 51
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5825MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.624	40.076	-33.376	74.000	0.549	PK
2	*	17475.000	47.768	40.943	-26.232	74.000	6.825	PK

Profile: 1842039	Page No.: 52
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5825MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.535	40.987	-32.465	74.000	0.549	PK
2	*	17475.000	47.631	40.806	-26.369	74.000	6.825	PK

Profile: 1842039	Page No.: 53
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5190MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.509	40.061	-34.491	74.000	-0.551	PK
2	*	15570.000	45.985	40.053	-28.015	74.000	5.931	PK

Profile: 1842039	Page No.: 54
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5190MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.169	40.721	-33.831	74.000	-0.551	PK
2	*	15570.000	46.108	40.176	-27.892	74.000	5.931	PK

Profile: 1842039	Page No.: 55
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5230MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.908	40.520	-34.092	74.000	-0.612	PK
2	*	15690.000	46.897	40.106	-27.103	74.000	6.791	PK

Profile: 1842039	Page No.: 56
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5230MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.560	40.172	-34.440	74.000	-0.612	PK
2	*	15690.000	47.107	40.316	-26.893	74.000	6.791	PK

Profile: 1842039	Page No.: 57
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5270MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.330	40.901	-33.670	74.000	-0.571	PK
2	*	15810.000	46.460	40.643	-27.540	74.000	5.818	PK

Profile: 1842039	Page No.: 58
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5270MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	39.456	40.027	-34.544	74.000	-0.571	PK
2	*	15810.000	46.576	40.759	-27.424	74.000	5.818	PK

Profile: 1842039	Page No.: 59
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5310MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.283	40.474	-33.717	74.000	-0.190	PK
2	*	15930.000	46.273	40.227	-27.727	74.000	6.047	PK

Profile: 1842039	Page No.: 60
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5310MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.187	40.378	-33.813	74.000	-0.190	PK
2	*	15930.000	46.896	40.850	-27.104	74.000	6.047	PK

Profile: 1842039	Page No.: 61
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5510MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.079	40.650	-32.921	74.000	0.429	PK
2	*	16530.000	46.972	40.923	-27.028	74.000	6.049	PK

Profile: 1842039	Page No.: 62
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5510MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.068	40.639	-32.932	74.000	0.429	PK
2	*	16530.000	46.717	40.668	-27.283	74.000	6.049	PK

Profile: 1842039	Page No.: 63
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5550MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	40.606	40.178	-33.394	74.000	0.429	PK
2	*	16650.000	46.697	40.143	-27.303	74.000	6.554	PK

Profile: 1842039	Page No.: 64
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5550MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	41.307	40.879	-32.693	74.000	0.429	PK
2	*	16650.000	47.356	40.802	-26.644	74.000	6.554	PK

Profile: 1842039	Page No.: 65
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5670MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.142	40.744	-32.858	74.000	0.397	PK
2	*	17010.000	46.134	40.112	-27.866	74.000	6.022	PK

Profile: 1842039	Page No.: 66
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5670MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.097	40.699	-32.903	74.000	0.397	PK
2	*	17010.000	46.779	40.757	-27.221	74.000	6.022	PK

Profile: 1842039	Page No.: 67
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5710MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	40.968	40.320	-33.032	74.000	0.647	PK
2	*	17130.000	45.913	40.773	-28.087	74.000	5.140	PK

Profile: 1842039	Page No.: 68
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5710MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	40.867	40.219	-33.133	74.000	0.647	PK
2	*	17130.000	45.297	40.157	-28.703	74.000	5.140	PK

Profile: 1842039	Page No.: 69
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5755MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.482	40.161	-33.518	74.000	0.321	PK
2	*	17265.000	47.592	40.482	-26.408	74.000	7.110	PK

Profile: 1842039	Page No.: 70
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5755MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.805	40.484	-33.195	74.000	0.321	PK
2	*	17265.000	47.597	40.487	-26.403	74.000	7.110	PK

Profile: 1842039	Page No.: 71
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5795MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.526	40.332	-32.474	74.000	1.193	PK
2	*	17385.000	47.137	40.113	-26.863	74.000	7.024	PK

Profile: 1842039	Page No.: 72
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5795MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.073	40.879	-31.927	74.000	1.193	PK
2	*	17385.000	47.323	40.299	-26.677	74.000	7.024	PK

Profile: 1842039	Page No.: 73
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5180MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.192	40.846	-33.808	74.000	-0.654	PK
2	*	15540.000	45.689	40.876	-28.311	74.000	4.813	PK

Profile: 1842039	Page No.: 74
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5180MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.715	40.369	-34.285	74.000	-0.654	PK
2	*	15540.000	45.602	40.789	-28.398	74.000	4.813	PK

Profile: 1842039	Page No.: 75
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5220MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.859	40.287	-34.141	74.000	-0.428	PK
2	*	15660.000	45.299	40.332	-28.701	74.000	4.968	PK

Profile: 1842039	Page No.: 76
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5220MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.068	40.496	-33.932	74.000	-0.428	PK
2	*	15660.000	45.329	40.362	-28.671	74.000	4.968	PK

Profile: 1842039	Page No.: 77
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5240MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.428	40.009	-34.572	74.000	-0.580	PK
2	*	15720.000	46.342	40.785	-27.658	74.000	5.557	PK

Profile: 1842039	Page No.: 78
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5240MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.473	40.054	-34.527	74.000	-0.580	PK
2	*	15720.000	46.523	40.966	-27.477	74.000	5.557	PK

Profile: 1842039	Page No.: 79
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5260MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.686	40.658	-33.314	74.000	0.028	PK
2	*	15780.000	47.215	40.384	-26.785	74.000	6.831	PK

Profile: 1842039	Page No.: 80
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5260MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.807	40.779	-33.193	74.000	0.028	PK
2	*	15780.000	47.535	40.704	-26.465	74.000	6.831	PK

Profile: 1842039	Page No.: 81
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5300MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.533	40.438	-33.467	74.000	0.094	PK
2	*	15900.000	47.172	40.158	-26.828	74.000	7.015	PK

Profile: 1842039	Page No.: 82
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5300MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.901	40.806	-33.099	74.000	0.094	PK
2	*	15900.000	47.775	40.761	-26.225	74.000	7.015	PK

Profile: 1842039	Page No.: 83
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5320MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.151	40.444	-33.849	74.000	-0.293	PK
2	*	15960.000	46.358	40.733	-27.642	74.000	5.625	PK

Profile: 1842039	Page No.: 84
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5320MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.625	40.918	-33.375	74.000	-0.293	PK
2	*	15960.000	45.629	40.004	-28.371	74.000	5.625	PK

Profile: 1842039	Page No.: 85
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5500MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	40.685	40.953	-33.315	74.000	-0.269	PK
2	*	16500.000	45.478	40.295	-28.522	74.000	5.183	PK

Profile: 1842039	Page No.: 86
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5500MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	39.959	40.227	-34.041	74.000	-0.269	PK
2	*	16500.000	45.397	40.214	-28.603	74.000	5.183	PK

Profile: 1842039	Page No.: 87
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5580MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.449	40.012	-33.551	74.000	0.437	PK
2	*	16740.000	46.359	40.644	-27.641	74.000	5.716	PK

Profile: 1842039	Page No.: 88
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5580MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	40.823	40.386	-33.177	74.000	0.437	PK
2	*	16740.000	46.591	40.876	-27.409	74.000	5.716	PK

Profile: 1842039	Page No.: 89
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5700MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.855	40.510	-33.145	74.000	0.346	PK
2	*	17100.000	46.346	40.018	-27.654	74.000	6.328	PK

Profile: 1842039	Page No.: 90
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5700MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.926	40.581	-33.074	74.000	0.346	PK
2	*	17100.000	47.125	40.797	-26.875	74.000	6.328	PK

Profile: 1842039	Page No.: 91
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5720MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	40.713	40.318	-33.287	74.000	0.394	PK
2	*	17160.000	46.447	40.186	-27.553	74.000	6.261	PK

Profile: 1842039	Page No.: 92
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5720MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	40.862	40.467	-33.138	74.000	0.394	PK
2	*	17160.000	47.199	40.938	-26.801	74.000	6.261	PK

Profile: 1842039	Page No.: 93
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5745MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.393	40.537	-33.607	74.000	-0.144	PK
2	*	17235.000	45.714	40.423	-28.286	74.000	5.291	PK

Profile: 1842039	Page No.: 94
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5745MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.487	40.631	-33.513	74.000	-0.144	PK
2	*	17235.000	45.892	40.601	-28.108	74.000	5.291	PK

Profile: 1842039	Page No.: 95
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5785MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.089	40.710	-32.911	74.000	0.379	PK
2	*	17355.000	46.895	40.974	-27.105	74.000	5.921	PK

Profile: 1842039	Page No.: 96
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5785MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.739	40.360	-33.261	74.000	0.379	PK
2	*	17355.000	46.864	40.943	-27.136	74.000	5.921	PK

Profile: 1842039	Page No.: 97
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5825MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.309	40.761	-32.691	74.000	0.549	PK
2	*	17475.000	47.111	40.286	-26.889	74.000	6.825	PK

Profile: 1842039	Page No.: 98
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5825MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.620	40.072	-33.380	74.000	0.549	PK
2	*	17475.000	46.959	40.134	-27.041	74.000	6.825	PK

Profile: 1842039	Page No.: 99
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5190MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.582	40.134	-34.418	74.000	-0.551	PK
2	*	15570.000	46.283	40.351	-27.717	74.000	5.931	PK

Profile: 1842039	Page No.: 100
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5190MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.110	40.662	-33.890	74.000	-0.551	PK
2	*	15570.000	46.376	40.444	-27.624	74.000	5.931	PK

Profile: 1842039	Page No.: 101
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5230MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.228	40.840	-33.772	74.000	-0.612	PK
2	*	15690.000	47.663	40.872	-26.337	74.000	6.791	PK

Profile: 1842039	Page No.: 102
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5230MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.123	40.735	-33.877	74.000	-0.612	PK
2	*	15690.000	47.404	40.613	-26.596	74.000	6.791	PK

Profile: 1842039	Page No.: 103
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5270MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	39.876	40.447	-34.124	74.000	-0.571	PK
2	*	15810.000	46.309	40.492	-27.691	74.000	5.818	PK

Profile: 1842039	Page No.: 104
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5270MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.282	40.853	-33.718	74.000	-0.571	PK
2	*	15810.000	46.680	40.863	-27.320	74.000	5.818	PK

Profile: 1842039	Page No.: 105
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5310MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.176	40.367	-33.824	74.000	-0.190	PK
2	*	15930.000	46.923	40.877	-27.077	74.000	6.047	PK

Profile: 1842039	Page No.: 106
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5310MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	39.885	40.076	-34.115	74.000	-0.190	PK
2	*	15930.000	46.463	40.417	-27.537	74.000	6.047	PK

Profile: 1842039	Page No.: 107
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5510MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.073	40.644	-32.927	74.000	0.429	PK
2	*	16530.000	47.032	40.983	-26.968	74.000	6.049	PK

Profile: 1842039	Page No.: 108
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5510MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	41.099	40.670	-32.901	74.000	0.429	PK
2	*	16530.000	46.787	40.738	-27.213	74.000	6.049	PK

Profile: 1842039	Page No.: 109
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5550MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	41.137	40.709	-32.863	74.000	0.429	PK
2	*	16650.000	47.039	40.485	-26.961	74.000	6.554	PK

Profile: 1842039	Page No.: 110
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5550MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	41.221	40.793	-32.779	74.000	0.429	PK
2	*	16650.000	46.565	40.011	-27.435	74.000	6.554	PK

Profile: 1842039	Page No.: 111
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5670MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.554	40.156	-33.446	74.000	0.397	PK
2	*	17010.000	46.234	40.212	-27.766	74.000	6.022	PK

Profile: 1842039	Page No.: 112
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5670MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.758	40.360	-33.242	74.000	0.397	PK
2	*	17010.000	46.432	40.410	-27.568	74.000	6.022	PK

Profile: 1842039	Page No.: 113
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5710MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	41.247	40.599	-32.753	74.000	0.647	PK
2	*	17130.000	45.141	40.001	-28.859	74.000	5.140	PK

Profile: 1842039	Page No.: 114
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5710MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	41.505	40.857	-32.495	74.000	0.647	PK
2	*	17130.000	45.247	40.107	-28.753	74.000	5.140	PK

Profile: 1842039	Page No.: 115
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5755MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.715	40.394	-33.285	74.000	0.321	PK
2	*	17265.000	47.435	40.325	-26.565	74.000	7.110	PK

Profile: 1842039	Page No.: 116
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5755MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.518	40.197	-33.482	74.000	0.321	PK
2	*	17265.000	47.551	40.441	-26.449	74.000	7.110	PK

Profile: 1842039	Page No.: 117
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5795MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.662	40.468	-32.338	74.000	1.193	PK
2	*	17385.000	47.956	40.932	-26.044	74.000	7.024	PK

Profile: 1842039	Page No.: 118
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5795MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.775	40.581	-32.225	74.000	1.193	PK
2	*	17385.000	47.063	40.039	-26.937	74.000	7.024	PK

Profile: 1842039	Page No.: 119
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5210MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.031	40.205	-34.969	74.000	-1.174	PK
2	*	15630.000	46.007	40.320	-27.993	74.000	5.688	PK

Profile: 1842039	Page No.: 120
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5210MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	38.867	40.041	-35.133	74.000	-1.174	PK
2	*	15630.000	45.881	40.194	-28.119	74.000	5.688	PK

Profile: 1842039	Page No.: 121
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5290MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	39.292	40.041	-34.708	74.000	-0.749	PK
2	*	15870.000	46.338	40.663	-27.662	74.000	5.676	PK

Profile: 1842039	Page No.: 122
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5290MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	39.516	40.265	-34.484	74.000	-0.749	PK
2	*	15870.000	46.610	40.935	-27.390	74.000	5.676	PK

Profile: 1842039	Page No.: 123
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5530MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	41.180	41.000	-32.820	74.000	0.180	PK
2	*	16590.000	46.994	40.988	-27.006	74.000	6.006	PK

Profile: 1842039	Page No.: 124
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5530MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	40.661	40.481	-33.339	74.000	0.180	PK
2	*	16590.000	46.861	40.855	-27.139	74.000	6.006	PK

Profile: 1842039	Page No.: 125
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5690MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	41.012	40.615	-32.988	74.000	0.397	PK
2	*	17070.000	46.925	40.409	-27.075	74.000	6.516	PK

Profile: 1842039	Page No.: 126
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5690MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	41.328	40.931	-32.672	74.000	0.397	PK
2	*	17070.000	46.829	40.313	-27.171	74.000	6.516	PK

Profile: 1842039	Page No.: 127
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5775MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.001	40.867	-32.999	74.000	0.134	PK
2	*	17325.000	45.671	40.126	-28.329	74.000	5.545	PK

Profile: 1842039	Page No.: 128
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5775MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	40.274	40.140	-33.726	74.000	0.134	PK
2	*	17325.000	45.983	40.438	-28.017	74.000	5.545	PK

Profile: 1842039	Page No.: 129
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5180MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.846	40.500	-34.154	74.000	-0.654	PK
2	*	15540.000	44.854	40.041	-29.146	74.000	4.813	PK

Profile: 1842039	Page No.: 130
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5180MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.265	40.919	-33.735	74.000	-0.654	PK
2	*	15540.000	45.673	40.860	-28.327	74.000	4.813	PK

Profile: 1842039	Page No.: 131
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5220MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.547	40.975	-33.453	74.000	-0.428	PK
2	*	15660.000	45.776	40.809	-28.224	74.000	4.968	PK

Profile: 1842039	Page No.: 132
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5220MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.370	40.798	-33.630	74.000	-0.428	PK
2	*	15660.000	45.506	40.539	-28.494	74.000	4.968	PK

Profile: 1842039	Page No.: 133
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5240MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.977	40.558	-34.023	74.000	-0.580	PK
2	*	15720.000	46.188	40.631	-27.812	74.000	5.557	PK

Profile: 1842039	Page No.: 134
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5240MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.763	40.344	-34.237	74.000	-0.580	PK
2	*	15720.000	45.636	40.079	-28.364	74.000	5.557	PK

Profile: 1842039	Page No.: 135
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5260MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.426	40.398	-33.574	74.000	0.028	PK
2	*	15780.000	47.112	40.281	-26.888	74.000	6.831	PK

Profile: 1842039	Page No.: 136
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5260MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.841	40.813	-33.159	74.000	0.028	PK
2	*	15780.000	46.917	40.086	-27.083	74.000	6.831	PK

Profile: 1842039	Page No.: 137
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5300MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.759	40.664	-33.241	74.000	0.094	PK
2	*	15900.000	47.555	40.541	-26.445	74.000	7.015	PK

Profile: 1842039	Page No.: 138
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5300MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	41.040	40.945	-32.960	74.000	0.094	PK
2	*	15900.000	47.217	40.203	-26.783	74.000	7.015	PK

Profile: 1842039	Page No.: 139
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5320MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.427	40.720	-33.573	74.000	-0.293	PK
2	*	15960.000	45.761	40.136	-28.239	74.000	5.625	PK

Profile: 1842039	Page No.: 140
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5320MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	39.908	40.201	-34.092	74.000	-0.293	PK
2	*	15960.000	45.937	40.312	-28.063	74.000	5.625	PK

Profile: 1842039	Page No.: 141
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5180MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.808	40.462	-34.192	74.000	-0.654	PK
2	*	15540.000	45.580	40.767	-28.420	74.000	4.813	PK

Profile: 1842039	Page No.: 142
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5180MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.580	40.234	-34.420	74.000	-0.654	PK
2	*	15540.000	45.786	40.973	-28.214	74.000	4.813	PK

Profile: 1842039	Page No.: 143
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5220MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.064	40.492	-33.936	74.000	-0.428	PK
2	*	15660.000	45.830	40.863	-28.170	74.000	4.968	PK

Profile: 1842039	Page No.: 144
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5220MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.716	40.144	-34.284	74.000	-0.428	PK
2	*	15660.000	45.332	40.365	-28.668	74.000	4.968	PK

Profile: 1842039	Page No.: 145
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5240MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.215	40.796	-33.785	74.000	-0.580	PK
2	*	15720.000	46.444	40.887	-27.556	74.000	5.557	PK

Profile: 1842039	Page No.: 146
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5240MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.685	40.266	-34.315	74.000	-0.580	PK
2	*	15720.000	46.100	40.543	-27.900	74.000	5.557	PK

Profile: 1842039	Page No.: 147
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5260MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.580	40.552	-33.420	74.000	0.028	PK
2	*	15780.000	47.081	40.250	-26.919	74.000	6.831	PK

Profile: 1842039	Page No.: 148
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5260MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.230	40.202	-33.770	74.000	0.028	PK
2	*	15780.000	47.021	40.190	-26.979	74.000	6.831	PK

Profile: 1842039	Page No.: 149
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5300MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.507	40.412	-33.493	74.000	0.094	PK
2	*	15900.000	47.035	40.021	-26.965	74.000	7.015	PK

Profile: 1842039	Page No.: 150
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5300MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.240	40.145	-33.760	74.000	0.094	PK
2	*	15900.000	47.215	40.201	-26.785	74.000	7.015	PK

Profile: 1842039	Page No.: 151
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5320MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	39.904	40.197	-34.096	74.000	-0.293	PK
2	*	15960.000	45.968	40.343	-28.032	74.000	5.625	PK

Profile: 1842039	Page No.: 152
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5320MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.645	40.938	-33.355	74.000	-0.293	PK
2	*	15960.000	45.761	40.136	-28.239	74.000	5.625	PK

Profile: 1842039	Page No.: 153
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5190MHz by 802.11N40eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.813	40.365	-34.187	74.000	-0.551	PK
2	*	15570.000	46.665	40.733	-27.335	74.000	5.931	PK

Profile: 1842039	Page No.: 154
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5190MHz by 802.11N40eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.820	40.372	-34.180	74.000	-0.551	PK
2	*	15570.000	45.952	40.020	-28.048	74.000	5.931	PK

Profile: 1842039	Page No.: 155
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5230MHz by 802.11N40eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.297	40.909	-33.703	74.000	-0.612	PK
2	*	15690.000	46.820	40.029	-27.180	74.000	6.791	PK

Profile: 1842039	Page No.: 156
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5230MHz by 802.11N40eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.240	40.852	-33.760	74.000	-0.612	PK
2	*	15690.000	47.079	40.288	-26.921	74.000	6.791	PK

Profile: 1842039	Page No.: 157
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5270MHz by 802.11N40eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.100	40.671	-33.900	74.000	-0.571	PK
2	*	15810.000	46.041	40.224	-27.959	74.000	5.818	PK

Profile: 1842039	Page No.: 158
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5270MHz by 802.11N40eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.172	40.743	-33.828	74.000	-0.571	PK
2	*	15810.000	46.688	40.871	-27.312	74.000	5.818	PK

Profile: 1842039	Page No.: 159
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5310MHz by 802.11N40eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.263	40.454	-33.737	74.000	-0.190	PK
2	*	15930.000	46.681	40.635	-27.319	74.000	6.047	PK

Profile: 1842039	Page No.: 160
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5310MHz by 802.11N40eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	39.932	40.123	-34.068	74.000	-0.190	PK
2	*	15930.000	46.423	40.377	-27.577	74.000	6.047	PK

Profile: 1842039	Page No.: 161
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5180MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.697	40.351	-34.303	74.000	-0.654	PK
2	*	15540.000	45.104	40.291	-28.896	74.000	4.813	PK

Profile: 1842039	Page No.: 162
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5180MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.087	40.741	-33.913	74.000	-0.654	PK
2	*	15540.000	45.105	40.292	-28.895	74.000	4.813	PK

Profile: 1842039	Page No.: 163
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5220MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.440	40.868	-33.560	74.000	-0.428	PK
2	*	15660.000	45.019	40.052	-28.981	74.000	4.968	PK

Profile: 1842039	Page No.: 164
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5220MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.820	40.248	-34.180	74.000	-0.428	PK
2	*	15660.000	45.726	40.759	-28.274	74.000	4.968	PK

Profile: 1842039	Page No.: 165
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5240MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.048	40.629	-33.952	74.000	-0.580	PK
2	*	15720.000	46.552	40.995	-27.448	74.000	5.557	PK

Profile: 1842039	Page No.: 166
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5240MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.732	40.313	-34.268	74.000	-0.580	PK
2	*	15720.000	46.468	40.911	-27.532	74.000	5.557	PK

Profile: 1842039	Page No.: 167
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5260MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.948	40.920	-33.052	74.000	0.028	PK
2	*	15780.000	47.606	40.775	-26.394	74.000	6.831	PK

Profile: 1842039	Page No.: 168
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5260MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	40.091	40.063	-33.909	74.000	0.028	PK
2	*	15780.000	47.082	40.251	-26.918	74.000	6.831	PK

Profile: 1842039	Page No.: 169
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5300MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.873	40.778	-33.127	74.000	0.094	PK
2	*	15900.000	47.955	40.941	-26.045	74.000	7.015	PK

Profile: 1842039	Page No.: 170
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5300MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	40.569	40.474	-33.431	74.000	0.094	PK
2	*	15900.000	47.495	40.481	-26.505	74.000	7.015	PK

Profile: 1842039	Page No.: 171
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5320MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	39.977	40.270	-34.023	74.000	-0.293	PK
2	*	15960.000	45.892	40.267	-28.108	74.000	5.625	PK

Profile: 1842039	Page No.: 172
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5320MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	40.016	40.309	-33.984	74.000	-0.293	PK
2	*	15960.000	45.754	40.129	-28.246	74.000	5.625	PK

Profile: 1842039	Page No.: 173
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5190MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.594	40.146	-34.406	74.000	-0.551	PK
2	*	15570.000	46.223	40.291	-27.777	74.000	5.931	PK

Profile: 1842039	Page No.: 174
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5190MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.064	40.616	-33.936	74.000	-0.551	PK
2	*	15570.000	46.852	40.920	-27.148	74.000	5.931	PK

Profile: 1842039	Page No.: 175
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5230MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.440	40.052	-34.560	74.000	-0.612	PK
2	*	15690.000	47.263	40.472	-26.737	74.000	6.791	PK

Profile: 1842039	Page No.: 176
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5230MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.156	40.768	-33.844	74.000	-0.612	PK
2	*	15690.000	46.887	40.096	-27.113	74.000	6.791	PK

Profile: 1842039	Page No.: 177
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5270MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	40.069	40.640	-33.931	74.000	-0.571	PK
2	*	15810.000	46.167	40.350	-27.833	74.000	5.818	PK

Profile: 1842039	Page No.: 178
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5270MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	39.522	40.093	-34.478	74.000	-0.571	PK
2	*	15810.000	46.364	40.547	-27.636	74.000	5.818	PK

Profile: 1842039	Page No.: 179
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5310MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.730	40.921	-33.270	74.000	-0.190	PK
2	*	15930.000	46.207	40.161	-27.793	74.000	6.047	PK

Profile: 1842039	Page No.: 180
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5310MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	40.141	40.332	-33.859	74.000	-0.190	PK
2	*	15930.000	46.722	40.676	-27.278	74.000	6.047	PK

Profile: 1842039	Page No.: 181
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode12:Transmit at 5210MHz by 802.11AC80(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.322	40.496	-34.678	74.000	-1.174	PK
2	*	15630.000	45.910	40.223	-28.090	74.000	5.688	PK

Profile: 1842039	Page No.: 182
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode12:Transmit at 5210MHz by 802.11AC80(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	38.843	40.017	-35.157	74.000	-1.174	PK
2	*	15630.000	45.910	40.223	-28.090	74.000	5.688	PK

Profile: 1842039	Page No.: 183
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode12:Transmit at 5290MHz by 802.11AC80(eth7)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	39.912	40.661	-34.088	74.000	-0.749	PK
2	*	15870.000	46.585	40.910	-27.415	74.000	5.676	PK

Profile: 1842039	Page No.: 184
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: WIRELESS ACCESS POINT	Power: AC 120V/60Hz
Note: Mode12:Transmit at 5290MHz by 802.11AC80(eth7)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	39.503	40.252	-34.497	74.000	-0.749	PK
2	*	15870.000	46.662	40.987	-27.338	74.000	5.676	PK