



TX CH40



Date: 12.AUG.2017 16:44:44

TX CH48




Date: 12.AUG.2017 16:45:49

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	41.60	37.00
CH46	5230	41.81	37.00

TX CH38



Date: 12.AUG.2017 17:09:03

TX CH46




Date: 12.AUG.2017 17:11:42

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	81.99	76.00

TX CH42




Date: 12.AUG.2017 17:32:27

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.90	>=500
CH157	5785	17.65	18.30	>=500
CH165	5825	17.70	17.90	>=500

TX CH 149




Date: 12.AUG.2017 16:46:44

TX CH 157



Date: 12.AUG.2017 16:47:47

TX CH 165




Date: 12.AUG.2017 16:48:47

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.41	36.40	>=500
CH159	5795	36.50	36.40	>=500

TX CH 151



Date: 12.AUG.2017 17:17:34

TX CH 159




Date: 12.AUG.2017 17:20:02

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	76.60	76.00	>=500

TX CH 155



Date: 12.AUG.2017 17:33:35

ATTACHMENT F - MAXIMUM OUTPUT POWER

Non-Beamforming

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	18.35	0.22	18.57	30.00	1.00
CH40	5200	18.56	0.22	18.78	30.00	1.00
CH48	5240	21.48	0.22	21.70	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.67	0.46	18.13	30.00	1.00
CH40	5200	18.86	0.46	19.32	30.00	1.00
CH48	5240	22.28	0.46	22.74	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.41	0.46	17.87	30.00	1.00
CH40	5200	18.34	0.46	18.80	30.00	1.00
CH48	5240	21.84	0.46	22.30	30.00	1.00

Test Mode: UNII-1/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	21.01	30.00	1.00
CH40	5200	22.08	30.00	1.00
CH48	5240	25.54	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.34	0.97	15.31	30.00	1.00
CH46	5230	19.64	0.97	20.61	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.83	0.97	15.80	30.00	1.00
CH46	5230	19.87	0.97	20.84	30.00	1.00

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	18.57	30.00	1.00
CH46	5230	23.74	30.00	1.00

Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.62	0.22	18.84	30.00	1.00
CH157	5785	18.76	0.22	18.98	30.00	1.00
CH165	5825	20.58	0.22	20.80	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.06	0.46	18.52	30.00	1.00
CH157	5785	18.36	0.46	18.82	30.00	1.00
CH165	5825	20.91	0.46	21.37	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.46	0.46	18.92	30.00	1.00
CH157	5785	18.48	0.46	18.94	30.00	1.00
CH165	5825	20.81	0.46	21.27	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.73	30.00	1.00
CH157	5785	21.89	30.00	1.00
CH165	5825	24.33	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.37	0.97	21.34	30.00	1.00
CH159	5795	22.14	0.97	23.11	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.02	0.97	20.99	30.00	1.00
CH159	5795	21.31	0.97	22.28	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	24.18	30.00	1.00
CH159	5795	25.73	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.95	0.22	18.17	30.00	1.00
CH40	5200	19.14	0.22	19.36	30.00	1.00
CH48	5240	22.03	0.22	22.25	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.27	0.22	17.49	30.00	1.00
CH40	5200	18.76	0.22	18.98	30.00	1.00
CH48	5240	21.49	0.22	21.71	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	20.85	30.00	1.00
CH40	5200	22.18	30.00	1.00
CH48	5240	25.00	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.34	0.52	13.86	30.00	1.00
CH46	5230	18.93	0.52	19.45	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.13	0.52	14.65	30.00	1.00
CH46	5230	19.22	0.52	19.74	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	17.28	30.00	1.00
CH46	5230	22.61	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.43	1.05	14.48	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.96	1.05	15.01	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	17.76	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.04	0.22	19.26	30.00	1.00
CH157	5785	18.43	0.22	18.65	30.00	1.00
CH165	5825	20.71	0.22	20.93	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.66	0.22	18.88	30.00	1.00
CH157	5785	18.23	0.22	18.45	30.00	1.00
CH165	5825	20.89	0.22	21.11	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.08	30.00	1.00
CH157	5785	21.56	30.00	1.00
CH165	5825	24.03	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.89	0.52	21.41	30.00	1.00
CH159	5795	22.69	0.52	23.21	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.65	0.52	21.17	30.00	1.00
CH159	5795	21.95	0.52	22.47	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	24.30	30.00	1.00
CH159	5795	25.87	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	21.54	1.05	22.59	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	22.23	1.05	23.28	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	25.96	30.00	1.00

Beamforming

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.67	0.46	18.13	30.00	1.00
CH40	5200	18.86	0.46	19.32	30.00	1.00
CH48	5240	22.28	0.46	22.74	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.41	0.46	17.87	30.00	1.00
CH40	5200	18.34	0.46	18.80	30.00	1.00
CH48	5240	21.84	0.46	22.30	30.00	1.00

Test Mode: UNII-1/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	21.01	30.00	1.00
CH40	5200	22.08	30.00	1.00
CH48	5240	25.54	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.34	1.15	15.49	30.00	1.00
CH46	5230	19.64	1.15	20.79	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.83	1.15	15.98	30.00	1.00
CH46	5230	19.87	1.15	21.02	30.00	1.00

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	18.75	30.00	1.00
CH46	5230	23.92	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.06	0.46	18.52	30.00	1.00
CH157	5785	18.36	0.46	18.82	30.00	1.00
CH165	5825	20.91	0.46	21.37	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.46	0.46	18.92	30.00	1.00
CH157	5785	18.48	0.46	18.94	30.00	1.00
CH165	5825	20.81	0.46	21.27	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.73	30.00	1.00
CH157	5785	21.89	30.00	1.00
CH165	5825	24.33	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.37	1.15	21.52	30.00	1.00
CH159	5795	22.14	1.15	23.29	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.02	1.15	21.17	30.00	1.00
CH159	5795	21.31	1.15	22.46	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	24.36	30.00	1.00
CH159	5795	25.91	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.95	0.22	18.17	30.00	1.00
CH40	5200	19.14	0.22	19.36	30.00	1.00
CH48	5240	22.03	0.22	22.25	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.27	0.22	17.49	30.00	1.00
CH40	5200	18.76	0.22	18.98	30.00	1.00
CH48	5240	21.49	0.22	21.71	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	20.85	30.00	1.00
CH40	5200	22.18	30.00	1.00
CH48	5240	25.00	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.34	1.06	14.40	30.00	1.00
CH46	5230	18.93	1.06	19.99	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.13	1.06	15.19	30.00	1.00
CH46	5230	19.22	1.06	20.28	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	17.82	30.00	1.00
CH46	5230	23.15	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.43	1.05	14.48	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.96	1.05	15.01	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	17.76	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.04	0.22	19.26	30.00	1.00
CH157	5785	18.43	0.22	18.65	30.00	1.00
CH165	5825	20.71	0.22	20.93	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.66	0.22	18.88	30.00	1.00
CH157	5785	18.23	0.22	18.45	30.00	1.00
CH165	5825	20.89	0.22	21.11	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.08	30.00	1.00
CH157	5785	21.56	30.00	1.00
CH165	5825	24.03	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.89	1.06	21.95	30.00	1.00
CH159	5795	22.69	1.06	23.75	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.65	1.06	21.71	30.00	1.00
CH159	5795	21.95	1.06	23.01	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	24.84	30.00	1.00
CH159	5795	26.41	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	21.54	1.05	22.59	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	22.23	1.05	23.28	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	25.96	30.00	1.00


ATTACHMENT H - POWER SPECTRAL DENSITY

Non-Beamforming

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.70	0.22	5.92	17.00
CH40	5200	6.74	0.22	6.96	17.00
CH48	5240	10.42	0.22	10.64	17.00

CH36




Date: 12.AUG.2017 13:29:32

CH40



Date: 12.AUG.2017 13:30:39

CH48




Date: 12.AUG.2017 13:31:30

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	12.55	0.22	12.77	30.00
CH157	5785	12.20	0.22	12.42	30.00
CH165	5825	12.33	0.22	12.55	30.00

TX CH149




Date: 12.AUG.2017 13:32:29

TX CH157



Date: 12.AUG.2017 13:33:19


TX CH165



Date: 12.AUG.2017 13:34:08


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.45	0.46	4.91	17.00
CH40	5200	5.13	0.46	5.59	17.00
CH48	5240	10.62	0.46	11.08	17.00




Date: 12.AUG.2017 13:36:24

CH40



Date: 12.AUG.2017 13:37:55

CH48




Date: 12.AUG.2017 13:38:59

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.28	0.46	4.74	17.00
CH40	5200	4.82	0.46	5.28	17.00
CH48	5240	10.02	0.46	10.48	17.00

CH36




Date: 12.AUG.2017 13:42:58

CH40



Date: 12.AUG.2017 13:44:07

CH48



Date: 12.AUG.2017 13:45:08


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.84	17.00
CH40	5200	8.45	17.00
CH48	5240	13.80	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.80	0.97	-0.83	17.00
CH46	5230	5.01	0.97	5.98	17.00

CH38



Date: 12.AUG.2017 14:35:30

CH46




Date: 12.AUG.2017 14:37:06

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.38	0.97	-1.41	17.00
CH46	5230	3.95	0.97	4.92	17.00

CH38



Date: 12.AUG.2017 14:40:50

CH46



Date: 12.AUG.2017 14:41:56


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.90	17.00
CH46	5230	8.49	17.00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.37	0.46	10.83	30.00
CH157	5785	11.14	0.46	11.60	30.00
CH165	5825	10.14	0.46	10.60	30.00

TX CH149




Date: 12.AUG.2017 13:40:19

TX CH157



Date: 12.AUG.2017 13:41:13

TX CH165




Date: 12.AUG.2017 13:42:07

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	11.16	0.46	11.62	30.00
CH157	5785	12.28	0.46	12.74	30.00
CH165	5825	10.91	0.46	11.37	30.00

TX CH149




Date: 12.AUG.2017 13:46:11

TX CH157



Date: 12.AUG.2017 13:47:03

TX CH165



Date: 12.AUG.2017 13:51:15


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	14.25	30.00
CH157	5785	15.22	30.00
CH165	5825	14.01	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.27	0.97	8.24	30.00
CH159	5795	4.96	0.97	5.93	30.00

TX CH151



Date: 12.AUG.2017 14:38:31

TX CH159




Date: 12.AUG.2017 14:39:31

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.71	0.97	7.68	30.00
CH159	5795	5.41	0.97	6.38	30.00

TX CH151



Date: 12.AUG.2017 14:43:21

TX CH159




Date: 12.AUG.2017 14:44:34

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	10.98	30.00
CH159	5795	9.17	30.00


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.07	0.22	5.29	17.00
CH40	5200	6.82	0.22	7.04	17.00
CH48	5240	10.54	0.22	10.76	17.00




Date: 12.AUG.2017 13:53:23

CH40



Date: 12.AUG.2017 13:56:10


CH48



Date: 12.AUG.2017 13:57:01


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.70	0.22	4.92	17.00
CH40	5200	6.33	0.22	6.55	17.00
CH48	5240	10.14	0.22	10.36	17.00




Date: 12.AUG.2017 14:03:40

CH40



Date: 12.AUG.2017 14:04:40

CH48



Date: 12.AUG.2017 14:05:30


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.12	17.00
CH40	5200	9.81	17.00
CH48	5240	13.57	17.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.96	0.52	-0.44	17.00
CH46	5230	4.99	0.52	5.51	17.00

CH38



Date: 12.AUG.2017 14:51:55

CH46




Date: 12.AUG.2017 14:53:26

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.39	0.52	-1.87	17.00
CH46	5230	3.98	0.52	4.50	17.00

CH38



Date: 12.AUG.2017 14:57:32

CH46




Date: 12.AUG.2017 14:58:24

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.91	17.00
CH46	5230	8.04	17.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.99	1.05	-1.94	17.00



Date: 12.AUG.2017 15:04:36

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.49	1.05	-3.44	17.00



Date: 12.AUG.2017 15:07:24


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.38	17.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.96	0.22	11.18	30.00
CH157	5785	12.28	0.22	12.50	30.00
CH165	5825	10.64	0.22	10.86	30.00

TX CH149




Date: 12.AUG.2017 13:59:48

TX CH157



Date: 12.AUG.2017 14:00:39

TX CH165




Date: 12.AUG.2017 14:02:35

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	11.92	0.22	12.14	30.00
CH157	5785	13.60	0.22	13.82	30.00
CH165	5825	11.27	0.22	11.49	30.00

TX CH149




Date: 12.AUG.2017 14:06:19

TX CH157



Date: 12.AUG.2017 14:07:17

TX CH165



Date: 12.AUG.2017 14:18:42


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	14.70	30.00
CH157	5785	16.22	30.00
CH165	5825	14.20	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	8.03	0.52	8.55	30.00
CH159	5795	8.23	0.52	8.75	30.00

TX CH151



Date: 12.AUG.2017 14:55:23

TX CH159




Date: 12.AUG.2017 14:56:28

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.57	0.52	8.09	30.00
CH159	5795	8.02	0.52	8.54	30.00

TX CH151



Date: 12.AUG.2017 14:59:25

TX CH159




Date: 12.AUG.2017 15:00:23

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	11.34	30.00
CH159	5795	11.66	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.84	1.05	3.89	30.00




Date: 12.AUG.2017 15:06:15

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.33	1.05	3.38	30.00

TX CH155



Date: 12.AUG.2017 15:08:20


Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	6.65	30.00

Beamforming


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.16	0.46	4.62	17.00
CH40	5200	5.02	0.46	5.48	17.00
CH48	5240	10.23	0.46	10.69	17.00




Date: 12.AUG.2017 15:48:49

CH40



Date: 12.AUG.2017 15:49:50

CH48




Date: 12.AUG.2017 15:50:35

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.06	0.46	4.52	17.00
CH40	5200	4.60	0.46	5.06	17.00
CH48	5240	9.74	0.46	10.20	17.00

CH36




Date: 12.AUG.2017 15:58:22

CH40



Date: 12.AUG.2017 15:59:13

CH48



Date: 12.AUG.2017 16:00:05


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.58	17.00
CH40	5200	8.29	17.00
CH48	5240	13.46	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.28	1.15	-0.13	17.00
CH46	5230	4.96	1.15	6.11	17.00

CH38



Date: 12.AUG.2017 16:58:14

CH46




Date: 12.AUG.2017 16:59:32

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.40	1.15	-1.25	17.00
CH46	5230	3.75	1.15	4.90	17.00

CH38



Date: 12.AUG.2017 17:03:50

CH46



Date: 12.AUG.2017 17:04:49


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.36	17.00
CH46	5230	8.56	17.00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.43	0.46	10.89	30.00
CH157	5785	11.16	0.46	11.62	30.00
CH165	5825	10.00	0.46	10.46	30.00

TX CH149




Date: 12.AUG.2017 15:51:54

TX CH157



Date: 12.AUG.2017 15:52:43

TX CH165




Date: 12.AUG.2017 15:53:32

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.93	0.46	11.39	30.00
CH157	5785	11.96	0.46	12.42	30.00
CH165	5825	10.70	0.46	11.16	30.00

TX CH149




Date: 12.AUG.2017 16:03:40

TX CH157



Date: 12.AUG.2017 16:07:14

TX CH165



Date: 12.AUG.2017 16:10:17


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	14.16	30.00
CH157	5785	15.05	30.00
CH165	5825	13.83	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.04	1.15	8.19	30.00
CH159	5795	5.81	1.15	6.96	30.00

TX CH151



Date: 12.AUG.2017 17:00:44

TX CH159




Date: 12.AUG.2017 17:01:40

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.86	1.15	8.01	30.00
CH159	5795	7.05	1.15	8.20	30.00

TX CH151



Date: 12.AUG.2017 17:06:16

TX CH159



Date: 12.AUG.2017 17:07:16


Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	11.11	30.00
CH159	5795	10.63	30.00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.72	0.22	4.94	17.00
CH40	5200	6.55	0.22	6.77	17.00
CH48	5240	10.05	0.22	10.27	17.00

CH36




Date: 12.AUG.2017 16:39:53

CH40



Date: 12.AUG.2017 16:44:53


CH48



Date: 12.AUG.2017 16:45:58


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.30	0.22	4.52	17.00
CH40	5200	6.19	0.22	6.41	17.00
CH48	5240	10.10	0.22	10.32	17.00




Date: 12.AUG.2017 16:49:47

CH40



Date: 12.AUG.2017 16:51:15

CH48



Date: 12.AUG.2017 16:52:10


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.75	17.00
CH40	5200	9.60	17.00
CH48	5240	13.31	17.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.62	1.06	-1.56	17.00
CH46	5230	4.02	1.06	5.08	17.00

CH38



Date: 12.AUG.2017 17:09:14

CH46




Date: 12.AUG.2017 17:11:53

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.77	1.06	-2.71	17.00
CH46	5230	2.41	1.06	3.47	17.00

CH38



Date: 12.AUG.2017 17:22:41

CH46




Date: 12.AUG.2017 17:23:59

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.91	17.00
CH46	5230	7.36	17.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-12.87	1.05	-11.82	17.00



Date: 12.AUG.2017 17:32:39

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.69	1.05	-3.64	17.00



Date: 12.AUG.2017 17:35:41


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-3.03	17.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.74	0.22	10.96	30.00
CH157	5785	12.13	0.22	12.35	30.00
CH165	5825	10.30	0.22	10.52	30.00

TX CH149




Date: 12.AUG.2017 16:46:52

TX CH157



Date: 12.AUG.2017 16:47:56

TX CH165




Date: 12.AUG.2017 16:48:55

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	11.63	0.22	11.85	30.00
CH157	5785	13.32	0.22	13.54	30.00
CH165	5825	11.34	0.22	11.56	30.00

TX CH149




Date: 12.AUG.2017 16:53:34

TX CH157



Date: 12.AUG.2017 16:54:30

TX CH165



Date: 12.AUG.2017 16:55:32


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	14.44	30.00
CH157	5785	16.00	30.00
CH165	5825	14.08	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.78	1.06	7.84	30.00
CH159	5795	6.18	1.06	7.24	30.00

TX CH151



Date: 12.AUG.2017 17:17:46

TX CH159




Date: 12.AUG.2017 17:20:14

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.50	1.06	7.56	30.00
CH159	5795	6.64	1.06	7.70	30.00

TX CH151



Date: 12.AUG.2017 17:26:55

TX CH159




Date: 12.AUG.2017 17:28:41

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	10.71	30.00
CH159	5795	10.49	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.09	1.05	3.14	30.00




Date: 12.AUG.2017 17:33:46

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.28	1.05	3.33	30.00

TX CH155



Date: 12.AUG.2017 17:37:09

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	6.25	30.00

ATTACHMENT H - FREQUENCY STABILITY

Non-Beamforming

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9432
120	5179.9432
108	5179.9432
Max. Deviation (MHz)	0.0568
Max. Deviation (ppm)	10.9653

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5179.9428
5	5179.9428
15	5179.9432
25	5179.9428
35	5179.9428
45	5179.9432
50	5179.9428
Max. Deviation (MHz)	0.0572
Max. Deviation (ppm)	11.0425

Test Mode:	UNII-3
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9372
120	5744.9372
108	5744.9372
Max. Deviation (MHz)	0.0628
Max. Deviation (ppm)	10.9312

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5744.9368
5	5744.9368
15	5744.9372
25	5744.9368
35	5744.9368
45	5744.9368
50	5744.9368
Max. Deviation (MHz)	0.0632
Max. Deviation (ppm)	11.0009

Beamforming

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9432
120	5179.9428
108	5179.9432
Max. Deviation (MHz)	0.0568
Max. Deviation (ppm)	10.9653

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5179.9428
5	5179.9428
15	5179.9428
25	5179.9432
35	5179.9428
45	5179.9428
50	5179.9428
Max. Deviation (MHz)	0.0572
Max. Deviation (ppm)	11.0425

Test Mode:	UNII-3
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9372
120	5744.9372
108	5744.9372
Max. Deviation (MHz)	0.0628
Max. Deviation (ppm)	10.9312

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5744.9368
5	5744.9368
15	5744.9372
25	5744.9372
35	5744.9368
45	5744.9368
50	5744.9368
Max. Deviation (MHz)	0.0632
Max. Deviation (ppm)	11.0009