














































11.4.3. NSS=8 Test Result

Test Mode	Antenna	Channel	Power [dBm]	FCC Limit [dBm]	Verdict
11A-CDD	Ant1	5180	17.12	≤30.00	PASS
	Ant2	5180	16.56	≤30.00	PASS
	Ant3	5180	16.38	≤30.00	PASS
	Ant4	5180	17.15	≤30.00	PASS
	Ant9	5180	17.81	≤30.00	PASS
	Ant10	5180	17.65	≤30.00	PASS
	Ant15	5180	17.60	≤30.00	PASS
	Ant16	5180	17.40	≤30.00	PASS
	total	5180	26.27	≤30.00	PASS
	Ant1	5200	17.12	≤30.00	PASS
	Ant2	5200	16.71	≤30.00	PASS
	Ant3	5200	16.23	≤30.00	PASS
	Ant4	5200	16.87	≤30.00	PASS
	Ant9	5200	17.93	≤30.00	PASS
	Ant10	5200	17.42	≤30.00	PASS
	Ant15	5200	17.55	≤30.00	PASS
	Ant16	5200	17.50	≤30.00	PASS
	total	5200	26.23	≤30.00	PASS
	Ant1	5240	16.75	≤30.00	PASS
	Ant2	5240	16.80	≤30.00	PASS
	Ant3	5240	16.03	≤30.00	PASS
	Ant4	5240	16.09	≤30.00	PASS
	Ant9	5240	17.37	≤30.00	PASS
	Ant10	5240	16.99	≤30.00	PASS
	Ant15	5240	17.15	≤30.00	PASS
	Ant16	5240	17.07	≤30.00	PASS
	total	5240	25.84	≤30.00	PASS
	Ant1	5260	11.70	≤23.71	PASS
	Ant2	5260	10.46	≤23.80	PASS
	Ant3	5260	9.65	≤23.80	PASS
	Ant4	5260	10.55	≤23.86	PASS
	Ant9	5260	12.03	≤23.81	PASS
	Ant10	5260	11.07	≤23.77	PASS
	Ant15	5260	11.37	≤23.75	PASS
	Ant16	5260	10.81	≤23.67	PASS
	total	5260	20.04	≤23.98	PASS
	Ant1	5280	11.49	≤23.80	PASS
	Ant2	5280	10.39	≤23.79	PASS
	Ant3	5280	9.76	≤23.66	PASS
	Ant4	5280	10.24	≤23.79	PASS
	Ant9	5280	11.66	≤23.70	PASS
	Ant10	5280	10.92	≤23.68	PASS
	Ant15	5280	11.29	≤23.77	PASS
	Ant16	5280	10.51	≤23.71	PASS
	total	5280	19.86	≤23.98	PASS
	Ant1	5320	11.48	≤23.98	PASS
	Ant2	5320	10.85	≤23.79	PASS
	Ant3	5320	10.17	≤23.75	PASS
	Ant4	5320	11.09	≤23.76	PASS
	Ant9	5320	11.42	≤23.57	PASS
	Ant10	5320	11.06	≤23.65	PASS
	Ant15	5320	11.39	≤23.70	PASS
	Ant16	5320	10.90	≤23.72	PASS
	total	5320	20.09	≤23.98	PASS
	Ant1	5500	11.09	≤23.79	PASS
	Ant2	5500	10.01	≤23.81	PASS
	Ant3	5500	10.22	≤23.72	PASS
	Ant4	5500	10.69	≤23.86	PASS
	Ant9	5500	10.86	≤23.64	PASS

	Ant10	5500	10.96	≤23.75	PASS
	Ant15	5500	10.93	≤23.81	PASS
	Ant16	5500	10.33	≤23.69	PASS
	total	5500	19.68	≤23.98	PASS
	Ant1	5580	11.29	≤23.71	PASS
	Ant2	5580	9.85	≤23.67	PASS
	Ant3	5580	10.94	≤23.98	PASS
	Ant4	5580	10.76	≤23.73	PASS
	Ant9	5580	11.50	≤23.70	PASS
	Ant10	5580	10.03	≤23.73	PASS
	Ant15	5580	11.13	≤23.76	PASS
	Ant16	5580	10.20	≤23.60	PASS
	total	5580	19.78	≤23.98	PASS
	Ant1	5700	11.25	≤23.87	PASS
	Ant2	5700	9.97	≤23.81	PASS
	Ant3	5700	10.49	≤23.90	PASS
	Ant4	5700	10.32	≤23.67	PASS
	Ant9	5700	12.19	≤23.72	PASS
	Ant10	5700	11.77	≤23.63	PASS
	Ant15	5700	11.60	≤23.85	PASS
	Ant16	5700	11.57	≤23.90	PASS
	total	5700	20.24	≤23.98	PASS
	Ant1	5720 UNII-2C	9.30	≤22.67	PASS
	Ant2	5720 UNII-2C	7.96	≤22.50	PASS
	Ant3	5720 UNII-2C	9.38	≤22.63	PASS
	Ant4	5720 UNII-2C	10.37	≤22.55	PASS
	Ant9	5720 UNII-2C	9.09	≤22.69	PASS
	Ant10	5720 UNII-2C	10.09	≤22.69	PASS
	Ant15	5720 UNII-2C	9.97	≤22.52	PASS
	Ant16	5720 UNII-2C	10.30	≤22.64	PASS
	total	5720 UNII-2C	18.65	≤23.98	PASS
	Ant1	5720 UNII-3	3.79	≤30.00	PASS
	Ant2	5720 UNII-3	1.29	≤30.00	PASS
	Ant3	5720 UNII-3	1.30	≤30.00	PASS
	Ant4	5720 UNII-3	3.59	≤30.00	PASS
	Ant9	5720 UNII-3	3.64	≤30.00	PASS
	Ant10	5720 UNII-3	4.27	≤30.00	PASS
	Ant15	5720 UNII-3	3.99	≤30.00	PASS
	Ant16	5720 UNII-3	3.86	≤30.00	PASS
	total	5720 UNII-3	12.38	≤30.00	PASS
11AX20MIMO	Ant1	5180	17.47	≤30.00	PASS
	Ant2	5180	16.90	≤30.00	PASS
	Ant3	5180	16.56	≤30.00	PASS
	Ant4	5180	17.03	≤30.00	PASS
	Ant9	5180	18.13	≤30.00	PASS
	Ant10	5180	17.52	≤30.00	PASS
	Ant15	5180	17.56	≤30.00	PASS
	Ant16	5180	17.33	≤30.00	PASS
	total	5180	26.37	≤30.00	PASS
	Ant1	5200	17.42	≤30.00	PASS
	Ant2	5200	17.34	≤30.00	PASS
	Ant3	5200	16.48	≤30.00	PASS
	Ant4	5200	16.76	≤30.00	PASS
	Ant9	5200	18.26	≤30.00	PASS
	Ant10	5200	17.59	≤30.00	PASS
	Ant15	5200	17.89	≤30.00	PASS
	Ant16	5200	17.50	≤30.00	PASS
	total	5200	26.47	≤30.00	PASS
	Ant1	5240	17.30	≤30.00	PASS
	Ant2	5240	17.73	≤30.00	PASS
	Ant3	5240	16.05	≤30.00	PASS
	Ant4	5240	16.03	≤30.00	PASS
	Ant9	5240	17.65	≤30.00	PASS

	Ant10	5240	17.48	≤30.00	PASS
	Ant15	5240	17.47	≤30.00	PASS
	Ant16	5240	17.71	≤30.00	PASS
	total	5240	26.26	≤30.00	PASS
	Ant1	5260	12.21	≤23.98	PASS
	Ant2	5260	11.80	≤23.98	PASS
	Ant3	5260	9.95	≤23.98	PASS
	Ant4	5260	10.45	≤23.98	PASS
	Ant9	5260	12.64	≤23.98	PASS
	Ant10	5260	11.83	≤23.98	PASS
	Ant15	5260	12.18	≤23.98	PASS
	Ant16	5260	11.22	≤23.98	PASS
	total	5260	20.65	≤23.98	PASS
	Ant1	5280	12.45	≤23.98	PASS
	Ant2	5280	11.78	≤23.98	PASS
	Ant3	5280	10.06	≤23.98	PASS
	Ant4	5280	10.48	≤23.98	PASS
	Ant9	5280	12.39	≤23.98	PASS
	Ant10	5280	11.64	≤23.98	PASS
	Ant15	5280	12.09	≤23.98	PASS
	Ant16	5280	11.43	≤23.98	PASS
	total	5280	20.64	≤23.98	PASS
	Ant1	5320	12.26	≤23.98	PASS
	Ant2	5320	12.18	≤23.98	PASS
	Ant3	5320	10.66	≤23.98	PASS
	Ant4	5320	10.93	≤23.98	PASS
	Ant9	5320	12.34	≤23.98	PASS
	Ant10	5320	11.68	≤23.98	PASS
	Ant15	5320	12.45	≤23.98	PASS
	Ant16	5320	11.62	≤23.98	PASS
	total	5320	20.84	≤23.98	PASS
	Ant1	5500	11.86	≤23.98	PASS
	Ant2	5500	11.55	≤23.98	PASS
	Ant3	5500	10.98	≤23.98	PASS
	Ant4	5500	11.63	≤23.98	PASS
	Ant9	5500	11.79	≤23.98	PASS
	Ant10	5500	12.02	≤23.98	PASS
	Ant15	5500	12.00	≤23.98	PASS
	Ant16	5500	11.91	≤23.98	PASS
	total	5500	20.76	≤23.98	PASS
	Ant1	5580	11.93	≤23.98	PASS
	Ant2	5580	11.51	≤23.98	PASS
	Ant3	5580	11.73	≤23.98	PASS
	Ant4	5580	11.27	≤23.98	PASS
	Ant9	5580	12.33	≤23.98	PASS
	Ant10	5580	11.53	≤23.98	PASS
	Ant15	5580	11.82	≤23.98	PASS
	Ant16	5580	11.84	≤23.98	PASS
	total	5580	20.79	≤23.98	PASS
	Ant1	5700	11.13	≤23.98	PASS
	Ant2	5700	10.87	≤23.98	PASS
	Ant3	5700	10.14	≤23.98	PASS
	Ant4	5700	9.89	≤23.98	PASS
	Ant9	5700	12.31	≤23.98	PASS
	Ant10	5700	11.42	≤23.98	PASS
	Ant15	5700	11.92	≤23.98	PASS
	Ant16	5700	11.87	≤23.98	PASS
	total	5700	20.30	≤23.98	PASS
	Ant1	5720_UNII-2C	8.94	≤22.98	PASS
	Ant2	5720_UNII-2C	8.99	≤22.80	PASS
	Ant3	5720_UNII-2C	8.43	≤22.86	PASS
	Ant4	5720_UNII-2C	9.55	≤22.91	PASS
	Ant9	5720_UNII-2C	9.71	≤22.78	PASS


	Ant10	5720 UNII-2C	9.12	≤22.88	PASS
	Ant15	5720 UNII-2C	10.08	≤22.81	PASS
	Ant16	5720 UNII-2C	9.83	≤22.91	PASS
	total	5720 UNII-2C	18.39	≤23.98	PASS
	Ant1	5720 UNII-3	3.25	≤30.00	PASS
	Ant2	5720 UNII-3	2.84	≤30.00	PASS
	Ant3	5720 UNII-3	2.55	≤30.00	PASS
	Ant4	5720 UNII-3	3.44	≤30.00	PASS
	Ant9	5720 UNII-3	4.06	≤30.00	PASS
	Ant10	5720 UNII-3	3.40	≤30.00	PASS
	Ant15	5720 UNII-3	4.23	≤30.00	PASS
	Ant16	5720 UNII-3	3.73	≤30.00	PASS
	total	5720 UNII-3	12.50	≤30.00	PASS
11AX40MIMO	Ant1	5190	19.52	≤30.00	PASS
	Ant2	5190	18.97	≤30.00	PASS
	Ant3	5190	19.16	≤30.00	PASS
	Ant4	5190	20.04	≤30.00	PASS
	Ant9	5190	19.64	≤30.00	PASS
	Ant10	5190	19.09	≤30.00	PASS
	Ant15	5190	19.22	≤30.00	PASS
	Ant16	5190	19.39	≤30.00	PASS
	total	5190	28.42	≤30.00	PASS
	Ant1	5230	19.43	≤30.00	PASS
	Ant2	5230	20.45	≤30.00	PASS
	Ant3	5230	19.33	≤30.00	PASS
	Ant4	5230	19.69	≤30.00	PASS
	Ant9	5230	20.79	≤30.00	PASS
	Ant10	5230	20.32	≤30.00	PASS
	Ant15	5230	20.60	≤30.00	PASS
	Ant16	5230	20.31	≤30.00	PASS
	total	5230	29.18	≤30.00	PASS
	Ant1	5270	13.78	≤23.98	PASS
	Ant2	5270	13.97	≤23.98	PASS
	Ant3	5270	13.59	≤23.98	PASS
	Ant4	5270	13.69	≤23.98	PASS
	Ant9	5270	15.25	≤23.98	PASS
	Ant10	5270	14.34	≤23.98	PASS
	Ant15	5270	15.01	≤23.98	PASS
	Ant16	5270	13.99	≤23.98	PASS
	total	5270	23.27	≤23.98	PASS
	Ant1	5310	13.75	≤23.98	PASS
	Ant2	5310	14.18	≤23.98	PASS
	Ant3	5310	13.52	≤23.98	PASS
	Ant4	5310	13.63	≤23.98	PASS
	Ant9	5310	14.65	≤23.98	PASS
	Ant10	5310	13.84	≤23.98	PASS
	Ant15	5310	14.65	≤23.98	PASS
	Ant16	5310	13.96	≤23.98	PASS
	total	5310	23.07	≤23.98	PASS
	Ant1	5510	14.18	≤23.98	PASS
	Ant2	5510	13.80	≤23.98	PASS
	Ant3	5510	13.44	≤23.98	PASS
	Ant4	5510	14.09	≤23.98	PASS
	Ant9	5510	14.18	≤23.98	PASS
	Ant10	5510	14.32	≤23.98	PASS
	Ant15	5510	14.50	≤23.98	PASS
	Ant16	5510	13.49	≤23.98	PASS
	total	5510	23.05	≤23.98	PASS
	Ant1	5550	14.29	≤23.98	PASS
	Ant2	5550	13.79	≤23.98	PASS
	Ant3	5550	13.17	≤23.98	PASS
	Ant4	5550	13.60	≤23.98	PASS
	Ant9	5550	14.56	≤23.98	PASS


	Ant10	5550	13.59	≤23.98	PASS
	Ant15	5550	14.30	≤23.98	PASS
	Ant16	5550	13.23	≤23.98	PASS
	total	5550	22.87	≤23.98	PASS
	Ant1	5670	14.39	≤23.98	PASS
	Ant2	5670	14.46	≤23.98	PASS
	Ant3	5670	13.94	≤23.98	PASS
	Ant4	5670	14.40	≤23.98	PASS
	Ant9	5670	15.30	≤23.98	PASS
	Ant10	5670	14.26	≤23.98	PASS
	Ant15	5670	14.65	≤23.98	PASS
	Ant16	5670	13.73	≤23.98	PASS
	total	5670	23.44	≤23.98	PASS
	Ant1	5710 UNII-2C	12.77	≤23.98	PASS
	Ant2	5710 UNII-2C	12.69	≤23.98	PASS
	Ant3	5710 UNII-2C	12.84	≤23.98	PASS
	Ant4	5710 UNII-2C	13.07	≤23.98	PASS
	Ant9	5710 UNII-2C	14.14	≤23.98	PASS
	Ant10	5710 UNII-2C	13.41	≤23.98	PASS
	Ant15	5710 UNII-2C	13.64	≤23.98	PASS
	Ant16	5710 UNII-2C	13.56	≤23.98	PASS
	total	5710 UNII-2C	22.32	≤23.98	PASS
	Ant1	5710 UNII-3	1.80	≤30.00	PASS
	Ant2	5710 UNII-3	1.37	≤30.00	PASS
	Ant3	5710 UNII-3	1.18	≤30.00	PASS
	Ant4	5710 UNII-3	1.47	≤30.00	PASS
	Ant9	5710 UNII-3	2.99	≤30.00	PASS
	Ant10	5710 UNII-3	2.37	≤30.00	PASS
	Ant15	5710 UNII-3	2.14	≤30.00	PASS
	Ant16	5710 UNII-3	1.73	≤30.00	PASS
	total	5710 UNII-3	10.95	≤30.00	PASS


Note: 1. Conducted Power=Meas. Level+ Correction Factor


2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.


11.4.4. NSS=8 Test Graphs












































11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY

11.5.1. NSS=1 Test Result

Test Mode	Antenna	Channel	Power [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A-CDD	Ant1	5180	2.67	≤11.97	PASS
	Ant2	5180	1.81	≤11.97	PASS
	Ant3	5180	2.18	≤11.97	PASS
	Ant4	5180	3.2	≤11.97	PASS
	Ant9	5180	3.3	≤11.97	PASS
	Ant10	5180	1.97	≤11.97	PASS
	Ant15	5180	1.8	≤11.97	PASS
	Ant16	5180	1.18	≤11.97	PASS
	total	5180	11.35	≤11.97	PASS
	Ant1	5200	2.16	≤11.97	PASS
	Ant2	5200	1.68	≤11.97	PASS
	Ant3	5200	1.68	≤11.97	PASS
	Ant4	5200	2.89	≤11.97	PASS
	Ant9	5200	2.14	≤11.97	PASS
	Ant10	5200	1.78	≤11.97	PASS
	Ant15	5200	1.8	≤11.97	PASS
	Ant16	5200	1.79	≤11.97	PASS
	total	5200	11.04	≤11.97	PASS
	Ant1	5240	1.88	≤11.97	PASS
	Ant2	5240	2.44	≤11.97	PASS
	Ant3	5240	1.63	≤11.97	PASS
	Ant4	5240	3.18	≤11.97	PASS
	Ant9	5240	3.02	≤11.97	PASS
	Ant10	5240	2.89	≤11.97	PASS
	Ant15	5240	2.01	≤11.97	PASS
	Ant16	5240	1.38	≤11.97	PASS
	total	5240	11.38	≤11.97	PASS
	Ant1	5260	-3.78	≤5.97	PASS
	Ant2	5260	-4.32	≤5.97	PASS
	Ant3	5260	-3.38	≤5.97	PASS
	Ant4	5260	-2.87	≤5.97	PASS
	Ant9	5260	-3.06	≤5.97	PASS
	Ant10	5260	-3	≤5.97	PASS
	Ant15	5260	-4.32	≤5.97	PASS
	Ant16	5260	-4.08	≤5.97	PASS
	total	5260	5.47	≤5.97	PASS
	Ant1	5280	-3.87	≤5.97	PASS
	Ant2	5280	-4.61	≤5.97	PASS
	Ant3	5280	-3.99	≤5.97	PASS
	Ant4	5280	-2.5	≤5.97	PASS
	Ant9	5280	-3.06	≤5.97	PASS
	Ant10	5280	-2.77	≤5.97	PASS
	Ant15	5280	-3.85	≤5.97	PASS
	Ant16	5280	-4.62	≤5.97	PASS
	total	5280	5.44	≤5.97	PASS
	Ant1	5320	-3.44	≤5.97	PASS
	Ant2	5320	-3.47	≤5.97	PASS
	Ant3	5320	-2.99	≤5.97	PASS
	Ant4	5320	-2.45	≤5.97	PASS
	Ant9	5320	-3.13	≤5.97	PASS
	Ant10	5320	-3.49	≤5.97	PASS
	Ant15	5320	-4.09	≤5.97	PASS
	Ant16	5320	-4.83	≤5.97	PASS
	total	5320	5.60	≤5.97	PASS
	Ant1	5500	-4.19	≤5.97	PASS
	Ant2	5500	-3.48	≤5.97	PASS
	Ant3	5500	-2.44	≤5.97	PASS

	Ant4	5500	-3.04	≤5.97	PASS
	Ant9	5500	-2.64	≤5.97	PASS
	Ant10	5500	-3.87	≤5.97	PASS
	Ant15	5500	-5	≤5.97	PASS
	Ant16	5500	-6.39	≤5.97	PASS
	total	5500	5.31	≤5.97	PASS
	Ant1	5580	-3.34	≤5.97	PASS
	Ant2	5580	-2.73	≤5.97	PASS
	Ant3	5580	-2.59	≤5.97	PASS
	Ant4	5580	-2.84	≤5.97	PASS
	Ant9	5580	-2.93	≤5.97	PASS
	Ant10	5580	-3.22	≤5.97	PASS
	Ant15	5580	-4.17	≤5.97	PASS
	Ant16	5580	-6.5	≤5.97	PASS
	total	5580	5.63	≤5.97	PASS
	Ant1	5700	-2.98	≤5.97	PASS
	Ant2	5700	-3.75	≤5.97	PASS
	Ant3	5700	-2.77	≤5.97	PASS
	Ant4	5700	-3.05	≤5.97	PASS
	Ant9	5700	-2.53	≤5.97	PASS
	Ant10	5700	-2.87	≤5.97	PASS
	Ant15	5700	-5.78	≤5.97	PASS
	Ant16	5700	-6.74	≤5.97	PASS
	total	5700	5.44	≤5.97	PASS
	Ant1	5720 UNII-2C	-3.69	≤5.97	PASS
	Ant2	5720 UNII-2C	-3.68	≤5.97	PASS
	Ant3	5720 UNII-2C	-3.9	≤5.97	PASS
	Ant4	5720 UNII-2C	-3.84	≤5.97	PASS
	Ant9	5720 UNII-2C	-3.57	≤5.97	PASS
	Ant10	5720 UNII-2C	-3.33	≤5.97	PASS
	Ant15	5720 UNII-2C	-5.93	≤5.97	PASS
	Ant16	5720 UNII-2C	-8.03	≤5.97	PASS
	total	5720 UNII-2C	4.76	≤5.97	PASS
	Ant1	5720 UNII-3	-8.05	≤24.97	PASS
	Ant2	5720 UNII-3	-6.44	≤24.97	PASS
	Ant3	5720 UNII-3	-7.63	≤24.97	PASS
	Ant4	5720 UNII-3	-7.3	≤24.97	PASS
	Ant9	5720 UNII-3	-8.24	≤24.97	PASS
	Ant10	5720 UNII-3	-8.44	≤24.97	PASS
	Ant15	5720 UNII-3	-11.81	≤24.97	PASS
	Ant16	5720 UNII-3	-10.4	≤24.97	PASS
	total	5720 UNII-3	0.77	≤24.97	PASS
	Ant1	5745	7.9	≤24.97	PASS
	Ant2	5745	8.34	≤24.97	PASS
	Ant3	5745	6.33	≤24.97	PASS
	Ant4	5745	6.77	≤24.97	PASS
	Ant9	5745	6.97	≤24.97	PASS
	Ant10	5745	7.5	≤24.97	PASS
	Ant15	5745	8.75	≤24.97	PASS
	Ant16	5745	7.88	≤24.97	PASS
	total	5745	16.65	≤24.97	PASS
	Ant1	5785	7.1	≤24.97	PASS
	Ant2	5785	6.98	≤24.97	PASS
	Ant3	5785	6.56	≤24.97	PASS
	Ant4	5785	6.61	≤24.97	PASS
	Ant9	5785	8.38	≤24.97	PASS
	Ant10	5785	8.23	≤24.97	PASS
	Ant15	5785	8.64	≤24.97	PASS
	Ant16	5785	7.95	≤24.97	PASS
	total	5785	16.66	≤24.97	PASS
	Ant1	5825	7.64	≤24.97	PASS
	Ant2	5825	7.33	≤24.97	PASS
	Ant3	5825	7.66	≤24.97	PASS

	Ant4	5825	7.8	≤ 24.97	PASS
	Ant9	5825	8.07	≤ 24.97	PASS
	Ant10	5825	7.12	≤ 24.97	PASS
	Ant15	5825	8.54	≤ 24.97	PASS
	Ant16	5825	8.04	≤ 24.97	PASS
	total	5825	16.83	≤ 24.97	PASS
11AX20MIMO	Ant1	5180	2.44	≤ 11.97	PASS
	Ant2	5180	2.63	≤ 11.97	PASS
	Ant3	5180	1.47	≤ 11.97	PASS
	Ant4	5180	2.63	≤ 11.97	PASS
	Ant9	5180	2.15	≤ 11.97	PASS
	Ant10	5180	2.65	≤ 11.97	PASS
	Ant15	5180	1.87	≤ 11.97	PASS
	Ant16	5180	1.13	≤ 11.97	PASS
	total	5180	11.19	≤ 11.97	PASS
	Ant1	5200	2.69	≤ 11.97	PASS
	Ant2	5200	1.8	≤ 11.97	PASS
	Ant3	5200	2.01	≤ 11.97	PASS
	Ant4	5200	2.63	≤ 11.97	PASS
	Ant9	5200	2.49	≤ 11.97	PASS
	Ant10	5200	2.3	≤ 11.97	PASS
	Ant15	5200	2.04	≤ 11.97	PASS
	Ant16	5200	1.27	≤ 11.97	PASS
	total	5200	11.21	≤ 11.97	PASS
	Ant1	5240	3	≤ 11.97	PASS
	Ant2	5240	3.02	≤ 11.97	PASS
	Ant3	5240	1.51	≤ 11.97	PASS
	Ant4	5240	3.02	≤ 11.97	PASS
	Ant9	5240	3.04	≤ 11.97	PASS
	Ant10	5240	2.54	≤ 11.97	PASS
	Ant15	5240	1.47	≤ 11.97	PASS
	Ant16	5240	1.11	≤ 11.97	PASS
	total	5240	11.44	≤ 11.97	PASS
	Ant1	5260	-3.49	≤ 5.97	PASS
	Ant2	5260	-3.9	≤ 5.97	PASS
	Ant3	5260	-3.42	≤ 5.97	PASS
	Ant4	5260	-2.43	≤ 5.97	PASS
	Ant9	5260	-3.14	≤ 5.97	PASS
	Ant10	5260	-2.93	≤ 5.97	PASS
	Ant15	5260	-4.64	≤ 5.97	PASS
	Ant16	5260	-4.48	≤ 5.97	PASS
	total	5260	5.53	≤ 5.97	PASS
	Ant1	5280	-2.85	≤ 5.97	PASS
	Ant2	5280	-3.88	≤ 5.97	PASS
	Ant3	5280	-4.09	≤ 5.97	PASS
	Ant4	5280	-1.83	≤ 5.97	PASS
	Ant9	5280	-3.48	≤ 5.97	PASS
	Ant10	5280	-3.25	≤ 5.97	PASS
	Ant15	5280	-4.27	≤ 5.97	PASS
	Ant16	5280	-4.96	≤ 5.97	PASS
	total	5280	5.55	≤ 5.97	PASS
	Ant1	5320	-2.57	≤ 5.97	PASS
	Ant2	5320	-3.68	≤ 5.97	PASS
	Ant3	5320	-3.72	≤ 5.97	PASS
	Ant4	5320	-3.01	≤ 5.97	PASS
	Ant9	5320	-2.89	≤ 5.97	PASS
	Ant10	5320	-2.62	≤ 5.97	PASS
	Ant15	5320	-4.92	≤ 5.97	PASS
	Ant16	5320	-4.88	≤ 5.97	PASS
	total	5320	5.58	≤ 5.97	PASS
	Ant1	5500	-2.6	≤ 5.97	PASS
	Ant2	5500	-2.79	≤ 5.97	PASS
	Ant3	5500	-3.14	≤ 5.97	PASS

	Ant4	5500	-3.53	≤5.97	PASS
	Ant9	5500	-3.01	≤5.97	PASS
	Ant10	5500	-3.11	≤5.97	PASS
	Ant15	5500	-5.63	≤5.97	PASS
	Ant16	5500	-7.38	≤5.97	PASS
	total	5500	5.38	≤5.97	PASS
	Ant1	5580	-2.71	≤5.97	PASS
	Ant2	5580	-2.26	≤5.97	PASS
	Ant3	5580	-3.39	≤5.97	PASS
	Ant4	5580	-3.47	≤5.97	PASS
	Ant9	5580	-2.73	≤5.97	PASS
	Ant10	5580	-3.42	≤5.97	PASS
	Ant15	5580	-5.17	≤5.97	PASS
	Ant16	5580	-7.5	≤5.97	PASS
	total	5580	5.45	≤5.97	PASS
	Ant1	5700	-2.74	≤5.97	PASS
	Ant2	5700	-2.45	≤5.97	PASS
	Ant3	5700	-2.93	≤5.97	PASS
	Ant4	5700	-3.42	≤5.97	PASS
	Ant9	5700	-3.8	≤5.97	PASS
	Ant10	5700	-3.77	≤5.97	PASS
	Ant15	5700	-5.93	≤5.97	PASS
	Ant16	5700	-6.95	≤5.97	PASS
	total	5700	5.26	≤5.97	PASS
	Ant1	5720 UNII-2C	-3.09	≤5.97	PASS
	Ant2	5720 UNII-2C	-3.36	≤5.97	PASS
	Ant3	5720 UNII-2C	-3.5	≤5.97	PASS
	Ant4	5720 UNII-2C	-3.23	≤5.97	PASS
	Ant9	5720 UNII-2C	-3.08	≤5.97	PASS
	Ant10	5720 UNII-2C	-4.05	≤5.97	PASS
	Ant15	5720 UNII-2C	-7.03	≤5.97	PASS
	Ant16	5720 UNII-2C	-7.51	≤5.97	PASS
	total	5720 UNII-2C	4.96	≤5.97	PASS
	Ant1	5720 UNII-3	-6.88	≤24.97	PASS
	Ant2	5720 UNII-3	-6.27	≤24.97	PASS
	Ant3	5720 UNII-3	-8.54	≤24.97	PASS
	Ant4	5720 UNII-3	-7.71	≤24.97	PASS
	Ant9	5720 UNII-3	-8.01	≤24.97	PASS
	Ant10	5720 UNII-3	-7.34	≤24.97	PASS
	Ant15	5720 UNII-3	-12.1	≤24.97	PASS
	Ant16	5720 UNII-3	-9.45	≤24.97	PASS
	total	5720 UNII-3	1.03	≤24.97	PASS
	Ant1	5745	7.75	≤24.97	PASS
	Ant2	5745	7.71	≤24.97	PASS
	Ant3	5745	6.48	≤24.97	PASS
	Ant4	5745	6.93	≤24.97	PASS
	Ant9	5745	8.4	≤24.97	PASS
	Ant10	5745	7.81	≤24.97	PASS
	Ant15	5745	9.3	≤24.97	PASS
	Ant16	5745	7.82	≤24.97	PASS
	total	5745	16.88	≤24.97	PASS
	Ant1	5785	6.79	≤24.97	PASS
	Ant2	5785	7.37	≤24.97	PASS
	Ant3	5785	6.22	≤24.97	PASS
	Ant4	5785	6.68	≤24.97	PASS
	Ant9	5785	8.44	≤24.97	PASS
	Ant10	5785	7.04	≤24.97	PASS
	Ant15	5785	8.04	≤24.97	PASS
	Ant16	5785	7.51	≤24.97	PASS
	total	5785	16.35	≤24.97	PASS
	Ant1	5825	7.81	≤24.97	PASS
	Ant2	5825	6.27	≤24.97	PASS
	Ant3	5825	7.54	≤24.97	PASS

	Ant4	5825	6.34	≤24.97	PASS
	Ant9	5825	6.82	≤24.97	PASS
	Ant10	5825	7.19	≤24.97	PASS
	Ant15	5825	7.92	≤24.97	PASS
	Ant16	5825	6.81	≤24.97	PASS
	total	5825	16.16	≤24.97	PASS
11AX40MIMO	Ant1	5190	2.68	≤11.97	PASS
	Ant2	5190	1.98	≤11.97	PASS
	Ant3	5190	1.98	≤11.97	PASS
	Ant4	5190	3.14	≤11.97	PASS
	Ant9	5190	2.87	≤11.97	PASS
	Ant10	5190	2.61	≤11.97	PASS
	Ant15	5190	1.73	≤11.97	PASS
	Ant16	5190	0.92	≤11.97	PASS
	total	5190	11.32	≤11.97	PASS
	Ant1	5230	3.25	≤11.97	PASS
	Ant2	5230	3.08	≤11.97	PASS
	Ant3	5230	1.23	≤11.97	PASS
	Ant4	5230	2.16	≤11.97	PASS
	Ant9	5230	2.25	≤11.97	PASS
	Ant10	5230	1.91	≤11.97	PASS
	Ant15	5230	1.37	≤11.97	PASS
	Ant16	5230	0.55	≤11.97	PASS
	total	5230	11.09	≤11.97	PASS
	Ant1	5270	-2.81	≤5.97	PASS
	Ant2	5270	-3.41	≤5.97	PASS
	Ant3	5270	-3.62	≤5.97	PASS
	Ant4	5270	-3.03	≤5.97	PASS
	Ant9	5270	-3.81	≤5.97	PASS
	Ant10	5270	-2.88	≤5.97	PASS
	Ant15	5270	-4.54	≤5.97	PASS
	Ant16	5270	-5.43	≤5.97	PASS
	total	5270	5.42	≤5.97	PASS
	Ant1	5310	-2.79	≤5.97	PASS
	Ant2	5310	-3.84	≤5.97	PASS
	Ant3	5310	-3.86	≤5.97	PASS
	Ant4	5310	-2.9	≤5.97	PASS
	Ant9	5310	-3.64	≤5.97	PASS
	Ant10	5310	-3.64	≤5.97	PASS
	Ant15	5310	-4.24	≤5.97	PASS
	Ant16	5310	-5.54	≤5.97	PASS
	total	5310	5.29	≤5.97	PASS
	Ant1	5510	-3.93	≤5.97	PASS
	Ant2	5510	-2.39	≤5.97	PASS
	Ant3	5510	-3.94	≤5.97	PASS
	Ant4	5510	-3.57	≤5.97	PASS
	Ant9	5510	-4.12	≤5.97	PASS
	Ant10	5510	-3.06	≤5.97	PASS
	Ant15	5510	-5.47	≤5.97	PASS
	Ant16	5510	-6.56	≤5.97	PASS
	total	5510	5.07	≤5.97	PASS
	Ant1	5550	-3.04	≤5.97	PASS
	Ant2	5550	-3.3	≤5.97	PASS
	Ant3	5550	-3.45	≤5.97	PASS
	Ant4	5550	-3.2	≤5.97	PASS
	Ant9	5550	-3.99	≤5.97	PASS
	Ant10	5550	-3.99	≤5.97	PASS
	Ant15	5550	-5.02	≤5.97	PASS
	Ant16	5550	-7.67	≤5.97	PASS
	total	5550	5.02	≤5.97	PASS
	Ant1	5670	-1.66	≤5.97	PASS
	Ant2	5670	-3.14	≤5.97	PASS
	Ant3	5670	-2.55	≤5.97	PASS


	Ant4	5670	-2.41	≤5.97	PASS
	Ant9	5670	-3.6	≤5.97	PASS
	Ant10	5670	-3.39	≤5.97	PASS
	Ant15	5670	-5.74	≤5.97	PASS
	Ant16	5670	-5.84	≤5.97	PASS
	total	5670	5.70	≤5.97	PASS
	Ant1	5710 UNII-2C	-2.99	≤5.97	PASS
	Ant2	5710 UNII-2C	-3.29	≤5.97	PASS
	Ant3	5710 UNII-2C	-3.54	≤5.97	PASS
	Ant4	5710 UNII-2C	-3.53	≤5.97	PASS
	Ant9	5710 UNII-2C	-4	≤5.97	PASS
	Ant10	5710 UNII-2C	-3.61	≤5.97	PASS
	Ant15	5710 UNII-2C	-6.08	≤5.97	PASS
	Ant16	5710 UNII-2C	-7.21	≤5.97	PASS
	total	5710 UNII-2C	4.95	≤5.97	PASS
	Ant1	5710 UNII-3	-7.93	≤24.97	PASS
	Ant2	5710 UNII-3	-7.54	≤24.97	PASS
	Ant3	5710 UNII-3	-8.5	≤24.97	PASS
	Ant4	5710 UNII-3	-7.51	≤24.97	PASS
	Ant9	5710 UNII-3	-8.06	≤24.97	PASS
	Ant10	5710 UNII-3	-9.14	≤24.97	PASS
	Ant15	5710 UNII-3	-13.57	≤24.97	PASS
	Ant16	5710 UNII-3	-13.93	≤24.97	PASS
	total	5710 UNII-3	0.08	≤24.97	PASS
	Ant1	5755	5.36	≤24.97	PASS
	Ant2	5755	4.51	≤24.97	PASS
	Ant3	5755	3.91	≤24.97	PASS
	Ant4	5755	3.88	≤24.97	PASS
	Ant9	5755	5.55	≤24.97	PASS
	Ant10	5755	6.02	≤24.97	PASS
	Ant15	5755	5.51	≤24.97	PASS
	Ant16	5755	5.55	≤24.97	PASS
	total	5755	14.13	≤24.97	PASS
	Ant1	5795	5.77	≤24.97	PASS
	Ant2	5795	4.08	≤24.97	PASS
	Ant3	5795	5.68	≤24.97	PASS
	Ant4	5795	5.73	≤24.97	PASS
	Ant9	5795	5.75	≤24.97	PASS
	Ant10	5795	5.82	≤24.97	PASS
	Ant15	5795	5.93	≤24.97	PASS
	Ant16	5795	5.26	≤24.97	PASS
	total	5795	14.57	≤24.97	PASS
11AX80MIMO	Ant1	5210	1.77	≤11.97	PASS
	Ant2	5210	2.11	≤11.97	PASS
	Ant3	5210	1.68	≤11.97	PASS
	Ant4	5210	1.91	≤11.97	PASS
	Ant9	5210	2.45	≤11.97	PASS
	Ant10	5210	2.75	≤11.97	PASS
	Ant15	5210	2.29	≤11.97	PASS
	Ant16	5210	2.85	≤11.97	PASS
	total	5210	11.28	≤11.97	PASS
	Ant1	5290	-3.71	≤5.97	PASS
	Ant2	5290	-3.3	≤5.97	PASS
	Ant3	5290	-4.82	≤5.97	PASS
	Ant4	5290	-4.58	≤5.97	PASS
	Ant9	5290	-2.7	≤5.97	PASS
	Ant10	5290	-3.81	≤5.97	PASS
	Ant15	5290	-3.57	≤5.97	PASS
	Ant16	5290	-3.83	≤5.97	PASS
	total	5290	5.29	≤5.97	PASS
	Ant1	5530	-2.38	≤5.97	PASS
	Ant2	5530	-3.86	≤5.97	PASS
	Ant3	5530	-3.89	≤5.97	PASS


	Ant4	5530	-3.86	≤5.97	PASS
	Ant9	5530	-2.26	≤5.97	PASS
	Ant10	5530	-3.37	≤5.97	PASS
	Ant15	5530	-3.17	≤5.97	PASS
	Ant16	5530	-4.69	≤5.97	PASS
	total	5530	5.66	≤5.97	PASS
	Ant1	5610	-3.01	≤5.97	PASS
	Ant2	5610	-3	≤5.97	PASS
	Ant3	5610	-4.07	≤5.97	PASS
	Ant4	5610	-4.08	≤5.97	PASS
	Ant9	5610	-3.21	≤5.97	PASS
	Ant10	5610	-3.99	≤5.97	PASS
	Ant15	5610	-3.04	≤5.97	PASS
	Ant16	5610	-4.42	≤5.97	PASS
	total	5610	5.46	≤5.97	PASS
	Ant1	5690 UNII-2C	-3.44	≤5.97	PASS
	Ant2	5690 UNII-2C	-4.12	≤5.97	PASS
	Ant3	5690 UNII-2C	-4.57	≤5.97	PASS
	Ant4	5690 UNII-2C	-3.33	≤5.97	PASS
	Ant9	5690 UNII-2C	-2.6	≤5.97	PASS
	Ant10	5690 UNII-2C	-4.23	≤5.97	PASS
	Ant15	5690 UNII-2C	-3.3	≤5.97	PASS
	Ant16	5690 UNII-2C	-3.87	≤5.97	PASS
	total	5690 UNII-2C	5.39	≤5.97	PASS
	Ant1	5690 UNII-3	-11.92	≤24.97	PASS
	Ant2	5690 UNII-3	-10.18	≤24.97	PASS
	Ant3	5690 UNII-3	-11.7	≤24.97	PASS
	Ant4	5690 UNII-3	-10.47	≤24.97	PASS
	Ant9	5690 UNII-3	-8.78	≤24.97	PASS
	Ant10	5690 UNII-3	-8.79	≤24.97	PASS
	Ant15	5690 UNII-3	-10.72	≤24.97	PASS
	Ant16	5690 UNII-3	-13.18	≤24.97	PASS
	total	5690 UNII-3	-1.46	≤24.97	PASS
	Ant1	5775	1.86	≤24.97	PASS
	Ant2	5775	1.11	≤24.97	PASS
	Ant3	5775	0.54	≤24.97	PASS
	Ant4	5775	0.98	≤24.97	PASS
	Ant9	5775	1.77	≤24.97	PASS
	Ant10	5775	1.41	≤24.97	PASS
	Ant15	5775	2.07	≤24.97	PASS
	Ant16	5775	2.29	≤24.97	PASS
	total	5775	10.57	≤24.97	PASS


Test Mode	Frequency band	PSD Result [dBm]									Limit
		Ant1	Ant2	Ant3	Ant4	Ant9	Ant10	Ant15	Ant16	total	[dBm/MHz]
11AX80+80 MIMO	5210	0.59	0.53	0.4	1.54	/	/	/	/	6.81	≤11.97
	5290	/	/	/	/	-0.55	1.3	-2.06	-0.47	5.74	≤5.97
11AX80+80 MIMO	5530	-0.99	-0.61	-1.42	-0.7	/	/	/	/	23.13	≤24.97
	5610	/	/	/	/	-1.52	-0.83	-2.94	-2.07		


Note: 1. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.


11.5.2. NSS=1 Test Graphs








































11A-CDD Ant16 5280





11A-CDD Ant1 5320




11A-CDD Ant2 5320









11A-CDD Ant4 5500





11A-CDD Ant9 5500




11A-CDD Ant10 5500







11A-CDD Ant9 5580



11A-CDD Ant10 5580



11A-CDD Ant15 5580

