

RF Test Data for 5G Wi-Fi (Conducted Measurements)

General Description of EUT	
Product Name:	IP CAMERA
Test Model:	A013A-W
Sample ID:	HC-C-202308-0224-01-01-2#
Environmental Conditions	
Temperature:	23.8℃
Relative Humidity:	48%
Test Voltage:	DC 5V
Test Engineer:	Li Ying Jing
Note: For a more detailed features description, please refer to the report TBR-C-202308-0224-21	

Contents

1. Emission Bandwidth.....	3
1.1. Test Result.....	3
1.2. Test Graphs	5
2. Occupied channel bandwidth	24
2.1. Test Result.....	24
2.2. Test Graphs	26
3. Min emission bandwidth	51
3.1. Test Result.....	51
3.2. Test Graphs	52
4. Maximum conducted output power.....	58
4.1. Test Result.....	58
5. Maximum power spectral density	60
5.1. Test Result.....	60
5.2. Test Graphs	62
6. Band edge measurements	87
6.1. Test Result.....	87
6.2. Test Graphs	90
7. Emissions in Restricted Bands.....	105
7.1. Test Result.....	105
7.2. Test Graphs	110
8. Conducted Spurious Emission.....	130
8.1. Test Result.....	130
8.2. Test Graphs	134
9. Frequency Stability	185
9.1. Test Result.....	185
10. Duty Cycle	199
10.1. Test Result.....	199
10.2. Test Graphs	201


1. Emission Bandwidth

1.1. Test Result


TestMode	Antenna	Channel	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	23.72	5167.92	5191.64	---	---
		5200	23.00	5188.32	5211.32	---	---
		5240	24.16	5227.20	5251.36	---	---
		5260	23.92	5248.04	5271.96	---	---
		5280	24.68	5266.76	5291.44	---	---
		5320	23.04	5308.04	5331.08	---	---
		5500	25.04	5487.08	5512.12	---	---
		5580	22.88	5568.24	5591.12	---	---
		5700	24.48	5687.04	5711.52	---	---
11N20SISO	Ant1	5180	25.00	5166.92	5191.92	---	---
		5200	23.92	5188.00	5211.92	---	---
		5240	23.92	5228.20	5252.12	---	---
		5260	25.04	5248.00	5273.04	---	---
		5280	24.20	5267.20	5291.40	---	---
		5320	24.28	5307.76	5332.04	---	---
		5500	24.64	5488.16	5512.80	---	---
		5580	24.68	5567.68	5592.36	---	---
		5700	26.68	5686.20	5712.88	---	---
11N40SISO	Ant1	5190	45.20	5167.92	5213.12	---	---
		5230	44.32	5208.08	5252.40	---	---
		5270	46.08	5247.44	5293.52	---	---
		5310	45.12	5287.76	5332.88	---	---
		5510	46.08	5487.44	5533.52	---	---
		5550	46.08	5527.68	5573.76	---	---
		5670	46.16	5646.64	5692.80	---	---
11AC20SISO	Ant1	5180	25.16	5167.20	5192.36	---	---
		5200	23.80	5188.16	5211.96	---	---
		5240	23.92	5228.00	5251.92	---	---
		5260	23.64	5248.56	5272.20	---	---
		5280	24.84	5267.20	5292.04	---	---
		5320	24.44	5308.32	5332.76	---	---
		5500	25.28	5487.84	5513.12	---	---
		5580	26.28	5566.84	5593.12	---	---
		5700	25.20	5687.40	5712.60	---	---
11AC40SISO	Ant1	5190	45.92	5166.80	5212.72	---	---
		5230	44.64	5207.84	5252.48	---	---
		5270	45.12	5247.68	5292.80	---	---
		5310	44.64	5288.16	5332.80	---	---
		5510	46.96	5486.80	5533.76	---	---
		5550	48.16	5526.80	5574.96	---	---
		5670	46.16	5646.80	5692.96	---	---

11AX20SISO	Ant1	5180	24.00	5168.64	5192.64	---	---
		5200	23.60	5188.76	5212.36	---	---
		5240	24.48	5227.60	5252.08	---	---
		5260	22.88	5248.84	5271.72	---	---
		5280	23.12	5268.84	5291.96	---	---
		5320	24.88	5307.72	5332.60	---	---
		5500	25.24	5487.40	5512.64	---	---
		5580	25.32	5567.76	5593.08	---	---
		5700	24.48	5687.88	5712.36	---	---
11AX40SISO	Ant1	5190	43.84	5167.76	5211.60	---	---
		5230	44.08	5207.76	5251.84	---	---
		5270	43.68	5248.64	5292.32	---	---
		5310	43.76	5288.16	5331.92	---	---
		5510	44.24	5487.28	5531.52	---	---
		5550	43.36	5528.32	5571.68	---	---
		5670	44.16	5647.68	5691.84	---	---


1.2. Test Graphs




11A_Ant1_5260




11A_Ant1_5280



11A_Ant1_5320




11A_Ant1_5500




Date: 6.NOV.2023 13:36:59

11A_Ant1_5580




Date: 6.NOV.2023 13:44:19

11A_Ant1_5700




Date: 6.NOV.2023 13:50:12


11N20SISO_Ant1_5180




11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




11N20SISO_Ant1_5260




11N20SISO_Ant1_5280




11N20SISO_Ant1_5320




11N20SISO_Ant1_5500




11N20SISO_Ant1_5580




11N20SISO_Ant1_5700




11N40SISO_Ant1_5190




11N40SISO_Ant1_5230




11N40SISO_Ant1_5270




11N40SISO_Ant1_5310




11N40SISO_Ant1_5510




11N40SISO_Ant1_5550




11N40SISO_Ant1_5670




11AC20SISO_Ant1_5180



11AC20SISO_Ant1_5200




11AC20SISO_Ant1_5240




Date: 6.NOV.2023 15:54:55

11AC20SISO_Ant1_5260




Date: 6.NOV.2023 15:58:37

11AC20SISO_Ant1_5280




Date: 6.NOV.2023 16:00:53


11AC20SISO_Ant1_5320




11AC20SISO_Ant1_5500




11AC20SISO_Ant1_5580




11AC20SISO_Ant1_5700




11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230




11AC40SISO_Ant1_5270




11AC40SISO_Ant1_5310




11AC40SISO_Ant1_5510




11AC40SISO_Ant1_5550




11AC40SISO_Ant1_5670



11AX20SISO_Ant1_5180




11AX20SISO_Ant1_5200




Date: 8.NOV.2023 14:09:22

11AX20SISO_Ant1_5240




Date: 8.NOV.2023 14:15:05

11AX20SISO_Ant1_5260




Date: 8.NOV.2023 14:20:57


11AX20SISO_Ant1_5280




11AX20SISO_Ant1_5320




11AX20SISO_Ant1_5500




11AX20SISO_Ant1_5580




11AX20SISO_Ant1_5700




11AX40SISO_Ant1_5190




11AX40SISO_Ant1_5230




11AX40SISO_Ant1_5270




11AX40SISO_Ant1_5310




11AX40SISO_Ant1_5510



11AX40SISO_Ant1_5550



11AX40SISO_Ant1_5670




2. Occupied channel bandwidth

2.1. Test Result


TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	17.063	5171.4885	5188.5514	---	---
		5200	17.582	5191.2887	5208.8711	---	---
		5240	16.863	5231.6084	5248.4715	---	---
		5260	17.343	5251.5285	5268.8711	---	---
		5280	18.422	5271.0090	5289.4306	---	---
		5320	17.263	5311.4486	5328.7113	---	---
		5500	17.982	5490.6893	5508.6713	---	---
		5580	17.982	5571.0889	5589.0709	---	---
		5700	17.662	5691.2088	5708.8711	---	---
		5745	17.622	5736.4086	5754.0310	---	---
		5785	17.542	5776.2488	5793.7912	---	---
		5825	18.701	5815.9291	5834.6304	---	---
11N20SISO	Ant1	5180	18.901	5170.4496	5189.3506	---	---
		5200	18.821	5190.7692	5209.5904	---	---
		5240	18.701	5230.7692	5249.4705	---	---
		5260	18.581	5250.9291	5269.5105	---	---
		5280	18.621	5270.7293	5289.3506	---	---
		5320	18.781	5310.4895	5329.2707	---	---
		5500	18.901	5490.7692	5509.6703	---	---
		5580	18.781	5570.4895	5589.2707	---	---
		5700	18.781	5690.6893	5709.4705	---	---
		5745	18.861	5735.6893	5754.5504	---	---
		5785	19.7	5775.1299	5794.8302	---	---
		5825	17.582	5816.2088	5833.7912	---	---
11N40SISO	Ant1	5190	37.003	5171.6983	5208.7013	---	---
		5230	36.683	5211.6983	5248.3816	---	---
		5270	36.763	5251.4585	5288.2218	---	---
		5310	36.843	5291.7782	5328.6214	---	---
		5510	37.882	5491.6184	5529.5005	---	---
		5550	37.483	5531.6184	5569.1009	---	---
		5670	37.003	5651.5385	5688.5415	---	---
		5755	37.083	5736.5385	5773.6214	---	---
		5795	37.483	5776.1389	5813.6214	---	---
11AC20SISO	Ant1	5180	18.661	5170.6893	5189.3506	---	---
		5200	20.46	5190.0899	5210.5495	---	---
		5240	19.181	5230.2897	5249.4705	---	---
		5260	18.342	5250.8891	5269.2308	---	---
		5280	18.861	5270.6094	5289.4705	---	---
		5320	18.861	5310.7692	5329.6304	---	---
		5500	19.061	5490.4895	5509.5504	---	---
		5580	19.82	5570.3696	5590.1898	---	---

		5700	18.462	5690.7293	5709.1908	---	---
		5745	19.66	5735.4096	5755.0699	---	---
		5785	19.62	5774.8102	5794.4306	---	---
		5825	19.221	5815.5694	5834.7902	---	---
11AC40SISO	Ant1	5190	36.523	5171.8581	5208.3816	---	---
		5230	36.763	5211.8581	5248.6214	---	---
		5270	37.562	5251.0589	5288.6214	---	---
		5310	37.163	5291.6983	5328.8611	---	---
		5510	37.483	5491.5385	5529.0210	---	---
		5550	37.882	5530.9790	5568.8611	---	---
		5670	37.243	5651.2987	5688.5415	---	---
		5755	37.722	5736.3786	5774.1009	---	---
		5795	38.282	5776.2188	5814.5005	---	---
11AX20SISO	Ant1	5180	19.421	5170.2498	5189.6703	---	---
		5200	19.301	5190.3696	5209.6703	---	---
		5240	19.181	5230.4895	5249.6703	---	---
		5260	19.74	5250.3696	5270.1099	---	---
		5280	19.66	5270.3696	5290.0300	---	---
		5320	19.181	5310.4096	5329.5904	---	---
		5500	19.58	5490.1698	5509.7502	---	---
		5580	19.66	5570.2098	5589.8701	---	---
		5700	19.62	5690.2098	5709.8302	---	---
		5745	19.7	5735.2498	5754.9500	---	---
		5785	19.66	5775.1299	5794.7902	---	---
		5825	19.82	5815.2498	5835.0699	---	---
11AX40SISO	Ant1	5190	37.962	5171.0589	5209.0210	---	---
		5230	38.202	5210.8192	5249.0210	---	---
		5270	37.722	5251.2987	5289.0210	---	---
		5310	38.122	5291.0589	5329.1808	---	---
		5510	38.042	5491.0589	5529.1009	---	---
		5550	38.122	5530.9790	5569.1009	---	---
		5670	38.202	5650.8991	5689.1009	---	---
		5755	38.202	5735.8991	5774.1009	---	---
		5795	38.202	5775.9790	5814.1808	---	---


2.2. Test Graphs




11A_Ant1_5260




11A_Ant1_5280




11A_Ant1_5320




11A_Ant1_5500




11A_Ant1_5580




11A_Ant1_5700




11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




11N20SISO_Ant1_5260




11N20SISO_Ant1_5280




11N20SISO_Ant1_5320




11N20SISO_Ant1_5500




11N20SISO_Ant1_5580




11N20SISO_Ant1_5700




11N20SISO_Ant1_5745



11N20SISO_Ant1_5785



11N20SISO_Ant1_5825



11N40SISO_Ant1_5190