



FCC - TEST REPORT
Appendix A for 709502405780-00G

Table of Contents

1 Duty Cycle.....2

2 Maximum power spectral density26

3 -26dB Bandwidth50

4 99% Bandwidth68

5 -6dB Bandwidth.....92

1 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	87.32	0.59	0.73
NVNT	a	5200	Ant1	87.39	0.59	0.73
NVNT	a	5240	Ant1	87.39	0.59	0.73
NVNT	a	5260	Ant1	87.39	0.59	0.73
NVNT	a	5280	Ant1	87.33	0.59	0.73
NVNT	a	5320	Ant1	87.39	0.59	0.73
NVNT	a	5500	Ant1	87.45	0.58	0.73
NVNT	a	5600	Ant1	87.32	0.59	0.73
NVNT	a	5700	Ant1	87.39	0.59	0.73
NVNT	a	5720	Ant1	87.45	0.58	0.73
NVNT	a	5745	Ant1	87.39	0.59	0.73
NVNT	a	5785	Ant1	87.32	0.59	0.73
NVNT	a	5825	Ant1	87.45	0.58	0.73
NVNT	n20	5180	Ant1	86.64	0.62	0.78
NVNT	n20	5200	Ant1	86.64	0.62	0.78
NVNT	n20	5240	Ant1	86.57	0.63	0.78
NVNT	n20	5260	Ant1	86.57	0.63	0.78
NVNT	n20	5280	Ant1	86.57	0.63	0.78
NVNT	n20	5320	Ant1	86.57	0.63	0.78
NVNT	n20	5500	Ant1	86.64	0.62	0.78
NVNT	n20	5600	Ant1	86.57	0.63	0.78
NVNT	n20	5700	Ant1	86.63	0.62	0.78
NVNT	n20	5720	Ant1	86.57	0.63	0.78
NVNT	n20	5745	Ant1	86.57	0.63	0.78
NVNT	n20	5785	Ant1	86.58	0.63	0.78
NVNT	n20	5825	Ant1	86.7	0.62	0.78
NVNT	n40	5190	Ant1	71.03	1.49	2.05
NVNT	n40	5230	Ant1	71.03	1.49	2.05
NVNT	n40	5270	Ant1	71.03	1.49	2.05
NVNT	n40	5310	Ant1	71.03	1.49	2.05
NVNT	n40	5510	Ant1	71.03	1.49	2.05
NVNT	n40	5590	Ant1	71.03	1.49	2.05
NVNT	n40	5670	Ant1	71.03	1.49	2.05
NVNT	n40	5710	Ant1	71.03	1.49	2.05
NVNT	n40	5755	Ant1	71.03	1.49	2.05
NVNT	n40	5795	Ant1	71.03	1.49	2.05
NVNT	ac20	5180	Ant1	83.22	0.8	1.02
NVNT	ac20	5200	Ant1	83.13	0.8	1.02
NVNT	ac20	5240	Ant1	83.13	0.8	1.02
NVNT	ac20	5260	Ant1	83.13	0.8	1.02
NVNT	ac20	5280	Ant1	83.22	0.8	1.02
NVNT	ac20	5320	Ant1	83.13	0.8	1.02
NVNT	ac20	5500	Ant1	83.22	0.8	1.02
NVNT	ac20	5600	Ant1	83.22	0.8	1.02
NVNT	ac20	5700	Ant1	83.22	0.8	1.02
NVNT	ac20	5720	Ant1	83.22	0.8	1.02
NVNT	ac20	5745	Ant1	83.13	0.8	1.02
NVNT	ac20	5785	Ant1	83.22	0.8	1.02
NVNT	ac20	5825	Ant1	83.13	0.8	1.02
NVNT	ac40	5190	Ant1	71.2	1.48	2.03
NVNT	ac40	5230	Ant1	71.2	1.48	2.03
NVNT	ac40	5270	Ant1	71.2	1.48	2.03



NVNT	ac40	5310	Ant1	71.2	1.48	2.03
NVNT	ac40	5510	Ant1	71.35	1.47	2.03
NVNT	ac40	5590	Ant1	71.49	1.46	2.02
NVNT	ac40	5670	Ant1	71.35	1.47	2.03
NVNT	ac40	5710	Ant1	71.39	1.46	2.02
NVNT	ac40	5755	Ant1	71.2	1.48	2.03
NVNT	ac40	5795	Ant1	71.2	1.48	2.03
NVNT	ac80	5210	Ant1	55.8	2.53	4
NVNT	ac80	5290	Ant1	55.8	2.53	4
NVNT	ac80	5530	Ant1	55.8	2.53	4
NVNT	ac80	5610	Ant1	55.8	2.53	4
NVNT	ac80	5690	Ant1	55.8	2.53	4
NVNT	ac80	5775	Ant1	55.58	2.55	4.02

































