


802.11ax HEW40_Nss2,(MCS0)_4TX

26/07/2019

2452MHz_TX



EUT Y_4TX
Setting 76
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.90494G	44.77	74.00	-29.23	3.21	3	Horizontal	113	2.07	-	41.56			
AV	4.90134G	32.13	54.00	-21.87	3.20	3	Horizontal	113	2.07	-	28.93			



<beamforming mode> 4T2S


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	Pass	PK	2.4835G	73.97	74.00	-0.03	30.05	3	Horizontal	253	2.06	-

VHT20-BF_Nss2,(MCS0)_4TX

20/07/2019

2412MHz_TX




EUT Y_4TX
Setting 77
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3894G	64.69	74.00	-9.31	29.84	3	Vertical	67	2.60	-	34.85			
AV	2.39G	48.65	54.00	-5.35	29.84	3	Vertical	67	2.60	-	18.81			
PK	2.4168G	116.36	Inf	-Inf	29.88	3	Vertical	67	2.60	-	86.48			
AV	2.4144G	105.47	Inf	-Inf	29.88	3	Vertical	67	2.60	-	75.59			

VHT20-BF_Nss2,(MCS0)_4TX

20/07/2019

2412MHz_TX




EUT Y_4TX
Setting 77
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	70.94	74.00	-3.06	29.84	3	Horizontal	268	2.26	-	41.10
AV	2.39G	53.96	54.00	-0.04	29.84	3	Horizontal	268	2.26	-	24.12
PK	2.4202G	119.81	Inf	-Inf	29.89	3	Horizontal	268	2.26	-	89.92
AV	2.42G	108.40	Inf	-Inf	29.89	3	Horizontal	268	2.26	-	78.51

VHT20-BF_Nss2,(MCS0)_4TX

20/07/2019

2412MHz_TX




EUT Y_4TX
Setting 77
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.826G	46.51	74.00	-27.49	2.97	3	Vertical	137	1.48	-	43.54			
AV	4.82568G	35.01	54.00	-18.99	2.97	3	Vertical	137	1.48	-	32.04			

VHT20-BF_Nss2,(MCS0)_4TX

20/07/2019

2412MHz_TX




EUT Y_4TX
Setting 77
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82542G	45.64	74.00	-28.36	2.97	3	Horizontal	287	1.20	-	42.67			
AV	4.8287G	34.96	54.00	-19.04	2.98	3	Horizontal	287	1.20	-	31.98			

VHT20-BF_Nss2,(MCS0)_4TX

31/07/2019

2462MHz_TX




EUT Y_4TX
Setting 82
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4656G	114.44	Inf	-Inf	30.00	3	Vertical	108	2.56	-	84.44
AV	2.4632G	106.66	Inf	-Inf	30.00	3	Vertical	108	2.56	-	76.66
PK	2.4842G	68.07	74.00	-5.93	30.05	3	Vertical	108	2.56	-	38.02
AV	2.4835G	48.57	54.00	-5.43	30.05	3	Vertical	108	2.56	-	18.52

VHT20-BF_Nss2,(MCS0)_4TX

31/07/2019

2462MHz_TX




EUT Y_4TX
Setting 82
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.47G	119.33	Inf	-Inf	30.01	3	Horizontal	269	1.37	-	89.32
AV	2.4682G	107.89	Inf	-Inf	30.01	3	Horizontal	269	1.37	-	77.88
PK	2.4836G	73.80	74.00	-0.20	30.05	3	Horizontal	269	1.37	-	43.75
AV	2.4835G	51.91	54.00	-2.09	30.05	3	Horizontal	269	1.37	-	21.86

VHT20-BF_Nss2,(MCS0)_4TX

31/07/2019

2462MHz_TX




EUT Y_4TX
Setting 82
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92608G	44.20	74.00	-29.80	3.25	3	Vertical	77	1.56	-	40.95			
AV	4.91978G	34.04	54.00	-19.96	3.24	3	Vertical	77	1.56	-	30.80			

VHT20-BF_Nss2,(MCS0)_4TX

31/07/2019

2462MHz_TX




EUT Y_4TX
Setting 82
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.9264G	46.32	74.00	-27.68	3.25	3	Horizontal	154	1.91	-	43.07			
AV	4.92396G	35.11	54.00	-18.89	3.25	3	Horizontal	154	1.91	-	31.86			

VHT40-BF_Nss2,(MCS0)_4TX

31/07/2019

2422MHz_TX




EUT Y_4TX
Setting 72
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.384G	67.97	74.00	-6.03	29.85	3	Vertical	232	1.96	-	38.12
AV	2.39G	53.94	54.00	-0.06	29.84	3	Vertical	232	1.96	-	24.10
PK	2.4176G	114.04	Inf	-Inf	29.89	3	Vertical	232	1.96	-	84.15
AV	2.4112G	104.72	Inf	-Inf	29.87	3	Vertical	232	1.96	-	74.85
PK	2.4852G	56.67	74.00	-17.33	30.05	3	Vertical	232	1.96	-	26.62
AV	2.484G	44.86	54.00	-9.14	30.05	3	Vertical	232	1.96	-	14.81

VHT40-BF_Nss2,(MCS0)_4TX

31/07/2019

2422MHz_TX




EUT Y_4TX
Setting 72
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.386G	69.48	74.00	-4.52	29.84	3	Horizontal	256	2.05	-	39.64
AV	2.39G	51.49	54.00	-2.51	29.84	3	Horizontal	256	2.05	-	21.65
PK	2.4188G	116.98	Inf	-Inf	29.89	3	Horizontal	256	2.05	-	87.09
AV	2.418G	105.30	Inf	-Inf	29.89	3	Horizontal	256	2.05	-	75.41
PK	2.4856G	59.71	74.00	-14.29	30.05	3	Horizontal	256	2.05	-	29.66
AV	2.4835G	46.92	54.00	-7.08	30.05	3	Horizontal	256	2.05	-	16.87

VHT40-BF_Nss2,(MCS0)_4TX

31/07/2019

2422MHz_TX




EUT Y_4TX
Setting 72
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.85168G	45.97	74.00	-28.03	3.05	3	Vertical	336	1.94	-	42.92			
AV	4.84892G	34.02	54.00	-19.98	3.05	3	Vertical	336	1.94	-	30.97			

VHT40-BF_Nss2,(MCS0)_4TX

31/07/2019

2422MHz_TX




EUT Y_4TX
Setting 72
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.84632G	44.96	74.00	-29.04	3.04	3	Horizontal	316	2.75	-	41.92			
AV	4.84216G	36.98	54.00	-17.02	3.03	3	Horizontal	316	2.75	-	33.95			

VHT40-BF_Nss2,(MCS0)_4TX

20/07/2019

2437MHz_TX




EUT Y_4TX
Setting 83
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	69.16	74.00	-4.84	29.84	3	Vertical	224	1.55	-	39.32
AV	2.3898G	53.79	54.00	-0.21	29.84	3	Vertical	224	1.55	-	23.95
PK	2.4286G	114.39	Inf	-Inf	29.91	3	Vertical	224	1.55	-	84.48
AV	2.4274G	107.57	Inf	-Inf	29.90	3	Vertical	224	1.55	-	77.67
PK	2.485G	68.99	74.00	-5.01	30.05	3	Vertical	224	1.55	-	38.94
AV	2.4835G	50.17	54.00	-3.83	30.05	3	Vertical	224	1.55	-	20.12

VHT40-BF_Nss2,(MCS0)_4TX

20/07/2019

2437MHz_TX




EUT Y_4TX
Setting 83
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.387G	71.65	74.00	-2.35	29.84	3	Horizontal	259	2.55	-	41.81
AV	2.3894G	53.78	54.00	-0.22	29.84	3	Horizontal	259	2.55	-	23.94
PK	2.4422G	117.60	Inf	-Inf	29.94	3	Horizontal	259	2.55	-	87.66
AV	2.4418G	105.90	Inf	-Inf	29.94	3	Horizontal	259	2.55	-	75.96
PK	2.4846G	65.73	74.00	-8.27	30.05	3	Horizontal	259	2.55	-	35.68
AV	2.4846G	49.72	54.00	-4.28	30.05	3	Horizontal	259	2.55	-	19.67

VHT40-BF_Nss2,(MCS0)_4TX

20/07/2019

2437MHz_TX




EUT Y_4TX
Setting 83
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.8804G	47.21	74.00	-26.79	3.14	3	Vertical	134	1.92	-	44.07			
AV	4.8706G	36.89	54.00	-17.11	3.11	3	Vertical	134	1.92	-	33.78			

VHT40-BF_Nss2,(MCS0)_4TX

20/07/2019

2437MHz_TX




EUT Y_4TX
Setting 83
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.86848G	45.51	74.00	-28.49	3.11	3	Horizontal	145	2.06	-	42.40			
AV	4.86588G	34.93	54.00	-19.07	3.10	3	Horizontal	145	2.06	-	31.83			

VHT40-BF_Nss2,(MCS0)_4TX

31/07/2019

2452MHz_TX




EUT Y_4TX
Setting 80
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3856G	61.88	74.00	-12.12	29.84	3	Vertical	42	1.97	-	32.04			
AV	2.3856G	48.12	54.00	-5.88	29.84	3	Vertical	42	1.97	-	18.28			
PK	2.4608G	115.50	Inf	-Inf	29.99	3	Vertical	42	1.97	-	85.51			
AV	2.4404G	107.51	Inf	-Inf	29.94	3	Vertical	42	1.97	-	77.57			
PK	2.486G	73.92	74.00	-0.08	30.05	3	Vertical	42	1.97	-	43.87			
AV	2.4848G	52.60	54.00	-1.40	30.05	3	Vertical	42	1.97	-	22.55			

VHT40-BF_Nss2,(MCS0)_4TX

31/07/2019

2452MHz_TX




EUT Y_4TX
Setting 80
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3884G	63.29	74.00	-10.71	29.84	3	Horizontal	247	2.40	-	33.45
AV	2.39G	49.76	54.00	-4.24	29.84	3	Horizontal	247	2.40	-	19.92
PK	2.4416G	116.75	Inf	-Inf	29.94	3	Horizontal	247	2.40	-	86.81
AV	2.4404G	105.44	Inf	-Inf	29.94	3	Horizontal	247	2.40	-	75.50
PK	2.4876G	73.97	74.00	-0.03	30.06	3	Horizontal	247	2.40	-	43.91
AV	2.4835G	53.32	54.00	-0.68	30.05	3	Horizontal	247	2.40	-	23.27

VHT40-BF_Nss2,(MCS0)_4TX

31/07/2019

2452MHz_TX




EUT Y_4TX
Setting 80
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.90696G	46.38	74.00	-27.62	3.21	3	Vertical	31	2.12	-	43.17			
AV	4.90752G	35.03	54.00	-18.97	3.22	3	Vertical	31	2.12	-	31.81			

VHT40-BF_Nss2,(MCS0)_4TX

31/07/2019

2452MHz_TX




EUT Y_4TX
Setting 80
04-E-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.90824G	45.18	74.00	-28.82	3.22	3	Horizontal	277	2.96	-	41.96			
AV	4.91008G	35.03	54.00	-18.97	3.23	3	Horizontal	277	2.96	-	31.80			

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

31/07/2019

2412MHz_TX




EUT Y_4TX
Setting 74
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	62.80	74.00	-11.20	29.84	3	Vertical	360	1.64	-	32.96
AV	2.39G	48.22	54.00	-5.78	29.84	3	Vertical	360	1.64	-	18.38
PK	2.4078G	117.62	Inf	-Inf	29.86	3	Vertical	360	1.64	-	87.76
AV	2.4102G	105.69	Inf	-Inf	29.87	3	Vertical	360	1.64	-	75.82

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

31/07/2019

2412MHz_TX




EUT Y_4TX
Setting 74
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3896G	73.86	74.00	-0.14	29.84	3	Horizontal	268	2.38	-	44.02			
AV	2.39G	51.78	54.00	-2.22	29.84	3	Horizontal	268	2.38	-	21.94			
PK	2.4068G	118.48	Inf	-Inf	29.85	3	Horizontal	268	2.38	-	88.63			
AV	2.4066G	105.57	Inf	-Inf	29.85	3	Horizontal	268	2.38	-	75.72			

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

31/07/2019

2412MHz_TX




EUT Y_4TX
Setting 74
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82766G	45.95	74.00	-28.05	2.97	3	Vertical	334	2.03	-	42.98			
AV	4.8213G	33.55	54.00	-20.45	2.95	3	Vertical	334	2.03	-	30.60			

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

31/07/2019

2412MHz_TX




EUT Y_4TX
Setting 74
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.827G	47.54	74.00	-26.46	2.97	3	Horizontal	178	2.72	-	44.57			
AV	4.8197G	34.57	54.00	-19.43	2.95	3	Horizontal	178	2.72	-	31.62			

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

21/07/2019

2462MHz_TX




EUT Y_4TX
Setting 78
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4578G	118.85	Inf	-Inf	29.99	3	Vertical	36	1.66	-	88.86
AV	2.4628G	107.93	Inf	-Inf	30.00	3	Vertical	36	1.66	-	77.93
PK	2.4836G	67.47	74.00	-6.53	30.05	3	Vertical	36	1.66	-	37.42
AV	2.4835G	49.00	54.00	-5.00	30.05	3	Vertical	36	1.66	-	18.95

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

21/07/2019

2462MHz_TX




EUT Y_4TX
Setting 78
04-B-2
FSP(100142)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)			
PK	2.4678G	121.06	Inf	-Inf	30.01	3	Horizontal	253	2.06	-	91.05			
AV	2.4682G	108.37	Inf	-Inf	30.01	3	Horizontal	253	2.06	-	78.36			
PK	2.4835G	73.97	74.00	-0.03	30.05	3	Horizontal	253	2.06	-	43.92			
AV	2.4842G	51.35	54.00	-2.65	30.05	3	Horizontal	253	2.06	-	21.30			

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

21/07/2019

2462MHz_TX




EUT Y_4TX
Setting 78
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92724G	45.27	74.00	-28.73	3.25	3	Vertical	84	2.91	-	42.02			
AV	4.92422G	32.46	54.00	-21.54	3.25	3	Vertical	84	2.91	-	29.21			

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

31/07/2019

2462MHz_TX




EUT Y_4TX
Setting 78
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.9288G	47.19	74.00	-26.81	3.26	3	Horizontal	262	1.51	-	43.93			
AV	4.9238G	35.42	54.00	-18.58	3.25	3	Horizontal	262	1.51	-	32.17			

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

21/07/2019

2422MHz_TX




EUT_Y_4TX
Setting 70
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.39G	68.50	74.00	-5.50	29.84	3	Vertical	32	1.79	-	38.66			
AV	2.3896G	53.53	54.00	-0.47	29.84	3	Vertical	32	1.79	-	23.69			
PK	2.41G	114.33	Inf	-Inf	29.86	3	Vertical	32	1.79	-	84.47			
AV	2.4132G	104.95	Inf	-Inf	29.88	3	Vertical	32	1.79	-	75.07			
PK	2.4972G	57.51	74.00	-16.49	30.08	3	Vertical	32	1.79	-	27.43			
AV	2.4835G	44.96	54.00	-9.04	30.05	3	Vertical	32	1.79	-	14.91			

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

21/07/2019

2422MHz_TX




EUT Y_4TX
Setting 70
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3844G	68.41	74.00	-5.59	29.85	3	Horizontal	261	2.41	-	38.56
AV	2.39G	53.84	54.00	-0.16	29.84	3	Horizontal	261	2.41	-	24.00
PK	2.4096G	115.50	Inf	-Inf	29.86	3	Horizontal	261	2.41	-	85.64
AV	2.4072G	102.62	Inf	-Inf	29.85	3	Horizontal	261	2.41	-	72.77
PK	2.4852G	59.06	74.00	-14.94	30.05	3	Horizontal	261	2.41	-	29.01
AV	2.4876G	46.66	54.00	-7.34	30.06	3	Horizontal	261	2.41	-	16.60

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

21/07/2019

2422MHz_TX




EUT Y_4TX
Setting 70
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.84048G	46.11	74.00	-27.89	3.02	3	Vertical	287	1.21	-	43.09			
AV	4.84554G	30.46	54.00	-23.54	3.04	3	Vertical	287	1.21	-	27.42			

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

21/07/2019

2422MHz_TX




EUT Y_4TX
Setting 70
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.84772G	46.84	74.00	-27.16	3.04	3	Horizontal	164	2.47	-	43.80			
AV	4.84628G	30.79	54.00	-23.21	3.04	3	Horizontal	164	2.47	-	27.75			

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

21/07/2019

2437MHz_TX




EUT Y_4TX
Setting 82
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	73.27	74.00	-0.73	29.84	3	Vertical	38	1.80	-	43.43
AV	2.3898G	53.80	54.00	-0.20	29.84	3	Vertical	38	1.80	-	23.96
PK	2.439G	117.13	Inf	-Inf	29.94	3	Vertical	38	1.80	-	87.19
AV	2.4258G	107.21	Inf	-Inf	29.90	3	Vertical	38	1.80	-	77.31
PK	2.4854G	69.28	74.00	-4.72	30.05	3	Vertical	38	1.80	-	39.23
AV	2.4835G	49.78	54.00	-4.22	30.05	3	Vertical	38	1.80	-	19.73

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

21/07/2019

2437MHz_TX




EUT Y_4TX
Setting 82
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	72.80	74.00	-1.20	29.84	3	Horizontal	264	1.91	-	42.96
AV	2.3898G	51.66	54.00	-2.34	29.84	3	Horizontal	264	1.91	-	21.82
PK	2.4386G	120.26	Inf	-Inf	29.94	3	Horizontal	264	1.91	-	90.32
AV	2.4398G	106.97	Inf	-Inf	29.94	3	Horizontal	264	1.91	-	77.03
PK	2.4835G	71.49	74.00	-2.51	30.05	3	Horizontal	264	1.91	-	41.44
AV	2.4835G	50.41	54.00	-3.59	30.05	3	Horizontal	264	1.91	-	20.36

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

21/07/2019

2437MHz_TX




EUT Y_4TX
Setting 82
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.874G	45.81	74.00	-28.19	3.12	3	Vertical	57	1.38	-	42.69			
AV	4.874G	30.20	54.00	-23.80	3.12	3	Vertical	57	1.38	-	27.08			

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

21/07/2019

2437MHz_TX




EUT_Y_4TX
Setting 82
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87408G	47.35	74.00	-26.65	3.12	3	Horizontal	336	1.99	-	44.23			
AV	4.87402G	32.80	54.00	-21.20	3.12	3	Horizontal	336	1.99	-	29.68			

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

21/07/2019

2452MHz_TX




EUT_Y_4TX
Setting 79
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3892G	62.02	74.00	-11.98	29.84	3	Vertical	28	1.98	-	32.18			
AV	2.386G	48.24	54.00	-5.76	29.84	3	Vertical	28	1.98	-	18.40			
PK	2.4532G	116.40	Inf	-Inf	29.98	3	Vertical	28	1.98	-	86.42			
AV	2.4424G	106.41	Inf	-Inf	29.94	3	Vertical	28	1.98	-	76.47			
PK	2.4856G	71.66	74.00	-2.34	30.05	3	Vertical	28	1.98	-	41.61			
AV	2.4835G	52.83	54.00	-1.17	30.05	3	Vertical	28	1.98	-	22.78			

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

21/07/2019

2452MHz_TX




EUT_Y_4TX
Setting 79
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3824G	62.64	74.00	-11.36	29.85	3	Horizontal	258	2.05	-	32.79
AV	2.39G	48.49	54.00	-5.51	29.84	3	Horizontal	258	2.05	-	18.65
PK	2.4684G	117.92	Inf	-Inf	30.01	3	Horizontal	258	2.05	-	87.91
AV	2.4692G	105.50	Inf	-Inf	30.01	3	Horizontal	258	2.05	-	75.49
PK	2.49G	72.62	74.00	-1.38	30.07	3	Horizontal	258	2.05	-	42.55
AV	2.4835G	53.78	54.00	-0.22	30.05	3	Horizontal	258	2.05	-	23.73

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

21/07/2019

2452MHz_TX




EUT Y_4TX
Setting 79
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.90408G	44.15	74.00	-29.85	3.21	3	Vertical	83	1.24	-	40.94			
AV	4.90402G	30.31	54.00	-23.69	3.21	3	Vertical	83	1.24	-	27.10			

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

21/07/2019

2452MHz_TX



EUT Y_4TX
Setting 79
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.90826G	47.34	74.00	-26.66	3.22	3	Horizontal	0	1.74	-	44.12			
AV	4.90408G	32.57	54.00	-21.43	3.21	3	Horizontal	0	1.74	-	29.36			



<non-beamforming mode> 4T3S


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss3,(MCS0)_4TX	Pass	AV	2.484G	53.97	54.00	-0.03	30.05	3	Horizontal	268	2.28	-

VHT20_Nss3,(MCS0)_4TX

26/07/2019

2412MHz_TX




EUT Y_4TX
Setting 78
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.39G	64.65	74.00	-9.35	29.84	3	Vertical	26	1.95	-	34.81			
AV	2.39G	52.15	54.00	-1.85	29.84	3	Vertical	26	1.95	-	22.31			
PK	2.407G	116.97	Inf	-Inf	29.85	3	Vertical	26	1.95	-	87.12			
AV	2.4068G	106.76	Inf	-Inf	29.85	3	Vertical	26	1.95	-	76.91			

VHT20_Nss3,(MCS0)_4TX

26/07/2019

2412MHz_TX




EUT_Y_4TX
Setting 78
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	66.99	74.00	-7.01	29.84	3	Horizontal	265	2.18	-	37.15
AV	2.39G	53.74	54.00	-0.26	29.84	3	Horizontal	265	2.18	-	23.90
PK	2.4076G	117.77	Inf	-Inf	29.86	3	Horizontal	265	2.18	-	87.91
AV	2.4044G	107.22	Inf	-Inf	29.85	3	Horizontal	265	2.18	-	77.37

VHT20_Nss3,(MCS0)_4TX

26/07/2019

2412MHz_TX




EUT Y_4TX
Setting 78
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82168G	46.32	74.00	-27.68	2.96	3	Vertical	9	2.15	-	43.36			
AV	4.8205G	32.63	54.00	-21.37	2.95	3	Vertical	9	2.15	-	29.68			

VHT20_Nss3,(MCS0)_4TX

26/07/2019

2412MHz_TX




EUT Y_4TX
Setting 78
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82258G	44.75	74.00	-29.25	2.96	3	Horizontal	244	1.23	-	41.79			
AV	4.82706G	32.64	54.00	-21.36	2.97	3	Horizontal	244	1.23	-	29.67			

VHT20_Nss3,(MCS0)_4TX

26/07/2019

2462MHz_TX




EUT Y_4TX
Setting 85
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.4604G	118.19	Inf	-Inf	29.99	3	Vertical	319	1.86	-	88.20			
AV	2.4556G	106.70	Inf	-Inf	29.98	3	Vertical	319	1.86	-	76.72			
PK	2.4842G	73.15	74.00	-0.85	30.05	3	Vertical	319	1.86	-	43.10			
AV	2.4835G	52.64	54.00	-1.36	30.05	3	Vertical	319	1.86	-	22.59			

VHT20_Nss3,(MCS0)_4TX

26/07/2019

2462MHz_TX




EUT Y_4TX
Setting 85
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4576G	120.42	Inf	-Inf	29.99	3	Horizontal	286	2.53	-	90.43
AV	2.4598G	108.24	Inf	-Inf	29.99	3	Horizontal	286	2.53	-	78.25
PK	2.4836G	71.22	74.00	-2.78	30.05	3	Horizontal	286	2.53	-	41.17
AV	2.4835G	53.74	54.00	-0.26	30.05	3	Horizontal	286	2.53	-	23.69

VHT20_Nss3,(MCS0)_4TX

26/07/2019

2462MHz_TX




EUT Y_4TX
Setting 85
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.91916G	45.06	74.00	-28.94	3.24	3	Vertical	317	2.92	-	41.82			
AV	4.92898G	31.45	54.00	-22.55	3.26	3	Vertical	317	2.92	-	28.19			

VHT20_Nss3,(MCS0)_4TX

26/07/2019

2462MHz_TX




EUT Y_4TX
Setting 85
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92344G	44.65	74.00	-29.35	3.25	3	Horizontal	151	1.76	-	41.40			
AV	4.9201G	31.44	54.00	-22.56	3.24	3	Horizontal	151	1.76	-	28.20			

VHT40_Nss3,(MCS0)_4TX

26/07/2019

2422MHz_TX




EUT Y_4TX
Setting 69
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3868G	70.46	74.00	-3.54	29.84	3	Vertical	37	1.77	-	40.62
AV	2.3856G	53.39	54.00	-0.61	29.84	3	Vertical	37	1.77	-	23.55
PK	2.4248G	111.92	Inf	-Inf	29.90	3	Vertical	37	1.77	-	82.02
AV	2.4244G	101.40	Inf	-Inf	29.90	3	Vertical	37	1.77	-	71.50
PK	2.4936G	57.88	74.00	-16.12	30.08	3	Vertical	37	1.77	-	27.80
AV	2.484G	45.57	54.00	-8.43	30.05	3	Vertical	37	1.77	-	15.52

VHT40_Nss3,(MCS0)_4TX

26/07/2019

2422MHz_TX




EUT Y_4TX
Setting 69
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3876G	68.29	74.00	-5.71	29.84	3	Horizontal	251	2.10	-	38.45
AV	2.3884G	53.88	54.00	-0.12	29.84	3	Horizontal	251	2.10	-	24.04
PK	2.4276G	114.01	Inf	-Inf	29.91	3	Horizontal	251	2.10	-	84.10
AV	2.43G	103.42	Inf	-Inf	29.91	3	Horizontal	251	2.10	-	73.51
PK	2.4888G	57.81	74.00	-16.19	30.06	3	Horizontal	251	2.10	-	27.75
AV	2.4856G	46.56	54.00	-7.44	30.05	3	Horizontal	251	2.10	-	16.51

VHT40_Nss3,(MCS0)_4TX

26/07/2019

2422MHz_TX




EUT Y_4TX
Setting 69
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.841G	45.16	74.00	-28.84	3.02	3	Vertical	40	1.50	-	42.14			
AV	4.8437G	32.22	54.00	-21.78	3.03	3	Vertical	40	1.50	-	29.19			

VHT40_Nss3,(MCS0)_4TX

26/07/2019

2422MHz_TX




EUT Y_4TX
Setting 69
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.84274G	44.90	74.00	-29.10	3.03	3	Horizontal	56	1.33	-	41.87			
AV	4.84556G	32.19	54.00	-21.81	3.04	3	Horizontal	56	1.33	-	29.15			

VHT40_Nss3,(MCS0)_4TX

26/07/2019

2437MHz_TX




EUT Y_4TX
Setting 81
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3838G	69.00	74.00	-5.00	29.85	3	Vertical	48	1.88	-	39.15
AV	2.3898G	53.14	54.00	-0.86	29.84	3	Vertical	48	1.88	-	23.30
PK	2.443G	115.17	Inf	-Inf	29.95	3	Vertical	48	1.88	-	85.22
AV	2.4442G	103.50	Inf	-Inf	29.95	3	Vertical	48	1.88	-	73.55
PK	2.4938G	63.97	74.00	-10.03	30.08	3	Vertical	48	1.88	-	33.89
AV	2.4838G	48.26	54.00	-5.74	30.05	3	Vertical	48	1.88	-	18.21

VHT40_Nss3,(MCS0)_4TX

26/07/2019

2437MHz_TX




EUT Y_4TX
Setting 81
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	69.77	74.00	-4.23	29.84	3	Horizontal	264	2.10	-	39.93
AV	2.389G	53.93	54.00	-0.07	29.84	3	Horizontal	264	2.10	-	24.09
PK	2.4426G	116.79	Inf	-Inf	29.95	3	Horizontal	264	2.10	-	86.84
AV	2.445G	106.35	Inf	-Inf	29.95	3	Horizontal	264	2.10	-	76.40
PK	2.4914G	67.13	74.00	-6.87	30.07	3	Horizontal	264	2.10	-	37.06
AV	2.485G	51.36	54.00	-2.64	30.05	3	Horizontal	264	2.10	-	21.31

VHT40_Nss3,(MCS0)_4TX

26/07/2019

2437MHz_TX




EUT Y_4TX
Setting 81
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87148G	45.71	74.00	-28.29	3.11	3	Vertical	206	1.30	-	42.60			
AV	4.87288G	32.41	54.00	-21.59	3.12	3	Vertical	206	1.30	-	29.29			

VHT40_Nss3,(MCS0)_4TX

26/07/2019

2437MHz_TX




EUT Y_4TX
Setting 81
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.8696G	44.55	74.00	-29.45	3.11	3	Horizontal	153	1.72	-	41.44			
AV	4.87612G	32.26	54.00	-21.74	3.13	3	Horizontal	153	1.72	-	29.13			

VHT40_Nss3,(MCS0)_4TX

26/07/2019

2452MHz_TX




EUT Y_4TX
Setting 80
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3884G	60.70	74.00	-13.30	29.84	3	Vertical	28	2.09	-	30.86
AV	2.39G	48.25	54.00	-5.75	29.84	3	Vertical	28	2.09	-	18.41
PK	2.438G	114.77	Inf	-Inf	29.94	3	Vertical	28	2.09	-	84.83
AV	2.4432G	102.67	Inf	-Inf	29.95	3	Vertical	28	2.09	-	72.72
PK	2.4888G	68.63	74.00	-5.37	30.06	3	Vertical	28	2.09	-	38.57
AV	2.484G	51.84	54.00	-2.16	30.05	3	Vertical	28	2.09	-	21.79

VHT40_Nss3,(MCS0)_4TX

26/07/2019

2452MHz_TX




EUT Y_4TX
Setting 80
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3844G	60.61	74.00	-13.39	29.85	3	Horizontal	261	2.51	-	30.76
AV	2.3896G	47.95	54.00	-6.05	29.84	3	Horizontal	261	2.51	-	18.11
PK	2.4576G	116.25	Inf	-Inf	29.99	3	Horizontal	261	2.51	-	86.26
AV	2.46G	105.60	Inf	-Inf	29.99	3	Horizontal	261	2.51	-	75.61
PK	2.4868G	70.97	74.00	-3.03	30.05	3	Horizontal	261	2.51	-	40.92
AV	2.4835G	53.75	54.00	-0.25	30.05	3	Horizontal	261	2.51	-	23.70

VHT40_Nss3,(MCS0)_4TX

26/07/2019

2452MHz_TX




EUT Y_4TX
Setting 80
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.9042G	45.49	74.00	-28.51	3.21	3	Vertical	277	1.15	-	42.28			
AV	4.90412G	31.78	54.00	-22.22	3.21	3	Vertical	277	1.15	-	28.57			

VHT40_Nss3,(MCS0)_4TX

26/07/2019

2452MHz_TX




EUT Y_4TX
Setting 80
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.89926G	44.88	74.00	-29.12	3.20	3	Horizontal	104	2.97	-	41.68			
AV	4.90392G	31.90	54.00	-22.10	3.21	3	Horizontal	104	2.97	-	28.69			

802.11ax HEW20_Nss3,(MCS0)_4TX

26/07/2019

2412MHz_TX




EUT Y_4TX
Setting 74
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.39G	65.19	74.00	-8.81	29.84	3	Vertical	9	2.00	-	35.35			
AV	2.39G	51.53	54.00	-2.47	29.84	3	Vertical	9	2.00	-	21.69			
PK	2.4076G	116.80	Inf	-Inf	29.86	3	Vertical	9	2.00	-	86.94			
AV	2.4072G	105.77	Inf	-Inf	29.85	3	Vertical	9	2.00	-	75.92			
PK	2.4852G	56.27	74.00	-17.73	30.05	3	Vertical	9	2.00	-	26.22			
AV	2.4964G	44.83	54.00	-9.17	30.08	3	Vertical	9	2.00	-	14.75			

802.11ax HEW20_Nss3,(MCS0)_4TX

26/07/2019

2412MHz_TX




EUT_Y_4TX
Setting 74
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3896G	66.62	74.00	-7.38	29.84	3	Horizontal	259	2.11	-	36.78			
AV	2.39G	53.82	54.00	-0.18	29.84	3	Horizontal	259	2.11	-	23.98			
PK	2.4096G	116.73	Inf	-Inf	29.86	3	Horizontal	259	2.11	-	86.87			
AV	2.4136G	106.57	Inf	-Inf	29.88	3	Horizontal	259	2.11	-	76.69			
PK	2.4916G	57.42	74.00	-16.58	30.07	3	Horizontal	259	2.11	-	27.35			
AV	2.4844G	46.24	54.00	-7.76	30.05	3	Horizontal	259	2.11	-	16.19			

802.11ax HEW20_Nss3,(MCS0)_4TX

26/07/2019

2412MHz_TX




EUT Y_4TX
Setting 74
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82784G	44.68	74.00	-29.32	2.97	3	Vertical	266	1.84	-	41.71			
AV	4.81976G	32.13	54.00	-21.87	2.95	3	Vertical	266	1.84	-	29.18			

802.11ax HEW20_Nss3,(MCS0)_4TX

26/07/2019

2412MHz_TX




EUT Y_4TX
Setting 74
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82602G	44.78	74.00	-29.22	2.97	3	Horizontal	228	2.46	-	41.81
AV	4.8228G	32.20	54.00	-21.80	2.96	3	Horizontal	228	2.46	-	29.24

802.11ax HEW20_Nss3,(MCS0)_4TX

31/07/2019

2462MHz_TX




EUT_Y_4TX
Setting 80
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3804G	58.09	74.00	-15.91	29.85	3	Vertical	36	1.91	-	28.24
AV	2.368G	46.76	54.00	-7.24	29.85	3	Vertical	36	1.91	-	16.91
PK	2.4608G	118.37	Inf	-Inf	29.99	3	Vertical	36	1.91	-	88.38
AV	2.4596G	107.02	Inf	-Inf	29.99	3	Vertical	36	1.91	-	77.03
PK	2.4848G	70.61	74.00	-3.39	30.05	3	Vertical	36	1.91	-	40.56
AV	2.4835G	52.98	54.00	-1.02	30.05	3	Vertical	36	1.91	-	22.93

802.11ax HEW20_Nss3,(MCS0)_4TX

31/07/2019

2462MHz_TX




EUT Y_4TX
Setting 80
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3892G	58.68	74.00	-15.32	29.84	3	Horizontal	268	2.28	-	28.84
AV	2.3868G	46.71	54.00	-7.29	29.84	3	Horizontal	268	2.28	-	16.87
PK	2.4568G	118.86	Inf	-Inf	29.98	3	Horizontal	268	2.28	-	88.88
AV	2.4544G	107.77	Inf	-Inf	29.98	3	Horizontal	268	2.28	-	77.79
PK	2.484G	70.78	74.00	-3.22	30.05	3	Horizontal	268	2.28	-	40.73
AV	2.484G	53.97	54.00	-0.03	30.05	3	Horizontal	268	2.28	-	23.92

802.11ax HEW20_Nss3,(MCS0)_4TX

31/07/2019

2462MHz_TX




EUT Y_4TX
Setting 80
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92054G	44.32	74.00	-29.68	3.24	3	Vertical	58	2.39	-	41.08			
AV	4.91982G	32.01	54.00	-21.99	3.24	3	Vertical	58	2.39	-	28.77			

802.11ax HEW20_Nss3,(MCS0)_4TX

31/07/2019

2462MHz_TX




EUT Y_4TX
Setting 80
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92524G	44.64	74.00	-29.36	3.25	3	Horizontal	8	1.86	-	41.39			
AV	4.92688G	32.10	54.00	-21.90	3.25	3	Horizontal	8	1.86	-	28.85			

802.11ax HEW40_Nss3,(MCS0)_4TX

26/07/2019

2422MHz_TX




EUT Y_4TX
Setting 62
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3896G	61.81	74.00	-12.19	29.84	3	Vertical	24	1.50	-	31.97			
AV	2.39G	51.64	54.00	-2.36	29.84	3	Vertical	24	1.50	-	21.80			
PK	2.4052G	109.54	Inf	-Inf	29.85	3	Vertical	24	1.50	-	79.69			
AV	2.408G	99.03	Inf	-Inf	29.86	3	Vertical	24	1.50	-	69.17			
PK	2.496G	56.76	74.00	-17.24	30.08	3	Vertical	24	1.50	-	26.68			
AV	2.4968G	45.92	54.00	-8.08	30.08	3	Vertical	24	1.50	-	15.84			

802.11ax HEW40_Nss3,(MCS0)_4TX

26/07/2019

2422MHz_TX




EUT_Y_4TX
Setting 62
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3844G	63.49	74.00	-10.51	29.85	3	Horizontal	273	1.50	-	33.64
PK	2.4264G	111.73	Inf	-Inf	29.90	3	Horizontal	273	1.50	-	81.83
AV	2.4272G	101.33	Inf	-Inf	29.90	3	Horizontal	273	1.50	-	71.43
PK	2.4844G	56.98	74.00	-17.02	30.05	3	Horizontal	273	1.50	-	26.93
AV	2.4952G	46.86	54.00	-7.14	30.08	3	Horizontal	273	1.50	-	16.78
AV	2.3844G	53.75	54.00	-0.25	29.85	3	Horizontal	273	1.50	-	23.90

802.11ax HEW40_Nss3,(MCS0)_4TX

26/07/2019

2422MHz_TX




EUT Y_4TX
Setting 62
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)			
PK	4.8396G	44.58	74.00	-29.42	3.02	3	Vertical	251	2.72	-	41.56			
AV	4.84558G	33.98	54.00	-20.02	3.04	3	Vertical	251	2.72	-	30.94			

802.11ax HEW40_Nss3,(MCS0)_4TX

26/07/2019

2422MHz_TX




EUT Y_4TX
Setting 62
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.84326G	45.17	74.00	-28.83	3.03	3	Horizontal	180	2.78	-	42.14			
AV	4.849G	33.87	54.00	-20.13	3.05	3	Horizontal	180	2.78	-	30.82			

802.11ax HEW40_Nss3,(MCS0)_4TX

31/07/2019

2437MHz_TX




EUT Y_4TX
Setting 77
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3878G	63.92	74.00	-10.08	29.84	3	Vertical	38	1.79	-	34.08
AV	2.3882G	52.30	54.00	-1.70	29.84	3	Vertical	38	1.79	-	22.46
PK	2.439G	113.61	Inf	-Inf	29.94	3	Vertical	38	1.79	-	83.67
AV	2.4298G	103.86	Inf	-Inf	29.91	3	Vertical	38	1.79	-	73.95
PK	2.4842G	60.70	74.00	-13.30	30.05	3	Vertical	38	1.79	-	30.65
AV	2.4926G	49.02	54.00	-4.98	30.08	3	Vertical	38	1.79	-	18.94

802.11ax HEW40_Nss3,(MCS0)_4TX

31/07/2019

2437MHz_TX




EUT Y_4TX
Setting 77
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	68.71	74.00	-5.29	29.84	3	Horizontal	264	2.08	-	38.87
AV	2.3898G	53.84	54.00	-0.16	29.84	3	Horizontal	264	2.08	-	24.00
PK	2.4466G	117.78	Inf	-Inf	29.95	3	Horizontal	264	2.08	-	87.83
AV	2.4454G	105.10	Inf	-Inf	29.95	3	Horizontal	264	2.08	-	75.15
PK	2.4835G	65.33	74.00	-8.67	30.05	3	Horizontal	264	2.08	-	35.28
AV	2.4866G	51.36	54.00	-2.64	30.05	3	Horizontal	264	2.08	-	21.31

802.11ax HEW40_Nss3,(MCS0)_4TX

31/07/2019

2437MHz_TX




EUT Y_4TX
Setting 77
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)			
PK	4.87012G	44.70	74.00	-29.30	3.11	3	Vertical	109	1.10	-	41.59			
AV	4.87756G	33.88	54.00	-20.12	3.13	3	Vertical	109	1.10	-	30.75			

802.11ax HEW40_Nss3,(MCS0)_4TX

31/07/2019

2437MHz_TX




EUT Y_4TX
Setting 77
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87852G	44.96	74.00	-29.04	3.14	3	Horizontal	309	2.69	-	41.82			
AV	4.8715G	33.63	54.00	-20.37	3.11	3	Horizontal	309	2.69	-	30.52			

802.11ax HEW40_Nss3,(MCS0)_4TX

31/07/2019

2452MHz_TX




EUT Y_4TX
Setting 77
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3588G	59.53	74.00	-14.47	29.86	3	Vertical	40	1.50	-	29.67			
AV	2.3896G	49.03	54.00	-4.97	29.84	3	Vertical	40	1.50	-	19.19			
PK	2.4572G	113.59	Inf	-Inf	29.98	3	Vertical	40	1.50	-	83.61			
AV	2.4572G	103.25	Inf	-Inf	29.98	3	Vertical	40	1.50	-	73.27			
PK	2.4844G	62.64	74.00	-11.36	30.05	3	Vertical	40	1.50	-	32.59			
AV	2.4904G	51.52	54.00	-2.48	30.07	3	Vertical	40	1.50	-	21.45			

802.11ax HEW40_Nss3,(MCS0)_4TX

31/07/2019

2452MHz_TX




EUT_Y_4TX
Setting 77
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3876G	59.24	74.00	-14.76	29.84	3	Horizontal	261	2.07	-	29.40			
AV	2.3876G	49.21	54.00	-4.79	29.84	3	Horizontal	261	2.07	-	19.37			
PK	2.464G	115.26	Inf	-Inf	30.00	3	Horizontal	261	2.07	-	85.26			
AV	2.4432G	104.64	Inf	-Inf	29.95	3	Horizontal	261	2.07	-	74.69			
PK	2.4852G	66.45	74.00	-7.55	30.05	3	Horizontal	261	2.07	-	36.40			
AV	2.4835G	53.67	54.00	-0.33	30.05	3	Horizontal	261	2.07	-	23.62			

802.11ax HEW40_Nss3,(MCS0)_4TX

31/07/2019

2452MHz_TX




EUT Y_4TX
Setting 77
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.90352G	44.56	74.00	-29.44	3.21	3	Vertical	196	1.15	-	41.35			
AV	4.90474G	34.29	54.00	-19.71	3.21	3	Vertical	196	1.15	-	31.08			

802.11ax HEW40_Nss3,(MCS0)_4TX

31/07/2019

2452MHz_TX



EUT Y_4TX
Setting 77
04-D-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.9083G	44.86	74.00	-29.14	3.22	3	Horizontal	304	1.66	-	41.64			
AV	4.90368G	34.14	54.00	-19.86	3.21	3	Horizontal	304	1.66	-	30.93			



<beamforming mode> 4T3S


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss3,(MCS0)_4TX	Pass	PK	2.484G	73.98	74.00	-0.02	30.05	3	Horizontal	257	2.02	-

VHT20-BF_Nss3,(MCS0)_4TX

31/07/2019

2412MHz_TX




EUT_Y_4TX
Setting 78
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	70.20	74.00	-3.80	29.84	3	Vertical	72	2.17	-	40.36
AV	2.3896G	51.86	54.00	-2.14	29.84	3	Vertical	72	2.17	-	22.02
PK	2.4186G	116.83	Inf	-Inf	29.89	3	Vertical	72	2.17	-	86.94
AV	2.411G	106.50	Inf	-Inf	29.87	3	Vertical	72	2.17	-	76.63

VHT20-BF_Nss3,(MCS0)_4TX

31/07/2019

2412MHz_TX




EUT Y_4TX
Setting 78
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.39G	73.04	74.00	-0.96	29.84	3	Horizontal	260	2.12	-	43.20			
AV	2.39G	53.78	54.00	-0.22	29.84	3	Horizontal	260	2.12	-	23.94			
PK	2.4052G	120.04	Inf	-Inf	29.85	3	Horizontal	260	2.12	-	90.19			
AV	2.4054G	108.81	Inf	-Inf	29.85	3	Horizontal	260	2.12	-	78.96			

VHT20-BF_Nss3,(MCS0)_4TX

31/07/2019

2412MHz_TX




EUT Y_4TX
Setting 78
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82478G	46.68	74.00	-27.32	2.96	3	Vertical	345	2.38	-	43.72			
AV	4.82454G	33.06	54.00	-20.94	2.96	3	Vertical	345	2.38	-	30.10			

VHT20-BF_Nss3,(MCS0)_4TX

31/07/2019

2412MHz_TX




EUT Y_4TX
Setting 78
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82406G	48.12	74.00	-25.88	2.96	3	Horizontal	121	1.98	-	45.16			
AV	4.82454G	35.51	54.00	-18.49	2.96	3	Horizontal	121	1.98	-	32.55			

VHT20-BF_Nss3,(MCS0)_4TX

21/07/2019

2462MHz_TX




EUT Y_4TX
Setting 82
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.4628G	117.78	Inf	-Inf	30.00	3	Vertical	35	1.96	-	87.78			
AV	2.4626G	109.91	Inf	-Inf	30.00	3	Vertical	35	1.96	-	79.91			
PK	2.484G	70.21	74.00	-3.79	30.05	3	Vertical	35	1.96	-	40.16			
AV	2.4835G	50.32	54.00	-3.68	30.05	3	Vertical	35	1.96	-	20.27			

VHT20-BF_Nss3,(MCS0)_4TX

21/07/2019

2462MHz_TX




EUT Y_4TX
Setting 82
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.4602G	119.59	Inf	-Inf	29.99	3	Horizontal	254	1.72	-	89.60			
AV	2.4598G	108.60	Inf	-Inf	29.99	3	Horizontal	254	1.72	-	78.61			
PK	2.4835G	73.83	74.00	-0.17	30.05	3	Horizontal	254	1.72	-	43.78			
AV	2.4835G	51.93	54.00	-2.07	30.05	3	Horizontal	254	1.72	-	21.88			

VHT20-BF_Nss3,(MCS0)_4TX

21/07/2019

2462MHz_TX




EUT Y_4TX
Setting 82
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92408G	46.31	74.00	-27.69	3.25	3	Vertical	324	1.05	-	43.06			
AV	4.924G	32.80	54.00	-21.20	3.25	3	Vertical	324	1.05	-	29.55			

VHT20-BF_Nss3,(MCS0)_4TX

21/07/2019

2462MHz_TX




EUT Y_4TX
Setting 82
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.9243G	47.77	74.00	-26.23	3.25	3	Horizontal	43	1.48	-	44.52			
AV	4.9245G	35.75	54.00	-18.25	3.25	3	Horizontal	43	1.48	-	32.50			

VHT40-BF_Nss3,(MCS0)_4TX

31/07/2019

2422MHz_TX




EUT_Y_4TX
Setting 72
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	64.75	74.00	-9.25	29.84	3	Vertical	22	1.93	-	34.91
AV	2.39G	51.82	54.00	-2.18	29.84	3	Vertical	22	1.93	-	21.98
PK	2.4168G	112.37	Inf	-Inf	29.88	3	Vertical	22	1.93	-	82.49
AV	2.4156G	103.83	Inf	-Inf	29.88	3	Vertical	22	1.93	-	73.95
PK	2.4876G	57.34	74.00	-16.66	30.06	3	Vertical	22	1.93	-	27.28
AV	2.484G	45.10	54.00	-8.90	30.05	3	Vertical	22	1.93	-	15.05

VHT40-BF_Nss3,(MCS0)_4TX

31/07/2019

2422MHz_TX




EUT Y_4TX
Setting 72
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3888G	68.13	74.00	-5.87	29.84	3	Horizontal	248	2.04	-	38.29
AV	2.3892G	53.93	54.00	-0.07	29.84	3	Horizontal	248	2.04	-	24.09
PK	2.4168G	114.49	Inf	-Inf	29.88	3	Horizontal	248	2.04	-	84.61
AV	2.4184G	102.24	Inf	-Inf	29.89	3	Horizontal	248	2.04	-	72.35
PK	2.4835G	58.39	74.00	-15.61	30.05	3	Horizontal	248	2.04	-	28.34
AV	2.484G	45.98	54.00	-8.02	30.05	3	Horizontal	248	2.04	-	15.93

VHT40-BF_Nss3,(MCS0)_4TX

31/07/2019

2422MHz_TX




EUT Y_4TX
Setting 72
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.8458G	44.23	74.00	-29.77	3.04	3	Vertical	38	1.62	-	41.19			
AV	4.84446G	30.52	54.00	-23.48	3.03	3	Vertical	38	1.62	-	27.49			

VHT40-BF_Nss3,(MCS0)_4TX

31/07/2019

2422MHz_TX




EUT Y_4TX
Setting 72
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.84388G	46.46	74.00	-27.54	3.03	3	Horizontal	157	3.00	-	43.43			
AV	4.84462G	33.60	54.00	-20.40	3.03	3	Horizontal	157	3.00	-	30.57			

VHT40-BF_Nss3,(MCS0)_4TX

21/07/2019

2437MHz_TX




EUT Y_4TX
Setting 84
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3826G	73.07	74.00	-0.93	29.85	3	Vertical	36	1.96	-	43.22
AV	2.3898G	53.66	54.00	-0.34	29.84	3	Vertical	36	1.96	-	23.82
PK	2.4338G	115.50	Inf	-Inf	29.93	3	Vertical	36	1.96	-	85.57
AV	2.4314G	105.09	Inf	-Inf	29.92	3	Vertical	36	1.96	-	75.17
PK	2.4838G	69.49	74.00	-4.51	30.05	3	Vertical	36	1.96	-	39.44
AV	2.4842G	49.87	54.00	-4.13	30.05	3	Vertical	36	1.96	-	19.82

VHT40-BF_Nss3,(MCS0)_4TX

21/07/2019

2437MHz_TX




EUT Y_4TX
Setting 84
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	68.86	74.00	-5.14	29.84	3	Horizontal	263	2.33	-	39.02
AV	2.3894G	53.95	54.00	-0.05	29.84	3	Horizontal	263	2.33	-	24.11
PK	2.4486G	116.96	Inf	-Inf	29.96	3	Horizontal	263	2.33	-	87.00
AV	2.4406G	106.48	Inf	-Inf	29.94	3	Horizontal	263	2.33	-	76.54
PK	2.4838G	72.38	74.00	-1.62	30.05	3	Horizontal	263	2.33	-	42.33
AV	2.4835G	51.87	54.00	-2.13	30.05	3	Horizontal	263	2.33	-	21.82

VHT40-BF_Nss3,(MCS0)_4TX

21/07/2019

2437MHz_TX




EUT Y_4TX
Setting 84
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87458G	47.31	74.00	-26.69	3.12	3	Vertical	39	2.15	-	44.19			
AV	4.87372G	33.45	54.00	-20.55	3.12	3	Vertical	39	2.15	-	30.33			

VHT40-BF_Nss3,(MCS0)_4TX

21/07/2019

2437MHz_TX




EUT Y_4TX
Setting 84
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87302G	48.52	74.00	-25.48	3.12	3	Horizontal	357	2.16	-	45.40			
AV	4.87456G	35.49	54.00	-18.51	3.12	3	Horizontal	357	2.16	-	32.37			

VHT40-BF_Nss3,(MCS0)_4TX

31/07/2019

2452MHz_TX




EUT Y_4TX
Setting 80
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3888G	62.31	74.00	-11.69	29.84	3	Vertical	36	1.97	-	32.47			
AV	2.39G	48.31	54.00	-5.69	29.84	3	Vertical	36	1.97	-	18.47			
PK	2.4488G	115.84	Inf	-Inf	29.96	3	Vertical	36	1.97	-	85.88			
AV	2.4404G	107.76	Inf	-Inf	29.94	3	Vertical	36	1.97	-	77.82			
PK	2.4848G	72.60	74.00	-1.40	30.05	3	Vertical	36	1.97	-	42.55			
AV	2.484G	52.87	54.00	-1.13	30.05	3	Vertical	36	1.97	-	22.82			

VHT40-BF_Nss3,(MCS0)_4TX

31/07/2019

2452MHz_TX




EUT Y_4TX
Setting 80
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	61.42	74.00	-12.58	29.84	3	Horizontal	264	2.53	-	31.58
AV	2.3896G	47.90	54.00	-6.10	29.84	3	Horizontal	264	2.53	-	18.06
PK	2.4576G	115.89	Inf	-Inf	29.99	3	Horizontal	264	2.53	-	85.90
AV	2.4552G	103.85	Inf	-Inf	29.98	3	Horizontal	264	2.53	-	73.87
PK	2.484G	73.98	74.00	-0.02	30.05	3	Horizontal	264	2.53	-	43.93
AV	2.4835G	53.60	54.00	-0.40	30.05	3	Horizontal	264	2.53	-	23.55

VHT40-BF_Nss3,(MCS0)_4TX

31/07/2019

2452MHz_TX




EUT Y_4TX
Setting 80
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.90784G	47.29	74.00	-26.71	3.22	3	Vertical	78	2.21	-	44.07			
AV	4.9042G	34.04	54.00	-19.96	3.21	3	Vertical	78	2.21	-	30.83			

VHT40-BF_Nss3,(MCS0)_4TX

31/07/2019

2452MHz_TX




EUT Y_4TX
Setting 80
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.90242G	49.12	74.00	-24.88	3.20	3	Horizontal	211	1.46	-	45.92			
AV	4.9039G	35.96	54.00	-18.04	3.21	3	Horizontal	211	1.46	-	32.75			

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

31/07/2019

2412MHz_TX




EUT Y_4TX
Setting 74
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.388G	68.28	74.00	-5.72	29.84	3	Vertical	34	1.88	-	38.44			
AV	2.3896G	52.75	54.00	-1.25	29.84	3	Vertical	34	1.88	-	22.91			
PK	2.4052G	117.29	Inf	-Inf	29.85	3	Vertical	34	1.88	-	87.44			
AV	2.4144G	104.05	Inf	-Inf	29.88	3	Vertical	34	1.88	-	74.17			

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

31/07/2019

2412MHz_TX




EUT Y_4TX
Setting 74
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3892G	72.88	74.00	-1.12	29.84	3	Horizontal	260	2.13	-	43.04			
AV	2.39G	53.77	54.00	-0.23	29.84	3	Horizontal	260	2.13	-	23.93			
PK	2.4048G	120.65	Inf	-Inf	29.85	3	Horizontal	260	2.13	-	90.80			
AV	2.405G	106.50	Inf	-Inf	29.85	3	Horizontal	260	2.13	-	76.65			

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

31/07/2019

2412MHz_TX




EUT Y_4TX
Setting 74
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82132G	46.33	74.00	-27.67	2.95	3	Vertical	80	1.20	-	43.38			
AV	4.82466G	33.12	54.00	-20.88	2.96	3	Vertical	80	1.20	-	30.16			

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

31/07/2019

2412MHz_TX




EUT_Y_4TX
Setting 74
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82178G	47.88	74.00	-26.12	2.96	3	Horizontal	39	1.36	-	44.92			
AV	4.82462G	35.05	54.00	-18.95	2.96	3	Horizontal	39	1.36	-	32.09			

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

21/07/2019

2462MHz_TX




EUT Y_4TX
Setting 79
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.464G	118.01	Inf	-Inf	30.00	3	Vertical	34	1.97	-	88.01
AV	2.4604G	105.57	Inf	-Inf	29.99	3	Vertical	34	1.97	-	75.58
PK	2.4838G	69.37	74.00	-4.63	30.05	3	Vertical	34	1.97	-	39.32
AV	2.4836G	50.34	54.00	-3.66	30.05	3	Vertical	34	1.97	-	20.29

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

21/07/2019

2462MHz_TX




EUT Y_4TX
Setting 79
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4548G	120.32	Inf	-Inf	29.98	3	Horizontal	260	2.07	-	90.34
AV	2.4602G	105.43	Inf	-Inf	29.99	3	Horizontal	260	2.07	-	75.44
PK	2.485G	73.87	74.00	-0.13	30.05	3	Horizontal	260	2.07	-	43.82
AV	2.4836G	51.36	54.00	-2.64	30.05	3	Horizontal	260	2.07	-	21.31

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

21/07/2019

2462MHz_TX




EUT Y_4TX
Setting 79
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.9211G	46.93	74.00	-27.07	3.24	3	Vertical	128	1.76	-	43.69			
AV	4.9248G	33.06	54.00	-20.94	3.25	3	Vertical	128	1.76	-	29.81			

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

21/07/2019

2462MHz_TX




EUT Y_4TX
Setting 79
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.9212G	48.32	74.00	-25.68	3.24	3	Horizontal	203	1.42	-	45.08			
AV	4.9244G	36.16	54.00	-17.84	3.25	3	Horizontal	203	1.42	-	32.91			

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

21/07/2019

2422MHz_TX




EUT Y_4TX
Setting 70
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.386G	66.61	74.00	-7.39	29.84	3	Vertical	36	2.01	-	36.77			
AV	2.39G	51.84	54.00	-2.16	29.84	3	Vertical	36	2.01	-	22.00			
PK	2.4088G	112.27	Inf	-Inf	29.86	3	Vertical	36	2.01	-	82.41			
AV	2.4096G	101.59	Inf	-Inf	29.86	3	Vertical	36	2.01	-	71.73			
PK	2.4864G	57.56	74.00	-16.44	30.05	3	Vertical	36	2.01	-	27.51			
AV	2.484G	44.97	54.00	-9.03	30.05	3	Vertical	36	2.01	-	14.92			

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

21/07/2019

2422MHz_TX




EUT Y_4TX
Setting 70
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.384G	68.77	74.00	-5.23	29.85	3	Horizontal	245	2.07	-	38.92
AV	2.3892G	53.91	54.00	-0.09	29.84	3	Horizontal	245	2.07	-	24.07
PK	2.4148G	114.90	Inf	-Inf	29.88	3	Horizontal	245	2.07	-	85.02
AV	2.414G	101.50	Inf	-Inf	29.88	3	Horizontal	245	2.07	-	71.62
PK	2.4872G	58.89	74.00	-15.11	30.05	3	Horizontal	245	2.07	-	28.84
AV	2.484G	46.30	54.00	-7.70	30.05	3	Horizontal	245	2.07	-	16.25

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

21/07/2019

2422MHz_TX




EUT Y_4TX
Setting 70
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.8446G	43.94	74.00	-30.06	3.03	3	Vertical	28	1.09	-	40.91			
AV	4.84432G	30.02	54.00	-23.98	3.03	3	Vertical	28	1.09	-	26.99			

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

21/07/2019

2422MHz_TX




EUT_Y_4TX
Setting 70
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.84222G	44.99	74.00	-29.01	3.03	3	Horizontal	215	2.66	-	41.96			
AV	4.84472G	31.05	54.00	-22.95	3.03	3	Horizontal	215	2.66	-	28.02			

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

21/07/2019

2437MHz_TX




EUT Y_4TX
Setting 82
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	73.91	74.00	-0.09	29.84	3	Vertical	29	1.93	-	44.07
AV	2.3898G	53.73	54.00	-0.27	29.84	3	Vertical	29	1.93	-	23.89
PK	2.4398G	116.90	Inf	-Inf	29.94	3	Vertical	29	1.93	-	86.96
AV	2.4314G	103.05	Inf	-Inf	29.92	3	Vertical	29	1.93	-	73.13
PK	2.4835G	70.90	74.00	-3.10	30.05	3	Vertical	29	1.93	-	40.85
AV	2.4835G	50.23	54.00	-3.77	30.05	3	Vertical	29	1.93	-	20.18

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

21/07/2019

2437MHz_TX




EUT Y_4TX
Setting 82
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3878G	73.46	74.00	-0.54	29.84	3	Horizontal	266	2.80	-	43.62
AV	2.3898G	53.05	54.00	-0.95	29.84	3	Horizontal	266	2.80	-	23.21
PK	2.441G	117.52	Inf	-Inf	29.94	3	Horizontal	266	2.80	-	87.58
AV	2.4406G	105.11	Inf	-Inf	29.94	3	Horizontal	266	2.80	-	75.17
PK	2.4854G	68.09	74.00	-5.91	30.05	3	Horizontal	266	2.80	-	38.04
AV	2.4835G	50.80	54.00	-3.20	30.05	3	Horizontal	266	2.80	-	20.75

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

21/07/2019

2437MHz_TX




EUT Y_4TX
Setting 82
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87196G	44.43	74.00	-29.57	3.12	3	Vertical	124	2.89	-	41.31			
AV	4.87414G	30.13	54.00	-23.87	3.12	3	Vertical	124	2.89	-	27.01			

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

21/07/2019

2437MHz_TX




EUT Y_4TX
Setting 82
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.8717G	47.35	74.00	-26.65	3.12	3	Horizontal	156	1.01	-	44.23			
AV	4.87422G	32.13	54.00	-21.87	3.12	3	Horizontal	156	1.01	-	29.01			

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

21/07/2019

2452MHz_TX




EUT_Y_4TX
Setting 78
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.39G	61.91	74.00	-12.09	29.84	3	Vertical	32	1.98	-	32.07			
AV	2.39G	47.80	54.00	-6.20	29.84	3	Vertical	32	1.98	-	17.96			
PK	2.4528G	116.90	Inf	-Inf	29.98	3	Vertical	32	1.98	-	86.92			
AV	2.4404G	105.61	Inf	-Inf	29.94	3	Vertical	32	1.98	-	75.67			
PK	2.4835G	73.55	74.00	-0.45	30.05	3	Vertical	32	1.98	-	43.50			
AV	2.484G	51.21	54.00	-2.79	30.05	3	Vertical	32	1.98	-	21.16			

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

21/07/2019

2452MHz_TX




EUT_Y_4TX
Setting 78
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	61.27	74.00	-12.73	29.84	3	Horizontal	257	2.02	-	31.43
AV	2.39G	47.31	54.00	-6.69	29.84	3	Horizontal	257	2.02	-	17.47
PK	2.4652G	116.07	Inf	-Inf	30.00	3	Horizontal	257	2.02	-	86.07
AV	2.4528G	103.59	Inf	-Inf	29.98	3	Horizontal	257	2.02	-	73.61
PK	2.484G	73.98	74.00	-0.02	30.05	3	Horizontal	257	2.02	-	43.93
AV	2.4835G	53.10	54.00	-0.90	30.05	3	Horizontal	257	2.02	-	23.05

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

21/07/2019

2452MHz_TX




EUT Y_4TX
Setting 78
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.89934G	44.49	74.00	-29.51	3.20	3	Vertical	73	2.92	-	41.29			
AV	4.90398G	30.61	54.00	-23.39	3.21	3	Vertical	73	2.92	-	27.40			

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

21/07/2019

2452MHz_TX




EUT Y_4TX
Setting 78
04-B-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.90114G	44.13	74.00	-29.87	3.20	3	Horizontal	228	2.25	-	40.93			
AV	4.90398G	30.64	54.00	-23.36	3.21	3	Horizontal	228	2.25	-	27.43			



RSE Co-location Result

Appendix G





RSE Co-location Result

Appendix G

