


Report Number :E2/2022/30010
Operation Mode :802.11ax40
Test Frequency :5190 MHz
Test Mode :BE CH LOW RU FULL
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-21
Temp./Humi. :21.0/70
Antenna Pol. :Vertical
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5148.900	Average	40.91	3.00	43.91	54.00	-10.09
5148.900	Peak	54.49	3.00	57.50	74.00	-16.50
5150.000	Average	40.95	3.03	43.98	54.00	-10.02
5150.000	Peak	53.23	3.03	56.26	74.00	-17.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5190 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU FULL

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5148.200	Average	48.89	2.99	51.88	54.00	-2.12
5148.200	Peak	64.08	2.99	67.07	74.00	-6.93
5150.000	Average	48.78	3.03	51.81	54.00	-2.19
5150.000	Peak	62.34	3.03	65.37	74.00	-8.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ax40
 Test Frequency :5190 MHz
 Test Mode :BE CH LOW RU 26/9
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-21
 Temp./Humi. :21.0/70
 Antenna Pol. :Vertical
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
4801.700	Average	39.74	3.18	42.92	54.00	-11.08
4801.700	Peak	54.07	3.18	57.25	74.00	-16.75
5150.000	Average	39.06	3.03	42.09	54.00	-11.91
5150.000	Peak	53.33	3.03	56.36	74.00	-17.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5190 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 26/9

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5145.400	Average	40.57	2.92	43.49	54.00	-10.51
5145.400	Peak	67.98	2.92	70.90	74.00	-3.10
5150.000	Average	40.71	3.03	43.74	54.00	-10.26
5150.000	Peak	66.40	3.03	69.43	74.00	-4.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5190 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 52/41

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
4811.500	Average	39.64	3.03	42.67	54.00	-11.33
4811.500	Peak	54.17	3.03	57.20	74.00	-16.80
5150.000	Average	39.05	3.03	42.08	54.00	-11.92
5150.000	Peak	52.89	3.03	55.92	74.00	-18.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5190 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 52/41

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5146.100	Average	40.61	2.94	43.55	54.00	-10.45
5146.100	Peak	68.35	2.94	71.28	74.00	-2.72
5150.000	Average	40.95	3.03	43.98	54.00	-10.02
5150.000	Peak	65.97	3.03	69.00	74.00	-5.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5190 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 106/55

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
4778.600	Average	39.83	2.95	42.78	54.00	-11.22
4778.600	Peak	53.65	2.95	56.60	74.00	-17.40
5150.000	Average	38.89	3.03	41.92	54.00	-12.08
5150.000	Peak	51.32	3.03	54.35	74.00	-19.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5190 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 106/55

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5146.100	Average	40.90	2.94	43.83	54.00	-10.17
5146.100	Peak	68.22	2.94	71.15	74.00	-2.85
5150.000	Average	41.02	3.03	44.05	54.00	-9.95
5150.000	Peak	67.11	3.03	70.14	74.00	-3.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5190 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 242/61

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
4783.500	Average	39.90	3.01	42.91	54.00	-11.09
4783.500	Peak	54.41	3.01	57.42	74.00	-16.58
5150.000	Average	39.03	3.03	42.06	54.00	-11.94
5150.000	Peak	51.61	3.03	54.64	74.00	-19.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5190 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 242/61

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5145.400	Average	39.91	2.92	42.83	54.00	-11.17
5145.400	Peak	67.77	2.92	70.69	74.00	-3.31
5150.000	Average	41.05	3.03	44.08	54.00	-9.92
5150.000	Peak	68.91	3.03	71.94	74.00	-2.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5190 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 484/65

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4811.500	Average	39.47	3.03	42.50	54.00	-11.50
4811.500	Peak	54.34	3.03	57.37	74.00	-16.63
5150.000	Average	39.33	3.03	42.36	54.00	-11.65
5150.000	Peak	58.04	3.03	61.07	74.00	-12.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5190 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 484/65

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5142.600	Average	43.44	2.85	46.29	54.00	-7.71
5142.600	Peak	63.60	2.85	66.45	74.00	-7.55
5150.000	Average	45.12	3.03	48.15	54.00	-5.85
5150.000	Peak	68.95	3.03	71.98	74.00	-2.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5310 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	39.99	2.21	42.20	54.00	-11.80
5350.000	Peak	51.67	2.21	53.88	74.00	-20.12
5394.200	Average	39.07	2.59	41.66	54.00	-12.34
5394.200	Peak	53.02	2.59	55.60	74.00	-18.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5310 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	47.25	2.21	49.46	54.00	-4.54
5350.000	Peak	60.48	2.21	62.69	74.00	-11.31
5355.320	Average	49.07	2.22	51.29	54.00	-2.71
5355.320	Peak	64.33	2.22	66.55	74.00	-7.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5310 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 26/27

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	38.94	2.21	41.15	54.00	-12.85
5350.000	Peak	53.29	2.21	55.50	74.00	-18.50
5351.240	Average	39.01	2.21	41.22	54.00	-12.78
5351.240	Peak	56.56	2.21	58.77	74.00	-15.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5310 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 26/27

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	41.29	2.21	43.50	54.00	-10.50
5350.000	Peak	67.26	2.21	69.47	74.00	-4.53
5351.600	Average	41.34	2.21	43.55	54.00	-10.45
5351.600	Peak	69.49	2.21	71.70	74.00	-2.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5310 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 52/48

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	38.87	2.21	41.08	54.00	-12.92
5350.000	Peak	53.75	2.21	55.96	74.00	-18.04
5351.000	Average	38.91	2.21	41.12	54.00	-12.88
5351.000	Peak	56.21	2.21	58.42	74.00	-15.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5310 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 52/48

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	41.58	2.21	43.79	54.00	-10.21
5350.000	Peak	65.78	2.21	67.99	74.00	-6.01
5351.480	Average	41.61	2.21	43.82	54.00	-10.18
5351.480	Peak	69.06	2.21	71.27	74.00	-2.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5310 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 106/58

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	39.18	2.21	41.39	54.00	-12.61
5350.000	Peak	53.83	2.21	56.04	74.00	-17.96
5351.360	Average	39.08	2.21	41.29	54.00	-12.71
5351.360	Peak	55.99	2.21	58.21	74.00	-15.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5310 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 106/58

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	41.74	2.21	43.95	54.00	-10.05
5350.000	Peak	66.81	2.21	69.02	74.00	-4.98
5351.720	Average	41.78	2.21	44.00	54.00	-10.00
5351.720	Peak	69.75	2.21	71.96	74.00	-2.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5310 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 242/62

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	39.09	2.21	41.30	54.00	-12.70
5350.000	Peak	52.95	2.21	55.16	74.00	-18.84
5351.600	Average	39.15	2.21	41.36	54.00	-12.64
5351.600	Peak	56.96	2.21	59.17	74.00	-14.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5310 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 242/62

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	42.42	2.21	44.63	54.00	-9.37
5350.000	Peak	67.11	2.21	69.32	74.00	-4.68
5351.480	Average	42.38	2.21	44.59	54.00	-9.41
5351.480	Peak	69.37	2.21	71.58	74.00	-2.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5310 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 484/65

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	40.42	2.21	42.63	54.00	-11.37
5350.000	Peak	54.26	2.21	56.47	74.00	-17.53
5352.200	Average	40.20	2.21	42.41	54.00	-11.59
5352.200	Peak	57.12	2.21	59.34	74.00	-14.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5310 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 484/65

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	48.25	2.21	50.46	54.00	-3.54
5350.000	Peak	67.13	2.21	69.34	74.00	-4.66
5355.560	Average	42.66	2.22	44.88	54.00	-9.12
5355.560	Peak	68.67	2.22	70.89	74.00	-3.11


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ax40
 Test Frequency :5510 MHz
 Test Mode :BE CH LOW RU FULL
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-16
 Temp./Humi. :20.8/68
 Antenna Pol. :Vertical
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5456.640	Average	39.41	2.63	42.03	54.00	-11.97
5456.640	Peak	53.63	2.63	56.26	74.00	-17.74
5460.000	Average	39.76	2.64	42.40	54.00	-11.60
5460.000	Peak	52.54	2.64	55.18	74.00	-18.82
5467.680	Peak	54.01	2.74	56.75	68.20	-11.45
5470.000	Peak	53.19	2.77	55.96	68.20	-12.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5510 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU FULL

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5454.120	Average	40.45	2.62	43.07	54.00	-10.93
5454.120	Peak	56.98	2.62	59.60	74.00	-14.40
5460.000	Average	44.17	2.64	46.81	54.00	-7.19
5460.000	Peak	57.67	2.64	60.31	74.00	-13.69
5468.280	Peak	61.71	2.75	64.46	68.20	-3.74
5470.000	Peak	60.70	2.77	63.47	68.20	-4.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5510 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 26/9

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5425.320	Average	46.08	2.40	48.48	54.00	-5.52
5425.320	Peak	60.35	2.40	62.75	74.00	-11.25
5460.000	Average	46.24	2.64	48.88	54.00	-5.12
5460.000	Peak	58.32	2.64	60.96	74.00	-13.04
5468.640	Peak	60.02	2.75	62.77	68.20	-5.43
5470.000	Peak	58.41	2.77	61.18	68.20	-7.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ax40
Test Frequency :5510 MHz
Test Mode :BE CH LOW RU 26/9
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-16
Temp./Humi. :20.8/68
Antenna Pol. :Horizontal
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5450.760	Average	46.47	2.60	49.07	54.00	-4.93
5450.760	Peak	60.95	2.60	63.55	74.00	-10.45
5460.000	Average	46.54	2.64	49.18	54.00	-4.82
5460.000	Peak	58.63	2.64	61.27	74.00	-12.73
5465.640	Peak	62.84	2.71	65.56	68.20	-2.64
5470.000	Peak	62.54	2.77	65.31	68.20	-2.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5510 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 52/41

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5403.120	Average	46.06	2.56	48.61	54.00	-5.39
5403.120	Peak	60.97	2.56	63.53	74.00	-10.47
5460.000	Average	46.19	2.64	48.83	54.00	-5.17
5460.000	Peak	58.57	2.64	61.21	74.00	-12.79
5462.880	Peak	59.90	2.68	62.58	68.20	-5.62
5470.000	Peak	58.78	2.77	61.55	68.20	-6.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ax40
 Test Frequency :5510 MHz
 Test Mode :BE CH LOW RU 52/41
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-16
 Temp./Humi. :20.8/68
 Antenna Pol. :Horizontal
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5451.840	Average	46.36	2.61	48.97	54.00	-5.03
5451.840	Peak	61.68	2.61	64.29	74.00	-9.71
5460.000	Average	46.41	2.64	49.05	54.00	-4.95
5460.000	Peak	58.93	2.64	61.57	74.00	-12.43
5465.880	Peak	61.15	2.72	63.87	68.20	-4.33
5470.000	Peak	58.96	2.77	61.73	68.20	-6.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5510 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 106/55

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5428.080	Average	46.51	2.40	48.91	54.00	-5.09
5428.080	Peak	60.31	2.40	62.71	74.00	-11.29
5460.000	Average	46.06	2.64	48.70	54.00	-5.30
5460.000	Peak	58.36	2.64	61.00	74.00	-13.00
5460.480	Peak	60.24	2.65	62.89	68.20	-5.31
5470.000	Peak	59.03	2.77	61.80	68.20	-6.40


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ax40
Test Frequency :5510 MHz
Test Mode :BE CH LOW RU 106/55
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-16
Temp./Humi. :20.8/68
Antenna Pol. :Horizontal
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5417.760	Average	46.57	2.44	49.02	54.00	-4.98
5417.760	Peak	60.58	2.44	63.02	74.00	-10.98
5460.000	Average	46.45	2.64	49.09	54.00	-4.91
5460.000	Peak	59.13	2.64	61.77	74.00	-12.23
5466.120	Peak	60.33	2.72	63.05	68.20	-5.15
5470.000	Peak	58.60	2.77	61.37	68.20	-6.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5510 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 242/61

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5447.880	Average	46.49	2.54	49.02	54.00	-4.98
5447.880	Peak	60.31	2.54	62.85	74.00	-11.15
5460.000	Average	46.01	2.64	48.65	54.00	-5.35
5460.000	Peak	58.49	2.64	61.13	74.00	-12.87
5469.600	Peak	59.42	2.76	62.19	68.20	-6.01
5470.000	Peak	58.97	2.77	61.74	68.20	-6.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5510 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 242/61

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5456.280	Average	46.33	2.63	48.96	54.00	-5.04
5456.280	Peak	61.96	2.63	64.58	74.00	-9.42
5460.000	Average	46.48	2.64	49.12	54.00	-4.88
5460.000	Peak	58.67	2.64	61.31	74.00	-12.69
5465.760	Peak	61.63	2.71	64.34	68.20	-3.86
5470.000	Peak	58.49	2.77	61.26	68.20	-6.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5510 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 484/65

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5408.760	Average	46.98	2.58	49.56	54.00	-4.44
5408.760	Peak	59.91	2.58	62.50	74.00	-11.50
5460.000	Average	46.28	2.64	48.92	54.00	-5.08
5460.000	Peak	59.05	2.64	61.69	74.00	-12.31
5461.800	Peak	59.91	2.66	62.58	68.20	-5.62
5470.000	Peak	57.79	2.77	60.56	68.20	-7.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5510 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 484/65

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5443.800	Average	46.30	2.42	48.72	54.00	-5.28
5443.800	Peak	60.31	2.42	62.73	74.00	-11.27
5460.000	Average	46.76	2.64	49.40	54.00	-4.60
5460.000	Peak	59.06	2.64	61.70	74.00	-12.30
5470.000	Peak	62.42	2.77	65.19	68.20	-3.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5670 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5725.000	Peak	51.28	4.21	55.49	68.20	-12.71
5728.760	Peak	53.49	4.24	57.73	68.20	-10.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5670 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	61.11	4.21	65.33	68.20	-2.87
5733.800	Peak	60.10	4.28	64.39	68.20	-3.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5670 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 26/9

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	49.99	4.21	54.21	68.20	-13.99
5759.600	Peak	52.75	4.15	56.90	68.20	-11.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5670 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 26/9

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	57.02	4.21	61.23	68.20	-6.97
5729.240	Peak	61.93	4.24	66.17	68.20	-2.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5670 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 52/41

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	40.55	4.21	44.76	68.20	-23.44
5761.400	Peak	43.24	4.11	47.35	68.20	-20.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5670 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 52/41

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	55.70	4.21	59.91	68.20	-8.29
5728.760	Peak	61.34	4.24	65.58	68.20	-2.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5670 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 106/55

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	50.67	4.21	54.88	68.20	-13.32
5763.800	Peak	52.50	4.07	56.56	68.20	-11.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5670 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 106/55

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5725.000	Peak	56.92	4.21	61.13	68.20	-7.07
5729.120	Peak	61.07	4.24	65.31	68.20	-2.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2022/30010	Test Site	:SAC G
Operation Mode	:802.11ax40	Test Date	:2022-03-16
Test Frequency	:5670 MHz	Temp./Humi.	:20.8/68
Test Mode	:BE CH HIGH RU 242/62	Antenna Pol.	:Vertical
EUT Pol	:NB Plane	Engineer	:Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5725.000	Peak	51.04	4.21	55.25	68.20	-12.95
5779.040	Peak	52.88	3.74	56.62	68.20	-11.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5670 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 242/62

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	57.76	4.21	61.97	68.20	-6.23
5729.000	Peak	61.73	4.24	65.97	68.20	-2.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5670 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 484/65

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	50.17	4.21	54.38	68.20	-13.82
5755.760	Peak	51.74	4.24	55.98	68.20	-12.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5670 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 484/65

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	57.32	4.21	61.53	68.20	-6.67
5727.800	Peak	61.94	4.23	66.17	68.20	-2.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5710 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH MID RU FULL

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5385.750	Average	38.87	2.50	41.37	54.00	-12.63
5385.750	Peak	52.33	2.50	54.84	74.00	-19.16
5460.000	Average	38.82	2.64	41.46	54.00	-12.54
5460.000	Peak	50.59	2.64	53.23	74.00	-20.77
5470.000	Peak	50.24	2.77	53.01	68.20	-15.19
5480.000	Peak	51.80	2.76	54.56	68.20	-13.64
5850.000	Peak	50.37	4.31	54.68	68.20	-13.52
5917.450	Peak	52.50	4.38	56.87	68.20	-11.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ax40
 Test Frequency :5710 MHz
 Test Mode :BE CH MID RU FULL
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-16
 Temp./Humi. :20.8/68
 Antenna Pol. :Horizontal
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5396.150	Average	39.11	2.57	41.68	54.00	-12.32
5396.150	Peak	52.94	2.57	55.51	74.00	-18.49
5460.000	Average	39.01	2.64	41.65	54.00	-12.35
5460.000	Peak	51.51	2.64	54.15	74.00	-19.85
5470.000	Peak	51.22	2.77	53.99	68.20	-14.21
5476.750	Peak	53.98	2.76	56.75	68.20	-11.45
5480.000	Peak	51.79	2.76	54.55	68.20	-13.65
5850.000	Peak	52.20	4.31	56.51	68.20	-11.69
5930.450	Peak	53.06	4.33	57.39	68.20	-10.81


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ax40
 Test Frequency :5710 MHz
 Test Mode :BE CH MID RU 26/27
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-16
 Temp./Humi. :20.8/68
 Antenna Pol. :Vertical
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5390.950	Average	38.99	2.61	41.60	54.00	-12.40
5390.950	Peak	54.11	2.61	56.72	74.00	-17.28
5460.000	Average	38.88	2.64	41.52	54.00	-12.48
5460.000	Peak	50.82	2.64	53.46	74.00	-20.54
5470.000	Peak	51.78	2.77	54.55	68.20	-13.65
5480.000	Peak	52.04	2.76	54.80	68.20	-13.40
5850.000	Peak	51.15	4.31	55.46	68.20	-12.74
5903.150	Peak	53.20	4.16	57.36	68.20	-10.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5710 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH MID RU 26/27

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5369.500	Average	38.78	2.31	41.09	54.00	-12.91
5369.500	Peak	52.95	2.31	55.26	74.00	-18.74
5460.000	Average	38.76	2.64	41.40	54.00	-12.60
5460.000	Peak	51.45	2.64	54.09	74.00	-19.91
5470.000	Peak	51.45	2.77	54.22	68.20	-13.98
5480.000	Peak	51.31	2.76	54.07	68.20	-14.13
5850.000	Peak	51.86	4.31	56.17	68.20	-12.03
5986.350	Peak	53.31	4.06	57.37	68.20	-10.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5710 MHz

Temp./Humi. :20.8/68

Test Mode :BE CH MID RU 52/48

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5422.800	Average	38.91	2.40	41.31	54.00	-12.69
5422.800	Peak	53.01	2.40	55.41	74.00	-18.59
5460.000	Average	38.96	2.64	41.60	54.00	-12.40
5460.000	Peak	51.17	2.64	53.81	74.00	-20.19
5470.000	Peak	51.07	2.77	53.84	68.20	-14.36
5480.000	Peak	51.54	2.76	54.30	68.20	-13.90
5850.000	Peak	56.54	4.31	60.85	68.20	-7.35
5852.450	Peak	56.57	4.26	60.83	68.20	-7.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5710 MHz

Temp./Humi. :20.8/68

Test Mode :BE CH MID RU 52/48

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5415.000	Average	38.88	2.50	41.38	54.00	-12.62
5415.000	Peak	53.02	2.50	55.51	74.00	-18.49
5460.000	Average	38.82	2.64	41.46	54.00	-12.54
5460.000	Peak	51.47	2.64	54.11	74.00	-19.89
5470.000	Peak	51.35	2.77	54.12	68.20	-14.08
5480.000	Peak	52.34	2.76	55.10	68.20	-13.10
5850.000	Peak	52.87	4.31	57.18	68.20	-11.02
5851.800	Peak	54.41	4.27	58.68	68.20	-9.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5710 MHz

Temp./Humi. :20.8/68

Test Mode :BE CH MID RU 106/58

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5364.300	Average	38.96	2.26	41.22	54.00	-12.78
5364.300	Peak	53.23	2.26	55.49	74.00	-18.51
5460.000	Average	38.86	2.64	41.50	54.00	-12.50
5460.000	Peak	51.11	2.64	53.75	74.00	-20.25
5470.000	Peak	52.48	2.77	55.25	68.20	-12.95
5480.000	Peak	51.48	2.76	54.24	68.20	-13.96
5850.000	Peak	54.76	4.31	59.07	68.20	-9.13
5862.200	Peak	55.80	4.08	59.87	68.20	-8.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5710 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH MID RU 106/58

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5449.450	Average	38.79	2.58	41.37	54.00	-12.63
5449.450	Peak	53.17	2.58	55.76	74.00	-18.24
5460.000	Average	38.89	2.64	41.53	54.00	-12.47
5460.000	Peak	51.02	2.64	53.67	74.00	-20.33
5470.000	Peak	51.60	2.77	54.37	68.20	-13.83
5480.000	Peak	51.41	2.76	54.17	68.20	-14.03
5850.000	Peak	52.07	4.31	56.38	68.20	-11.82
5870.650	Peak	55.01	3.95	58.96	68.20	-9.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5710 MHz

Temp./Humi. :20.8/68

Test Mode :BE CH MID RU 242/63

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5388.350	Average	39.02	2.57	41.60	54.00	-12.40
5388.350	Peak	53.31	2.57	55.89	74.00	-18.11
5460.000	Average	38.91	2.64	41.55	54.00	-12.45
5460.000	Peak	51.51	2.64	54.15	74.00	-19.85
5470.000	Peak	50.97	2.77	53.74	68.20	-14.46
5480.000	Peak	51.42	2.76	54.18	68.20	-14.02
5850.000	Peak	51.14	4.31	55.45	68.20	-12.75
5861.550	Peak	54.92	4.09	59.01	68.20	-9.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5710 MHz

Temp./Humi. :20.8/68

Test Mode :BE CH MID RU 242/63

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5412.400	Average	38.94	2.54	41.49	54.00	-12.51
5412.400	Peak	53.41	2.54	55.96	74.00	-18.04
5460.000	Average	38.88	2.64	41.52	54.00	-12.48
5460.000	Peak	51.68	2.64	54.32	74.00	-19.68
5470.000	Peak	51.25	2.77	54.02	68.20	-14.18
5480.000	Peak	51.95	2.76	54.71	68.20	-13.49
5850.000	Peak	52.16	4.31	56.47	68.20	-11.73
5867.400	Peak	54.81	4.00	58.81	68.20	-9.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5710 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH MID RU 484/65

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5413.700	Average	38.95	2.52	41.47	54.00	-12.53
5413.700	Peak	52.88	2.52	55.40	74.00	-18.60
5460.000	Average	38.94	2.64	41.58	54.00	-12.42
5460.000	Peak	51.28	2.64	53.92	74.00	-20.08
5470.000	Peak	50.64	2.77	53.41	68.20	-14.79
5480.000	Peak	52.67	2.76	55.43	68.20	-12.77
5850.000	Peak	52.87	4.31	57.18	68.20	-11.02
5851.150	Peak	53.94	4.29	58.23	68.20	-9.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-16

Test Frequency :5710 MHz

Temp./Humi. :20.8/68

Test Mode :BE CH MID RU 484/65

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5394.850	Average	38.89	2.58	41.48	54.00	-12.52
5394.850	Peak	52.21	2.58	54.79	74.00	-19.21
5460.000	Average	39.00	2.64	41.64	54.00	-12.36
5460.000	Peak	50.92	2.64	53.56	74.00	-20.44
5470.000	Peak	50.98	2.77	53.75	68.20	-14.45
5480.000	Peak	51.43	2.76	54.19	68.20	-14.01
5850.000	Peak	58.73	4.31	63.04	68.20	-5.16
5851.800	Peak	61.75	4.27	66.02	68.20	-2.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ax40
Test Frequency :5755 MHz
Test Mode :BE CH LOW RU FULL
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-21
Temp./Humi. :21.0/70
Antenna Pol. :Vertical
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5647.190	Peak	52.51	3.55	56.06	68.20	-12.14
5650.000	Peak	50.92	3.60	54.52	68.20	-13.68
5700.000	Peak	50.51	3.31	53.82	105.20	-51.38
5720.000	Peak	57.53	4.17	61.71	110.80	-49.10
5725.000	Peak	56.31	4.21	60.52	122.20	-61.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ax40
Test Frequency :5755 MHz
Test Mode :BE CH LOW RU FULL
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-21
Temp./Humi. :21.0/70
Antenna Pol. :Horizontal
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5648.180	Peak	56.79	3.57	60.36	68.20	-7.84
5650.000	Peak	55.90	3.60	59.50	68.20	-8.70
5700.000	Peak	62.96	3.31	66.27	105.20	-38.93
5720.000	Peak	70.50	4.17	74.67	110.80	-36.13
5725.000	Peak	74.05	4.21	78.26	122.20	-43.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5755 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 26/9

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5625.740	Peak	52.46	3.47	55.93	68.20	-12.27
5650.000	Peak	50.90	3.60	54.50	68.20	-13.70
5700.000	Peak	56.05	3.31	59.36	105.20	-45.84
5720.000	Peak	63.19	4.17	67.36	110.80	-43.44
5725.000	Peak	64.56	4.21	68.77	122.20	-53.43


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ax40
 Test Frequency :5755 MHz
 Test Mode :BE CH LOW RU 26/9
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-21
 Temp./Humi. :21.0/70
 Antenna Pol. :Horizontal
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5648.840	Peak	62.55	3.58	66.13	68.20	-2.07
5650.000	Peak	60.73	3.60	64.33	68.20	-3.87
5700.000	Peak	71.13	3.31	74.44	105.20	-30.76
5720.000	Peak	74.52	4.17	78.69	110.80	-32.11
5725.000	Peak	76.94	4.21	81.15	122.20	-41.05


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ax40
 Test Frequency :5755 MHz
 Test Mode :BE CH LOW RU 52/41
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-21
 Temp./Humi. :21.0/70
 Antenna Pol. :Vertical
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5619.965	Peak	52.94	3.44	56.38	68.20	-11.82
5650.000	Peak	50.98	3.60	54.58	68.20	-13.62
5700.000	Peak	53.52	3.31	56.83	105.20	-48.37
5720.000	Peak	59.81	4.17	63.98	110.80	-46.82
5725.000	Peak	60.90	4.21	65.11	122.20	-57.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5755 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 52/41

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5632.670	Peak	61.41	3.47	64.88	68.20	-3.32
5650.000	Peak	56.28	3.60	59.88	68.20	-8.32
5700.000	Peak	73.24	3.31	76.55	105.20	-28.65
5720.000	Peak	73.90	4.17	78.07	110.80	-32.73
5725.000	Peak	76.60	4.21	80.81	122.20	-41.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5755 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 106/55

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5611.715	Peak	52.63	3.37	56.00	68.20	-12.20
5650.000	Peak	50.98	3.60	54.58	68.20	-13.62
5700.000	Peak	53.92	3.31	57.23	105.20	-47.97
5720.000	Peak	63.19	4.17	67.36	110.80	-43.44
5725.000	Peak	64.22	4.21	68.43	122.20	-53.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5755 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 106/55

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5649.005	Peak	62.42	3.58	66.00	68.20	-2.20
5650.000	Peak	61.17	3.60	64.77	68.20	-3.43
5700.000	Peak	71.47	3.31	74.78	105.20	-30.42
5720.000	Peak	76.59	4.17	80.76	110.80	-30.04
5725.000	Peak	78.38	4.21	82.59	122.20	-39.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5755 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 242/61

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5648.015	Peak	54.22	3.56	57.78	68.20	-10.42
5650.000	Peak	51.14	3.60	54.74	68.20	-13.46
5700.000	Peak	60.82	3.31	64.13	105.20	-41.07
5720.000	Peak	69.12	4.17	73.29	110.80	-37.51
5725.000	Peak	73.64	4.21	77.85	122.20	-44.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5755 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 242/61

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5626.730	Peak	61.78	3.47	65.25	68.20	-2.95
5650.000	Peak	62.17	3.60	65.77	68.20	-2.43
5700.000	Peak	75.81	3.31	79.12	105.20	-26.08
5720.000	Peak	81.76	4.17	85.93	110.80	-24.87
5725.000	Peak	86.06	4.21	90.27	122.20	-31.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ax40
Test Frequency :5755 MHz
Test Mode :BE CH LOW RU 484/65
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-21
Temp./Humi. :21.0/70
Antenna Pol. :Vertical
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5637.125	Peak	54.15	3.43	57.58	68.20	-10.62
5650.000	Peak	52.18	3.60	55.78	68.20	-12.42
5700.000	Peak	55.53	3.31	58.84	105.20	-46.36
5720.000	Peak	68.21	4.17	72.38	110.80	-38.42
5725.000	Peak	71.24	4.21	75.45	122.20	-46.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5755 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 484/65

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5644.715	Peak	62.68	3.50	66.18	68.20	-2.02
5650.000	Peak	61.88	3.60	65.48	68.20	-2.72
5700.000	Peak	66.80	3.31	70.11	105.20	-35.09
5720.000	Peak	81.05	4.17	85.22	110.80	-25.58
5725.000	Peak	82.08	4.21	86.29	122.20	-35.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5795 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	52.19	4.31	56.50	122.20	-65.70
5855.000	Peak	51.22	4.21	55.43	110.80	-55.37
5875.000	Peak	50.64	3.90	54.54	105.20	-50.66
5925.000	Peak	50.52	4.36	54.87	68.20	-13.33
5938.900	Peak	52.75	4.15	56.90	68.20	-11.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5795 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	62.66	4.31	66.97	122.20	-55.23
5855.000	Peak	62.80	4.21	67.01	110.80	-43.79
5875.000	Peak	54.41	3.90	58.31	105.20	-46.89
5925.000	Peak	52.09	4.36	56.44	68.20	-11.76
5929.210	Peak	53.58	4.34	57.93	68.20	-10.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5795 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 26/27

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	55.46	4.31	59.77	122.20	-62.43
5855.000	Peak	53.80	4.21	58.01	110.80	-52.79
5875.000	Peak	51.99	3.90	55.89	105.20	-49.31
5925.000	Peak	51.55	4.36	55.90	68.20	-12.30
5937.380	Peak	53.23	4.19	57.42	68.20	-10.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5795 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 26/27

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	70.08	4.31	74.39	122.20	-47.81
5855.000	Peak	68.69	4.21	72.90	110.80	-37.90
5875.000	Peak	62.70	3.90	66.60	105.20	-38.60
5925.000	Peak	54.46	4.36	58.81	68.20	-9.39
5943.460	Peak	60.01	4.10	64.10	68.20	-4.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5795 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 52/48

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	56.06	4.31	60.37	122.20	-61.83
5855.000	Peak	52.64	4.21	56.85	110.80	-53.95
5875.000	Peak	53.20	3.90	57.10	105.20	-48.10
5925.000	Peak	52.12	4.36	56.47	68.20	-11.73
5930.350	Peak	53.57	4.33	57.91	68.20	-10.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5795 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 52/48

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	68.07	4.31	72.38	122.20	-49.82
5855.000	Peak	64.82	4.21	69.03	110.80	-41.77
5875.000	Peak	61.82	3.90	65.72	105.20	-39.48
5925.000	Peak	57.71	4.36	62.06	68.20	-6.14
5943.650	Peak	59.90	4.10	64.00	68.20	-4.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5795 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 106/58

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	59.03	4.31	63.34	122.20	-58.86
5855.000	Peak	58.12	4.21	62.33	110.80	-48.47
5875.000	Peak	53.93	3.90	57.83	105.20	-47.37
5925.000	Peak	51.69	4.36	56.04	68.20	-12.16
5936.620	Peak	54.28	4.20	58.48	68.20	-9.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5795 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 106/58

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	68.76	4.31	73.07	122.20	-49.13
5855.000	Peak	69.12	4.21	73.33	110.80	-37.47
5875.000	Peak	68.29	3.90	72.18	105.20	-33.02
5925.000	Peak	59.11	4.36	63.46	68.20	-4.74
5926.360	Peak	61.49	4.35	65.84	68.20	-2.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5795 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 242/62

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	56.42	4.31	60.73	122.20	-61.47
5855.000	Peak	51.00	4.21	55.21	110.80	-55.59
5875.000	Peak	51.84	3.90	55.74	105.20	-49.46
5925.000	Peak	51.10	4.36	55.46	68.20	-12.74
5933.960	Peak	53.13	4.26	57.39	68.20	-10.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5795 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 242/62

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	67.10	4.31	71.41	122.20	-50.79
5855.000	Peak	65.75	4.21	69.96	110.80	-40.84
5875.000	Peak	61.77	3.90	65.67	105.20	-39.53
5925.000	Peak	57.10	4.36	61.46	68.20	-6.74
5926.170	Peak	57.84	4.35	62.19	68.20	-6.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5795 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 484/65

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	59.93	4.31	64.24	122.20	-57.96
5855.000	Peak	57.11	4.21	61.32	110.80	-49.48
5875.000	Peak	54.12	3.90	58.02	105.20	-47.18
5925.000	Peak	51.18	4.36	55.54	68.20	-12.66
5929.020	Peak	52.40	4.34	56.74	68.20	-11.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax40

Test Date :2022-03-21

Test Frequency :5795 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 484/65

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	71.14	4.31	75.45	122.20	-46.75
5855.000	Peak	70.47	4.21	74.68	110.80	-36.12
5875.000	Peak	69.02	3.90	72.92	105.20	-32.28
5925.000	Peak	58.80	4.36	63.15	68.20	-5.05
5948.590	Peak	60.22	4.05	64.27	68.20	-3.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-21

Test Frequency :5210 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU FULL

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
4817.520	Average	39.50	3.02	42.52	54.00	-11.48
4817.520	Peak	53.69	3.02	56.71	74.00	-17.29
5150.000	Average	40.52	3.03	43.55	54.00	-10.45
5150.000	Peak	52.69	3.03	55.72	74.00	-18.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-21

Test Frequency :5210 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU FULL

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5144.400	Average	48.48	2.90	51.38	54.00	-2.62
5144.400	Peak	63.04	2.90	65.93	74.00	-8.07
5150.000	Average	43.60	3.03	46.63	54.00	-7.38
5150.000	Peak	56.93	3.03	59.96	74.00	-14.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-21

Test Frequency :5210 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 996/67

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
4805.280	Average	39.69	3.11	42.80	54.00	-11.20
4805.280	Peak	53.52	3.11	56.64	74.00	-17.36
5150.000	Average	39.09	3.03	42.12	54.00	-11.88
5150.000	Peak	51.30	3.03	54.33	74.00	-19.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-21

Test Frequency :5210 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 996/67

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5148.720	Average	44.46	3.00	47.46	54.00	-6.54
5148.720	Peak	60.62	3.00	63.62	74.00	-10.38
5150.000	Average	44.15	3.03	47.18	54.00	-6.82
5150.000	Peak	57.43	3.03	60.46	74.00	-13.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-21

Test Frequency :5290 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	40.33	2.21	42.54	54.00	-11.46
5350.000	Peak	51.48	2.21	53.69	74.00	-20.31
5351.600	Average	40.33	2.21	42.54	54.00	-11.46
5351.600	Peak	53.36	2.21	55.57	74.00	-18.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-21

Test Frequency :5290 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	48.56	2.21	50.77	54.00	-3.23
5350.000	Peak	61.64	2.21	63.85	74.00	-10.15
5371.400	Average	48.91	2.31	51.22	54.00	-2.78
5371.400	Peak	64.63	2.31	66.94	74.00	-7.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-21

Test Frequency :5290 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 996/67

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	39.92	2.21	42.13	54.00	-11.87
5350.000	Peak	51.86	2.21	54.07	74.00	-19.93
5377.800	Average	40.67	2.33	43.00	54.00	-11.00
5377.800	Peak	56.37	2.33	58.71	74.00	-15.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-21

Test Frequency :5290 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 996/67

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	46.00	2.21	48.21	54.00	-5.79
5350.000	Peak	60.89	2.21	63.10	74.00	-10.90
5377.400	Average	45.09	2.33	47.42	54.00	-6.58
5377.400	Peak	68.82	2.33	71.15	74.00	-2.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.