


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.87	-13	Pass	2986
30	500	0.1	Peak	458.7	-42.88	-13	Pass	4701
500	1000	0.1	Peak	824.3	32.31	-13	N/A	5001
1000	10000	1	Peak	8899	-16.93	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.9	-13	Pass	401
0.15	30	0.01	Peak	0.2	-52.96	-13	Pass	2986
30	500	0.1	Peak	495.1	-43.43	-13	Pass	4701
500	1000	0.1	Peak	836.6	32.31	-13	N/A	5001
1000	10000	1	Peak	8973	-17.16	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.32	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.25	-13	Pass	2986
30	500	0.1	Peak	480.6	-42.64	-13	Pass	4701
500	1000	0.1	Peak	848.8	32.24	-13	N/A	5001
1000	10000	1	Peak	8942	-16.36	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-60.61	-13	Pass	401
0.15	30	0.01	Peak	0.17	-58.27	-13	Pass	2986
30	1000	0.1	Peak	230.4	-47.29	-13	Pass	9701
1000	3000	1	Peak	1850	30.05	-13	N/A	2001
3000	20000	1	Peak	17798	-37.47	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-61.61	-13	Pass	401
0.15	30	0.01	Peak	0.15	-58.19	-13	Pass	2986
30	1000	0.1	Peak	230.4	-47.51	-13	Pass	9701
1000	3000	1	Peak	1880	30.58	-13	N/A	2001
3000	20000	1	Peak	18745	-38.19	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-62.35	-13	Pass	401
0.15	30	0.01	Peak	0.17	-58.56	-13	Pass	2986
30	1000	0.1	Peak	997.799	-48.16	-13	Pass	9701
1000	3000	1	Peak	1910	30.51	-13	N/A	2001
3000	20000	1	Peak	17813	-38.12	-13	Pass	17003



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.39	-13	Pass	401
0.15	30	0.01	Peak	0.35	-52.88	-13	Pass	2986
30	500	0.1	Peak	297.3	-42.74	-13	Pass	4701
500	1000	0.1	Peak	824.1	27.58	-13	N/A	5001
1000	10000	1	Peak	8918	-17.14	-13	Pass	9002




3.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.79	-13	Pass	401
0.15	30	0.01	Peak	0.16	-52.06	-13	Pass	2986
30	500	0.1	Peak	485.9	-43.02	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.21	-13	N/A	5001
1000	10000	1	Peak	8843	-17.39	-13	Pass	9002



3.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.58	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.43	-13	Pass	2986
30	500	0.1	Peak	444.2	-43	-13	Pass	4701
500	1000	0.1	Peak	848.7	24.44	-13	N/A	5001
1000	10000	1	Peak	8979	-16.76	-13	Pass	9002



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-61.84	-13	Pass	401
0.15	30	0.01	Peak	0.15	-58.99	-13	Pass	2986
30	1000	0.1	Peak	192	-45.73	-13	Pass	9701
1000	3000	1	Peak	1850	29.22	-13	N/A	2001
3000	20000	1	Peak	17616	-38.26	-13	Pass	17003




4.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-61.16	-13	Pass	401
0.15	30	0.01	Peak	0.26	-57.56	-13	Pass	2986
30	1000	0.1	Peak	230.4	-45.14	-13	Pass	9701
1000	3000	1	Peak	1880	28.18	-13	N/A	2001
3000	20000	1	Peak	18254	-37.63	-13	Pass	17003



4.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.86	-13	Pass	401
0.15	30	0.01	Peak	0.16	-58.71	-13	Pass	2986
30	1000	0.1	Peak	230.4	-44.85	-13	Pass	9701
1000	3000	1	Peak	1910	28.88	-13	N/A	2001
3000	20000	1	Peak	19981	-37.84	-13	Pass	17003



5. WCDMA_Band5


5.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.78	-13	Pass	401
0.15	30	0.01	Peak	0.36	-62.7	-13	Pass	2986
30	500	0.1	Peak	483.8	-53.31	-13	Pass	4701
500	1000	0.1	Peak	827.1	19.59	-13	N/A	5001
1000	10000	1	Peak	8325	-26.73	-13	Pass	9002




5.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.77	-13	Pass	401
0.15	30	0.01	Peak	0.22	-62.88	-13	Pass	2986
30	500	0.1	Peak	425.7	-53.29	-13	Pass	4701
500	1000	0.1	Peak	835.6	19.11	-13	N/A	5001
1000	10000	1	Peak	8908	-27.86	-13	Pass	9002



5.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.98	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.67	-13	Pass	2986
30	500	0.1	Peak	482	-52.83	-13	Pass	4701
500	1000	0.1	Peak	845.7	18.54	-13	N/A	5001
1000	10000	1	Peak	8953	-27.46	-13	Pass	9002



6. LTE_Band5


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.41	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.15	-13	Pass	7841
814	860	0.1	RMS	824.2	21.21	60	Pass	461
860	1000	0.1	RMS	995.5	-63.34	-13	Pass	1401
1000	3000	1	RMS	1648	-46.96	-13	Pass	2001
3000	10000	1	RMS	8907	-38.63	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.86	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.04	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.35	-13	Pass	7841
814	860	0.1	RMS	824.3	20.29	60	Pass	461
860	1000	0.1	RMS	997.9	-63.45	-13	Pass	1401
1000	3000	1	RMS	1648	-47.77	-13	Pass	2001
3000	10000	1	RMS	8906	-38.65	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.57	-13	Pass	2986
30	814	0.1	RMS	738.2	-63.67	-13	Pass	7841
814	860	0.1	RMS	836.1	21.32	60	Pass	461
860	1000	0.1	RMS	997.9	-63.4	-13	Pass	1401
1000	3000	1	RMS	2870	-48.05	-13	Pass	2001
3000	10000	1	RMS	8906	-38.68	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.75	-13	Pass	2986
30	814	0.1	RMS	735.7	-63.7	-13	Pass	7841
814	860	0.1	RMS	836.1	20.49	60	Pass	461
860	1000	0.1	RMS	901.2	-63.42	-13	Pass	1401
1000	3000	1	RMS	2870	-48.08	-13	Pass	2001
3000	10000	1	RMS	8902	-38.61	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.36	-13	Pass	2986
30	814	0.1	RMS	809.4	-61.56	-13	Pass	7841
814	860	0.1	RMS	847.9	21.15	60	Pass	461
860	1000	0.1	RMS	889.7	-63.46	-13	Pass	1401
1000	3000	1	RMS	2869	-48.1	-13	Pass	2001
3000	10000	1	RMS	8900	-38.71	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.77	-13	Pass	2986
30	814	0.1	RMS	809.5	-61.65	-13	Pass	7841
814	860	0.1	RMS	847.8	20.34	60	Pass	461
860	1000	0.1	RMS	902.2	-63.41	-13	Pass	1401
1000	3000	1	RMS	2868	-48.13	-13	Pass	2001
3000	10000	1	RMS	8902	-38.68	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.07	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.56	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.77	-13	Pass	7841
814	860	0.1	RMS	824.2	21.74	60	Pass	461
860	1000	0.1	RMS	887.2	-63.31	-13	Pass	1401
1000	3000	1	RMS	1648	-47.01	-13	Pass	2001
3000	10000	1	RMS	8914	-38.68	-13	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.45	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.03	-13	Pass	7841
814	860	0.1	RMS	824.2	20.42	60	Pass	461
860	1000	0.1	RMS	878.8	-63.35	-13	Pass	1401
1000	3000	1	RMS	1648	-47.58	-13	Pass	2001
3000	10000	1	RMS	8904	-38.72	-13	Pass	7001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.63	-13	Pass	2986
30	814	0.1	RMS	740.7	-63.67	-13	Pass	7841
814	860	0.1	RMS	835.2	21.65	60	Pass	461
860	1000	0.1	RMS	891.2	-63.24	-13	Pass	1401
1000	3000	1	RMS	1670	-47.34	-13	Pass	2001
3000	10000	1	RMS	8909	-38.74	-13	Pass	7001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.54	-13	Pass	2986
30	814	0.1	RMS	736.8	-63.61	-13	Pass	7841
814	860	0.1	RMS	835.2	20.93	60	Pass	461
860	1000	0.1	RMS	993	-63.48	-13	Pass	1401
1000	3000	1	RMS	2871	-48.06	-13	Pass	2001
3000	10000	1	RMS	8919	-38.73	-13	Pass	7001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.37	-13	Pass	2986
30	814	0.1	RMS	807.8	-61.83	-13	Pass	7841
814	860	0.1	RMS	846.2	22.07	60	Pass	461
860	1000	0.1	RMS	992.7	-63.49	-13	Pass	1401
1000	3000	1	RMS	2872	-48.12	-13	Pass	2001
3000	10000	1	RMS	8927	-38.72	-13	Pass	7001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.37	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.16	-13	Pass	2986
30	814	0.1	RMS	807.9	-62.32	-13	Pass	7841
814	860	0.1	RMS	846.2	21.19	60	Pass	461
860	1000	0.1	RMS	900.8	-63.5	-13	Pass	1401
1000	3000	1	RMS	2874	-48.06	-13	Pass	2001
3000	10000	1	RMS	8895	-38.65	-13	Pass	7001



6.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.74	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.26	-13	Pass	2986
30	814	0.1	RMS	813.7	-63.3	-13	Pass	7841
814	860	0.1	RMS	824.3	21.66	60	Pass	461
860	1000	0.1	RMS	994.9	-63.43	-13	Pass	1401
1000	3000	1	RMS	1648	-46.98	-13	Pass	2001
3000	10000	1	RMS	8907	-38.73	-13	Pass	7001



6.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-13	Pass	2986
30	814	0.1	RMS	813.4	-63.23	-13	Pass	7841
814	860	0.1	RMS	824.3	20.66	60	Pass	461
860	1000	0.1	RMS	881.4	-63.47	-13	Pass	1401
1000	3000	1	RMS	1648	-47.59	-13	Pass	2001
3000	10000	1	RMS	8907	-38.68	-13	Pass	7001



6.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.08	-13	Pass	2986
30	814	0.1	RMS	812.9	-63.69	-13	Pass	7841
814	860	0.1	RMS	834.3	21.71	60	Pass	461
860	1000	0.1	RMS	901.9	-63.39	-13	Pass	1401
1000	3000	1	RMS	1668	-47.43	-13	Pass	2001
3000	10000	1	RMS	8900	-38.68	-13	Pass	7001



6.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.17	-13	Pass	2986
30	814	0.1	RMS	748.9	-63.71	-13	Pass	7841
814	860	0.1	RMS	834.3	21	60	Pass	461
860	1000	0.1	RMS	890.3	-63.41	-13	Pass	1401
1000	3000	1	RMS	1668	-47.85	-13	Pass	2001
3000	10000	1	RMS	8898	-38.66	-13	Pass	7001



6.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.52	-13	Pass	2986
30	814	0.1	RMS	735.5	-63.66	-13	Pass	7841
814	860	0.1	RMS	844.3	22.26	60	Pass	461
860	1000	0.1	RMS	887.1	-63.4	-13	Pass	1401
1000	3000	1	RMS	1688	-46.38	-13	Pass	2001
3000	10000	1	RMS	8903	-38.65	-13	Pass	7001



6.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.5	-13	Pass	2986
30	814	0.1	RMS	805.9	-63.69	-13	Pass	7841
814	860	0.1	RMS	844.3	20.94	60	Pass	461
860	1000	0.1	RMS	888.1	-63.4	-13	Pass	1401
1000	3000	1	RMS	1688	-47.59	-13	Pass	2001
3000	10000	1	RMS	8895	-38.71	-13	Pass	7001



6.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.42	-13	Pass	2986
30	814	0.1	RMS	807	-54.17	-13	Pass	7841
814	860	0.1	RMS	824.6	22.19	60	Pass	461
860	1000	0.1	RMS	893.9	-63.39	-13	Pass	1401
1000	3000	1	RMS	1649	-47.07	-13	Pass	2001
3000	10000	1	RMS	8898	-38.69	-13	Pass	7001



6.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.9	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.27	-13	Pass	2986
30	814	0.1	RMS	807	-56.16	-13	Pass	7841
814	860	0.1	RMS	824.6	21.48	60	Pass	461
860	1000	0.1	RMS	880.9	-63.48	-13	Pass	1401
1000	3000	1	RMS	1649	-47.79	-13	Pass	2001
3000	10000	1	RMS	8900	-38.75	-13	Pass	7001



6.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.18	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.5	-13	Pass	7841
814	860	0.1	RMS	832.1	22.34	60	Pass	461
860	1000	0.1	RMS	893.6	-63.37	-13	Pass	1401
1000	3000	1	RMS	2869	-48.14	-13	Pass	2001
3000	10000	1	RMS	8903	-38.62	-13	Pass	7001



6.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.58	-13	Pass	7841
814	860	0.1	RMS	832.1	21.32	60	Pass	461
860	1000	0.1	RMS	896.5	-63.23	-13	Pass	1401
1000	3000	1	RMS	2869	-48.15	-13	Pass	2001
3000	10000	1	RMS	8933	-38.73	-13	Pass	7001



6.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.25	-13	Pass	2986
30	814	0.1	RMS	736.2	-63.69	-13	Pass	7841
814	860	0.1	RMS	839.6	22.97	60	Pass	461
860	1000	0.1	RMS	894.8	-63.46	-13	Pass	1401
1000	3000	1	RMS	1679	-47.19	-13	Pass	2001
3000	10000	1	RMS	8904	-38.73	-13	Pass	7001



6.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.53	-13	Pass	2986
30	814	0.1	RMS	740.8	-63.64	-13	Pass	7841
814	860	0.1	RMS	839.6	21.47	60	Pass	461
860	1000	0.1	RMS	895.6	-63.4	-13	Pass	1401
1000	3000	1	RMS	1679	-48.01	-13	Pass	2001
3000	10000	1	RMS	8897	-38.72	-13	Pass	7001



7. LTE_Band7


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.64	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.13	-25	Pass	2986
30	1000	0.1	RMS	896.331	-63.33	-25	Pass	9701
1000	2490	1	RMS	2490	-49.6	-25	Pass	1491
2490	2580	1	RMS	2500.125	23.52	60	Pass	401
2580	3000	1	RMS	2875	-48.14	-25	Pass	421
3000	12000	1	RMS	8904	-58.27	-25	Pass	9002
12000	26000	1	RMS	25201	-45.92	-25	Pass	14002




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.38	-25	Pass	2986
30	1000	0.1	RMS	892.729	-63.26	-25	Pass	9701
1000	2490	1	RMS	2490	-49.54	-25	Pass	1491
2490	2580	1	RMS	2500.125	22.65	60	Pass	401
2580	3000	1	RMS	2880	-48.14	-25	Pass	421
3000	12000	1	RMS	8902	-58.24	-25	Pass	9002
12000	26000	1	RMS	25190	-44.4	-25	Pass	14002




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.15	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.96	-25	Pass	2986
30	1000	0.1	RMS	883.523	-63.37	-25	Pass	9701
1000	2490	1	RMS	2488	-49.9	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.83	60	Pass	401
2580	3000	1	RMS	2869	-48.17	-25	Pass	421
3000	12000	1	RMS	8900	-58.28	-25	Pass	9002
12000	26000	1	RMS	25201	-44.44	-25	Pass	14002




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.79	-25	Pass	2986
30	1000	0.1	RMS	905.237	-63.38	-25	Pass	9701
1000	2490	1	RMS	2490	-49.87	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.08	60	Pass	401
2580	3000	1	RMS	2869	-48.12	-25	Pass	421
3000	12000	1	RMS	8908	-58.31	-25	Pass	9002
12000	26000	1	RMS	25201	-44.35	-25	Pass	14002




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.69	-25	Pass	2986
30	1000	0.1	RMS	885.524	-63.41	-25	Pass	9701
1000	2490	1	RMS	2489	-49.88	-25	Pass	1491
2490	2580	1	RMS	2565.15	23.05	60	Pass	401
2580	3000	1	RMS	2870	-48.13	-25	Pass	421
3000	12000	1	RMS	8900	-58.18	-25	Pass	9002
12000	26000	1	RMS	25198	-44.4	-25	Pass	14002




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.68	-25	Pass	2986
30	1000	0.1	RMS	999.9	-63.29	-25	Pass	9701
1000	2490	1	RMS	2489	-49.98	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.44	60	Pass	401
2580	3000	1	RMS	2873	-48.11	-25	Pass	421
3000	12000	1	RMS	8896	-58.27	-25	Pass	9002
12000	26000	1	RMS	25197	-44.42	-25	Pass	14002




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.81	-25	Pass	2986
30	1000	0.1	RMS	885.224	-63.37	-25	Pass	9701
1000	2490	1	RMS	2490	-49.42	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.75	60	Pass	401
2580	3000	1	RMS	2870	-48.09	-25	Pass	421
3000	12000	1	RMS	8901	-58.21	-25	Pass	9002
12000	26000	1	RMS	25192	-44.36	-25	Pass	14002




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.39	-25	Pass	2986
30	1000	0.1	RMS	891.228	-63.31	-25	Pass	9701
1000	2490	1	RMS	2483	-49.38	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.91	60	Pass	401
2580	3000	1	RMS	2871	-48.11	-25	Pass	421
3000	12000	1	RMS	8901	-58.22	-25	Pass	9002
12000	26000	1	RMS	25199	-44.2	-25	Pass	14002



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.44	-25	Pass	2986
30	1000	0.1	RMS	912.842	-63.4	-25	Pass	9701
1000	2490	1	RMS	2489	-49.91	-25	Pass	1491
2490	2580	1	RMS	2530.5	24.02	60	Pass	401
2580	3000	1	RMS	2871	-48.15	-25	Pass	421
3000	12000	1	RMS	8905	-58.32	-25	Pass	9002
12000	26000	1	RMS	25200	-44.31	-25	Pass	14002



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.13	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.58	-25	Pass	2986
30	1000	0.1	RMS	895.831	-63.47	-25	Pass	9701
1000	2490	1	RMS	2486	-49.97	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.07	60	Pass	401
2580	3000	1	RMS	2881	-48.14	-25	Pass	421
3000	12000	1	RMS	8901	-58.24	-25	Pass	9002
12000	26000	1	RMS	25203	-44.41	-25	Pass	14002



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.79	-25	Pass	2986
30	1000	0.1	RMS	901.134	-63.38	-25	Pass	9701
1000	2490	1	RMS	2484	-49.9	-25	Pass	1491
2490	2580	1	RMS	2560.425	23.3	60	Pass	401
2580	3000	1	RMS	2868	-48.15	-25	Pass	421
3000	12000	1	RMS	8898	-58.27	-25	Pass	9002
12000	26000	1	RMS	25199	-44.4	-25	Pass	14002



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-25	Pass	2986
30	1000	0.1	RMS	880.721	-63.36	-25	Pass	9701
1000	2490	1	RMS	2486	-49.96	-25	Pass	1491
2490	2580	1	RMS	2560.425	22.58	60	Pass	401
2580	3000	1	RMS	2871	-48.16	-25	Pass	421
3000	12000	1	RMS	8899	-58.23	-25	Pass	9002
12000	26000	1	RMS	25200	-44.37	-25	Pass	14002



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.86	-25	Pass	2986
30	1000	0.1	RMS	882.322	-63.36	-25	Pass	9701
1000	2490	1	RMS	2488	-43.12	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.52	60	Pass	401
2580	3000	1	RMS	2869	-48.12	-25	Pass	421
3000	12000	1	RMS	8903	-58.28	-25	Pass	9002
12000	26000	1	RMS	25201	-44.37	-25	Pass	14002



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.03	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.11	-25	Pass	2986
30	1000	0.1	RMS	888.826	-63.45	-25	Pass	9701
1000	2490	1	RMS	2487	-44.27	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.78	60	Pass	401
2580	3000	1	RMS	2868	-48.12	-25	Pass	421
3000	12000	1	RMS	8901	-58.2	-25	Pass	9002
12000	26000	1	RMS	25203	-44.38	-25	Pass	14002



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.06	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.03	-25	Pass	2986
30	1000	0.1	RMS	886.525	-63.34	-25	Pass	9701
1000	2490	1	RMS	2487	-49.89	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.66	60	Pass	401
2580	3000	1	RMS	2872	-48.08	-25	Pass	421
3000	12000	1	RMS	8899	-58.29	-25	Pass	9002
12000	26000	1	RMS	25201	-44.44	-25	Pass	14002



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.99	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.7	-25	Pass	2986
30	1000	0.1	RMS	893.129	-63.34	-25	Pass	9701
1000	2490	1	RMS	2486	-49.95	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.02	60	Pass	401
2580	3000	1	RMS	2870	-48.13	-25	Pass	421
3000	12000	1	RMS	8900	-58.24	-25	Pass	9002
12000	26000	1	RMS	25201	-44.4	-25	Pass	14002



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.55	-25	Pass	2986
30	1000	0.1	RMS	996.598	-63.49	-25	Pass	9701
1000	2490	1	RMS	2479	-49.94	-25	Pass	1491
2490	2580	1	RMS	2555.7	23.62	60	Pass	401
2580	3000	1	RMS	2582	-48.05	-25	Pass	421
3000	12000	1	RMS	8903	-58.28	-25	Pass	9002
12000	26000	1	RMS	25201	-44.43	-25	Pass	14002



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.53	-25	Pass	401
0.15	30	0.01	RMS	0.3	-70.99	-25	Pass	2986
30	1000	0.1	RMS	885.624	-63.45	-25	Pass	9701
1000	2490	1	RMS	2486	-49.9	-25	Pass	1491
2490	2580	1	RMS	2555.7	22.9	60	Pass	401
2580	3000	1	RMS	2874	-48.12	-25	Pass	421
3000	12000	1	RMS	8911	-58.24	-25	Pass	9002
12000	26000	1	RMS	25199	-44.33	-25	Pass	14002



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.37	-25	Pass	2986
30	1000	0.1	RMS	908.439	-63.46	-25	Pass	9701
1000	2490	1	RMS	2483	-43.78	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.52	60	Pass	401
2580	3000	1	RMS	2871	-48.13	-25	Pass	421
3000	12000	1	RMS	8904	-58.24	-25	Pass	9002
12000	26000	1	RMS	25197	-44.33	-25	Pass	14002



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.11	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.07	-25	Pass	2986
30	1000	0.1	RMS	895.731	-63.4	-25	Pass	9701
1000	2490	1	RMS	2483	-44.91	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.88	60	Pass	401
2580	3000	1	RMS	2874	-48.13	-25	Pass	421
3000	12000	1	RMS	8898	-58.28	-25	Pass	9002
12000	26000	1	RMS	25201	-44.34	-25	Pass	14002



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.71	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.97	-25	Pass	2986
30	1000	0.1	RMS	882.522	-63.38	-25	Pass	9701
1000	2490	1	RMS	2490	-49.42	-25	Pass	1491
2490	2580	1	RMS	2526	23.71	60	Pass	401
2580	3000	1	RMS	2879	-48.11	-25	Pass	421
3000	12000	1	RMS	8898	-58.29	-25	Pass	9002
12000	26000	1	RMS	25202	-44.39	-25	Pass	14002



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-25	Pass	2986
30	1000	0.1	RMS	892.028	-63.27	-25	Pass	9701
1000	2490	1	RMS	2490	-49.3	-25	Pass	1491
2490	2580	1	RMS	2526	22.84	60	Pass	401
2580	3000	1	RMS	2875	-48.14	-25	Pass	421
3000	12000	1	RMS	8898	-58.25	-25	Pass	9002
12000	26000	1	RMS	25199	-44.34	-25	Pass	14002



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.93	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.98	-25	Pass	2986
30	1000	0.1	RMS	590.4	-63.21	-25	Pass	9701
1000	2490	1	RMS	2487	-49.98	-25	Pass	1491
2490	2580	1	RMS	2550.975	23.67	60	Pass	401
2580	3000	1	RMS	2872	-48.1	-25	Pass	421
3000	12000	1	RMS	8900	-58.3	-25	Pass	9002
12000	26000	1	RMS	25201	-44.37	-25	Pass	14002



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.3	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.42	-25	Pass	2986
30	1000	0.1	RMS	886.325	-63.4	-25	Pass	9701
1000	2490	1	RMS	2485	-49.91	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.65	60	Pass	401
2580	3000	1	RMS	2868	-48.1	-25	Pass	421
3000	12000	1	RMS	8905	-58.22	-25	Pass	9002
12000	26000	1	RMS	25197	-44.37	-25	Pass	14002



8. LTE_Band38


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.73	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.54	-25	Pass	2986
30	1000	0.1	RMS	901.635	-59.53	-25	Pass	9701
1000	2560	1	RMS	2552	-44.07	-25	Pass	1561
2560	2630	1	RMS	2570.15	24.72	60	Pass	401
2630	3000	1	RMS	2870.5	-44.21	-25	Pass	401
3000	12000	1	RMS	5141	-47.3	-25	Pass	9002
12000	26500	1	RMS	25201	-41.9	-25	Pass	14502




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.61	-25	Pass	401
0.15	30	0.01	RMS	0.21	-67.46	-25	Pass	2986
30	1000	0.1	RMS	998.899	-59.46	-25	Pass	9701
1000	2560	1	RMS	2551	-41.68	-25	Pass	1561
2560	2630	1	RMS	2570.325	24.14	60	Pass	401
2630	3000	1	RMS	2879.75	-44.21	-25	Pass	401
3000	12000	1	RMS	5140	-53.5	-25	Pass	9002
12000	26500	1	RMS	25200	-41.98	-25	Pass	14502




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.35	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.02	-25	Pass	2986
30	1000	0.1	RMS	867.912	-59.57	-25	Pass	9701
1000	2560	1	RMS	2516	-45.54	-25	Pass	1561
2560	2630	1	RMS	2592.9	24.47	60	Pass	401
2630	3000	1	RMS	2878.825	-44.2	-25	Pass	401
3000	12000	1	RMS	5186	-50.08	-25	Pass	9002
12000	26500	1	RMS	25201	-41.93	-25	Pass	14502




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.26	-25	Pass	401
0.15	30	0.01	RMS	0.21	-66.96	-25	Pass	2986
30	1000	0.1	RMS	906.838	-59.47	-25	Pass	9701
1000	2560	1	RMS	2516	-45.75	-25	Pass	1561
2560	2630	1	RMS	2592.9	23.61	60	Pass	401
2630	3000	1	RMS	2882.525	-44.2	-25	Pass	401
3000	12000	1	RMS	5186	-53.65	-25	Pass	9002
12000	26500	1	RMS	25204	-42.02	-25	Pass	14502




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.47	-25	Pass	2986
30	1000	0.1	RMS	888.626	-59.42	-25	Pass	9701
1000	2560	1	RMS	2539	-45.66	-25	Pass	1561
2560	2630	1	RMS	2615.125	24.72	60	Pass	401
2630	3000	1	RMS	2875.125	-44.23	-25	Pass	401
3000	12000	1	RMS	5231	-51.44	-25	Pass	9002
12000	26500	1	RMS	25201	-41.79	-25	Pass	14502




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.7	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.08	-25	Pass	2986
30	1000	0.1	RMS	990.894	-59.41	-25	Pass	9701
1000	2560	1	RMS	2538	-45.81	-25	Pass	1561
2560	2630	1	RMS	2615.125	23.65	60	Pass	401
2630	3000	1	RMS	2883.45	-44.25	-25	Pass	401
3000	12000	1	RMS	5231	-53.56	-25	Pass	9002
12000	26500	1	RMS	25201	-41.98	-25	Pass	14502




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.64	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.2	-25	Pass	2986
30	1000	0.1	RMS	897.232	-59.46	-25	Pass	9701
1000	2560	1	RMS	2551	-41.78	-25	Pass	1561
2560	2630	1	RMS	2570.5	24.5	60	Pass	401
2630	3000	1	RMS	2869.575	-44.21	-25	Pass	401
3000	12000	1	RMS	5141	-46.44	-25	Pass	9002
12000	26500	1	RMS	25199	-42.05	-25	Pass	14502




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.19	-25	Pass	401
0.15	30	0.01	RMS	0.18	-66.73	-25	Pass	2986
30	1000	0.1	RMS	864.11	-59.53	-25	Pass	9701
1000	2560	1	RMS	2551	-42.31	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.89	60	Pass	401
2630	3000	1	RMS	2871.425	-44.22	-25	Pass	401
3000	12000	1	RMS	5141	-50.59	-25	Pass	9002
12000	26500	1	RMS	25200	-41.85	-25	Pass	14502



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.92	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.18	-25	Pass	2986
30	1000	0.1	RMS	998.999	-59.45	-25	Pass	9701
1000	2560	1	RMS	2514	-45.49	-25	Pass	1561
2560	2630	1	RMS	2590.625	24.23	60	Pass	401
2630	3000	1	RMS	2876.975	-44.23	-25	Pass	401
3000	12000	1	RMS	5181	-48.89	-25	Pass	9002
12000	26500	1	RMS	25202	-41.94	-25	Pass	14502



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.84	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.33	-25	Pass	2986
30	1000	0.1	RMS	882.922	-59.58	-25	Pass	9701
1000	2560	1	RMS	2513	-45.84	-25	Pass	1561
2560	2630	1	RMS	2590.45	23.64	60	Pass	401
2630	3000	1	RMS	2870.5	-44.2	-25	Pass	401
3000	12000	1	RMS	5181	-49.71	-25	Pass	9002
12000	26500	1	RMS	25200	-41.95	-25	Pass	14502



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.16	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.22	-25	Pass	2986
30	1000	0.1	RMS	899.033	-59.4	-25	Pass	9701
1000	2560	1	RMS	2534	-45.62	-25	Pass	1561
2560	2630	1	RMS	2610.4	24.82	60	Pass	401
2630	3000	1	RMS	2870.5	-44.21	-25	Pass	401
3000	12000	1	RMS	5221	-47.28	-25	Pass	9002
12000	26500	1	RMS	25202	-41.96	-25	Pass	14502



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.39	-25	Pass	401
0.15	30	0.01	RMS	0.31	-67.13	-25	Pass	2986
30	1000	0.1	RMS	890.628	-59.33	-25	Pass	9701
1000	2560	1	RMS	2518	-45.88	-25	Pass	1561
2560	2630	1	RMS	2610.4	23.95	60	Pass	401
2630	3000	1	RMS	2870.5	-44.21	-25	Pass	401
3000	12000	1	RMS	5221	-48.68	-25	Pass	9002
12000	26500	1	RMS	25207	-42.02	-25	Pass	14502



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.78	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.18	-25	Pass	2986
30	1000	0.1	RMS	899.433	-59.53	-25	Pass	9701
1000	2560	1	RMS	2560	-41.87	-25	Pass	1561
2560	2630	1	RMS	2570.85	25.44	60	Pass	401
2630	3000	1	RMS	2868.65	-44.21	-25	Pass	401
3000	12000	1	RMS	5141	-46.92	-25	Pass	9002
12000	26500	1	RMS	25201	-41.9	-25	Pass	14502



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.67	-25	Pass	2986
30	1000	0.1	RMS	989.893	-59.52	-25	Pass	9701
1000	2560	1	RMS	2558	-41.89	-25	Pass	1561
2560	2630	1	RMS	2570.85	24.51	60	Pass	401
2630	3000	1	RMS	2875.125	-44.21	-25	Pass	401
3000	12000	1	RMS	5142	-46.19	-25	Pass	9002
12000	26500	1	RMS	25198	-41.95	-25	Pass	14502



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.64	-25	Pass	401
0.15	30	0.01	RMS	0.21	-67.23	-25	Pass	2986
30	1000	0.1	RMS	890.027	-59.37	-25	Pass	9701
1000	2560	1	RMS	2559	-44.66	-25	Pass	1561
2560	2630	1	RMS	2588.35	25.34	60	Pass	401
2630	3000	1	RMS	2871.425	-44.2	-25	Pass	401
3000	12000	1	RMS	8909	-54.3	-25	Pass	9002
12000	26500	1	RMS	25201	-41.87	-25	Pass	14502



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.4	-25	Pass	2986
30	1000	0.1	RMS	885.024	-59.47	-25	Pass	9701
1000	2560	1	RMS	2560	-44.38	-25	Pass	1561
2560	2630	1	RMS	2588.35	24.68	60	Pass	401
2630	3000	1	RMS	2870.5	-44.2	-25	Pass	401
3000	12000	1	RMS	5176	-50.12	-25	Pass	9002
12000	26500	1	RMS	25200	-41.92	-25	Pass	14502



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.39	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.53	-25	Pass	2986
30	1000	0.1	RMS	998.899	-59.56	-25	Pass	9701
1000	2560	1	RMS	2529	-45.49	-25	Pass	1561
2560	2630	1	RMS	2605.675	25.55	60	Pass	401
2630	3000	1	RMS	2631.85	-43.32	-25	Pass	401
3000	12000	1	RMS	8916	-54.35	-25	Pass	9002
12000	26500	1	RMS	25202	-41.92	-25	Pass	14502



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.61	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.36	-25	Pass	2986
30	1000	0.1	RMS	897.232	-59.32	-25	Pass	9701
1000	2560	1	RMS	2529	-45.54	-25	Pass	1561
2560	2630	1	RMS	2605.675	23.83	60	Pass	401
2630	3000	1	RMS	2880.675	-44.21	-25	Pass	401
3000	12000	1	RMS	5211	-50.16	-25	Pass	9002
12000	26500	1	RMS	25200	-41.92	-25	Pass	14502



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.01	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.62	-25	Pass	2986
30	1000	0.1	RMS	900.934	-59.24	-25	Pass	9701
1000	2560	1	RMS	2560	-40.9	-25	Pass	1561
2560	2630	1	RMS	2570.85	25.43	60	Pass	401
2630	3000	1	RMS	2869.575	-44.2	-25	Pass	401
3000	12000	1	RMS	5141	-54.1	-25	Pass	9002
12000	26500	1	RMS	25201	-41.94	-25	Pass	14502



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.62	-25	Pass	2986
30	1000	0.1	RMS	892.829	-59.54	-25	Pass	9701
1000	2560	1	RMS	2560	-41.15	-25	Pass	1561
2560	2630	1	RMS	2571.025	24.78	60	Pass	401
2630	3000	1	RMS	2868.65	-44.21	-25	Pass	401
3000	12000	1	RMS	5142	-49.99	-25	Pass	9002
12000	26500	1	RMS	25201	-41.85	-25	Pass	14502



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.78	-25	Pass	401
0.15	30	0.01	RMS	0.21	-67.23	-25	Pass	2986
30	1000	0.1	RMS	925.05	-59.52	-25	Pass	9701
1000	2560	1	RMS	2559	-44.75	-25	Pass	1561
2560	2630	1	RMS	2585.9	25.09	60	Pass	401
2630	3000	1	RMS	2868.65	-44.19	-25	Pass	401
3000	12000	1	RMS	5172	-53.79	-25	Pass	9002
12000	26500	1	RMS	25201	-41.97	-25	Pass	14502



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.63	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.06	-25	Pass	2986
30	1000	0.1	RMS	898.833	-59.53	-25	Pass	9701
1000	2560	1	RMS	2558	-44.57	-25	Pass	1561
2560	2630	1	RMS	2585.9	24.84	60	Pass	401
2630	3000	1	RMS	2868.65	-44.19	-25	Pass	401
3000	12000	1	RMS	5173	-51.31	-25	Pass	9002
12000	26500	1	RMS	25197	-41.95	-25	Pass	14502



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.82	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.68	-25	Pass	2986
30	1000	0.1	RMS	994.797	-59.53	-25	Pass	9701
1000	2560	1	RMS	2524	-45.27	-25	Pass	1561
2560	2630	1	RMS	2600.95	25.64	60	Pass	401
2630	3000	1	RMS	2636.475	-42.99	-25	Pass	401
3000	12000	1	RMS	5202	-45.35	-25	Pass	9002
12000	26500	1	RMS	25201	-42.01	-25	Pass	14502



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.83	-25	Pass	401
0.15	30	0.01	RMS	0.26	-66.75	-25	Pass	2986
30	1000	0.1	RMS	889.727	-59.48	-25	Pass	9701
1000	2560	1	RMS	2525	-45.55	-25	Pass	1561
2560	2630	1	RMS	2600.95	24.04	60	Pass	401
2630	3000	1	RMS	2636.475	-43.99	-25	Pass	401
3000	12000	1	RMS	8901	-54.33	-25	Pass	9002
12000	26500	1	RMS	25199	-41.95	-25	Pass	14502



9. LTE_Band41 full


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.4	-25	Pass	2986
30	1000	0.1	RMS	889.327	-59.54	-25	Pass	9701
1000	2486	1	RMS	2477	-42.71	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.24	60	Pass	401
2700	3000	1	RMS	2868.75	-44.24	-25	Pass	401
3000	12000	1	RMS	4992	-52.69	-25	Pass	9002
12000	27000	1	RMS	25198	-40.4	-25	Pass	15002




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.42	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.9	-25	Pass	2986
30	1000	0.1	RMS	896.231	-59.52	-25	Pass	9701
1000	2486	1	RMS	2477	-44.43	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.63	60	Pass	401
2700	3000	1	RMS	2877.75	-44.26	-25	Pass	401
3000	12000	1	RMS	4993	-50.67	-25	Pass	9002
12000	27000	1	RMS	25204	-40.37	-25	Pass	15002




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.2	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.21	-25	Pass	2986
30	1000	0.1	RMS	998.899	-59.51	-25	Pass	9701
1000	2486	1	RMS	2481	-46.1	-25	Pass	1487
2486	2700	1	RMS	2590.325	23.22	60	Pass	401
2700	3000	1	RMS	2876.25	-44.23	-25	Pass	401
3000	12000	1	RMS	8904	-54.29	-25	Pass	9002
12000	27000	1	RMS	25202	-40.36	-25	Pass	15002




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67	-25	Pass	2986
30	1000	0.1	RMS	904.537	-59.49	-25	Pass	9701
1000	2486	1	RMS	2480	-46.15	-25	Pass	1487
2486	2700	1	RMS	2590.86	22.58	60	Pass	401
2700	3000	1	RMS	2877.75	-44.28	-25	Pass	401
3000	12000	1	RMS	5182	-51.42	-25	Pass	9002
12000	27000	1	RMS	25204	-40.29	-25	Pass	15002




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.58	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.23	-25	Pass	2986
30	1000	0.1	RMS	988.693	-59.57	-25	Pass	9701
1000	2486	1	RMS	2484	-46.1	-25	Pass	1487
2486	2700	1	RMS	2685.02	22.92	60	Pass	401
2700	3000	1	RMS	2871.75	-44.24	-25	Pass	401
3000	12000	1	RMS	5371	-53.93	-25	Pass	9002
12000	27000	1	RMS	25202	-40.37	-25	Pass	15002




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.81	-25	Pass	2986
30	1000	0.1	RMS	896.031	-59.4	-25	Pass	9701
1000	2486	1	RMS	2486	-46.15	-25	Pass	1487
2486	2700	1	RMS	2685.02	21.76	60	Pass	401
2700	3000	1	RMS	2868	-44.24	-25	Pass	401
3000	12000	1	RMS	8908	-54.29	-25	Pass	9002
12000	27000	1	RMS	25201	-40.4	-25	Pass	15002




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.52	-25	Pass	2986
30	1000	0.1	RMS	892.929	-59.56	-25	Pass	9701
1000	2486	1	RMS	2484	-43	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.78	60	Pass	401
2700	3000	1	RMS	2866.5	-44.25	-25	Pass	401
3000	12000	1	RMS	4993	-50.2	-25	Pass	9002
12000	27000	1	RMS	25199	-40.35	-25	Pass	15002




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.82	-25	Pass	401
0.15	30	0.01	RMS	0.18	-66.7	-25	Pass	2986
30	1000	0.1	RMS	878.319	-59.43	-25	Pass	9701
1000	2486	1	RMS	2484	-42.19	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.91	60	Pass	401
2700	3000	1	RMS	2877.75	-44.23	-25	Pass	401
3000	12000	1	RMS	4993	-51.67	-25	Pass	9002
12000	27000	1	RMS	25201	-40.4	-25	Pass	15002



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.68	-25	Pass	2986
30	1000	0.1	RMS	879.72	-59.65	-25	Pass	9701
1000	2486	1	RMS	2482	-46.08	-25	Pass	1487
2486	2700	1	RMS	2588.72	22.52	60	Pass	401
2700	3000	1	RMS	2883	-44.27	-25	Pass	401
3000	12000	1	RMS	5177	-51.29	-25	Pass	9002
12000	27000	1	RMS	25208	-40.39	-25	Pass	15002



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.56	-25	Pass	401
0.15	30	0.01	RMS	0.21	-66.94	-25	Pass	2986
30	1000	0.1	RMS	895.131	-59.51	-25	Pass	9701
1000	2486	1	RMS	2486	-46.12	-25	Pass	1487
2486	2700	1	RMS	2588.185	23.41	60	Pass	401
2700	3000	1	RMS	2875.5	-44.22	-25	Pass	401
3000	12000	1	RMS	5177	-53.55	-25	Pass	9002
12000	27000	1	RMS	25203	-40.37	-25	Pass	15002



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.15	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.95	-25	Pass	2986
30	1000	0.1	RMS	999.5	-59.44	-25	Pass	9701
1000	2486	1	RMS	2485	-46.16	-25	Pass	1487
2486	2700	1	RMS	2680.205	24.16	60	Pass	401
2700	3000	1	RMS	2700	-43.92	-25	Pass	401
3000	12000	1	RMS	5361	-53.22	-25	Pass	9002
12000	27000	1	RMS	25185	-40.39	-25	Pass	15002



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.08	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.56	-25	Pass	2986
30	1000	0.1	RMS	899.633	-59.58	-25	Pass	9701
1000	2486	1	RMS	2484	-46.18	-25	Pass	1487
2486	2700	1	RMS	2680.205	23.2	60	Pass	401
2700	3000	1	RMS	2700	-44.09	-25	Pass	401
3000	12000	1	RMS	8903	-54.31	-25	Pass	9002
12000	27000	1	RMS	25198	-40.3	-25	Pass	15002



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.14	-25	Pass	401
0.15	30	0.01	RMS	0.18	-66.72	-25	Pass	2986
30	1000	0.1	RMS	877.419	-59.43	-25	Pass	9701
1000	2486	1	RMS	2484	-40.1	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.67	60	Pass	401
2700	3000	1	RMS	2883	-44.3	-25	Pass	401
3000	12000	1	RMS	4994	-51.73	-25	Pass	9002
12000	27000	1	RMS	25196	-40.46	-25	Pass	15002



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.38	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.14	-25	Pass	2986
30	1000	0.1	RMS	887.626	-59.48	-25	Pass	9701
1000	2486	1	RMS	2483	-40	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.69	60	Pass	401
2700	3000	1	RMS	2867.25	-44.25	-25	Pass	401
3000	12000	1	RMS	4994	-52.06	-25	Pass	9002
12000	27000	1	RMS	25200	-40.3	-25	Pass	15002



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.34	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.6	-25	Pass	2986
30	1000	0.1	RMS	897.632	-59.51	-25	Pass	9701
1000	2486	1	RMS	2484	-46.07	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.05	60	Pass	401
2700	3000	1	RMS	2874	-44.27	-25	Pass	401
3000	12000	1	RMS	5172	-53.9	-25	Pass	9002
12000	27000	1	RMS	25201	-40.47	-25	Pass	15002



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.53	-25	Pass	2986
30	1000	0.1	RMS	911.141	-59.49	-25	Pass	9701
1000	2486	1	RMS	2484	-46.1	-25	Pass	1487
2486	2700	1	RMS	2586.045	21.75	60	Pass	401
2700	3000	1	RMS	2875.5	-44.26	-25	Pass	401
3000	12000	1	RMS	8901	-54.25	-25	Pass	9002
12000	27000	1	RMS	25201	-40.43	-25	Pass	15002



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.52	-25	Pass	2986
30	1000	0.1	RMS	880.02	-59.59	-25	Pass	9701
1000	2486	1	RMS	2484	-46.14	-25	Pass	1487
2486	2700	1	RMS	2675.39	22.79	60	Pass	401
2700	3000	1	RMS	2868.75	-44.27	-25	Pass	401
3000	12000	1	RMS	8900	-54.33	-25	Pass	9002
12000	27000	1	RMS	25201	-40.29	-25	Pass	15002



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.39	-25	Pass	2986
30	1000	0.1	RMS	903.836	-59.37	-25	Pass	9701
1000	2486	1	RMS	2484	-46.12	-25	Pass	1487
2486	2700	1	RMS	2675.39	22.77	60	Pass	401
2700	3000	1	RMS	2868	-44.25	-25	Pass	401
3000	12000	1	RMS	5352	-52.35	-25	Pass	9002
12000	27000	1	RMS	25195	-40.43	-25	Pass	15002



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.09	-25	Pass	2986
30	1000	0.1	RMS	896.031	-59.36	-25	Pass	9701
1000	2486	1	RMS	2479	-41.9	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.38	60	Pass	401
2700	3000	1	RMS	2871.75	-44.21	-25	Pass	401
3000	12000	1	RMS	4994	-53.06	-25	Pass	9002
12000	27000	1	RMS	25196	-40.37	-25	Pass	15002



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.34	-25	Pass	401
0.15	30	0.01	RMS	0.23	-66.71	-25	Pass	2986
30	1000	0.1	RMS	894.33	-59.55	-25	Pass	9701
1000	2486	1	RMS	2486	-41.07	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.96	60	Pass	401
2700	3000	1	RMS	2871.75	-44.28	-25	Pass	401
3000	12000	1	RMS	4994	-51.66	-25	Pass	9002
12000	27000	1	RMS	25196	-40.32	-25	Pass	15002



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.15	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.56	-25	Pass	2986
30	1000	0.1	RMS	886.725	-59.63	-25	Pass	9701
1000	2486	1	RMS	2486	-46.03	-25	Pass	1487
2486	2700	1	RMS	2583.905	24.03	60	Pass	401
2700	3000	1	RMS	2878.5	-44.24	-25	Pass	401
3000	12000	1	RMS	5168	-51.63	-25	Pass	9002
12000	27000	1	RMS	25194	-40.38	-25	Pass	15002



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.49	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.84	-25	Pass	2986
30	1000	0.1	RMS	998.299	-59.57	-25	Pass	9701
1000	2486	1	RMS	2486	-46.04	-25	Pass	1487
2486	2700	1	RMS	2583.905	22.98	60	Pass	401
2700	3000	1	RMS	2870.25	-44.23	-25	Pass	401
3000	12000	1	RMS	5168	-51.48	-25	Pass	9002
12000	27000	1	RMS	25201	-40.17	-25	Pass	15002



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.74	-25	Pass	2986
30	1000	0.1	RMS	899.834	-59.59	-25	Pass	9701
1000	2486	1	RMS	2485	-46.08	-25	Pass	1487
2486	2700	1	RMS	2671.11	23.5	60	Pass	401
2700	3000	1	RMS	2706	-43.38	-25	Pass	401
3000	12000	1	RMS	8903	-54.3	-25	Pass	9002
12000	27000	1	RMS	25201	-40.28	-25	Pass	15002



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.92	-25	Pass	2986
30	1000	0.1	RMS	908.439	-59.63	-25	Pass	9701
1000	2486	1	RMS	2479	-46.14	-25	Pass	1487
2486	2700	1	RMS	2671.11	21.78	60	Pass	401
2700	3000	1	RMS	2869.5	-44.26	-25	Pass	401
3000	12000	1	RMS	5342	-53.79	-25	Pass	9002
12000	27000	1	RMS	25199	-40.31	-25	Pass	15002




10. CA_7C

10.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.72	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.46	-25	Pass	2986
30	1000	0.1	RMS	997.698	-63.38	-25	Pass	9701
1000	2475	1	RMS	2473	-46.02	-25	Pass	1476
2475	2735	1	RMS	2528.3	13.3	60	Pass	401
2735	3000	1	RMS	2872.138	-48.23	-25	Pass	401
3000	12000	1	RMS	8900	-48.07	-25	Pass	9002
12000	26000	1	RMS	25202	-34.35	-25	Pass	14002



10.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.17	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.99	-25	Pass	2986
30	1000	0.1	RMS	998.799	-63.41	-25	Pass	9701
1000	2475	1	RMS	2475	-46.82	-25	Pass	1476
2475	2735	1	RMS	2521.15	10.89	60	Pass	401
2735	3000	1	RMS	2869.488	-48.23	-25	Pass	401
3000	12000	1	RMS	8906	-48.2	-25	Pass	9002
12000	26000	1	RMS	25205	-34.25	-25	Pass	14002



10.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.62	-25	Pass	2986
30	1000	0.1	RMS	882.222	-63.64	-25	Pass	9701
1000	2475	1	RMS	2473	-45.35	-25	Pass	1476
2475	2735	1	RMS	2501	13.09	60	Pass	401
2735	3000	1	RMS	2875.45	-48.25	-25	Pass	401
3000	12000	1	RMS	8904	-48.15	-25	Pass	9002
12000	26000	1	RMS	25200	-34.31	-25	Pass	14002



10.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.35	-25	Pass	2986
30	1000	0.1	RMS	884.323	-63.56	-25	Pass	9701
1000	2475	1	RMS	2475	-48.21	-25	Pass	1476
2475	2735	1	RMS	2521.15	9.99	60	Pass	401
2735	3000	1	RMS	2869.488	-48.24	-25	Pass	401
3000	12000	1	RMS	8897	-48.19	-25	Pass	9002
12000	26000	1	RMS	25202	-34.17	-25	Pass	14002



10.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.23	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.71	-25	Pass	2986
30	1000	0.1	RMS	997.198	-63.5	-25	Pass	9701
1000	2475	1	RMS	2474	-50.18	-25	Pass	1476
2475	2735	1	RMS	2521.15	13.68	60	Pass	401
2735	3000	1	RMS	2870.813	-48.24	-25	Pass	401
3000	12000	1	RMS	8897	-48.17	-25	Pass	9002
12000	26000	1	RMS	25204	-34.24	-25	Pass	14002



10.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.64	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.74	-25	Pass	2986
30	1000	0.1	RMS	910.641	-63.44	-25	Pass	9701
1000	2475	1	RMS	2475	-49.33	-25	Pass	1476
2475	2735	1	RMS	2540.65	10.42	60	Pass	401
2735	3000	1	RMS	2868.163	-48.21	-25	Pass	401
3000	12000	1	RMS	8904	-48.16	-25	Pass	9002
12000	26000	1	RMS	25201	-34.28	-25	Pass	14002



10.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-25	Pass	401
0.15	30	0.01	RMS	0.25	-70.97	-25	Pass	2986
30	1000	0.1	RMS	896.732	-63.47	-25	Pass	9701
1000	2475	1	RMS	2471	-50.24	-25	Pass	1476
2475	2735	1	RMS	2521.15	14.1	60	Pass	401
2735	3000	1	RMS	2871.475	-48.26	-25	Pass	401
3000	12000	1	RMS	8909	-48.17	-25	Pass	9002
12000	26000	1	RMS	25194	-34.29	-25	Pass	14002



10.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.54	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.53	-25	Pass	2986
30	1000	0.1	RMS	869.113	-63.57	-25	Pass	9701
1000	2475	1	RMS	2475	-50.12	-25	Pass	1476
2475	2735	1	RMS	2546.5	9.6	60	Pass	401
2735	3000	1	RMS	2874.788	-48.26	-25	Pass	401
3000	12000	1	RMS	8901	-48.06	-25	Pass	9002
12000	26000	1	RMS	25203	-34.28	-25	Pass	14002



10.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.76	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.4	-25	Pass	2986
30	1000	0.1	RMS	880.121	-63.55	-25	Pass	9701
1000	2475	1	RMS	2468	-50.32	-25	Pass	1476
2475	2735	1	RMS	2540.65	13.99	60	Pass	401
2735	3000	1	RMS	2871.475	-48.24	-25	Pass	401
3000	12000	1	RMS	8897	-48.2	-25	Pass	9002
12000	26000	1	RMS	25201	-34.24	-25	Pass	14002



10.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.95	-25	Pass	2986
30	1000	0.1	RMS	868.613	-63.64	-25	Pass	9701
1000	2475	1	RMS	2474	-50.21	-25	Pass	1476
2475	2735	1	RMS	2560.8	11.18	60	Pass	401
2735	3000	1	RMS	2875.45	-48.22	-25	Pass	401
3000	12000	1	RMS	8906	-48.07	-25	Pass	9002
12000	26000	1	RMS	25201	-34.25	-25	Pass	14002



10.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.52	-25	Pass	2986
30	1000	0.1	RMS	893.029	-63.45	-25	Pass	9701
1000	2475	1	RMS	2470	-50.25	-25	Pass	1476
2475	2735	1	RMS	2540.65	14.15	60	Pass	401
2735	3000	1	RMS	2868.163	-48.22	-25	Pass	401
3000	12000	1	RMS	8896	-48.18	-25	Pass	9002
12000	26000	1	RMS	25201	-34.2	-25	Pass	14002



10.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.73	-25	Pass	401
0.15	30	0.01	RMS	0.24	-71.39	-25	Pass	2986
30	1000	0.1	RMS	889.827	-63.47	-25	Pass	9701
1000	2475	1	RMS	2473	-50.3	-25	Pass	1476
2475	2735	1	RMS	2561.45	9.72	60	Pass	401
2735	3000	1	RMS	2874.788	-48.24	-25	Pass	401
3000	12000	1	RMS	8903	-48.21	-25	Pass	9002
12000	26000	1	RMS	25198	-34.32	-25	Pass	14002



10.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.45	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.03	-25	Pass	2986
30	1000	0.1	RMS	915.044	-63.61	-25	Pass	9701
1000	2475	1	RMS	2423	-50.19	-25	Pass	1476
2475	2735	1	RMS	2501	14.25	60	Pass	401
2735	3000	1	RMS	2877.438	-48.24	-25	Pass	401
3000	12000	1	RMS	8901	-48.08	-25	Pass	9002
12000	26000	1	RMS	25193	-34.24	-25	Pass	14002



10.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-25	Pass	401
0.15	30	0.01	RMS	0.28	-70.35	-25	Pass	2986
30	1000	0.1	RMS	888.126	-63.41	-25	Pass	9701
1000	2475	1	RMS	2475	-38.02	-25	Pass	1476
2475	2735	1	RMS	2512.7	9.31	60	Pass	401
2735	3000	1	RMS	2874.788	-48.22	-25	Pass	401
3000	12000	1	RMS	8900	-48.12	-25	Pass	9002
12000	26000	1	RMS	25202	-34.23	-25	Pass	14002



10.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.03	-25	Pass	401
0.15	30	0.01	RMS	0.32	-71.13	-25	Pass	2986
30	1000	0.1	RMS	902.035	-63.59	-25	Pass	9701
1000	2475	1	RMS	2475	-50.22	-25	Pass	1476
2475	2735	1	RMS	2501	14.39	60	Pass	401
2735	3000	1	RMS	2872.8	-48.26	-25	Pass	401
3000	12000	1	RMS	8904	-48.19	-25	Pass	9002
12000	26000	1	RMS	25202	-34.28	-25	Pass	14002



10.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.35	-25	Pass	2986
30	1000	0.1	RMS	892.929	-63.55	-25	Pass	9701
1000	2475	1	RMS	2475	-43.16	-25	Pass	1476
2475	2735	1	RMS	2515.95	8.51	60	Pass	401
2735	3000	1	RMS	2873.463	-48.24	-25	Pass	401
3000	12000	1	RMS	8895	-48.18	-25	Pass	9002
12000	26000	1	RMS	25201	-34.29	-25	Pass	14002



10.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-25	Pass	401
0.15	30	0.01	RMS	0.29	-70.62	-25	Pass	2986
30	1000	0.1	RMS	995.797	-63.57	-25	Pass	9701
1000	2475	1	RMS	2465	-50.19	-25	Pass	1476
2475	2735	1	RMS	2515.95	15.42	60	Pass	401
2735	3000	1	RMS	2876.113	-48.26	-25	Pass	401
3000	12000	1	RMS	8902	-48.15	-25	Pass	9002
12000	26000	1	RMS	25201	-34.21	-25	Pass	14002



10.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.21	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.4	-25	Pass	2986
30	1000	0.1	RMS	901.235	-63.49	-25	Pass	9701
1000	2475	1	RMS	2475	-44.95	-25	Pass	1476
2475	2735	1	RMS	2523.75	8.79	60	Pass	401
2735	3000	1	RMS	2872.138	-48.25	-25	Pass	401
3000	12000	1	RMS	8904	-48.2	-25	Pass	9002
12000	26000	1	RMS	25204	-34.28	-25	Pass	14002



10.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.86	-25	Pass	2986
30	1000	0.1	RMS	899.433	-63.51	-25	Pass	9701
1000	2475	1	RMS	2467	-50.08	-25	Pass	1476
2475	2735	1	RMS	2515.95	15.42	60	Pass	401
2735	3000	1	RMS	2874.788	-48.24	-25	Pass	401
3000	12000	1	RMS	8905	-48.21	-25	Pass	9002
12000	26000	1	RMS	25200	-34.26	-25	Pass	14002



10.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.43	-25	Pass	2986
30	1000	0.1	RMS	889.927	-63.58	-25	Pass	9701
1000	2475	1	RMS	2475	-47.6	-25	Pass	1476
2475	2735	1	RMS	2525.7	8.12	60	Pass	401
2735	3000	1	RMS	2878.1	-48.27	-25	Pass	401
3000	12000	1	RMS	8902	-48.14	-25	Pass	9002
12000	26000	1	RMS	25203	-34.24	-25	Pass	14002



10.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.24	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.39	-25	Pass	2986
30	1000	0.1	RMS	892.829	-63.61	-25	Pass	9701
1000	2475	1	RMS	2470	-50.18	-25	Pass	1476
2475	2735	1	RMS	2530.9	15.12	60	Pass	401
2735	3000	1	RMS	2868.825	-48.25	-25	Pass	401
3000	12000	1	RMS	8902	-48.13	-25	Pass	9002
12000	26000	1	RMS	25203	-34.33	-25	Pass	14002



10.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-25	Pass	2986
30	1000	0.1	RMS	894.73	-63.44	-25	Pass	9701
1000	2475	1	RMS	2475	-48.81	-25	Pass	1476
2475	2735	1	RMS	2545.2	8.29	60	Pass	401
2735	3000	1	RMS	2872.8	-48.25	-25	Pass	401
3000	12000	1	RMS	8897	-48.13	-25	Pass	9002
12000	26000	1	RMS	25197	-34.28	-25	Pass	14002



10.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.64	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.12	-25	Pass	2986
30	1000	0.1	RMS	895.331	-63.64	-25	Pass	9701
1000	2475	1	RMS	2475	-50.23	-25	Pass	1476
2475	2735	1	RMS	2530.9	15	60	Pass	401
2735	3000	1	RMS	2876.775	-48.25	-25	Pass	401
3000	12000	1	RMS	8901	-48.14	-25	Pass	9002
12000	26000	1	RMS	25204	-34.28	-25	Pass	14002



10.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.54	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.86	-25	Pass	2986
30	1000	0.1	RMS	900.034	-63.46	-25	Pass	9701
1000	2475	1	RMS	2475	-49.8	-25	Pass	1476
2475	2735	1	RMS	2545.2	6.91	60	Pass	401
2735	3000	1	RMS	2873.463	-48.25	-25	Pass	401
3000	12000	1	RMS	8904	-48.18	-25	Pass	9002
12000	26000	1	RMS	25201	-34.18	-25	Pass	14002




11. CA_38C

11.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.68	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.07	-25	Pass	2986
30	1000	0.1	RMS	909.04	-59.4	-25	Pass	9701
1000	2525	1	RMS	2514	-44.15	-25	Pass	1526
2525	2665	1	RMS	2570.5	11.07	60	Pass	401
2665	3000	1	RMS	2871.025	-44.16	-25	Pass	401
3000	12000	1	RMS	8907	-48.37	-25	Pass	9002
12000	26500	1	RMS	25201	-35.81	-25	Pass	14502



11.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.77	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.66	-25	Pass	2986
30	1000	0.1	RMS	896.631	-59.38	-25	Pass	9701
1000	2525	1	RMS	2524	-43.83	-25	Pass	1526
2525	2665	1	RMS	2579.95	7.12	60	Pass	401
2665	3000	1	RMS	2868.513	-44.14	-25	Pass	401
3000	12000	1	RMS	11851	-48.4	-25	Pass	9002
12000	26500	1	RMS	25202	-35.87	-25	Pass	14502



11.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.32	-25	Pass	2986
30	1000	0.1	RMS	999.199	-59.29	-25	Pass	9701
1000	2525	1	RMS	2514	-42.86	-25	Pass	1526
2525	2665	1	RMS	2598.85	11.67	60	Pass	401
2665	3000	1	RMS	2869.35	-44.12	-25	Pass	401
3000	12000	1	RMS	11848	-48.38	-25	Pass	9002
12000	26500	1	RMS	25203	-35.9	-25	Pass	14502



11.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.61	-25	Pass	2986
30	1000	0.1	RMS	909.04	-59.32	-25	Pass	9701
1000	2525	1	RMS	2524	-44.67	-25	Pass	1526
2525	2665	1	RMS	2578.55	6.22	60	Pass	401
2665	3000	1	RMS	2868.513	-44.12	-25	Pass	401
3000	12000	1	RMS	11851	-48.42	-25	Pass	9002
12000	26500	1	RMS	25202	-35.84	-25	Pass	14502



11.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.84	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.95	-25	Pass	2986
30	1000	0.1	RMS	889.227	-59.26	-25	Pass	9701
1000	2525	1	RMS	2524	-43.88	-25	Pass	1526
2525	2665	1	RMS	2609	12.12	60	Pass	401
2665	3000	1	RMS	2665	-43.6	-25	Pass	401
3000	12000	1	RMS	8894	-48.39	-25	Pass	9002
12000	26500	1	RMS	25197	-35.87	-25	Pass	14502



11.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.66	-25	Pass	2986
30	1000	0.1	RMS	905.437	-59.19	-25	Pass	9701
1000	2525	1	RMS	2523	-45.39	-25	Pass	1526
2525	2665	1	RMS	2583.8	7.73	60	Pass	401
2665	3000	1	RMS	2869.35	-44.15	-25	Pass	401
3000	12000	1	RMS	8893	-48.34	-25	Pass	9002
12000	26500	1	RMS	25195	-35.69	-25	Pass	14502



11.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.25	-25	Pass	2986
30	1000	0.1	RMS	898.333	-59.39	-25	Pass	9701
1000	2525	1	RMS	2525	-43.98	-25	Pass	1526
2525	2665	1	RMS	2609	11.72	60	Pass	401
2665	3000	1	RMS	2665.838	-43.84	-25	Pass	401
3000	12000	1	RMS	11846	-48.38	-25	Pass	9002
12000	26500	1	RMS	25199	-35.81	-25	Pass	14502



11.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.15	-25	Pass	2986
30	1000	0.1	RMS	916.144	-59.35	-25	Pass	9701
1000	2525	1	RMS	2524	-45.58	-25	Pass	1526
2525	2665	1	RMS	2599.2	6.5	60	Pass	401
2665	3000	1	RMS	2868.513	-44.12	-25	Pass	401
3000	12000	1	RMS	8903	-48.3	-25	Pass	9002
12000	26500	1	RMS	25203	-35.86	-25	Pass	14502



11.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.91	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.12	-25	Pass	2986
30	1000	0.1	RMS	882.922	-59.36	-25	Pass	9701
1000	2525	1	RMS	2519	-45.81	-25	Pass	1526
2525	2665	1	RMS	2590.8	12.39	60	Pass	401
2665	3000	1	RMS	2675.05	-43.54	-25	Pass	401
3000	12000	1	RMS	11848	-48.41	-25	Pass	9002
12000	26500	1	RMS	25199	-35.84	-25	Pass	14502



11.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.13	-25	Pass	2986
30	1000	0.1	RMS	886.425	-59.31	-25	Pass	9701
1000	2525	1	RMS	2521	-45.63	-25	Pass	1526
2525	2665	1	RMS	2598.15	7.51	60	Pass	401
2665	3000	1	RMS	2870.188	-44.16	-25	Pass	401
3000	12000	1	RMS	8926	-48.38	-25	Pass	9002
12000	26500	1	RMS	25203	-35.71	-25	Pass	14502



11.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-65.99	-25	Pass	2986
30	1000	0.1	RMS	889.827	-59.36	-25	Pass	9701
1000	2525	1	RMS	2514	-45.79	-25	Pass	1526
2525	2665	1	RMS	2590.45	11.63	60	Pass	401
2665	3000	1	RMS	2675.05	-42.37	-25	Pass	401
3000	12000	1	RMS	8904	-48.37	-25	Pass	9002
12000	26500	1	RMS	25201	-35.8	-25	Pass	14502



11.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.66	-25	Pass	401
0.15	30	0.01	RMS	0.18	-66.75	-25	Pass	2986
30	1000	0.1	RMS	991.995	-59.31	-25	Pass	9701
1000	2525	1	RMS	2521	-45.79	-25	Pass	1526
2525	2665	1	RMS	2598.15	6.75	60	Pass	401
2665	3000	1	RMS	2872.7	-44.16	-25	Pass	401
3000	12000	1	RMS	11852	-48.27	-25	Pass	9002
12000	26500	1	RMS	25198	-35.82	-25	Pass	14502



11.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.13	-25	Pass	401
0.15	30	0.01	RMS	0.38	-67.05	-25	Pass	2986
30	1000	0.1	RMS	890.027	-59.39	-25	Pass	9701
1000	2525	1	RMS	2495	-43.83	-25	Pass	1526
2525	2665	1	RMS	2570.85	12.18	60	Pass	401
2665	3000	1	RMS	2683.425	-42.27	-25	Pass	401
3000	12000	1	RMS	8900	-48.37	-25	Pass	9002
12000	26500	1	RMS	25195	-35.79	-25	Pass	14502



11.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-65.92	-25	Pass	2986
30	1000	0.1	RMS	916.044	-59.23	-25	Pass	9701
1000	2525	1	RMS	2524	-40.75	-25	Pass	1526
2525	2665	1	RMS	2580.65	7.01	60	Pass	401
2665	3000	1	RMS	2876.888	-44.14	-25	Pass	401
3000	12000	1	RMS	8912	-48.39	-25	Pass	9002
12000	26500	1	RMS	25203	-35.84	-25	Pass	14502



11.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.09	-25	Pass	2986
30	1000	0.1	RMS	877.619	-59.31	-25	Pass	9701
1000	2525	1	RMS	2496	-42.97	-25	Pass	1526
2525	2665	1	RMS	2570.85	12	60	Pass	401
2665	3000	1	RMS	2683.425	-43	-25	Pass	401
3000	12000	1	RMS	8897	-48.32	-25	Pass	9002
12000	26500	1	RMS	25195	-35.84	-25	Pass	14502



11.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.44	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.26	-25	Pass	2986
30	1000	0.1	RMS	887.125	-59.28	-25	Pass	9701
1000	2525	1	RMS	2523	-43.5	-25	Pass	1526
2525	2665	1	RMS	2592.2	5.25	60	Pass	401
2665	3000	1	RMS	2878.563	-44.14	-25	Pass	401
3000	12000	1	RMS	8901	-48.31	-25	Pass	9002
12000	26500	1	RMS	25201	-35.85	-25	Pass	14502



11.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.28	-25	Pass	401
0.15	30	0.01	RMS	0.24	-67.27	-25	Pass	2986
30	1000	0.1	RMS	919.947	-59.31	-25	Pass	9701
1000	2525	1	RMS	2501	-41.77	-25	Pass	1526
2525	2665	1	RMS	2576.1	12.65	60	Pass	401
2665	3000	1	RMS	2688.45	-42.74	-25	Pass	401
3000	12000	1	RMS	8924	-48.38	-25	Pass	9002
12000	26500	1	RMS	25201	-35.76	-25	Pass	14502



11.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.3	-25	Pass	2986
30	1000	0.1	RMS	900.634	-59.32	-25	Pass	9701
1000	2525	1	RMS	2523	-42.3	-25	Pass	1526
2525	2665	1	RMS	2602	6.96	60	Pass	401
2665	3000	1	RMS	2665	-43.14	-25	Pass	401
3000	12000	1	RMS	11845	-48.36	-25	Pass	9002
12000	26500	1	RMS	25191	-35.84	-25	Pass	14502



11.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.69	-25	Pass	2986
30	1000	0.1	RMS	876.818	-59.38	-25	Pass	9701
1000	2525	1	RMS	2501	-41.94	-25	Pass	1526
2525	2665	1	RMS	2576.1	12.86	60	Pass	401
2665	3000	1	RMS	2688.45	-43.16	-25	Pass	401
3000	12000	1	RMS	11850	-48.3	-25	Pass	9002
12000	26500	1	RMS	25196	-35.87	-25	Pass	14502



11.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.04	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.1	-25	Pass	2986
30	1000	0.1	RMS	895.731	-59.35	-25	Pass	9701
1000	2525	1	RMS	2525	-44.19	-25	Pass	1526
2525	2665	1	RMS	2583.45	5.94	60	Pass	401
2665	3000	1	RMS	2871.863	-44.13	-25	Pass	401
3000	12000	1	RMS	8904	-48.33	-25	Pass	9002
12000	26500	1	RMS	25202	-35.84	-25	Pass	14502



11.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.67	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.32	-25	Pass	2986
30	1000	0.1	RMS	985.991	-59.33	-25	Pass	9701
1000	2525	1	RMS	2506	-40.52	-25	Pass	1526
2525	2665	1	RMS	2581	12.19	60	Pass	401
2665	3000	1	RMS	2693.475	-41.63	-25	Pass	401
3000	12000	1	RMS	8900	-48.39	-25	Pass	9002
12000	26500	1	RMS	25199	-35.77	-25	Pass	14502



11.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.52	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.39	-25	Pass	2986
30	1000	0.1	RMS	888.326	-59.24	-25	Pass	9701
1000	2525	1	RMS	2525	-42.68	-25	Pass	1526
2525	2665	1	RMS	2602.7	7.01	60	Pass	401
2665	3000	1	RMS	2665	-41.86	-25	Pass	401
3000	12000	1	RMS	8907	-48.37	-25	Pass	9002
12000	26500	1	RMS	25198	-35.86	-25	Pass	14502



11.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.1	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.23	-25	Pass	2986
30	1000	0.1	RMS	888.726	-59.41	-25	Pass	9701
1000	2525	1	RMS	2506	-44.97	-25	Pass	1526
2525	2665	1	RMS	2581	13.1	60	Pass	401
2665	3000	1	RMS	2693.475	-43.96	-25	Pass	401
3000	12000	1	RMS	8896	-48.33	-25	Pass	9002
12000	26500	1	RMS	25201	-35.86	-25	Pass	14502



11.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.55	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.24	-25	Pass	2986
30	1000	0.1	RMS	878.92	-59.15	-25	Pass	9701
1000	2525	1	RMS	2523	-45	-25	Pass	1526
2525	2665	1	RMS	2603.05	5.81	60	Pass	401
2665	3000	1	RMS	2665.838	-43.77	-25	Pass	401
3000	12000	1	RMS	8901	-48.4	-25	Pass	9002
12000	26500	1	RMS	25199	-35.8	-25	Pass	14502



--BLANK BELOW--