




2.4GHz SDR, 40MHz BW

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
40M	Ant0	2422.5	35.625	2404.759	2440.384	---	---
		2437.5	35.532	2419.738	2455.270	---	---
		2452.5	35.540	2434.701	2470.241	---	---



Appendix A.4: Test Results of Conducted Spurious Emissions Measured in 100 kHz Bandwidth


2.4GHz SDR, 1.4MHz BW

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
1.4M	Ant0	2403.5	Reference	12.78	12.78	---	PASS
			30~1000	12.78	-60.54	≤-17.22	PASS
			1000~26500	12.78	-50.97	≤-17.22	PASS
		2435.5	Reference	12.91	12.91	---	PASS
			30~1000	12.91	-59.91	≤-17.09	PASS
			1000~26500	12.91	-52.08	≤-17.09	PASS
		2469.5	Reference	13.12	13.12	---	PASS
			30~1000	13.12	-60.87	≤-16.88	PASS
			1000~26500	13.12	-51.26	≤-16.88	PASS

1.4M Ant0 2403.5 0~Reference



1.4M Ant0 2403.5 30~1000




1.4M Ant0 2403.5 1000~26500



1.4M Ant0 2435.5 0~Reference



1.4M Ant0 2435.5 30~1000




1.4M Ant0 2435.5 1000~26500



1.4M Ant0 2469.5 0~Reference



1.4M Ant0 2469.5 30~1000



1.4M Ant0 2469.5 1000~26500



2.4GHz SDR, 1.4MHz BW CA mode

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
1.4MCA	Ant0	2405.12	Reference	13.48	13.48	---	PASS
			30~1000	13.48	-61.29	≤-16.52	PASS
			1000~26500	13.48	-51.81	≤-16.52	PASS
		2437.12	Reference	13.77	13.77	---	PASS
			30~1000	13.77	-61.32	≤-16.23	PASS
			1000~26500	13.77	-51.71	≤-16.23	PASS
		2471.12	Reference	13.52	13.52	---	PASS
			30~1000	13.52	-60.53	≤-16.48	PASS
			1000~26500	13.52	-51.75	≤-16.48	PASS







2.4GHz SDR, 3MHz BW

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
3M	Ant0	2405.5	Reference	8.72	8.72	---	PASS
			30~1000	8.72	-60.99	≤-21.28	PASS
			1000~26500	8.72	-53.32	≤-21.28	PASS
		2435.5	Reference	9.42	9.42	---	PASS
			30~1000	9.42	-61.19	≤-20.58	PASS
			1000~26500	9.42	-51.78	≤-20.58	PASS
		2468.5	Reference	9.33	9.33	---	PASS
			30~1000	9.33	-61.04	≤-20.67	PASS
			1000~26500	9.33	-52.02	≤-20.67	PASS








2.4GHz SDR, 3MHz BW CA mode

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
3MCA	Ant0	2408.2	Reference	10.29	10.29	---	PASS
			30~1000	10.29	-61.21	≤-19.71	PASS
			1000~26500	10.29	-51.67	≤-19.71	PASS
		2438.2	Reference	10.84	10.84	---	PASS
			30~1000	10.84	-60.69	≤-19.16	PASS
			1000~26500	10.84	-51.53	≤-19.16	PASS
		2471.2	Reference	10.04	10.04	---	PASS
			30~1000	10.04	-59.96	≤-19.96	PASS
			1000~26500	10.04	-51.92	≤-19.96	PASS

3MCA_Ant0_2408.2_0~Reference




3MCA_Ant0_2408.2_30~1000




3MCA_Ant0_2408.2_1000~26500



3MCA_Ant0_2438.2_0~Reference



3MCA_Ant0_2438.2_30~1000




3MCA_Ant0_2438.2_1000~26500



3MCA_Ant0_2471.2_0~Reference



3MCA_Ant0_2471.2_30~1000



3MCA_Ant0_2471.2_1000~26500

