










Appendix F: Conducted Spurious Emission

Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	Reference	1.46	1.46	---	PASS
			30~1000	1.46	-54.81	≤-28.54	PASS
			1000~26500	1.46	-51.08	≤-28.54	PASS
		2437	Reference	1.51	1.51	---	PASS
			30~1000	1.51	-53.95	≤-28.49	PASS
			1000~26500	1.51	-49.69	≤-28.49	PASS
		2462	Reference	1.20	1.20	---	PASS
			30~1000	1.20	-54.04	≤-28.8	PASS
			1000~26500	1.20	-51.08	≤-28.8	PASS
11G	Ant1	2412	Reference	-2.11	-2.11	---	PASS
			30~1000	-2.11	-54.2	≤-32.11	PASS
			1000~26500	-2.11	-50.69	≤-32.11	PASS
		2437	Reference	-3.00	-3.00	---	PASS
			30~1000	-3.00	-54.35	≤-33	PASS
			1000~26500	-3.00	-50.26	≤-33	PASS
		2462	Reference	-2.70	-2.70	---	PASS
			30~1000	-2.70	-55.68	≤-32.7	PASS
			1000~26500	-2.70	-50.78	≤-32.7	PASS
11N20SI SO	Ant1	2412	Reference	1.14	1.14	---	PASS
			30~1000	1.14	-55.17	≤-28.86	PASS
			1000~26500	1.14	-50.36	≤-28.86	PASS
		2437	Reference	1.76	1.76	---	PASS
			30~1000	1.76	-54.5	≤-28.24	PASS
			1000~26500	1.76	-50.78	≤-28.24	PASS
		2462	Reference	-1.86	-1.86	---	PASS
			30~1000	-1.86	-59.02	≤-31.86	PASS
			1000~26500	-1.86	-50.66	≤-31.86	PASS
11N40SI SO	Ant1	2422	Reference	-4.41	-4.41	---	PASS
			30~1000	-4.41	-59.25	≤-34.41	PASS
			1000~26500	-4.41	-50.75	≤-34.41	PASS
		2437	Reference	-4.58	-4.58	---	PASS
			30~1000	-4.58	-59	≤-34.58	PASS
			1000~26500	-4.58	-49.75	≤-34.58	PASS
		2452	Reference	-4.28	-4.28	---	PASS
			30~1000	-4.28	-58.65	≤-34.28	PASS

			1000~26500	-4.28	-50.22	≤-34.28	PASS
--	--	--	------------	-------	--------	---------	------

Test Graphs

