



Profile: 1842039	Page No.: 1
Engineer: Pawn	
Site:	Time: 2018/07/30 - 17:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5180MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.481	40.135	-34.519	74.000	-0.654	PK
2	*	15540.000	44.999	40.186	-29.001	74.000	4.813	PK

Profile: 1842039	Page No.: 2
Engineer: Pawn	
Site:	Time: 2018/07/30 - 17:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5180MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.735	40.389	-34.265	74.000	-0.654	PK
2	*	15540.000	45.247	40.434	-28.753	74.000	4.813	PK

Profile: 1842039	Page No.: 3
Engineer: Pawn	
Site:	Time: 2018/07/30 - 17:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5220MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.268	40.696	-33.732	74.000	-0.428	PK
2	*	15660.000	45.727	40.760	-28.273	74.000	4.968	PK

Profile: 1842039	Page No.: 4
Engineer: Pawn	
Site:	Time: 2018/07/30 - 17:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5220MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.785	40.213	-34.215	74.000	-0.428	PK
2	*	15660.000	45.925	40.958	-28.075	74.000	4.968	PK

Profile: 1842039	Page No.: 5
Engineer: Pawn	
Site:	Time: 2018/07/30 - 17:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5240MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.032	40.613	-33.968	74.000	-0.580	PK
2	*	15720.000	46.003	40.446	-27.997	74.000	5.557	PK

Profile: 1842039	Page No.: 6
Engineer: Pawn	
Site:	Time: 2018/07/30 - 17:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5240MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.919	40.500	-34.081	74.000	-0.580	PK
2	*	15720.000	46.266	40.709	-27.734	74.000	5.557	PK

Profile: 1842039	Page No.: 21
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5745MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.233	40.377	-33.767	74.000	-0.144	PK
2	*	17235.000	45.448	40.157	-28.552	74.000	5.291	PK

Profile: 1842039	Page No.: 22
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5745MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.352	40.496	-33.648	74.000	-0.144	PK
2	*	17235.000	46.011	40.720	-27.989	74.000	5.291	PK

Profile: 1842039	Page No.: 23
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5785MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.292	40.913	-32.708	74.000	0.379	PK
2	*	17355.000	45.937	40.016	-28.063	74.000	5.921	PK

Profile: 1842039	Page No.: 24
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5785MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.653	40.274	-33.347	74.000	0.379	PK
2	*	17355.000	46.920	40.999	-27.080	74.000	5.921	PK

Profile: 1842039	Page No.: 25
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5825MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.379	40.831	-32.621	74.000	0.549	PK
2	*	17475.000	47.251	40.426	-26.749	74.000	6.825	PK

Profile: 1842039	Page No.: 26
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5825MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.919	40.371	-33.081	74.000	0.549	PK
2	*	17475.000	47.201	40.376	-26.799	74.000	6.825	PK

Profile: 1842039	Page No.: 27
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5180MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.370	40.024	-34.630	74.000	-0.654	PK
2	*	15540.000	44.895	40.082	-29.105	74.000	4.813	PK

Profile: 1842039	Page No.: 28
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5180MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.579	40.233	-34.421	74.000	-0.654	PK
2	*	15540.000	44.959	40.146	-29.041	74.000	4.813	PK

Profile: 1842039	Page No.: 29
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5220MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.114	40.542	-33.886	74.000	-0.428	PK
2	*	15660.000	45.108	40.141	-28.892	74.000	4.968	PK

Profile: 1842039	Page No.: 30
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5220MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.479	40.907	-33.521	74.000	-0.428	PK
2	*	15660.000	45.263	40.296	-28.737	74.000	4.968	PK

Profile: 1842039	Page No.: 31
Engineer: Pawn	
Site:	Time: 2018/07/30 - 18:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5240MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.263	40.844	-33.737	74.000	-0.580	PK
2	*	15720.000	46.057	40.500	-27.943	74.000	5.557	PK

Profile: 1842039	Page No.: 32
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5240MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.429	40.010	-34.571	74.000	-0.580	PK
2	*	15720.000	46.054	40.497	-27.946	74.000	5.557	PK

Profile: 1842039	Page No.: 47
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5745MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.204	40.348	-33.796	74.000	-0.144	PK
2	*	17235.000	46.178	40.887	-27.822	74.000	5.291	PK

Profile: 1842039	Page No.: 48
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5745MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.659	40.803	-33.341	74.000	-0.144	PK
2	*	17235.000	45.618	40.327	-28.382	74.000	5.291	PK

Profile: 1842039	Page No.: 49
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5785MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.731	40.352	-33.269	74.000	0.379	PK
2	*	17355.000	46.400	40.479	-27.600	74.000	5.921	PK

Profile: 1842039	Page No.: 50
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5785MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.027	40.648	-32.973	74.000	0.379	PK
2	*	17355.000	46.292	40.371	-27.708	74.000	5.921	PK

Profile: 1842039	Page No.: 51
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5825MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.409	40.861	-32.591	74.000	0.549	PK
2	*	17475.000	47.012	40.187	-26.988	74.000	6.825	PK

Profile: 1842039	Page No.: 52
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5825MHz by 802.11N20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.517	40.969	-32.483	74.000	0.549	PK
2	*	17475.000	47.760	40.935	-26.240	74.000	6.825	PK

Profile: 1842039	Page No.: 53
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5190MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.776	40.328	-34.224	74.000	-0.551	PK
2	*	15570.000	46.156	40.224	-27.844	74.000	5.931	PK

Profile: 1842039	Page No.: 54
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5190MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.326	40.878	-33.674	74.000	-0.551	PK
2	*	15570.000	46.739	40.807	-27.261	74.000	5.931	PK

Profile: 1842039	Page No.: 55
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5230MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.406	40.018	-34.594	74.000	-0.612	PK
2	*	15690.000	46.965	40.174	-27.035	74.000	6.791	PK

Profile: 1842039	Page No.: 56
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5230MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.499	40.111	-34.501	74.000	-0.612	PK
2	*	15690.000	47.310	40.519	-26.690	74.000	6.791	PK

Profile: 1842039	Page No.: 69
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5755MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	41.527	41.206	-32.473	74.000	0.321	PK
2	*	17265.000	48.283	41.173	-25.717	74.000	7.110	PK

Profile: 1842039	Page No.: 70
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5755MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.303	41.982	-31.697	74.000	0.321	PK
2	*	17265.000	48.206	41.096	-25.794	74.000	7.110	PK

Profile: 1842039	Page No.: 71
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5795MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.580	41.386	-31.420	74.000	1.193	PK
2	*	17385.000	48.524	41.500	-25.476	74.000	7.024	PK

Profile: 1842039	Page No.: 72
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5795MHz by 802.11N40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.498	41.304	-31.502	74.000	1.193	PK
2	*	17385.000	48.558	41.534	-25.442	74.000	7.024	PK

Profile: 1842039	Page No.: 73
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5180MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.385	41.039	-33.615	74.000	-0.654	PK
2	*	15540.000	46.783	41.970	-27.217	74.000	4.813	PK

Profile: 1842039	Page No.: 74
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5180MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.442	41.096	-33.558	74.000	-0.654	PK
2	*	15540.000	46.812	41.999	-27.188	74.000	4.813	PK

Profile: 1842039	Page No.: 75
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5220MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.959	41.387	-33.041	74.000	-0.428	PK
2	*	15660.000	46.562	41.595	-27.438	74.000	4.968	PK

Profile: 1842039	Page No.: 76
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5220MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.756	41.184	-33.244	74.000	-0.428	PK
2	*	15660.000	46.363	41.396	-27.637	74.000	4.968	PK

Profile: 1842039	Page No.: 77
Engineer: Pawn	
Site:	Time: 2018/07/31 - 09:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5240MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.200	41.781	-32.800	74.000	-0.580	PK
2	*	15720.000	46.700	41.143	-27.300	74.000	5.557	PK

Profile: 1842039	Page No.: 78
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5240MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.017	41.598	-32.983	74.000	-0.580	PK
2	*	15720.000	47.554	41.997	-26.446	74.000	5.557	PK

Profile: 1842039	Page No.: 93
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5745MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.088	41.232	-32.912	74.000	-0.144	PK
2	*	17235.000	46.410	41.119	-27.590	74.000	5.291	PK

Profile: 1842039	Page No.: 94
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5745MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.537	41.681	-32.463	74.000	-0.144	PK
2	*	17235.000	47.017	41.726	-26.983	74.000	5.291	PK

Profile: 1842039	Page No.: 95
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5785MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.246	41.867	-31.754	74.000	0.379	PK
2	*	17355.000	46.963	41.042	-27.037	74.000	5.921	PK

Profile: 1842039	Page No.: 96
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5785MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.910	41.531	-32.090	74.000	0.379	PK
2	*	17355.000	47.538	41.617	-26.462	74.000	5.921	PK

Profile: 1842039	Page No.: 97
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5825MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.415	41.867	-31.585	74.000	0.549	PK
2	*	17475.000	47.867	41.042	-26.133	74.000	6.825	PK

Profile: 1842039	Page No.: 98
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5825MHz by 802.11AC20 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.079	41.531	-31.921	74.000	0.549	PK
2	*	17475.000	48.442	41.617	-25.558	74.000	6.825	PK

Profile: 1842039	Page No.: 99
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5190MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.073	41.625	-32.927	74.000	-0.551	PK
2	*	15570.000	47.116	41.184	-26.884	74.000	5.931	PK

Profile: 1842039	Page No.: 100
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5190MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.838	41.390	-33.162	74.000	-0.551	PK
2	*	15570.000	47.347	41.415	-26.653	74.000	5.931	PK

Profile: 1842039	Page No.: 101
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5230MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.999	41.611	-33.001	74.000	-0.612	PK
2	*	15690.000	47.910	41.119	-26.090	74.000	6.791	PK

Profile: 1842039	Page No.: 102
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5230MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.349	41.961	-32.651	74.000	-0.612	PK
2	*	15690.000	48.415	41.624	-25.585	74.000	6.791	PK

Profile: 1842039	Page No.: 115
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5755MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	41.525	41.204	-32.475	74.000	0.321	PK
2	*	17265.000	48.396	41.286	-25.604	74.000	7.110	PK

Profile: 1842039	Page No.: 116
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5755MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	41.899	41.578	-32.101	74.000	0.321	PK
2	*	17265.000	48.475	41.365	-25.525	74.000	7.110	PK

Profile: 1842039	Page No.: 117
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5795MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.614	41.420	-31.386	74.000	1.193	PK
2	*	17385.000	48.671	41.647	-25.329	74.000	7.024	PK

Profile: 1842039	Page No.: 118
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5795MHz by 802.11AC40 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.595	41.401	-31.405	74.000	1.193	PK
2	*	17385.000	48.129	41.105	-25.871	74.000	7.024	PK

Profile: 1842039	Page No.: 119
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5210MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	40.325	41.499	-33.675	74.000	-1.174	PK
2	*	15630.000	47.642	41.955	-26.358	74.000	5.688	PK

Profile: 1842039	Page No.: 120
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5210MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	40.609	41.783	-33.391	74.000	-1.174	PK
2	*	15630.000	47.356	41.669	-26.644	74.000	5.688	PK

Profile: 1842039	Page No.: 127
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5775MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.810	41.676	-32.190	74.000	0.134	PK
2	*	17325.000	46.977	41.432	-27.023	74.000	5.545	PK

Profile: 1842039	Page No.: 128
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5775MHz by 802.11AC80 (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.484	41.350	-32.516	74.000	0.134	PK
2	*	17325.000	47.244	41.699	-26.756	74.000	5.545	PK

Profile: 1842039	Page No.: 129
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5180MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.671	40.325	-34.329	74.000	-0.654	PK
2	*	15540.000	45.727	40.914	-28.273	74.000	4.813	PK

Profile: 1842039	Page No.: 130
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5180MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.998	40.652	-34.002	74.000	-0.654	PK
2	*	15540.000	45.445	40.632	-28.555	74.000	4.813	PK

Profile: 1842039	Page No.: 131
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5220MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.982	40.410	-34.018	74.000	-0.428	PK
2	*	15660.000	45.298	40.331	-28.702	74.000	4.968	PK

Profile: 1842039	Page No.: 132
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5220MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.655	40.083	-34.345	74.000	-0.428	PK
2	*	15660.000	45.028	40.061	-28.972	74.000	4.968	PK

Profile: 1842039	Page No.: 133
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5240MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.670	40.251	-34.330	74.000	-0.580	PK
2	*	15720.000	45.961	40.404	-28.039	74.000	5.557	PK

Profile: 1842039	Page No.: 134
Engineer: Pawn	
Site:	Time: 2018/07/31 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5240MHz by 802.11A (eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.449	40.030	-34.551	74.000	-0.580	PK
2	*	15720.000	45.575	40.018	-28.425	74.000	5.557	PK

Profile: 1842039	Page No.: 141
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5180MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.572	40.226	-34.428	74.000	-0.654	PK
2	*	15540.000	45.475	40.662	-28.525	74.000	4.813	PK

Profile: 1842039	Page No.: 142
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5180MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.861	40.515	-34.139	74.000	-0.654	PK
2	*	15540.000	45.622	40.809	-28.378	74.000	4.813	PK

Profile: 1842039	Page No.: 143
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5220MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.993	40.421	-34.007	74.000	-0.428	PK
2	*	15660.000	45.372	40.405	-28.628	74.000	4.968	PK

Profile: 1842039	Page No.: 144
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5220MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.229	40.657	-33.771	74.000	-0.428	PK
2	*	15660.000	45.499	40.532	-28.501	74.000	4.968	PK

Profile: 1842039	Page No.: 145
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5240MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.365	40.946	-33.635	74.000	-0.580	PK
2	*	15720.000	45.609	40.052	-28.391	74.000	5.557	PK

Profile: 1842039	Page No.: 146
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5240MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.314	40.895	-33.686	74.000	-0.580	PK
2	*	15720.000	46.284	40.727	-27.716	74.000	5.557	PK

Profile: 1842039	Page No.: 153
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5190MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.703	40.255	-34.297	74.000	-0.551	PK
2	*	15570.000	46.251	40.319	-27.749	74.000	5.931	PK

Profile: 1842039	Page No.: 154
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5190MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.150	40.702	-33.850	74.000	-0.551	PK
2	*	15570.000	46.916	40.984	-27.084	74.000	5.931	PK

Profile: 1842039	Page No.: 155
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5230MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.387	40.999	-33.613	74.000	-0.612	PK
2	*	15690.000	47.548	40.757	-26.452	74.000	6.791	PK

Profile: 1842039	Page No.: 156
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5230MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.253	40.865	-33.747	74.000	-0.612	PK
2	*	15690.000	46.792	40.001	-27.208	74.000	6.791	PK

Profile: 1842039	Page No.: 161
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5180MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.826	40.480	-34.174	74.000	-0.654	PK
2	*	15540.000	45.071	40.258	-28.929	74.000	4.813	PK

Profile: 1842039	Page No.: 162
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5180MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.000	40.654	-34.000	74.000	-0.654	PK
2	*	15540.000	45.331	40.518	-28.669	74.000	4.813	PK

Profile: 1842039	Page No.: 163
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5220MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.343	40.771	-33.657	74.000	-0.428	PK
2	*	15660.000	45.423	40.456	-28.577	74.000	4.968	PK

Profile: 1842039	Page No.: 164
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5220MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.927	40.355	-34.073	74.000	-0.428	PK
2	*	15660.000	45.608	40.641	-28.392	74.000	4.968	PK

Profile: 1842039	Page No.: 165
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5240MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.493	40.074	-34.507	74.000	-0.580	PK
2	*	15720.000	46.026	40.469	-27.974	74.000	5.557	PK

Profile: 1842039	Page No.: 166
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5240MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.215	40.796	-33.785	74.000	-0.580	PK
2	*	15720.000	46.366	40.809	-27.634	74.000	5.557	PK

Profile: 1842039	Page No.: 173
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5190MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.036	40.588	-33.964	74.000	-0.551	PK
2	*	15570.000	46.051	40.119	-27.949	74.000	5.931	PK

Profile: 1842039	Page No.: 174
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5190MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.642	40.194	-34.358	74.000	-0.551	PK
2	*	15570.000	46.465	40.533	-27.535	74.000	5.931	PK

Profile: 1842039	Page No.: 175
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5230MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.401	40.013	-34.599	74.000	-0.612	PK
2	*	15690.000	47.656	40.865	-26.344	74.000	6.791	PK

Profile: 1842039	Page No.: 176
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5230MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.873	40.485	-34.127	74.000	-0.612	PK
2	*	15690.000	47.692	40.901	-26.308	74.000	6.791	PK

Profile: 1842039	Page No.: 181
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode12:Transmit at 5210MHz by 802.11AC40(eth7)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.084	40.258	-34.916	74.000	-1.174	PK
2	*	15630.000	46.346	40.659	-27.654	74.000	5.688	PK

Profile: 1842039	Page No.: 182
Engineer: Pawn	
Site:	Time: 2018/07/31 - 11:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode12:Transmit at 5210MHz by 802.11AC40(eth7)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.733	40.907	-34.267	74.000	-1.174	PK
2	*	15630.000	46.337	40.650	-27.663	74.000	5.688	PK