


Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	6920.1250	35.88	10.77	46.65	68.30	-21.65	Peak	
2 *	6920.2450	30.11	10.77	40.88	54.00	-13.12	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5232.0000	56.93	40.90	97.83	68.30	29.53	Peak	No Limit
2 *	5232.5000	49.34	40.90	90.24	54.00	36.24	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	6973.4750	37.41	10.76	48.17	68.30	-20.13	Peak	
2 *	6973.5850	33.85	10.76	44.61	54.00	-9.39	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5215.2000	49.66	40.84	90.50	54.00	36.50	AVG	No Limit
2	5227.9000	57.30	40.88	98.18	68.30	29.88	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	6973.4550	34.43	10.76	45.19	68.30	-23.11	Peak	
2 *	6973.5950	28.88	10.76	39.64	54.00	-14.36	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	9.42	40.62	50.04	68.30	-18.26	Peak	
2	5150.0000	-0.07	40.62	40.55	54.00	-13.45	AVG	
3	5191.8000	53.11	40.76	93.87	68.30	25.57	Peak	No Limit
4 *	5192.8000	46.11	40.77	86.88	54.00	32.88	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	6946.8600	34.95	10.77	45.72	54.00	-8.28	AVG	
2	6946.8700	38.24	10.77	49.01	68.30	-19.29	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	9.18	40.62	49.80	68.30	-18.50	Peak	
2	5150.0000	0.19	40.62	40.81	54.00	-13.19	AVG	
3	5183.4000	54.62	40.74	95.36	68.30	27.06	Peak	No Limit
4 *	5183.8000	45.98	40.74	86.72	54.00	32.72	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	6946.2500	29.88	10.77	40.65	54.00	-13.35	AVG	
2	6946.8550	35.35	10.77	46.12	68.30	-22.18	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	8.10	42.55	50.65	109.50	-58.85	Peak	
2	5715.0000	0.15	42.55	42.70	109.50	-66.80	AVG	
3	5725.0000	8.88	42.58	51.46	122.30	-70.84	Peak	
4	5725.0000	1.03	42.58	43.61	122.30	-78.69	AVG	
5	5750.9000	50.76	42.67	93.43	122.30	-28.87	AVG	
6 *	5750.9500	58.36	42.67	101.03	122.30	-21.27	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7660.2450	32.56	11.74	44.30	54.00	-9.70	AVG	
2	7660.2650	36.23	11.74	47.97	68.30	-20.33	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	10.14	42.55	52.69	109.50	-56.81	Peak	
2	5715.0000	0.21	42.55	42.76	109.50	-66.74	AVG	
3	5725.0000	11.17	42.58	53.75	122.30	-68.55	Peak	
4	5725.0000	0.80	42.58	43.38	122.30	-78.92	AVG	
5 *	5750.5000	56.49	42.67	99.16	122.30	-23.14	Peak	
6	5750.7500	48.89	42.67	91.56	122.30	-30.74	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7660.3450	33.12	11.74	44.86	68.30	-23.44	Peak	
2 *	7660.5500	27.88	11.74	39.62	54.00	-14.38	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5790.3000	57.14	42.81	99.95	122.30	-22.35	Peak	
2	5790.8000	49.63	42.82	92.45	122.30	-29.85	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7713.5800	33.16	11.74	44.90	54.00	-9.10	AVG	
2	7713.6000	37.20	11.74	48.94	68.30	-19.36	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5790.8000	48.95	42.82	91.77	122.30	-30.53	AVG	
2 *	5790.9500	56.62	42.82	99.44	122.30	-22.86	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7713.5750	28.33	11.74	40.07	54.00	-13.93	AVG	
2	7713.6250	34.28	11.74	46.02	68.30	-22.28	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5818.4000	56.91	42.91	99.82	122.30	-22.48	Peak	
2	5818.8000	49.44	42.91	92.35	122.30	-29.95	AVG	
3	5850.0000	8.58	43.03	51.61	122.30	-70.69	Peak	
4	5850.0000	0.24	43.03	43.27	122.30	-79.03	AVG	
5	5860.0000	9.17	43.06	52.23	109.50	-57.27	Peak	
6	5860.0000	0.12	43.06	43.18	109.50	-66.32	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7766.9350	33.28	11.73	45.01	54.00	-8.99	AVG	
2	7766.9450	36.83	11.73	48.56	68.30	-19.74	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5818.9500	50.40	42.92	93.32	122.30	-28.98	AVG	
2 *	5820.3500	57.68	42.92	100.60	122.30	-21.70	Peak	
3	5850.0000	9.65	43.03	52.68	122.30	-69.62	Peak	
4	5850.0000	0.12	43.03	43.15	122.30	-79.15	AVG	
5	5860.0000	0.14	43.06	43.20	109.50	-66.30	AVG	
6	5860.0000	9.62	43.06	52.68	109.50	-56.82	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7766.9250	28.66	11.73	40.39	54.00	-13.61	AVG	
2	7766.9550	33.89	11.73	45.62	68.30	-22.68	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	9.60	42.55	52.15	109.50	-57.35	Peak	
2	5715.0000	0.07	42.55	42.62	109.50	-66.88	AVG	
3	5725.0000	10.28	42.58	52.86	122.30	-69.44	Peak	
4	5725.0000	0.46	42.58	43.04	122.30	-79.26	AVG	
5	5741.3000	47.70	42.64	90.34	122.30	-31.96	AVG	
6 *	5745.0000	54.96	42.65	97.61	122.30	-24.69	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Vertical


80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7673.6100	32.97	11.74	44.71	54.00	-9.29	AVG	
2	7673.7200	36.30	11.74	48.04	68.30	-20.26	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	7.72	42.55	50.27	109.50	-59.23	Peak	
2	5715.0000	-0.07	42.55	42.48	109.50	-67.02	AVG	
3	5725.0000	8.98	42.58	51.56	122.30	-70.74	Peak	
4	5725.0000	0.02	42.58	42.60	122.30	-79.70	AVG	
5	5770.3000	44.21	42.74	86.95	122.30	-35.35	AVG	
6 *	5770.5000	51.60	42.74	94.34	122.30	-27.96	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Horizontal


80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7673.6100	27.95	11.74	39.69	54.00	-14.31	AVG	
2	7673.7200	33.28	11.74	45.02	68.30	-23.28	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5792.5000	45.28	42.82	88.10	122.30	-34.20	AVG	
2 *	5792.9000	52.71	42.82	95.53	122.30	-26.77	Peak	
3	5850.0000	9.23	43.03	52.26	122.30	-70.04	Peak	
4	5850.0000	-0.13	43.03	42.90	122.30	-79.40	AVG	
5	5860.0000	11.23	43.06	54.29	109.50	-55.21	Peak	
6	5860.0000	-0.04	43.06	43.02	109.50	-66.48	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7726.8750	33.69	11.74	45.43	54.00	-8.57	AVG	
2	7726.8950	37.03	11.74	48.77	68.30	-19.53	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5793.2000	52.65	42.82	95.47	122.30	-26.83	Peak	
2	5810.2000	45.12	42.88	88.00	122.30	-34.30	AVG	
3	5850.0000	8.74	43.03	51.77	122.30	-70.53	Peak	
4	5850.0000	-0.17	43.03	42.86	122.30	-79.44	AVG	
5	5860.0000	9.16	43.06	52.22	109.50	-57.28	Peak	
6	5860.0000	-0.10	43.06	42.96	109.50	-66.54	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7726.3500	34.11	11.74	45.85	68.30	-22.45	Peak	
2 *	7726.8450	28.55	11.74	40.29	54.00	-13.71	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	9.11	42.55	51.66	109.50	-57.84	Peak	
2	5715.0000	0.25	42.55	42.80	109.50	-66.70	AVG	
3	5725.0000	11.67	42.58	54.25	122.30	-68.05	Peak	
4	5725.0000	0.70	42.58	43.28	122.30	-79.02	AVG	
5 *	5783.8000	49.09	42.79	91.88	122.30	-30.42	Peak	
6	5792.6000	42.12	42.82	84.94	122.30	-37.36	AVG	
7	5850.0000	7.50	43.03	50.53	122.30	-71.77	Peak	
8	5850.0000	-0.05	43.03	42.98	122.30	-79.32	AVG	
9	5860.0000	8.24	43.06	51.30	109.50	-58.20	Peak	
10	5860.0000	-0.02	43.06	43.04	109.50	-66.46	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical


80 dBuV/m



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	7700.2400	37.14	11.74	48.88	68.30	-19.42	Peak	
2 *	7700.2550	33.59	11.74	45.33	54.00	-8.67	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	9.99	42.55	52.54	109.50	-56.96	Peak	
2	5715.0000	0.19	42.55	42.74	109.50	-66.76	AVG	
3	5725.0000	8.78	42.58	51.36	122.30	-70.94	Peak	
4	5725.0000	0.66	42.58	43.24	122.30	-79.06	AVG	
5	5792.6000	41.48	42.82	84.30	122.30	-38.00	AVG	
6 *	5809.6000	50.32	42.88	93.20	122.30	-29.10	Peak	
7	5850.0000	7.59	43.03	50.62	122.30	-71.68	Peak	
8	5850.0000	-0.13	43.03	42.90	122.30	-79.40	AVG	
9	5860.0000	8.25	43.06	51.31	109.50	-58.19	Peak	
10	5860.0000	-0.10	43.06	42.96	109.50	-66.54	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7700.2450	34.11	11.74	45.85	68.30	-22.45	Peak	
2 *	7700.2450	28.31	11.74	40.05	54.00	-13.95	AVG	

TX A Mode_DUTY CYCLE

Duty cycle: TX DUTYMHz

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 100000.00 msec

T_{Total} : 100000.00 msec

Duty cycle: 100.00%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 4.DEC.2016 12:45:38

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be caculated as

Output Power = Measured power + Ducy factor

Power Spectral Density = Measured density + Duty factor

TX N20 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHz

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 100000.00 msec

T_{Total} : 100000.00 msec

Duty cycle: 100.00%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 4.DEC.2016 12:48:27

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be caculated as

Output Power = Measured power + Ducy factor

Power Spectral Density = Measured density + Duty factor

TX N40 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHz

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 100000.00 msec

T_{Total} : 100000.00 msec

Duty cycle: 100.00%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 4.DEC.2016 12:56:54

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be caculated as

Output Power = Measured power + Ducy factor

Power Spectral Density = Measured density + Duty factor

TX AC20 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHz

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$


T_{ON}: 100000.00 msec

T_{Total}: 100000.00 msec

Duty cycle: 100.00%

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

Duty Factor = 0.00



Date: 4.DEC.2016 12:52:36

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as

Output Power = Measured power + Dcny factor

Power Spectral Density = Measured density + Duty factor

TX AC40 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHz

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 100000.00 msec

T_{Total} : 100000.00 msec

Duty cycle: 100.00%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 4.DEC.2016 12:58:37

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be caculated as

Output Power = Measured power + Ducy factor

Power Spectral Density = Measured density + Duty factor

TX AC80 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHz

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 100000.00 msec

T_{Total} : 100000.00 msec

Duty cycle: 100.00%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 4.DEC.2016 12:41:14

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be caculated as

Output Power = Measured power + Ducy factor


Power Spectral Density = Measured density + Duty factor

ATTACHMENT E - BANDWIDTH

Test Mode: UNII-1/TX A Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	21.69	17.00
CH40	5200	21.69	17.00
CH48	5240	21.59	17.00

TX CH36




Date: 4.DEC.2016 11:07:36

TX CH40



Date: 4.DEC.2016 11:08:36

TX CH48




Date: 4.DEC.2016 11:09:31

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	22.59	18.10
CH40	5200	22.79	18.10
CH48	5240	22.69	18.10

TX CH36




Date: 4.DEC.2016 11:14:12

TX CH40



Date: 4.DEC.2016 11:15:16

TX CH48




Date: 4.DEC.2016 11:16:23

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	44.80	37.20
CH46	5230	45.00	37.20

TX CH38



Date: 4.DEC.2016 11:47:06

TX CH46




Date: 4.DEC.2016 11:48:28

Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	16.45	16.50	>=500
CH157	5785	16.45	16.50	>=500
CH165	5825	16.45	16.50	>=500

TX CH 149




Date: 4.DEC.2016 11:10:51

TX CH 157



Date: 4.DEC.2016 11:12:03

TX CH 165




Date: 4.DEC.2016 11:12:59

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.60	>=500
CH157	5785	17.65	17.60	>=500
CH165	5825	17.65	17.70	>=500

TX CH 149




Date: 4.DEC.2016 11:17:30

TX CH 157



Date: 4.DEC.2016 11:18:54

TX CH 165




Date: 4.DEC.2016 11:19:53

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	35.90	36.20	≥ 500
CH159	5795	35.40	36.20	≥ 500

TX CH 151



Date: 4.DEC.2016 11:50:13

TX CH 159




Date: 4.DEC.2016 11:52:10

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	22.69	18.30
CH40	5200	22.70	18.30
CH48	5240	22.69	18.30

TX CH36




Date: 4.DEC.2016 11:21:23

TX CH40



Date: 4.DEC.2016 11:22:28

TX CH48




Date: 4.DEC.2016 11:23:29

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	45.10	37.80
CH46	5230	45.10	37.80

TX CH38



Date: 4.DEC.2016 11:53:48

TX CH46




Date: 4.DEC.2016 11:55:35

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	80.81	75.60

TX CH42




Date: 4.DEC.2016 12:03:06

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.39	17.80	>=500
CH157	5785	17.39	17.80	>=500
CH165	5825	17.39	17.80	>=500

TX CH 149




Date: 4.DEC.2016 11:24:34

TX CH 157



Date: 4.DEC.2016 11:25:41

TX CH 165




Date: 4.DEC.2016 11:26:35

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.80	36.40	≥ 500
CH159	5795	36.70	36.20	≥ 500

TX CH 151



Date: 4.DEC.2016 12:00:04

TX CH 159




Date: 4.DEC.2016 12:01:12

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	76.00	75.60	>=500

TX CH 155



Date: 4.DEC.2016 12:04:56

ATTACHMENT F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.78	0.00	10.78	30.00	1.00
CH40	5200	10.84	0.00	10.84	30.00	1.00
CH48	5240	10.87	0.00	10.87	30.00	1.00

Test Mode: UNII-1/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.54	0.00	10.54	30.00	1.00
CH40	5200	10.77	0.00	10.77	30.00	1.00
CH48	5240	10.74	0.00	10.74	30.00	1.00

Test Mode: UNII-1/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	13.67	30.00	1.00
CH40	5200	13.82	30.00	1.00
CH48	5240	13.82	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	11.87	0.00	11.87	30.00	1.00
CH40	5200	11.76	0.00	11.76	30.00	1.00
CH48	5240	11.98	0.00	11.98	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	11.72	0.00	11.72	30.00	1.00
CH40	5200	11.69	0.00	11.69	30.00	1.00
CH48	5240	11.83	0.00	11.83	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	14.81	30.00	1.00
CH40	5200	14.74	30.00	1.00
CH48	5240	14.92	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	11.62	0.00	11.62	30.00	1.00
CH46	5230	11.74	0.00	11.74	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	11.79	0.00	11.79	30.00	1.00
CH46	5230	11.78	0.00	11.78	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.72	30.00	1.00
CH46	5230	14.77	30.00	1.00

Test Mode: UNII-3/ TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	10.71	0.00	10.71	30.00	1.00
CH157	5785	10.68	0.00	10.68	30.00	1.00
CH165	5825	10.71	0.00	10.71	30.00	1.00

Test Mode: UNII-3/ TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	10.82	0.00	10.82	30.00	1.00
CH157	5785	10.71	0.00	10.71	30.00	1.00
CH165	5825	10.86	0.00	10.86	30.00	1.00

Test Mode: UNII-3/ TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	13.78	30.00	1.00
CH157	5785	13.71	30.00	1.00
CH165	5825	13.80	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	11.84	0.00	11.84	30.00	1.00
CH157	5785	11.63	0.00	11.63	30.00	1.00
CH165	5825	11.74	0.00	11.74	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	11.69	0.00	11.69	30.00	1.00
CH157	5785	11.51	0.00	11.51	30.00	1.00
CH165	5825	11.92	0.00	11.92	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	14.78	30.00	1.00
CH157	5785	14.58	30.00	1.00
CH165	5825	14.84	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	11.84	0.00	11.84	30.00	1.00
CH159	5795	11.65	0.00	11.65	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	11.70	0.00	11.70	30.00	1.00
CH159	5795	11.48	0.00	11.48	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.78	30.00	1.00
CH159	5795	14.58	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	11.60	0.00	11.60	30.00	1.00
CH40	5200	11.97	0.00	11.97	30.00	1.00
CH48	5240	11.73	0.00	11.73	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	11.83	0.00	11.83	30.00	1.00
CH40	5200	11.78	0.00	11.78	30.00	1.00
CH48	5240	11.54	0.00	11.54	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	14.73	30.00	1.00
CH40	5200	14.89	30.00	1.00
CH48	5240	14.65	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	11.63	0.00	11.63	30.00	1.00
CH46	5230	11.72	0.00	11.72	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	11.68	0.00	11.68	30.00	1.00
CH46	5230	11.62	0.00	11.62	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.67	30.00	1.00
CH46	5230	14.68	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	11.81	0.00	11.81	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	11.64	0.00	11.64	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	14.74	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	11.71	0.00	11.71	30.00	1.00
CH157	5785	11.54	0.00	11.54	30.00	1.00
CH165	5825	11.81	0.00	11.81	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	11.72	0.00	11.72	30.00	1.00
CH157	5785	11.56	0.00	11.56	30.00	1.00
CH165	5825	11.88	0.00	11.88	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	14.73	30.00	1.00
CH157	5785	14.56	30.00	1.00
CH165	5825	14.86	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	11.68	0.00	11.68	30.00	1.00
CH159	5795	11.72	0.00	11.72	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	11.74	0.00	11.74	30.00	1.00
CH159	5795	11.85	0.00	11.85	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.72	30.00	1.00
CH159	5795	14.80	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	11.64	0.00	11.64	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	11.82	0.00	11.82	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_Total


Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	14.74	30.00	1.00

ATTACHMENT G - POWER SPECTRAL DENSITY

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-4.54	0.00	-4.54	17.00
CH40	5200	-4.29	0.00	-4.29	17.00
CH48	5240	-4.71	0.00	-4.71	17.00

CH36




Date: 4.DEC.2016 12:44:23

CH40



Date: 4.DEC.2016 12:44:47

CH48




Date: 4.DEC.2016 12:45:04

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-2.58	0.00	-2.58	17.00
CH40	5200	-1.08	0.00	-1.08	17.00
CH48	5240	-1.04	0.00	-1.04	17.00

CH36




Date: 4.DEC.2016 12:06:44

CH40



Date: 4.DEC.2016 12:08:35

CH48




Date: 4.DEC.2016 12:09:58

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.44	17.00
CH40	5200	0.62	17.00
CH48	5240	0.51	17.00


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-2.17	0.00	-2.17	17.00
CH40	5200	-2.45	0.00	-2.45	17.00
CH48	5240	-2.77	0.00	-2.77	17.00




Date: 4.DEC.2016 12:47:00

CH40



Date: 4.DEC.2016 12:47:27

CH48




Date: 4.DEC.2016 12:47:43

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.52	0.00	-0.52	17.00
CH40	5200	-2.00	0.00	-2.00	17.00
CH48	5240	-1.61	0.00	-1.61	17.00

CH36




Date: 4.DEC.2016 12:16:27

CH40



Date: 4.DEC.2016 12:17:33

CH48



Date: 4.DEC.2016 12:18:51


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.74	17.00
CH40	5200	0.79	17.00
CH48	5240	0.86	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-6.85	0.00	-6.85	17.00
CH46	5230	-7.30	0.00	-7.30	17.00

CH38



Date: 4.DEC.2016 12:54:17

CH46




Date: 4.DEC.2016 12:54:54

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-5.00	0.00	-5.00	17.00
CH46	5230	-4.74	0.00	-4.74	17.00

CH38



Date: 4.DEC.2016 12:29:28

CH46



Date: 4.DEC.2016 12:30:36


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.82	17.00
CH46	5230	-2.82	17.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.46	0.00	-4.46	30.00
CH157	5785	-4.09	0.00	-4.09	30.00
CH165	5825	-4.12	0.00	-4.12	30.00

TX CH149




Date: 4.DEC.2016 12:45:34

TX CH157



Date: 4.DEC.2016 12:46:16

TX CH165




Date: 4.DEC.2016 12:46:33

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-2.20	0.00	-2.20	30.00
CH157	5785	-3.89	0.00	-3.89	30.00
CH165	5825	-4.66	0.00	-4.66	30.00

TX CH149




Date: 4.DEC.2016 12:10:44

TX CH157



Date: 4.DEC.2016 12:13:04

TX CH165



Date: 4.DEC.2016 12:13:55


Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.17	30.00
CH157	5785	-0.98	30.00
CH165	5825	-1.37	30.00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.74	0.00	-4.74	30.00
CH157	5785	-4.20	0.00	-4.20	30.00
CH165	5825	-2.61	0.00	-2.61	30.00

TX CH149




Date: 4.DEC.2016 12:48:22

TX CH157



Date: 4.DEC.2016 12:48:46

TX CH165




Date: 4.DEC.2016 12:49:36

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-6.00	0.00	-6.00	30.00
CH157	5785	-6.28	0.00	-6.28	30.00
CH165	5825	-5.70	0.00	-5.70	30.00

TX CH149




Date: 4.DEC.2016 12:19:55

TX CH157



Date: 4.DEC.2016 12:20:58

TX CH165



Date: 4.DEC.2016 12:21:49


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-2.31	30.00
CH157	5785	-2.11	30.00
CH165	5825	-0.88	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-10.73	0.00	-10.73	30.00
CH159	5795	-10.93	0.00	-10.93	30.00

TX CH151



Date: 4.DEC.2016 12:56:49

TX CH159




Date: 4.DEC.2016 12:57:46

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-8.83	0.00	-8.83	30.00
CH159	5795	-9.06	0.00	-9.06	30.00

TX CH151



Date: 4.DEC.2016 12:32:04

TX CH159



Date: 4.DEC.2016 12:33:21


Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-6.67	30.00
CH159	5795	-6.88	30.00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-2.21	0.00	-2.21	17.00
CH40	5200	-2.60	0.00	-2.60	17.00
CH48	5240	-3.50	0.00	-3.50	17.00

CH36




Date: 4.DEC.2016 12:51:21

CH40



Date: 4.DEC.2016 12:51:46

CH48




Date: 4.DEC.2016 12:52:09

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-1.31	0.00	-1.31	17.00
CH40	5200	-1.36	0.00	-1.36	17.00
CH48	5240	-1.49	0.00	-1.49	17.00

CH36




Date: 4.DEC.2016 12:22:51

CH40



Date: 4.DEC.2016 12:23:57

CH48



Date: 4.DEC.2016 12:25:03


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.27	17.00
CH40	5200	1.07	17.00
CH48	5240	0.63	17.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-5.97	0.00	-5.97	17.00
CH46	5230	-6.72	0.00	-6.72	17.00

CH38



Date: 4.DEC.2016 12:58:32

CH46




Date: 4.DEC.2016 12:59:06

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.45	0.00	-4.45	17.00
CH46	5230	-4.66	0.00	-4.66	17.00

CH38



Date: 4.DEC.2016 12:34:29

CH46




Date: 4.DEC.2016 12:35:38

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.13	17.00
CH46	5230	-2.56	17.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-8.39	0.00	-8.39	17.00



Date: 4.DEC.2016 12:03:19

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.60	0.00	-6.60	17.00



Date: 4.DEC.2016 12:39:17


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.39	17.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.94	0.00	-4.94	30.00
CH157	5785	-4.45	0.00	-4.45	30.00
CH165	5825	-3.46	0.00	-3.46	30.00

TX CH149




Date: 4.DEC.2016 12:52:32

TX CH157



Date: 4.DEC.2016 12:52:58

TX CH165




Date: 4.DEC.2016 12:53:20

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-6.07	0.00	-6.07	30.00
CH157	5785	-5.90	0.00	-5.90	30.00
CH165	5825	-5.06	0.00	-5.06	30.00

TX CH149




Date: 4.DEC.2016 12:26:16

TX CH157



Date: 4.DEC.2016 12:27:22

TX CH165



Date: 4.DEC.2016 12:28:14


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-2.46	30.00
CH157	5785	-2.10	30.00
CH165	5825	-1.18	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-10.31	0.00	-10.31	30.00
CH159	5795	-9.81	0.00	-9.81	30.00

TX CH151



Date: 4.DEC.2016 12:00:16

TX CH159




Date: 4.DEC.2016 12:01:24

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-8.53	0.00	-8.53	30.00
CH159	5795	-8.61	0.00	-8.61	30.00

TX CH151



Date: 4.DEC.2016 12:36:50

TX CH159



Date: 4.DEC.2016 12:38:04


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-6.32	30.00
CH159	5795	-6.16	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-8.94	0.00	-8.94	30.00

TX CH155




Date: 4.DEC.2016 12:05:09

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-9.79	0.00	-9.79	30.00

TX CH155



Date: 4.DEC.2016 12:40:54

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-6.33	30.00

ATTACHMENT H - FREQUENCY STABILITY

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0484
120	5180.0488
108	5180.0488
Max. Deviation (MHz)	0.0488
Max. Deviation (ppm)	9.4208

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5180.0488
10	5180.0488
20	5180.0488
30	5180.0488
40	5180.0492
Max. Deviation (MHz)	0.0492
Max. Deviation (ppm)	9.4981

Test Mode:	UNII-3
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0572
120	5745.0584
108	5745.0588
Max. Deviation (MHz)	0.0588
Max. Deviation (ppm)	10.2350

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5745.0592
10	5745.0592
20	5745.0592
30	5745.0592
40	5745.0592
Max. Deviation (MHz)	0.0592
Max. Deviation (ppm)	10.3046