


A.5 Spurious Emission at Antenna Terminals

1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.92	-13	Pass	401
0.15	30	0.01	Peak	0.61	-64.1	-13	Pass	2985
30	1000	0.1	Peak	860.916	-52.04	-13	Pass	9699
1000	3000	1	Peak	1853.427	22.97	-13	N/A	2000
3000	20000	1	Peak	19803.681	-22.86	-13	Pass	17000




1.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.59	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.35	-13	Pass	2985
30	1000	0.1	Peak	737.286	-52	-13	Pass	9699
1000	3000	1	Peak	1878.439	22.82	-13	N/A	2000
3000	20000	1	Peak	19777.639	-23.39	-13	Pass	17000



1.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.63	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.03	-13	Pass	2985
30	1000	0.1	Peak	919.193	-52.54	-13	Pass	9699
1000	3000	1	Peak	1906.453	18.08	-13	N/A	2000
3000	20000	1	Peak	19808.689	-21.55	-13	Pass	17000



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	Pass	2985
30	1000	0.1	RMS	889.153	-64.13	-13	Pass	9699
1000	3000	1	RMS	1711.356	12.21	-13	N/A	2000
3000	20000	1	RMS	19800.676	-34.48	-13	Pass	17000




2.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	Pass	2985
30	1000	0.1	RMS	895.361	-64.13	-13	Pass	9699
1000	3000	1	RMS	1731.366	11.93	-13	N/A	2000
3000	20000	1	RMS	19800.676	-34.53	-13	Pass	17000



2.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1512)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.21	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.36	-13	Pass	2985
30	1000	0.1	RMS	875.835	-64.22	-13	Pass	9699
1000	3000	1	RMS	1752.376	12.04	-13	N/A	2000
3000	20000	1	RMS	19799.675	-34.49	-13	Pass	17000



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.9	-13	Pass	401
0.15	30	0.01	Peak	0.2	-63.64	-13	Pass	2985
30	500	0.1	Peak	462.392	-52.94	-13	Pass	4700
500	1000	0.1	Peak	826.065	17.32	-13	N/A	5000
1000	10000	1	Peak	9531.42	-31.96	-13	Pass	9000




3.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.83	-13	Pass	401
0.15	30	0.01	Peak	0.5	-63.94	-13	Pass	2985
30	500	0.1	Peak	366.172	-52.06	-13	Pass	4700
500	1000	0.1	Peak	835.567	18.49	-13	N/A	5000
1000	10000	1	Peak	7951.849	-32.11	-13	Pass	9000



3.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.45	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.58	-13	Pass	2985
30	500	0.1	Peak	468.993	-52.37	-13	Pass	4700
500	1000	0.1	Peak	845.769	17.45	-13	N/A	5000
1000	10000	1	Peak	7999.854	-31.55	-13	Pass	9000



4. LTE_Band2


4.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.79	-13	Pass	401
0.15	30	0.01	Peak	1.19	-64.55	-13	Pass	2985
30	1000	0.1	Peak	829.598	-52.76	-13	Pass	9699
1000	1840	1	Peak	1825.983	-40.95	-13	Pass	840
1840	1920	1	Peak	1850.2	27.2	60	Pass	401
1920	3000	1	Peak	2888.897	-37.1	-13	Pass	1080
3000	12000	1	Peak	7719.576	-30.94	-13	Pass	9000
12000	20000	1	Peak	19940.993	-24.06	-13	Pass	8000




4.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.94	-13	Pass	401
0.15	30	0.01	Peak	0.25	-65.26	-13	Pass	2985
30	1000	0.1	Peak	858.412	-52.43	-13	Pass	9699
1000	1840	1	Peak	1662.789	-41.7	-13	Pass	840
1840	1920	1	Peak	1850.2	27.18	60	Pass	401
1920	3000	1	Peak	2968.971	-37.6	-13	Pass	1080
3000	12000	1	Peak	11639.554	-31.76	-13	Pass	9000
12000	20000	1	Peak	19820.978	-23.06	-13	Pass	8000




**4.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.58	-13	Pass	401
0.15	30	0.01	Peak	0.19	-65.44	-13	Pass	2985
30	1000	0.1	Peak	725.385	-53.06	-13	Pass	9699
1000	1840	1	Peak	1831.99	-41.07	-13	Pass	840
1840	1920	1	Peak	1879.6	27.44	60	Pass	401
1920	3000	1	Peak	2994.995	-37.41	-13	Pass	1080
3000	12000	1	Peak	7711.575	-32.02	-13	Pass	9000
12000	20000	1	Peak	19801.975	-23.33	-13	Pass	8000




4.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-69.47	-13	Pass	401
0.15	30	0.01	Peak	0.3	-65.02	-13	Pass	2985
30	1000	0.1	Peak	435.75	-52.88	-13	Pass	9699
1000	1840	1	Peak	1560.667	-41.29	-13	Pass	840
1840	1920	1	Peak	1879.6	27.18	60	Pass	401
1920	3000	1	Peak	2882.892	-37.44	-13	Pass	1080
3000	12000	1	Peak	11312.149	-32.47	-13	Pass	9000
12000	20000	1	Peak	19813.977	-23.4	-13	Pass	8000




**4.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.55	-13	Pass	401
0.15	30	0.01	Peak	0.41	-64.63	-13	Pass	2985
30	1000	0.1	Peak	993.391	-52.31	-13	Pass	9699
1000	1840	1	Peak	1766.913	-41.64	-13	Pass	840
1840	1920	1	Peak	1908.8	27.3	60	Pass	401
1920	3000	1	Peak	2955.959	-37.55	-13	Pass	1080
3000	12000	1	Peak	11895.871	-31.42	-13	Pass	9000
12000	20000	1	Peak	19810.976	-23.04	-13	Pass	8000




4.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-68.46	-13	Pass	401
0.15	30	0.01	Peak	0.34	-64.8	-13	Pass	2985
30	1000	0.1	Peak	946.729	-52.76	-13	Pass	9699
1000	1840	1	Peak	1769.917	-40.35	-13	Pass	840
1840	1920	1	Peak	1908.8	27.38	60	Pass	401
1920	3000	1	Peak	2842.854	-37.87	-13	Pass	1080
3000	12000	1	Peak	11292.124	-31.95	-13	Pass	9000
12000	20000	1	Peak	19823.978	-23.23	-13	Pass	8000




**4.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-67.97	-13	Pass	401
0.15	30	0.01	Peak	1.21	-65.8	-13	Pass	2985
30	1000	0.1	Peak	864.921	-52.33	-13	Pass	9699
1000	1840	1	Peak	1578.689	-41.1	-13	Pass	840
1840	1920	1	Peak	1850.2	27.2	60	Pass	401
1920	3000	1	Peak	2943.948	-37.87	-13	Pass	1080
3000	12000	1	Peak	11348.193	-31.09	-13	Pass	9000
12000	20000	1	Peak	19830.979	-22.8	-13	Pass	8000




4.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-67.38	-13	Pass	401
0.15	30	0.01	Peak	0.44	-64.52	-13	Pass	2985
30	1000	0.1	Peak	489.556	-52.89	-13	Pass	9699
1000	1840	1	Peak	1445.53	-40.26	-13	Pass	840
1840	1920	1	Peak	1850.2	27.05	60	Pass	401
1920	3000	1	Peak	2845.857	-37.6	-13	Pass	1080
3000	12000	1	Peak	11300.134	-31.4	-13	Pass	9000
12000	20000	1	Peak	19852.982	-23.69	-13	Pass	8000




4.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-67.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.07	-13	Pass	2985
30	1000	0.1	Peak	934.814	-53.35	-13	Pass	9699
1000	1840	1	Peak	1819.976	-41.24	-13	Pass	840
1840	1920	1	Peak	1878.8	26.95	60	Pass	401
1920	3000	1	Peak	2912.919	-36.94	-13	Pass	1080
3000	12000	1	Peak	11299.133	-31.25	-13	Pass	9000
12000	20000	1	Peak	19789.974	-23.56	-13	Pass	8000




4.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.7	-13	Pass	401
0.15	30	0.01	Peak	0.34	-64.64	-13	Pass	2985
30	1000	0.1	Peak	449.751	-51.93	-13	Pass	9699
1000	1840	1	Peak	1482.574	-41.38	-13	Pass	840
1840	1920	1	Peak	1878.8	26.96	60	Pass	401
1920	3000	1	Peak	2974.977	-37.53	-13	Pass	1080
3000	12000	1	Peak	11743.683	-30.98	-13	Pass	9000
12000	20000	1	Peak	19804.976	-23.73	-13	Pass	8000




**4.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.2	-13	Pass	2985
30	1000	0.1	Peak	786.292	-53	-13	Pass	9699
1000	1840	1	Peak	1781.931	-40.68	-13	Pass	840
1840	1920	1	Peak	1907.2	27.44	60	Pass	401
1920	3000	1	Peak	2961.965	-37.19	-13	Pass	1080
3000	12000	1	Peak	11997.998	-31.2	-13	Pass	9000
12000	20000	1	Peak	19778.972	-23.87	-13	Pass	8000




4.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.09	-13	Pass	401
0.15	30	0.01	Peak	0.21	-64.74	-13	Pass	2985
30	1000	0.1	Peak	469.354	-53.06	-13	Pass	9699
1000	1840	1	Peak	1550.656	-40.9	-13	Pass	840
1840	1920	1	Peak	1907.4	27.24	60	Pass	401
1920	3000	1	Peak	2868.879	-37.58	-13	Pass	1080
3000	12000	1	Peak	11750.691	-30.99	-13	Pass	9000
12000	20000	1	Peak	19799.975	-23.29	-13	Pass	8000




**4.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.08	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.49	-13	Pass	2985
30	1000	0.1	Peak	861.616	-53.09	-13	Pass	9699
1000	1840	1	Peak	1709.845	-41.73	-13	Pass	840
1840	1920	1	Peak	1850.4	27.02	60	Pass	401
1920	3000	1	Peak	2997.998	-36.97	-13	Pass	1080
3000	12000	1	Peak	8014.612	-31.42	-13	Pass	9000
12000	20000	1	Peak	19832.979	-22.89	-13	Pass	8000




4.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-66.9	-13	Pass	401
0.15	30	0.01	Peak	1.5	-65.22	-13	Pass	2985
30	1000	0.1	Peak	818.796	-52.61	-13	Pass	9699
1000	1840	1	Peak	1664.791	-41.45	-13	Pass	840
1840	1920	1	Peak	1850.4	27.21	60	Pass	401
1920	3000	1	Peak	2843.855	-37.15	-13	Pass	1080
3000	12000	1	Peak	10399.903	-32.24	-13	Pass	9000
12000	20000	1	Peak	19939.992	-23.4	-13	Pass	8000




4.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.8	-13	Pass	401
0.15	30	0.01	Peak	0.24	-64.9	-13	Pass	2985
30	1000	0.1	Peak	696.281	-52.8	-13	Pass	9699
1000	1840	1	Peak	1665.793	-40.36	-13	Pass	840
1840	1920	1	Peak	1877.8	27.03	60	Pass	401
1920	3000	1	Peak	2775.792	-38.08	-13	Pass	1080
3000	12000	1	Peak	11347.192	-31.26	-13	Pass	9000
12000	20000	1	Peak	19808.976	-23.5	-13	Pass	8000




4.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.37	-13	Pass	401
0.15	30	0.01	Peak	7.192	-65.68	-13	Pass	2985
30	1000	0.1	Peak	882.144	-53.04	-13	Pass	9699
1000	1840	1	Peak	1398.474	-40.98	-13	Pass	840
1840	1920	1	Peak	1877.8	26.94	60	Pass	401
1920	3000	1	Peak	2827.841	-37.62	-13	Pass	1080
3000	12000	1	Peak	11483.361	-31.68	-13	Pass	9000
12000	20000	1	Peak	19831.979	-22.81	-13	Pass	8000




**4.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-68.39	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.9	-13	Pass	2985
30	1000	0.1	Peak	879.741	-53.49	-13	Pass	9699
1000	1840	1	Peak	1805.959	-41.64	-13	Pass	840
1840	1920	1	Peak	1905.4	27.26	60	Pass	401
1920	3000	1	Peak	2888.897	-37.69	-13	Pass	1080
3000	12000	1	Peak	11855.822	-32.07	-13	Pass	9000
12000	20000	1	Peak	19779.972	-23.49	-13	Pass	8000




4.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.55	-13	Pass	401
0.15	30	0.01	Peak	0.92	-64.82	-13	Pass	2985
30	1000	0.1	Peak	881.543	-52.75	-13	Pass	9699
1000	1840	1	Peak	1176.21	-41.67	-13	Pass	840
1840	1920	1	Peak	1905.2	27.18	60	Pass	401
1920	3000	1	Peak	2954.958	-38.09	-13	Pass	1080
3000	12000	1	Peak	11779.727	-31.8	-13	Pass	9000
12000	20000	1	Peak	19793.974	-23.67	-13	Pass	8000




**4.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.29	-13	Pass	401
0.15	30	0.01	Peak	0.36	-65.12	-13	Pass	2985
30	1000	0.1	Peak	837.399	-52.82	-13	Pass	9699
1000	1840	1	Peak	1216.257	-41.06	-13	Pass	840
1840	1920	1	Peak	1850.6	27.17	60	Pass	401
1920	3000	1	Peak	2932.938	-37.72	-13	Pass	1080
3000	12000	1	Peak	11112.99	-32.11	-13	Pass	9000
12000	20000	1	Peak	19812.977	-23.7	-13	Pass	8000




4.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.39	-13	Pass	2985
30	1000	0.1	Peak	420.148	-53.04	-13	Pass	9699
1000	1840	1	Peak	1791.943	-40.99	-13	Pass	840
1840	1920	1	Peak	1850.6	27.25	60	Pass	401
1920	3000	1	Peak	2962.966	-37.98	-13	Pass	1080
3000	12000	1	Peak	11916.897	-31.7	-13	Pass	9000
12000	20000	1	Peak	19834.979	-23.08	-13	Pass	8000




**4.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.08	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.58	-13	Pass	2985
30	1000	0.1	Peak	668.578	-53.32	-13	Pass	9699
1000	1840	1	Peak	1571.681	-41.02	-13	Pass	840
1840	1920	1	Peak	1875.6	26.94	60	Pass	401
1920	3000	1	Peak	2931.937	-37.21	-13	Pass	1080
3000	12000	1	Peak	7746.579	-30.7	-13	Pass	9000
12000	20000	1	Peak	19827.978	-23.83	-13	Pass	8000




4.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.97	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.04	-13	Pass	2985
30	1000	0.1	Peak	990.487	-52.81	-13	Pass	9699
1000	1840	1	Peak	1780.93	-41.41	-13	Pass	840
1840	1920	1	Peak	1875.6	26.88	60	Pass	401
1920	3000	1	Peak	2958.962	-37.97	-13	Pass	1080
3000	12000	1	Peak	11901.879	-31.59	-13	Pass	9000
12000	20000	1	Peak	19817.977	-23.67	-13	Pass	8000




**4.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.73	-13	Pass	401
0.15	30	0.01	Peak	0.44	-65.22	-13	Pass	2985
30	1000	0.1	Peak	779.792	-53.14	-13	Pass	9699
1000	1840	1	Peak	1751.895	-40.85	-13	Pass	840
1840	1920	1	Peak	1900.6	22.12	60	Pass	401
1920	3000	1	Peak	2945.95	-37.57	-13	Pass	1080
3000	12000	1	Peak	9623.809	-31.64	-13	Pass	9000
12000	20000	1	Peak	19804.976	-23.48	-13	Pass	8000




4.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.22	-13	Pass	401
0.15	30	0.01	Peak	0.32	-64.34	-13	Pass	2985
30	1000	0.1	Peak	951.736	-52.56	-13	Pass	9699
1000	1840	1	Peak	1494.589	-41.16	-13	Pass	840
1840	1920	1	Peak	1900.6	22.65	60	Pass	401
1920	3000	1	Peak	2956.96	-37.7	-13	Pass	1080
3000	12000	1	Peak	11740.679	-32.03	-13	Pass	9000
12000	20000	1	Peak	19798.975	-23.1	-13	Pass	8000




**4.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-68.21	-13	Pass	401
0.15	30	0.01	Peak	0.3	-64.86	-13	Pass	2985
30	1000	0.1	Peak	981.576	-52.89	-13	Pass	9699
1000	1840	1	Peak	1677.807	-39.84	-13	Pass	840
1840	1920	1	Peak	1850.8	21.79	60	Pass	401
1920	3000	1	Peak	2952.956	-37.98	-13	Pass	1080
3000	12000	1	Peak	11403.261	-31.7	-13	Pass	9000
12000	20000	1	Peak	19771.971	-23.21	-13	Pass	8000




**4.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.11	-13	Pass	401
0.15	30	0.01	Peak	1.31	-64.53	-13	Pass	2985
30	1000	0.1	Peak	813.996	-52.16	-13	Pass	9699
1000	1840	1	Peak	1840	-37.26	-13	Pass	840
1840	1920	1	Peak	1850.8	21.94	60	Pass	401
1920	3000	1	Peak	2846.858	-37.29	-13	Pass	1080
3000	12000	1	Peak	11847.812	-32.08	-13	Pass	9000
12000	20000	1	Peak	19585.948	-23.72	-13	Pass	8000




**4.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.29	-13	Pass	401
0.15	30	0.01	Peak	0.45	-64.4	-13	Pass	2985
30	1000	0.1	Peak	907.778	-53.44	-13	Pass	9699
1000	1840	1	Peak	1283.337	-40.32	-13	Pass	840
1840	1920	1	Peak	1873.4	21.46	60	Pass	401
1920	3000	1	Peak	2954.958	-37.33	-13	Pass	1080
3000	12000	1	Peak	11913.893	-31.71	-13	Pass	9000
12000	20000	1	Peak	19819.977	-23.86	-13	Pass	8000




**4.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.23	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.46	-13	Pass	2985
30	1000	0.1	Peak	927.003	-53.12	-13	Pass	9699
1000	1840	1	Peak	1271.323	-41.04	-13	Pass	840
1840	1920	1	Peak	1873.4	22.5	60	Pass	401
1920	3000	1	Peak	2769.787	-37.05	-13	Pass	1080
3000	12000	1	Peak	10109.868	-31.53	-13	Pass	9000
12000	20000	1	Peak	19791.974	-23.13	-13	Pass	8000




**4.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.86	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.6	-13	Pass	2985
30	1000	0.1	Peak	823.097	-53.4	-13	Pass	9699
1000	1840	1	Peak	1329.392	-41.54	-13	Pass	840
1840	1920	1	Peak	1895.8	21.94	60	Pass	401
1920	3000	1	Peak	2907.915	-37.28	-13	Pass	1080
3000	12000	1	Peak	11024.98	-31.44	-13	Pass	9000
12000	20000	1	Peak	19810.976	-23.29	-13	Pass	8000




4.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-65.92	-13	Pass	401
0.15	30	0.01	Peak	0.61	-65.74	-13	Pass	2985
30	1000	0.1	Peak	456.952	-52.56	-13	Pass	9699
1000	1840	1	Peak	1700.834	-40.94	-13	Pass	840
1840	1920	1	Peak	1895.8	23.1	60	Pass	401
1920	3000	1	Peak	2950.955	-37.56	-13	Pass	1080
3000	12000	1	Peak	11590.493	-31.25	-13	Pass	9000
12000	20000	1	Peak	19800.975	-23.69	-13	Pass	8000




**4.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-69.02	-13	Pass	401
0.15	30	0.01	Peak	12.414	-66.02	-13	Pass	2985
30	1000	0.1	Peak	983.378	-52.41	-13	Pass	9699
1000	1840	1	Peak	1829.988	-41.25	-13	Pass	840
1840	1920	1	Peak	1851.2	22	60	Pass	401
1920	3000	1	Peak	2874.884	-37.49	-13	Pass	1080
3000	12000	1	Peak	11878.85	-31.06	-13	Pass	9000
12000	20000	1	Peak	19761.97	-23.21	-13	Pass	8000




**4.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.23	-13	Pass	401
0.15	30	0.01	Peak	0.19	-65.23	-13	Pass	2985
30	1000	0.1	Peak	943.425	-52.93	-13	Pass	9699
1000	1840	1	Peak	1840	-39.26	-13	Pass	840
1840	1920	1	Peak	1851.2	22.04	60	Pass	401
1920	3000	1	Peak	2841.854	-37.54	-13	Pass	1080
3000	12000	1	Peak	11431.296	-32.04	-13	Pass	9000
12000	20000	1	Peak	19814.977	-23.49	-13	Pass	8000




**4.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-68.49	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.02	-13	Pass	2985
30	1000	0.1	Peak	615.671	-52.56	-13	Pass	9699
1000	1840	1	Peak	1715.852	-41.31	-13	Pass	840
1840	1920	1	Peak	1871	21.67	60	Pass	401
1920	3000	1	Peak	2830.843	-37.41	-13	Pass	1080
3000	12000	1	Peak	11985.983	-31.14	-13	Pass	9000
12000	20000	1	Peak	19800.975	-23.37	-13	Pass	8000




**4.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.32	-13	Pass	401
0.15	30	0.01	Peak	0.45	-64.67	-13	Pass	2985
30	1000	0.1	Peak	728.585	-53.13	-13	Pass	9699
1000	1840	1	Peak	1698.832	-40.63	-13	Pass	840
1840	1920	1	Peak	1871.2	22.61	60	Pass	401
1920	3000	1	Peak	2848.86	-37.19	-13	Pass	1080
3000	12000	1	Peak	11331.172	-32.19	-13	Pass	9000
12000	20000	1	Peak	19772.972	-23.39	-13	Pass	8000




**4.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.28	-13	Pass	401
0.15	30	0.01	Peak	0.73	-65.07	-13	Pass	2985
30	1000	0.1	Peak	515.159	-53.04	-13	Pass	9699
1000	1840	1	Peak	1838.999	-41.26	-13	Pass	840
1840	1920	1	Peak	1891	22.14	60	Pass	401
1920	3000	1	Peak	2881.891	-38.07	-13	Pass	1080
3000	12000	1	Peak	10533.92	-31.9	-13	Pass	9000
12000	20000	1	Peak	19778.972	-23.9	-13	Pass	8000



4.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.36	-13	Pass	401
0.15	30	0.01	Peak	0.62	-65.71	-13	Pass	2985
30	1000	0.1	Peak	874.333	-52.8	-13	Pass	9699
1000	1840	1	Peak	1754.899	-41.05	-13	Pass	840
1840	1920	1	Peak	1891	23.24	60	Pass	401
1920	3000	1	Peak	2819.833	-38.01	-13	Pass	1080
3000	12000	1	Peak	11000.977	-32.18	-13	Pass	9000
12000	20000	1	Peak	19796.975	-23.38	-13	Pass	8000



5. LTE_Band4


**5.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.32	-72.3	-13	Pass	2985
30	1000	0.1	RMS	851.303	-63.29	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.96	-13	Pass	700
1700	1765	1	RMS	1710.238	17.79	60	Pass	401
1765	3000	1	RMS	2847.877	-49.07	-13	Pass	1235
3000	12000	1	RMS	7768.582	-42.03	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.37	-13	Pass	8000




5.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.03	-13	Pass	401
0.15	30	0.01	RMS	0.34	-71.99	-13	Pass	2985
30	1000	0.1	RMS	882.144	-63.23	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.94	-13	Pass	700
1700	1765	1	RMS	1710.238	17.54	60	Pass	401
1765	3000	1	RMS	2849.878	-49.19	-13	Pass	1235
3000	12000	1	RMS	11745.685	-43.68	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.54	-13	Pass	8000




**5.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.42	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.23	-13	Pass	2985
30	1000	0.1	RMS	871.93	-63.32	-13	Pass	9699
1000	1700	1	RMS	1673.963	-53.04	-13	Pass	700
1700	1765	1	RMS	1732.013	17.23	60	Pass	401
1765	3000	1	RMS	2845.875	-49.16	-13	Pass	1235
3000	12000	1	RMS	11754.696	-43.6	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.46	-13	Pass	8000




5.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72	-13	Pass	401
0.15	30	0.01	RMS	0.45	-71.43	-13	Pass	2985
30	1000	0.1	RMS	986.082	-63.26	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.2	-13	Pass	700
1700	1765	1	RMS	1732.013	17.33	60	Pass	401
1765	3000	1	RMS	2842.873	-49.12	-13	Pass	1235
3000	12000	1	RMS	11750.691	-43.63	-13	Pass	9000
12000	20000	1	RMS	19803.975	-34.38	-13	Pass	8000




**5.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.9	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.26	-13	Pass	2985
30	1000	0.1	RMS	882.744	-63.38	-13	Pass	9699
1000	1700	1	RMS	1654.936	-53.2	-13	Pass	700
1700	1765	1	RMS	1753.788	17.31	60	Pass	401
1765	3000	1	RMS	2847.877	-49.1	-13	Pass	1235
3000	12000	1	RMS	11763.708	-43.56	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.34	-13	Pass	8000




5.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.74	-13	Pass	2985
30	1000	0.1	RMS	880.742	-63.36	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.15	-13	Pass	700
1700	1765	1	RMS	1753.788	17.64	60	Pass	401
1765	3000	1	RMS	2849.878	-49.09	-13	Pass	1235
3000	12000	1	RMS	11756.699	-43.74	-13	Pass	9000
12000	20000	1	RMS	19797.975	-34.37	-13	Pass	8000




5.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.05	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.19	-13	Pass	2985
30	1000	0.1	RMS	891.857	-62.98	-13	Pass	9699
1000	1700	1	RMS	1700	-53.04	-13	Pass	700
1700	1765	1	RMS	1710.238	17.52	60	Pass	401
1765	3000	1	RMS	2853.882	-49.12	-13	Pass	1235
3000	12000	1	RMS	11758.701	-43.54	-13	Pass	9000
12000	20000	1	RMS	19798.975	-34.47	-13	Pass	8000




5.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.31	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.69	-13	Pass	2985
30	1000	0.1	RMS	868.325	-63.31	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.01	-13	Pass	700
1700	1765	1	RMS	1710.238	17.94	60	Pass	401
1765	3000	1	RMS	2846.876	-49.09	-13	Pass	1235
3000	12000	1	RMS	11770.716	-43.54	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.46	-13	Pass	8000




**5.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-71.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	Pass	2985
30	1000	0.1	RMS	987.383	-63.43	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.07	-13	Pass	700
1700	1765	1	RMS	1731.2	17.36	60	Pass	401
1765	3000	1	RMS	2852.881	-49.19	-13	Pass	1235
3000	12000	1	RMS	11772.719	-43.61	-13	Pass	9000
12000	20000	1	RMS	19802.975	-34.51	-13	Pass	8000




**5.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.78	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.4	-13	Pass	2985
30	1000	0.1	RMS	882.845	-63.25	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.08	-13	Pass	700
1700	1765	1	RMS	1731.2	17.39	60	Pass	401
1765	3000	1	RMS	2847.877	-49.12	-13	Pass	1235
3000	12000	1	RMS	11751.693	-43.65	-13	Pass	9000
12000	20000	1	RMS	19796.975	-34.44	-13	Pass	8000




**5.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.81	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.48	-13	Pass	2985
30	1000	0.1	RMS	998.698	-63.37	-13	Pass	9699
1000	1700	1	RMS	1556.795	-53.15	-13	Pass	700
1700	1765	1	RMS	1752.325	17.44	60	Pass	401
1765	3000	1	RMS	2849.878	-49.09	-13	Pass	1235
3000	12000	1	RMS	7780.584	-41.42	-13	Pass	9000
12000	20000	1	RMS	19798.975	-34.51	-13	Pass	8000




**5.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.35	-13	Pass	401
0.15	30	0.01	RMS	0.31	-70.83	-13	Pass	2985
30	1000	0.1	RMS	982.176	-63.47	-13	Pass	9699
1000	1700	1	RMS	1670.959	-53.07	-13	Pass	700
1700	1765	1	RMS	1752.163	17.96	60	Pass	401
1765	3000	1	RMS	2851.88	-48.98	-13	Pass	1235
3000	12000	1	RMS	11756.699	-43.59	-13	Pass	9000
12000	20000	1	RMS	19798.975	-34.42	-13	Pass	8000




**5.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-71.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.01	-13	Pass	2985
30	1000	0.1	RMS	710.883	-63.26	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.94	-13	Pass	700
1700	1765	1	RMS	1710.4	17.74	60	Pass	401
1765	3000	1	RMS	2852.881	-49.18	-13	Pass	1235
3000	12000	1	RMS	11750.691	-43.6	-13	Pass	9000
12000	20000	1	RMS	19802.975	-34.49	-13	Pass	8000




5.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.19	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.65	-13	Pass	2985
30	1000	0.1	RMS	874.333	-63.43	-13	Pass	9699
1000	1700	1	RMS	1700	-53.09	-13	Pass	700
1700	1765	1	RMS	1710.4	17.95	60	Pass	401
1765	3000	1	RMS	2841.872	-49.14	-13	Pass	1235
3000	12000	1	RMS	11783.732	-43.61	-13	Pass	9000
12000	20000	1	RMS	19805.976	-34.47	-13	Pass	8000




**5.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.91	-13	Pass	401
0.15	30	0.01	RMS	0.27	-72.37	-13	Pass	2985
30	1000	0.1	RMS	997.096	-63.3	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.05	-13	Pass	700
1700	1765	1	RMS	1730.388	17.61	60	Pass	401
1765	3000	1	RMS	2852.881	-49.12	-13	Pass	1235
3000	12000	1	RMS	11756.699	-43.65	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.46	-13	Pass	8000




**5.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.66	-71.9	-13	Pass	2985
30	1000	0.1	RMS	996.896	-63.33	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.22	-13	Pass	700
1700	1765	1	RMS	1730.388	17.57	60	Pass	401
1765	3000	1	RMS	2847.877	-49.18	-13	Pass	1235
3000	12000	1	RMS	11757.7	-43.51	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.42	-13	Pass	8000




**5.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.9	-13	Pass	2985
30	1000	0.1	RMS	854.807	-63.22	-13	Pass	9699
1000	1700	1	RMS	1700	-53.13	-13	Pass	700
1700	1765	1	RMS	1750.375	17.31	60	Pass	401
1765	3000	1	RMS	2851.88	-49.16	-13	Pass	1235
3000	12000	1	RMS	11758.701	-43.66	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.45	-13	Pass	8000




**5.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-13	Pass	2985
30	1000	0.1	RMS	890.355	-63.09	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.09	-13	Pass	700
1700	1765	1	RMS	1750.213	17.83	60	Pass	401
1765	3000	1	RMS	2851.88	-49.09	-13	Pass	1235
3000	12000	1	RMS	11750.691	-43.65	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.47	-13	Pass	8000




**5.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-70.87	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.98	-13	Pass	2985
30	1000	0.1	RMS	995.194	-63.21	-13	Pass	9699
1000	1700	1	RMS	1700	-52.86	-13	Pass	700
1700	1765	1	RMS	1710.563	17.76	60	Pass	401
1765	3000	1	RMS	2836.868	-49.05	-13	Pass	1235
3000	12000	1	RMS	11748.689	-43.6	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.46	-13	Pass	8000




**5.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-13	Pass	2985
30	1000	0.1	RMS	895.261	-63.46	-13	Pass	9699
1000	1700	1	RMS	1700	-52.68	-13	Pass	700
1700	1765	1	RMS	1710.563	17.9	60	Pass	401
1765	3000	1	RMS	2852.881	-49.04	-13	Pass	1235
3000	12000	1	RMS	11747.688	-43.63	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.36	-13	Pass	8000




**5.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2985
30	1000	0.1	RMS	891.256	-62.99	-13	Pass	9699
1000	1700	1	RMS	1680.973	-53.05	-13	Pass	700
1700	1765	1	RMS	1728.113	17.49	60	Pass	401
1765	3000	1	RMS	2848.878	-49	-13	Pass	1235
3000	12000	1	RMS	7792.585	-42.09	-13	Pass	9000
12000	20000	1	RMS	19798.975	-34.42	-13	Pass	8000




**5.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.78	-13	Pass	2985
30	1000	0.1	RMS	854.207	-63.11	-13	Pass	9699
1000	1700	1	RMS	1700	-53.1	-13	Pass	700
1700	1765	1	RMS	1728.113	17.75	60	Pass	401
1765	3000	1	RMS	2845.875	-49.18	-13	Pass	1235
3000	12000	1	RMS	11754.696	-43.55	-13	Pass	9000
12000	20000	1	RMS	19796.975	-34.42	-13	Pass	8000




**5.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	Pass	2985
30	1000	0.1	RMS	902.471	-63.4	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.19	-13	Pass	700
1700	1765	1	RMS	1745.663	17.4	60	Pass	401
1765	3000	1	RMS	2847.877	-49.06	-13	Pass	1235
3000	12000	1	RMS	11756.699	-43.68	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.34	-13	Pass	8000




**5.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2985
30	1000	0.1	RMS	879.04	-63.15	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.11	-13	Pass	700
1700	1765	1	RMS	1745.663	17.48	60	Pass	401
1765	3000	1	RMS	2846.876	-49.08	-13	Pass	1235
3000	12000	1	RMS	11311.147	-43.64	-13	Pass	9000
12000	20000	1	RMS	19797.975	-34.41	-13	Pass	8000




**5.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.27	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.13	-13	Pass	2985
30	1000	0.1	RMS	882.644	-63.33	-13	Pass	9699
1000	1700	1	RMS	1697.997	-46.65	-13	Pass	700
1700	1765	1	RMS	1710.888	17.48	60	Pass	401
1765	3000	1	RMS	2850.879	-49.1	-13	Pass	1235
3000	12000	1	RMS	11761.705	-43.59	-13	Pass	9000
12000	20000	1	RMS	19800.975	-34.24	-13	Pass	8000




**5.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2985
30	1000	0.1	RMS	995.494	-63.08	-13	Pass	9699
1000	1700	1	RMS	1697.997	-45.72	-13	Pass	700
1700	1765	1	RMS	1710.725	17.76	60	Pass	401
1765	3000	1	RMS	2851.88	-49.07	-13	Pass	1235
3000	12000	1	RMS	11757.7	-43.7	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.45	-13	Pass	8000




**5.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.81	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.69	-13	Pass	2985
30	1000	0.1	RMS	908.579	-63.26	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.12	-13	Pass	700
1700	1765	1	RMS	1725.838	17.37	60	Pass	401
1765	3000	1	RMS	2852.881	-49.1	-13	Pass	1235
3000	12000	1	RMS	11857.824	-43.62	-13	Pass	9000
12000	20000	1	RMS	19802.975	-34.35	-13	Pass	8000




**5.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.79	-70.24	-13	Pass	2985
30	1000	0.1	RMS	900.368	-63.41	-13	Pass	9699
1000	1700	1	RMS	1693.991	-52.81	-13	Pass	700
1700	1765	1	RMS	1725.838	17.52	60	Pass	401
1765	3000	1	RMS	2851.88	-49.13	-13	Pass	1235
3000	12000	1	RMS	11751.693	-43.62	-13	Pass	9000
12000	20000	1	RMS	19797.975	-34.35	-13	Pass	8000




**5.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2985
30	1000	0.1	RMS	881.743	-62.96	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.12	-13	Pass	700
1700	1765	1	RMS	1740.788	17.34	60	Pass	401
1765	3000	1	RMS	2851.88	-49.22	-13	Pass	1235
3000	12000	1	RMS	11878.85	-43.62	-13	Pass	9000
12000	20000	1	RMS	19802.975	-34.44	-13	Pass	8000




**5.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.42	-71.63	-13	Pass	2985
30	1000	0.1	RMS	994.793	-63.24	-13	Pass	9699
1000	1700	1	RMS	1691.989	-53.22	-13	Pass	700
1700	1765	1	RMS	1740.788	17.6	60	Pass	401
1765	3000	1	RMS	2845.875	-49.12	-13	Pass	1235
3000	12000	1	RMS	11755.698	-43.54	-13	Pass	9000
12000	20000	1	RMS	19797.975	-34.5	-13	Pass	8000




**5.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	Pass	2985
30	1000	0.1	RMS	868.726	-63.42	-13	Pass	9699
1000	1700	1	RMS	1692.99	-44.39	-13	Pass	700
1700	1765	1	RMS	1711.05	17.56	60	Pass	401
1765	3000	1	RMS	2851.88	-49.17	-13	Pass	1235
3000	12000	1	RMS	7794.585	-41.93	-13	Pass	9000
12000	20000	1	RMS	19801.975	-34.45	-13	Pass	8000




**5.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.38	-13	Pass	401
0.15	30	0.01	RMS	0.82	-72.1	-13	Pass	2985
30	1000	0.1	RMS	903.172	-63.4	-13	Pass	9699
1000	1700	1	RMS	1692.99	-43.44	-13	Pass	700
1700	1765	1	RMS	1711.05	17.86	60	Pass	401
1765	3000	1	RMS	2844.874	-49.06	-13	Pass	1235
3000	12000	1	RMS	11779.727	-43.67	-13	Pass	9000
12000	20000	1	RMS	19803.975	-34.38	-13	Pass	8000




**5.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.56	-13	Pass	2985
30	1000	0.1	RMS	895.862	-63.35	-13	Pass	9699
1000	1700	1	RMS	1693.991	-52.44	-13	Pass	700
1700	1765	1	RMS	1723.563	17.41	60	Pass	401
1765	3000	1	RMS	2842.873	-49.11	-13	Pass	1235
3000	12000	1	RMS	11781.73	-43.69	-13	Pass	9000
12000	20000	1	RMS	19799.975	-34.36	-13	Pass	8000




**5.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.63	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.41	-13	Pass	2985
30	1000	0.1	RMS	874.934	-63.46	-13	Pass	9699
1000	1700	1	RMS	1693.991	-51.16	-13	Pass	700
1700	1765	1	RMS	1723.725	17.38	60	Pass	401
1765	3000	1	RMS	2847.877	-49.15	-13	Pass	1235
3000	12000	1	RMS	11759.703	-43.62	-13	Pass	9000
12000	20000	1	RMS	19796.975	-34.44	-13	Pass	8000




**5.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.03	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.38	-13	Pass	2985
30	1000	0.1	RMS	881.543	-63.31	-13	Pass	9699
1000	1700	1	RMS	1665.951	-53.21	-13	Pass	700
1700	1765	1	RMS	1736.075	17.43	60	Pass	401
1765	3000	1	RMS	2850.879	-49.19	-13	Pass	1235
3000	12000	1	RMS	11760.704	-43.68	-13	Pass	9000
12000	20000	1	RMS	19803.975	-34.51	-13	Pass	8000



**5.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	Pass	2985
30	1000	0.1	RMS	865.021	-63.47	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.1	-13	Pass	700
1700	1765	1	RMS	1736.075	17.38	60	Pass	401
1765	3000	1	RMS	2839.87	-49.18	-13	Pass	1235
3000	12000	1	RMS	11760.704	-43.6	-13	Pass	9000
12000	20000	1	RMS	19798.975	-34.43	-13	Pass	8000



6. LTE_Band5


6.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.027	-68.45	-13	Pass	401
0.15	30	0.01	Peak	0.29	-64.86	-13	Pass	2985
30	814	0.1	Peak	777.095	-53.16	-13	Pass	7840
814	860	0.1	Peak	824.322	24.51	60	Pass	460
860	1000	0.1	Peak	902.13	-53.58	-13	Pass	1400
1000	3000	1	Peak	2942.971	-38	-13	Pass	2000
3000	10000	1	Peak	7989.713	-31.88	-13	Pass	7000




6.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-68.68	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.77	-13	Pass	2985
30	814	0.1	Peak	648.179	-53.26	-13	Pass	7840
814	860	0.1	Peak	824.222	24.92	60	Pass	460
860	1000	0.1	Peak	980.886	-53.49	-13	Pass	1400
1000	3000	1	Peak	2883.942	-37.86	-13	Pass	2000
3000	10000	1	Peak	8801.829	-33.1	-13	Pass	7000




**6.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.41	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.95	-13	Pass	2985
30	814	0.1	Peak	614.074	-52.71	-13	Pass	7840
814	860	0.1	Peak	835.948	23.95	60	Pass	460
860	1000	0.1	Peak	908.335	-53.36	-13	Pass	1400
1000	3000	1	Peak	2855.928	-37.89	-13	Pass	2000
3000	10000	1	Peak	8001.715	-31.96	-13	Pass	7000




6.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.35	-13	Pass	401
0.15	30	0.01	Peak	8.993	-65.66	-13	Pass	2985
30	814	0.1	Peak	433.051	-52.45	-13	Pass	7840
814	860	0.1	Peak	836.048	24.04	60	Pass	460
860	1000	0.1	Peak	902.13	-53.83	-13	Pass	1400
1000	3000	1	Peak	2836.918	-36.5	-13	Pass	2000
3000	10000	1	Peak	6997.571	-32.23	-13	Pass	7000




**6.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-65.11	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.22	-13	Pass	2985
30	814	0.1	Peak	752.992	-53.17	-13	Pass	7840
814	860	0.1	Peak	847.874	24.63	60	Pass	460
860	1000	0.1	Peak	870.207	-52.57	-13	Pass	1400
1000	3000	1	Peak	2885.943	-37.53	-13	Pass	2000
3000	10000	1	Peak	7986.712	-33.2	-13	Pass	7000




**6.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.03	-13	Pass	401
0.15	30	0.01	Peak	0.25	-64.87	-13	Pass	2985
30	814	0.1	Peak	519.562	-52.85	-13	Pass	7840
814	860	0.1	Peak	847.874	24.68	60	Pass	460
860	1000	0.1	Peak	873.71	-53.74	-13	Pass	1400
1000	3000	1	Peak	2955.978	-37.06	-13	Pass	2000
3000	10000	1	Peak	9662.952	-32.86	-13	Pass	7000




**6.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-68.09	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.57	-13	Pass	2985
30	814	0.1	Peak	762.893	-53.24	-13	Pass	7840
814	860	0.1	Peak	824.222	24.17	60	Pass	460
860	1000	0.1	Peak	889.321	-53.57	-13	Pass	1400
1000	3000	1	Peak	2844.922	-37.86	-13	Pass	2000
3000	10000	1	Peak	7845.692	-33.02	-13	Pass	7000




**6.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.13	-13	Pass	401
0.15	30	0.01	Peak	0.61	-64.8	-13	Pass	2985
30	814	0.1	Peak	722.488	-52.55	-13	Pass	7840
814	860	0.1	Peak	824.222	24.67	60	Pass	460
860	1000	0.1	Peak	962.373	-53.91	-13	Pass	1400
1000	3000	1	Peak	2856.928	-37.64	-13	Pass	2000
3000	10000	1	Peak	7984.712	-32.59	-13	Pass	7000




**6.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.63	-13	Pass	401
0.15	30	0.01	Peak	0.6	-63.51	-13	Pass	2985
30	814	0.1	Peak	491.459	-53.18	-13	Pass	7840
814	860	0.1	Peak	835.146	24.53	60	Pass	460
860	1000	0.1	Peak	911.637	-53.58	-13	Pass	1400
1000	3000	1	Peak	2829.915	-37.54	-13	Pass	2000
3000	10000	1	Peak	8796.828	-32.32	-13	Pass	7000




6.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.62	-13	Pass	401
0.15	30	0.01	Peak	0.3	-65.07	-13	Pass	2985
30	814	0.1	Peak	707.886	-53.23	-13	Pass	7840
814	860	0.1	Peak	835.246	24.57	60	Pass	460
860	1000	0.1	Peak	874.31	-53.47	-13	Pass	1400
1000	3000	1	Peak	2920.96	-37.66	-13	Pass	2000
3000	10000	1	Peak	8000.714	-32.48	-13	Pass	7000




**6.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.41	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.29	-13	Pass	2985
30	814	0.1	Peak	792.097	-53.26	-13	Pass	7840
814	860	0.1	Peak	846.27	23.96	60	Pass	460
860	1000	0.1	Peak	979.786	-53.47	-13	Pass	1400
1000	3000	1	Peak	2972.986	-38.42	-13	Pass	2000
3000	10000	1	Peak	8822.832	-32.37	-13	Pass	7000




6.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.17	-13	Pass	401
0.15	30	0.01	Peak	0.41	-65.01	-13	Pass	2985
30	814	0.1	Peak	777.695	-52.96	-13	Pass	7840
814	860	0.1	Peak	846.27	25.07	60	Pass	460
860	1000	0.1	Peak	948.163	-52.51	-13	Pass	1400
1000	3000	1	Peak	2767.884	-37.72	-13	Pass	2000
3000	10000	1	Peak	7984.712	-32.7	-13	Pass	7000




**6.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.03	-13	Pass	401
0.15	30	0.01	Peak	4.051	-65.18	-13	Pass	2985
30	814	0.1	Peak	787.197	-53.12	-13	Pass	7840
814	860	0.1	Peak	824.322	24.98	60	Pass	460
860	1000	0.1	Peak	903.431	-53.1	-13	Pass	1400
1000	3000	1	Peak	2843.922	-37.57	-13	Pass	2000
3000	10000	1	Peak	7099.586	-32.22	-13	Pass	7000




**6.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.55	-13	Pass	401
0.15	30	0.01	Peak	1.36	-63.98	-13	Pass	2985
30	814	0.1	Peak	737.99	-53.46	-13	Pass	7840
814	860	0.1	Peak	824.322	25.63	60	Pass	460
860	1000	0.1	Peak	992.395	-53.04	-13	Pass	1400
1000	3000	1	Peak	2931.966	-37.86	-13	Pass	2000
3000	10000	1	Peak	9428.918	-32.52	-13	Pass	7000




**6.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.025	-68.53	-13	Pass	401
0.15	30	0.01	Peak	0.53	-64.45	-13	Pass	2985
30	814	0.1	Peak	626.076	-53.53	-13	Pass	7840
814	860	0.1	Peak	834.344	24.17	60	Pass	460
860	1000	0.1	Peak	887.62	-53.73	-13	Pass	1400
1000	3000	1	Peak	2873.937	-38.21	-13	Pass	2000
3000	10000	1	Peak	8845.835	-32.67	-13	Pass	7000




**6.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.8	-13	Pass	401
0.15	30	0.01	Peak	0.42	-64.54	-13	Pass	2985
30	814	0.1	Peak	740.291	-53.02	-13	Pass	7840
814	860	0.1	Peak	834.344	24.54	60	Pass	460
860	1000	0.1	Peak	988.192	-53.77	-13	Pass	1400
1000	3000	1	Peak	2945.973	-37.56	-13	Pass	2000
3000	10000	1	Peak	7995.714	-31.97	-13	Pass	7000




**6.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.29	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.31	-13	Pass	2985
30	814	0.1	Peak	415.749	-53.02	-13	Pass	7840
814	860	0.1	Peak	844.266	24.98	60	Pass	460
860	1000	0.1	Peak	895.225	-53.42	-13	Pass	1400
1000	3000	1	Peak	2947.974	-38.04	-13	Pass	2000
3000	10000	1	Peak	9901.986	-33.12	-13	Pass	7000




**6.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.33	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.08	-13	Pass	2985
30	814	0.1	Peak	724.989	-53.23	-13	Pass	7840
814	860	0.1	Peak	844.366	24.67	60	Pass	460
860	1000	0.1	Peak	918.442	-53.51	-13	Pass	1400
1000	3000	1	Peak	2912.956	-38.05	-13	Pass	2000
3000	10000	1	Peak	9307.901	-32.17	-13	Pass	7000




**6.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.59	-13	Pass	401
0.15	30	0.01	Peak	0.51	-65.47	-13	Pass	2985
30	814	0.1	Peak	484.658	-52.91	-13	Pass	7840
814	860	0.1	Peak	824.523	24.34	60	Pass	460
860	1000	0.1	Peak	952.066	-53.54	-13	Pass	1400
1000	3000	1	Peak	2950.975	-36.81	-13	Pass	2000
3000	10000	1	Peak	7869.696	-32.38	-13	Pass	7000




**6.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.76	-13	Pass	401
0.15	30	0.01	Peak	0.58	-65.42	-13	Pass	2985
30	814	0.1	Peak	769.394	-52.46	-13	Pass	7840
814	860	0.1	Peak	824.523	25.2	60	Pass	460
860	1000	0.1	Peak	868.306	-52.94	-13	Pass	1400
1000	3000	1	Peak	2846.923	-37.28	-13	Pass	2000
3000	10000	1	Peak	7961.709	-32.61	-13	Pass	7000




**6.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.05	-13	Pass	401
0.15	30	0.01	Peak	0.6	-64.86	-13	Pass	2985
30	814	0.1	Peak	476.857	-52.34	-13	Pass	7840
814	860	0.1	Peak	832.039	24.94	60	Pass	460
860	1000	0.1	Peak	941.258	-53.67	-13	Pass	1400
1000	3000	1	Peak	2868.934	-37.75	-13	Pass	2000
3000	10000	1	Peak	7840.692	-32.98	-13	Pass	7000




**6.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.19	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.16	-13	Pass	2985
30	814	0.1	Peak	750.092	-52.8	-13	Pass	7840
814	860	0.1	Peak	832.139	24.63	60	Pass	460
860	1000	0.1	Peak	863.402	-53.07	-13	Pass	1400
1000	3000	1	Peak	2830.915	-37.98	-13	Pass	2000
3000	10000	1	Peak	8596.8	-32.89	-13	Pass	7000




**6.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-67.8	-13	Pass	401
0.15	30	0.01	Peak	0.21	-65.15	-13	Pass	2985
30	814	0.1	Peak	484.158	-52.16	-13	Pass	7840
814	860	0.1	Peak	839.656	24.4	60	Pass	460
860	1000	0.1	Peak	888.12	-53.59	-13	Pass	1400
1000	3000	1	Peak	2897.949	-37.82	-13	Pass	2000
3000	10000	1	Peak	7491.642	-32.77	-13	Pass	7000



**6.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.57	-13	Pass	401
0.15	30	0.01	Peak	0.27	-63.88	-13	Pass	2985
30	814	0.1	Peak	470.056	-53.25	-13	Pass	7840
814	860	0.1	Peak	839.556	24.52	60	Pass	460
860	1000	0.1	Peak	956.569	-53.78	-13	Pass	1400
1000	3000	1	Peak	2868.934	-37.37	-13	Pass	2000
3000	10000	1	Peak	7745.678	-32.81	-13	Pass	7000



7. LTE_Band7


7.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.16	-25	Pass	401
0.15	30	0.01	RMS	0.62	-71.83	-25	Pass	2985
30	1000	0.1	RMS	889.754	-63.41	-25	Pass	9699
1000	2490	1	RMS	2490	-50.8	-25	Pass	1490
2490	2580	1	RMS	2500.35	15.25	60	Pass	401
2580	3000	1	RMS	2837.613	-49.19	-25	Pass	420
3000	12000	1	RMS	7831.59	-41.12	-25	Pass	9000
12000	26500	1	RMS	25903.906	-29.11	-25	Pass	14500



7.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.02	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.13	-25	Pass	2985
30	1000	0.1	RMS	984.98	-63.52	-25	Pass	9699
1000	2490	1	RMS	2490	-50.74	-25	Pass	1490
2490	2580	1	RMS	2500.35	15.34	60	Pass	401
2580	3000	1	RMS	2846.635	-49.08	-25	Pass	420
3000	12000	1	RMS	11764.709	-43.57	-25	Pass	9000
12000	26500	1	RMS	25887.903	-29.09	-25	Pass	14500




7.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.37	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-25	Pass	2985
30	1000	0.1	RMS	860.515	-63.37	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.41	-25	Pass	1490
2490	2580	1	RMS	2532.75	15.25	60	Pass	401
2580	3000	1	RMS	2847.637	-49.17	-25	Pass	420
3000	12000	1	RMS	11749.69	-43.53	-25	Pass	9000
12000	26500	1	RMS	25890.903	-29.04	-25	Pass	14500



7.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.12	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.42	-25	Pass	2985
30	1000	0.1	RMS	870.228	-63.4	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.45	-25	Pass	1490
2490	2580	1	RMS	2532.75	15.27	60	Pass	401
2580	3000	1	RMS	2843.628	-49.16	-25	Pass	420
3000	12000	1	RMS	11752.694	-43.72	-25	Pass	9000
12000	26500	1	RMS	25893.904	-29.12	-25	Pass	14500




**7.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.65	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.4	-25	Pass	2985
30	1000	0.1	RMS	881.443	-63.47	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.49	-25	Pass	1490
2490	2580	1	RMS	2565.375	15.11	60	Pass	401
2580	3000	1	RMS	2836.611	-49.18	-25	Pass	420
3000	12000	1	RMS	11750.691	-43.64	-25	Pass	9000
12000	26500	1	RMS	25899.905	-29.1	-25	Pass	14500




7.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.95	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-25	Pass	2985
30	1000	0.1	RMS	884.947	-63.55	-25	Pass	9699
1000	2490	1	RMS	2486.998	-51.53	-25	Pass	1490
2490	2580	1	RMS	2565.375	15.16	60	Pass	401
2580	3000	1	RMS	2850.644	-49.25	-25	Pass	420
3000	12000	1	RMS	11751.693	-43.71	-25	Pass	9000
12000	26500	1	RMS	25900.905	-28.95	-25	Pass	14500




**7.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.93	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.2	-25	Pass	2985
30	1000	0.1	RMS	837.399	-63.43	-25	Pass	9699
1000	2490	1	RMS	2490	-51.09	-25	Pass	1490
2490	2580	1	RMS	2500.575	15.08	60	Pass	401
2580	3000	1	RMS	2848.64	-49.15	-25	Pass	420
3000	12000	1	RMS	11748.689	-43.58	-25	Pass	9000
12000	26500	1	RMS	25899.905	-29.02	-25	Pass	14500




**7.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.89	-25	Pass	401
0.15	30	0.01	RMS	1.11	-71.87	-25	Pass	2985
30	1000	0.1	RMS	885.448	-63.46	-25	Pass	9699
1000	2490	1	RMS	2490	-51.14	-25	Pass	1490
2490	2580	1	RMS	2500.575	15.4	60	Pass	401
2580	3000	1	RMS	2842.625	-49.12	-25	Pass	420
3000	12000	1	RMS	11775.722	-43.63	-25	Pass	9000
12000	26500	1	RMS	25870.9	-29.05	-25	Pass	14500




**7.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.4	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.15	-25	Pass	2985
30	1000	0.1	RMS	896.062	-63.26	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.52	-25	Pass	1490
2490	2580	1	RMS	2530.5	14.97	60	Pass	401
2580	3000	1	RMS	2842.625	-49.22	-25	Pass	420
3000	12000	1	RMS	11751.693	-43.56	-25	Pass	9000
12000	26500	1	RMS	25882.902	-29.06	-25	Pass	14500




**7.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.58	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.4	-25	Pass	2985
30	1000	0.1	RMS	837.099	-63.39	-25	Pass	9699
1000	2490	1	RMS	2486.998	-51.47	-25	Pass	1490
2490	2580	1	RMS	2530.5	15.43	60	Pass	401
2580	3000	1	RMS	2848.64	-49.16	-25	Pass	420
3000	12000	1	RMS	7836.59	-41.72	-25	Pass	9000
12000	26500	1	RMS	25902.905	-29.01	-25	Pass	14500




**7.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.22	-25	Pass	401
0.15	30	0.01	RMS	0.29	-71.58	-25	Pass	2985
30	1000	0.1	RMS	858.312	-63.26	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.47	-25	Pass	1490
2490	2580	1	RMS	2560.65	14.96	60	Pass	401
2580	3000	1	RMS	2845.632	-49.24	-25	Pass	420
3000	12000	1	RMS	11737.675	-43.69	-25	Pass	9000
12000	26500	1	RMS	25892.904	-28.97	-25	Pass	14500




**7.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.13	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.31	-25	Pass	2985
30	1000	0.1	RMS	867.324	-63.51	-25	Pass	9699
1000	2490	1	RMS	2479.993	-51.33	-25	Pass	1490
2490	2580	1	RMS	2560.65	15.26	60	Pass	401
2580	3000	1	RMS	2850.644	-49.14	-25	Pass	420
3000	12000	1	RMS	11770.716	-43.62	-25	Pass	9000
12000	26500	1	RMS	25889.903	-29.07	-25	Pass	14500




**7.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.48	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.23	-25	Pass	2985
30	1000	0.1	RMS	880.241	-63.42	-25	Pass	9699
1000	2490	1	RMS	2487.999	-45.45	-25	Pass	1490
2490	2580	1	RMS	2500.8	15.08	60	Pass	401
2580	3000	1	RMS	2851.647	-49.19	-25	Pass	420
3000	12000	1	RMS	11750.691	-43.62	-25	Pass	9000
12000	26500	1	RMS	25892.904	-29.1	-25	Pass	14500




**7.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.16	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.44	-25	Pass	2985
30	1000	0.1	RMS	856.109	-63.39	-25	Pass	9699
1000	2490	1	RMS	2487.999	-46.94	-25	Pass	1490
2490	2580	1	RMS	2500.8	15.17	60	Pass	401
2580	3000	1	RMS	2949.881	-49.19	-25	Pass	420
3000	12000	1	RMS	11297.13	-43.71	-25	Pass	9000
12000	26500	1	RMS	25891.904	-29.07	-25	Pass	14500




**7.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.57	-25	Pass	401
0.15	30	0.01	RMS	0.42	-72.04	-25	Pass	2985
30	1000	0.1	RMS	842.799	-63.14	-25	Pass	9699
1000	2490	1	RMS	2490	-51.45	-25	Pass	1490
2490	2580	1	RMS	2528.25	14.92	60	Pass	401
2580	3000	1	RMS	2848.64	-49.2	-25	Pass	420
3000	12000	1	RMS	11749.69	-43.58	-25	Pass	9000
12000	26500	1	RMS	25885.903	-28.96	-25	Pass	14500




**7.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.5	-25	Pass	401
0.15	30	0.01	RMS	4.191	-72.31	-25	Pass	2985
30	1000	0.1	RMS	865.622	-63.32	-25	Pass	9699
1000	2490	1	RMS	2482.995	-51.37	-25	Pass	1490
2490	2580	1	RMS	2528.25	15.22	60	Pass	401
2580	3000	1	RMS	2848.64	-49.2	-25	Pass	420
3000	12000	1	RMS	11746.686	-43.65	-25	Pass	9000
12000	26500	1	RMS	25886.903	-29.13	-25	Pass	14500



**7.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.61	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.06	-25	Pass	2985
30	1000	0.1	RMS	898.265	-63.24	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.31	-25	Pass	1490
2490	2580	1	RMS	2555.925	15.02	60	Pass	401
2580	3000	1	RMS	2854.654	-49.2	-25	Pass	420
3000	12000	1	RMS	11741.68	-43.7	-25	Pass	9000
12000	26500	1	RMS	25900.905	-29.11	-25	Pass	14500




**7.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-72.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71	-25	Pass	2985
30	1000	0.1	RMS	852.605	-63.28	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.39	-25	Pass	1490
2490	2580	1	RMS	2555.925	15.25	60	Pass	401
2580	3000	1	RMS	2849.642	-49.15	-25	Pass	420
3000	12000	1	RMS	11756.699	-43.54	-25	Pass	9000
12000	26500	1	RMS	25892.904	-29.08	-25	Pass	14500




**7.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.68	-25	Pass	401
0.15	30	0.01	RMS	0.28	-71.54	-25	Pass	2985
30	1000	0.1	RMS	862.618	-63.46	-25	Pass	9699
1000	2490	1	RMS	2482.995	-45.52	-25	Pass	1490
2490	2580	1	RMS	2501.025	14.84	60	Pass	401
2580	3000	1	RMS	2843.628	-49.26	-25	Pass	420
3000	12000	1	RMS	7850.592	-41.78	-25	Pass	9000
12000	26500	1	RMS	25896.904	-29.07	-25	Pass	14500




**7.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.57	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.57	-25	Pass	2985
30	1000	0.1	RMS	906.977	-63.47	-25	Pass	9699
1000	2490	1	RMS	2482.995	-47.75	-25	Pass	1490
2490	2580	1	RMS	2501.025	15.19	60	Pass	401
2580	3000	1	RMS	2849.642	-49.13	-25	Pass	420
3000	12000	1	RMS	11760.704	-43.56	-25	Pass	9000
12000	26500	1	RMS	25895.904	-29.1	-25	Pass	14500




**7.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.48	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.39	-25	Pass	2985
30	1000	0.1	RMS	722.685	-63.43	-25	Pass	9699
1000	2490	1	RMS	2490	-51.26	-25	Pass	1490
2490	2580	1	RMS	2526.225	15.02	60	Pass	401
2580	3000	1	RMS	2853.652	-49.21	-25	Pass	420
3000	12000	1	RMS	11754.696	-43.62	-25	Pass	9000
12000	26500	1	RMS	25894.904	-29.13	-25	Pass	14500




**7.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.98	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.54	-25	Pass	2985
30	1000	0.1	RMS	902.471	-63.16	-25	Pass	9699
1000	2490	1	RMS	2475.991	-51.46	-25	Pass	1490
2490	2580	1	RMS	2526	15.12	60	Pass	401
2580	3000	1	RMS	2850.644	-49.13	-25	Pass	420
3000	12000	1	RMS	11748.689	-43.57	-25	Pass	9000
12000	26500	1	RMS	25884.902	-29.16	-25	Pass	14500



**7.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.21	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.15	-25	Pass	2985
30	1000	0.1	RMS	998.398	-63.22	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.48	-25	Pass	1490
2490	2580	1	RMS	2550.975	15.13	60	Pass	401
2580	3000	1	RMS	2855.656	-49.18	-25	Pass	420
3000	12000	1	RMS	11764.709	-43.67	-25	Pass	9000
12000	26500	1	RMS	25897.905	-29.13	-25	Pass	14500



**7.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.29	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.71	-25	Pass	2985
30	1000	0.1	RMS	884.847	-63.31	-25	Pass	9699
1000	2490	1	RMS	2482.995	-51.47	-25	Pass	1490
2490	2580	1	RMS	2550.975	15.24	60	Pass	401
2580	3000	1	RMS	2853.652	-49.24	-25	Pass	420
3000	12000	1	RMS	11748.689	-43.67	-25	Pass	9000
12000	26500	1	RMS	25899.905	-29.06	-25	Pass	14500



8. LTE_Band12


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-13	Pass	2985
30	689	0.1	RMS	688.6	-63.8	-13	Pass	6590
689	725	0.1	RMS	699.26	20.66	60	Pass	401
725	1000	0.1	RMS	833.94	-62.87	-13	Pass	2750
1000	3000	1	RMS	2844.922	-48.98	-13	Pass	2000
3000	10000	1	RMS	8043.721	-42.49	-13	Pass	7000




8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-73.12	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.13	-13	Pass	2985
30	689	0.1	RMS	688.5	-63.62	-13	Pass	6590
689	725	0.1	RMS	699.26	19.46	60	Pass	401
725	1000	0.1	RMS	878.156	-62.72	-13	Pass	2750
1000	3000	1	RMS	2839.92	-49.13	-13	Pass	2000
3000	10000	1	RMS	8800.829	-44.33	-13	Pass	7000




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.42	-13	Pass	2985
30	689	0.1	RMS	490.77	-63.98	-13	Pass	6590
689	725	0.1	RMS	707.09	19.75	60	Pass	401
725	1000	0.1	RMS	866.652	-62.84	-13	Pass	2750
1000	3000	1	RMS	2847.924	-49.1	-13	Pass	2000
3000	10000	1	RMS	8810.83	-44.3	-13	Pass	7000




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.07	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.22	-13	Pass	2985
30	689	0.1	RMS	492.87	-63.84	-13	Pass	6590
689	725	0.1	RMS	707.09	19.04	60	Pass	401
725	1000	0.1	RMS	889.06	-62.67	-13	Pass	2750
1000	3000	1	RMS	2846.923	-49.12	-13	Pass	2000
3000	10000	1	RMS	8799.829	-44.37	-13	Pass	7000




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.29	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.39	-13	Pass	2985
30	689	0.1	RMS	377.853	-63.73	-13	Pass	6590
689	725	0.1	RMS	714.83	19.93	60	Pass	401
725	1000	0.1	RMS	907.466	-62.67	-13	Pass	2750
1000	3000	1	RMS	2840.92	-49.11	-13	Pass	2000
3000	10000	1	RMS	8001.715	-44.31	-13	Pass	7000




8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.58	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.41	-13	Pass	2985
30	689	0.1	RMS	366.951	-63.92	-13	Pass	6590
689	725	0.1	RMS	714.83	19.56	60	Pass	401
725	1000	0.1	RMS	841.242	-62.66	-13	Pass	2750
1000	3000	1	RMS	2845.923	-49.11	-13	Pass	2000
3000	10000	1	RMS	7999.714	-44.27	-13	Pass	7000




8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.46	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.35	-13	Pass	2985
30	689	0.1	RMS	688.5	-63.21	-13	Pass	6590
689	725	0.1	RMS	699.26	20.33	60	Pass	401
725	1000	0.1	RMS	849.045	-62.46	-13	Pass	2750
1000	3000	1	RMS	2846.923	-49	-13	Pass	2000
3000	10000	1	RMS	8800.829	-44.36	-13	Pass	7000




8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71	-13	Pass	2985
30	689	0.1	RMS	491.57	-63.63	-13	Pass	6590
689	725	0.1	RMS	699.26	19.26	60	Pass	401
725	1000	0.1	RMS	892.761	-62.6	-13	Pass	2750
1000	3000	1	RMS	2848.924	-49.16	-13	Pass	2000
3000	10000	1	RMS	8796.828	-44.29	-13	Pass	7000




8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.66	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.12	-13	Pass	2985
30	689	0.1	RMS	475.768	-63.67	-13	Pass	6590
689	725	0.1	RMS	706.28	19.72	60	Pass	401
725	1000	0.1	RMS	992.897	-62.93	-13	Pass	2750
1000	3000	1	RMS	2848.924	-49.07	-13	Pass	2000
3000	10000	1	RMS	8802.829	-44.38	-13	Pass	7000




8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2985
30	689	0.1	RMS	477.068	-63.55	-13	Pass	6590
689	725	0.1	RMS	706.28	18.73	60	Pass	401
725	1000	0.1	RMS	899.063	-62.83	-13	Pass	2750
1000	3000	1	RMS	2850.925	-49.15	-13	Pass	2000
3000	10000	1	RMS	8003.715	-44.39	-13	Pass	7000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.69	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.24	-13	Pass	2985
30	689	0.1	RMS	470.667	-63.91	-13	Pass	6590
689	725	0.1	RMS	713.21	20.16	60	Pass	401
725	1000	0.1	RMS	858.449	-62.63	-13	Pass	2750
1000	3000	1	RMS	2853.927	-49.22	-13	Pass	2000
3000	10000	1	RMS	8800.829	-44.39	-13	Pass	7000




8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.1	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.46	-13	Pass	2985
30	689	0.1	RMS	487.469	-63.72	-13	Pass	6590
689	725	0.1	RMS	713.21	18.84	60	Pass	401
725	1000	0.1	RMS	1000	-62.73	-13	Pass	2750
1000	3000	1	RMS	2850.925	-49.14	-13	Pass	2000
3000	10000	1	RMS	7998.714	-44.33	-13	Pass	7000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.73	-13	Pass	2985
30	689	0.1	RMS	482.369	-63.68	-13	Pass	6590
689	725	0.1	RMS	699.35	20.42	60	Pass	401
725	1000	0.1	RMS	875.255	-62.97	-13	Pass	2750
1000	3000	1	RMS	2948.974	-49.05	-13	Pass	2000
3000	10000	1	RMS	8792.828	-44.35	-13	Pass	7000




8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.53	-13	Pass	2985
30	689	0.1	RMS	461.666	-63.74	-13	Pass	6590
689	725	0.1	RMS	699.35	19.49	60	Pass	401
725	1000	0.1	RMS	881.557	-62.87	-13	Pass	2750
1000	3000	1	RMS	2843.922	-49.14	-13	Pass	2000
3000	10000	1	RMS	8011.716	-44.41	-13	Pass	7000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-72.06	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.69	-13	Pass	2985
30	689	0.1	RMS	476.068	-63.99	-13	Pass	6590
689	725	0.1	RMS	705.38	19.58	60	Pass	401
725	1000	0.1	RMS	954.483	-62.37	-13	Pass	2750
1000	3000	1	RMS	2849.925	-49.07	-13	Pass	2000
3000	10000	1	RMS	8800.829	-44.2	-13	Pass	7000




8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	Pass	2985
30	689	0.1	RMS	464.466	-63.93	-13	Pass	6590
689	725	0.1	RMS	705.38	18.83	60	Pass	401
725	1000	0.1	RMS	893.061	-62.86	-13	Pass	2750
1000	3000	1	RMS	2846.923	-49.13	-13	Pass	2000
3000	10000	1	RMS	8040.72	-42.17	-13	Pass	7000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.07	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.93	-13	Pass	2985
30	689	0.1	RMS	484.969	-64.05	-13	Pass	6590
689	725	0.1	RMS	711.32	20.09	60	Pass	401
725	1000	0.1	RMS	878.456	-62.21	-13	Pass	2750
1000	3000	1	RMS	2856.928	-49.17	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.35	-13	Pass	7000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.73	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.22	-13	Pass	2985
30	689	0.1	RMS	479.768	-63.8	-13	Pass	6590
689	725	0.1	RMS	711.32	19.59	60	Pass	401
725	1000	0.1	RMS	999.3	-62.83	-13	Pass	2750
1000	3000	1	RMS	2845.923	-49.05	-13	Pass	2000
3000	10000	1	RMS	7990.713	-44.39	-13	Pass	7000




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.31	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.23	-13	Pass	2985
30	689	0.1	RMS	688.9	-63.51	-13	Pass	6590
689	725	0.1	RMS	699.62	20.03	60	Pass	401
725	1000	0.1	RMS	880.857	-62.63	-13	Pass	2750
1000	3000	1	RMS	2843.922	-49.08	-13	Pass	2000
3000	10000	1	RMS	8001.715	-44.33	-13	Pass	7000




8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.2	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.37	-13	Pass	2985
30	689	0.1	RMS	476.368	-63.83	-13	Pass	6590
689	725	0.1	RMS	699.62	19.22	60	Pass	401
725	1000	0.1	RMS	999.5	-62.7	-13	Pass	2750
1000	3000	1	RMS	2848.924	-49	-13	Pass	2000
3000	10000	1	RMS	7994.714	-44.42	-13	Pass	7000




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.23	-13	Pass	2985
30	689	0.1	RMS	473.167	-63.89	-13	Pass	6590
689	725	0.1	RMS	703.13	19.91	60	Pass	401
725	1000	0.1	RMS	733.903	-62.87	-13	Pass	2750
1000	3000	1	RMS	2950.975	-49.17	-13	Pass	2000
3000	10000	1	RMS	8801.829	-44.29	-13	Pass	7000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	Pass	2985
30	689	0.1	RMS	471.267	-63.82	-13	Pass	6590
689	725	0.1	RMS	703.13	18.54	60	Pass	401
725	1000	0.1	RMS	874.054	-62.8	-13	Pass	2750
1000	3000	1	RMS	2844.922	-49.15	-13	Pass	2000
3000	10000	1	RMS	8798.828	-44.3	-13	Pass	7000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.69	-13	Pass	2985
30	689	0.1	RMS	470.167	-63.82	-13	Pass	6590
689	725	0.1	RMS	706.55	20.2	60	Pass	401
725	1000	0.1	RMS	883.858	-62.77	-13	Pass	2750
1000	3000	1	RMS	2851.926	-48.97	-13	Pass	2000
3000	10000	1	RMS	8799.829	-44.32	-13	Pass	7000



**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.95	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.19	-13	Pass	2985
30	689	0.1	RMS	480.168	-63.88	-13	Pass	6590
689	725	0.1	RMS	706.55	18.76	60	Pass	401
725	1000	0.1	RMS	756.411	-62.85	-13	Pass	2750
1000	3000	1	RMS	2846.923	-49.05	-13	Pass	2000
3000	10000	1	RMS	8793.828	-44.44	-13	Pass	7000



9. LTE_Band13


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.28	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.43	-13	Pass	2985
30	767	0.1	RMS	480.961	-63.47	-13	Pass	7370
767	797	0.1	RMS	777.35	19.78	60	Pass	401
797	1000	0.1	RMS	870.236	-63.59	-13	Pass	2030
1000	3000	1	RMS	2843.922	-49.06	-13	Pass	2000
3000	10000	1	RMS	7997.714	-44.25	-13	Pass	7000




9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.18	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.2	-13	Pass	2985
30	767	0.1	RMS	750.498	-63.62	-13	Pass	7370
767	797	0.1	RMS	777.35	19.27	60	Pass	401
797	1000	0.1	RMS	979.39	-63.46	-13	Pass	2030
1000	3000	1	RMS	2851.926	-49.12	-13	Pass	2000
3000	10000	1	RMS	8790.827	-44.18	-13	Pass	7000




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2985
30	767	0.1	RMS	492.163	-63.71	-13	Pass	7370
767	797	0.1	RMS	779.825	19.76	60	Pass	401
797	1000	0.1	RMS	918.56	-63.52	-13	Pass	2030
1000	3000	1	RMS	2849.925	-49.06	-13	Pass	2000
3000	10000	1	RMS	8046.721	-42.44	-13	Pass	7000




9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.92	-13	Pass	2985
30	767	0.1	RMS	508.265	-63.65	-13	Pass	7370
767	797	0.1	RMS	779.825	18.87	60	Pass	401
797	1000	0.1	RMS	866.934	-63.49	-13	Pass	2030
1000	3000	1	RMS	2844.922	-49.06	-13	Pass	2000
3000	10000	1	RMS	8798.828	-44.31	-13	Pass	7000




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.54	-13	Pass	2985
30	767	0.1	RMS	763.9	-63.24	-13	Pass	7370
767	797	0.1	RMS	782.3	19.92	60	Pass	401
797	1000	0.1	RMS	875.739	-63.6	-13	Pass	2030
1000	3000	1	RMS	2840.92	-49	-13	Pass	2000
3000	10000	1	RMS	8800.829	-44.35	-13	Pass	7000




9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.25	-13	Pass	401
0.15	30	0.01	RMS	0.34	-71.54	-13	Pass	2985
30	767	0.1	RMS	742.497	-63.51	-13	Pass	7370
767	797	0.1	RMS	782.3	19.06	60	Pass	401
797	1000	0.1	RMS	909.455	-63.55	-13	Pass	2030
1000	3000	1	RMS	2846.923	-48.99	-13	Pass	2000
3000	10000	1	RMS	8792.828	-44.1	-13	Pass	7000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.19	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.74	-13	Pass	2985
30	767	0.1	RMS	766.9	-63.44	-13	Pass	7370
767	797	0.1	RMS	777.575	19.86	60	Pass	401
797	1000	0.1	RMS	854.328	-63.69	-13	Pass	2030
1000	3000	1	RMS	2844.922	-49.04	-13	Pass	2000
3000	10000	1	RMS	7989.713	-44.29	-13	Pass	7000



**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.97	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.54	-13	Pass	2985
30	767	0.1	RMS	746.597	-63.74	-13	Pass	7370
767	797	0.1	RMS	777.575	19.31	60	Pass	401
797	1000	0.1	RMS	983.792	-63.38	-13	Pass	2030
1000	3000	1	RMS	2950.975	-49.14	-13	Pass	2000
3000	10000	1	RMS	8795.828	-44.35	-13	Pass	7000



10. LTE_Band25


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.59	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.7	-13	Pass	2985
30	1000	0.1	Peak	987.383	-53.05	-13	Pass	9699
1000	1840	1	Peak	1028.033	-41.02	-13	Pass	840
1840	1925	1	Peak	1850.2	22	60	Pass	401
1925	3000	1	Peak	2954.958	-37.34	-13	Pass	1075
3000	12000	1	Peak	7901.598	-32.43	-13	Pass	9000
12000	20000	1	Peak	19825.978	-23.35	-13	Pass	8000




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-67.34	-13	Pass	401
0.15	30	0.01	Peak	0.22	-63.83	-13	Pass	2985
30	1000	0.1	Peak	925.902	-52.54	-13	Pass	9699
1000	1840	1	Peak	1496.591	-41.38	-13	Pass	840
1840	1925	1	Peak	1850.2	22.1	60	Pass	401
1925	3000	1	Peak	2841.853	-37.36	-13	Pass	1075
3000	12000	1	Peak	11054.983	-31.86	-13	Pass	9000
12000	20000	1	Peak	19867.983	-23.8	-13	Pass	8000




**10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.6	-13	Pass	401
0.15	30	0.01	Peak	0.43	-64.47	-13	Pass	2985
30	1000	0.1	Peak	885.448	-53.34	-13	Pass	9699
1000	1840	1	Peak	1224.267	-40.75	-13	Pass	840
1840	1925	1	Peak	1882.288	21.41	60	Pass	401
1925	3000	1	Peak	2886.895	-36.95	-13	Pass	1075
3000	12000	1	Peak	11488.367	-31.77	-13	Pass	9000
12000	20000	1	Peak	19815.977	-23.92	-13	Pass	8000




10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.09	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.62	-13	Pass	2985
30	1000	0.1	Peak	259.628	-53.25	-13	Pass	9699
1000	1840	1	Peak	1829.988	-41.73	-13	Pass	840
1840	1925	1	Peak	1882.075	22.54	60	Pass	401
1925	3000	1	Peak	2941.946	-37.04	-13	Pass	1075
3000	12000	1	Peak	11673.596	-30.87	-13	Pass	9000
12000	20000	1	Peak	19803.975	-22.92	-13	Pass	8000




**10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.39	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.76	-13	Pass	2985
30	1000	0.1	Peak	829.798	-52.39	-13	Pass	9699
1000	1840	1	Peak	1829.988	-41.26	-13	Pass	840
1840	1925	1	Peak	1913.738	21.83	60	Pass	401
1925	3000	1	Peak	2845.857	-36.7	-13	Pass	1075
3000	12000	1	Peak	10973.973	-32.08	-13	Pass	9000
12000	20000	1	Peak	19829.979	-23.2	-13	Pass	8000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.75	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.58	-13	Pass	2985
30	1000	0.1	Peak	984.88	-52.6	-13	Pass	9699
1000	1840	1	Peak	1602.718	-41.51	-13	Pass	840
1840	1925	1	Peak	1913.738	22.94	60	Pass	401
1925	3000	1	Peak	2807.821	-36.6	-13	Pass	1075
3000	12000	1	Peak	11084.987	-32.22	-13	Pass	9000
12000	20000	1	Peak	19791.974	-24.11	-13	Pass	8000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.18	-13	Pass	401
0.15	30	0.01	Peak	0.16	-62.05	-13	Pass	2985
30	1000	0.1	Peak	841.599	-52.89	-13	Pass	9699
1000	1840	1	Peak	1222.265	-41.24	-13	Pass	840
1840	1925	1	Peak	1850.2	21.32	60	Pass	401
1925	3000	1	Peak	2847.858	-35.97	-13	Pass	1075
3000	12000	1	Peak	10374.9	-32.02	-13	Pass	9000
12000	20000	1	Peak	19849.981	-23.7	-13	Pass	8000




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.4	-13	Pass	401
0.15	30	0.01	Peak	0.32	-65.87	-13	Pass	2985
30	1000	0.1	Peak	484.756	-52.64	-13	Pass	9699
1000	1840	1	Peak	1361.43	-40.48	-13	Pass	840
1840	1925	1	Peak	1850.2	22.1	60	Pass	401
1925	3000	1	Peak	2825.838	-37.07	-13	Pass	1075
3000	12000	1	Peak	11115.991	-31.98	-13	Pass	9000
12000	20000	1	Peak	19797.975	-23.58	-13	Pass	8000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.21	-13	Pass	401
0.15	30	0.01	Peak	0.38	-64.86	-13	Pass	2985
30	1000	0.1	Peak	999.9	-52.56	-13	Pass	9699
1000	1840	1	Peak	1794.946	-41.54	-13	Pass	840
1840	1925	1	Peak	1881.225	19.87	60	Pass	401
1925	3000	1	Peak	2925.931	-37.12	-13	Pass	1075
3000	12000	1	Peak	11400.258	-32.08	-13	Pass	9000
12000	20000	1	Peak	19796.975	-23.36	-13	Pass	8000




10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.45	-13	Pass	401
0.15	30	0.01	Peak	0.82	-64.78	-13	Pass	2985
30	1000	0.1	Peak	581.067	-53.37	-13	Pass	9699
1000	1840	1	Peak	1789.94	-41.06	-13	Pass	840
1840	1925	1	Peak	1881.225	22.12	60	Pass	401
1925	3000	1	Peak	2878.887	-37.15	-13	Pass	1075
3000	12000	1	Peak	11628.54	-31.21	-13	Pass	9000
12000	20000	1	Peak	19795.974	-23.18	-13	Pass	8000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.97	-13	Pass	401
0.15	30	0.01	Peak	0.26	-65.77	-13	Pass	2985
30	1000	0.1	Peak	601.27	-52.82	-13	Pass	9699
1000	1840	1	Peak	1803.957	-40.78	-13	Pass	840
1840	1925	1	Peak	1912.25	21.49	60	Pass	401
1925	3000	1	Peak	2847.858	-37.06	-13	Pass	1075
3000	12000	1	Peak	11047.982	-31.87	-13	Pass	9000
12000	20000	1	Peak	19967.996	-23.39	-13	Pass	8000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.86	-13	Pass	401
0.15	30	0.01	Peak	0.66	-64.5	-13	Pass	2985
30	1000	0.1	Peak	908.979	-52.21	-13	Pass	9699
1000	1840	1	Peak	1759.905	-41.61	-13	Pass	840
1840	1925	1	Peak	1912.25	22.83	60	Pass	401
1925	3000	1	Peak	2784.8	-37.2	-13	Pass	1075
3000	12000	1	Peak	10411.905	-31.73	-13	Pass	9000
12000	20000	1	Peak	19775.972	-23.53	-13	Pass	8000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.03	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.94	-13	Pass	2985
30	1000	0.1	Peak	997.597	-53.21	-13	Pass	9699
1000	1840	1	Peak	1622.741	-40.5	-13	Pass	840
1840	1925	1	Peak	1850.2	21.48	60	Pass	401
1925	3000	1	Peak	2653.678	-36.92	-13	Pass	1075
3000	12000	1	Peak	11705.636	-32.23	-13	Pass	9000
12000	20000	1	Peak	19773.972	-23.15	-13	Pass	8000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.15	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.08	-13	Pass	2985
30	1000	0.1	Peak	784.492	-53.47	-13	Pass	9699
1000	1840	1	Peak	1740.882	-41.13	-13	Pass	840
1840	1925	1	Peak	1850.413	22.12	60	Pass	401
1925	3000	1	Peak	2913.92	-36.61	-13	Pass	1075
3000	12000	1	Peak	11635.549	-31.46	-13	Pass	9000
12000	20000	1	Peak	19817.977	-23.93	-13	Pass	8000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.83	-13	Pass	401
0.15	30	0.01	Peak	2.541	-65.3	-13	Pass	2985
30	1000	0.1	Peak	987.784	-53.4	-13	Pass	9699
1000	1840	1	Peak	1652.777	-41.08	-13	Pass	840
1840	1925	1	Peak	1880.163	21.47	60	Pass	401
1925	3000	1	Peak	2767.784	-37.24	-13	Pass	1075
3000	12000	1	Peak	11503.385	-32.13	-13	Pass	9000
12000	20000	1	Peak	19809.976	-23.62	-13	Pass	8000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.51	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.77	-13	Pass	2985
30	1000	0.1	Peak	928.205	-53.24	-13	Pass	9699
1000	1840	1	Peak	1284.338	-41.45	-13	Pass	840
1840	1925	1	Peak	1880.375	22.48	60	Pass	401
1925	3000	1	Peak	2929.935	-36.36	-13	Pass	1075
3000	12000	1	Peak	11549.442	-31.89	-13	Pass	9000
12000	20000	1	Peak	19778.972	-23.17	-13	Pass	8000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.57	-13	Pass	401
0.15	30	0.01	Peak	1.18	-64.6	-13	Pass	2985
30	1000	0.1	Peak	660.277	-52.95	-13	Pass	9699
1000	1840	1	Peak	1811.967	-41.58	-13	Pass	840
1840	1925	1	Peak	1910.338	21.7	60	Pass	401
1925	3000	1	Peak	2889.898	-37.32	-13	Pass	1075
3000	12000	1	Peak	11561.457	-31.96	-13	Pass	9000
12000	20000	1	Peak	19820.978	-23.28	-13	Pass	8000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.3	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.8	-13	Pass	2985
30	1000	0.1	Peak	467.053	-52.02	-13	Pass	9699
1000	1840	1	Peak	1260.31	-41.2	-13	Pass	840
1840	1925	1	Peak	1910.338	22.65	60	Pass	401
1925	3000	1	Peak	2943.948	-36.5	-13	Pass	1075
3000	12000	1	Peak	11756.699	-31.59	-13	Pass	9000
12000	20000	1	Peak	19781.973	-23.82	-13	Pass	8000




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.85	-13	Pass	401
0.15	30	0.01	Peak	1.39	-64.94	-13	Pass	2985
30	1000	0.1	Peak	955.741	-52.55	-13	Pass	9699
1000	1840	1	Peak	1791.943	-41.33	-13	Pass	840
1840	1925	1	Peak	1850.625	21.36	60	Pass	401
1925	3000	1	Peak	2816.83	-37.39	-13	Pass	1075
3000	12000	1	Peak	11435.301	-31.88	-13	Pass	9000
12000	20000	1	Peak	19785.973	-23.54	-13	Pass	8000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.97	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.96	-13	Pass	2985
30	1000	0.1	Peak	900.768	-52.53	-13	Pass	9699
1000	1840	1	Peak	1741.883	-41.47	-13	Pass	840
1840	1925	1	Peak	1850.625	22.16	60	Pass	401
1925	3000	1	Peak	2895.903	-37.16	-13	Pass	1075
3000	12000	1	Peak	11862.83	-32.48	-13	Pass	9000
12000	20000	1	Peak	19791.974	-22.9	-13	Pass	8000




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.01	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.81	-13	Pass	2985
30	1000	0.1	Peak	933.312	-53.19	-13	Pass	9699
1000	1840	1	Peak	1815.971	-41.31	-13	Pass	840
1840	1925	1	Peak	1878.038	21.36	60	Pass	401
1925	3000	1	Peak	2761.778	-36.88	-13	Pass	1075
3000	12000	1	Peak	10636.932	-31.59	-13	Pass	9000
12000	20000	1	Peak	19821.978	-23.57	-13	Pass	8000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-67.95	-13	Pass	401
0.15	30	0.01	Peak	0.19	-65.2	-13	Pass	2985
30	1000	0.1	Peak	776.691	-52.01	-13	Pass	9699
1000	1840	1	Peak	1782.932	-40.41	-13	Pass	840
1840	1925	1	Peak	1878.038	26.4	60	Pass	401
1925	3000	1	Peak	2794.809	-35.52	-13	Pass	1075
3000	12000	1	Peak	11513.398	-31.9	-13	Pass	9000
12000	20000	1	Peak	19802.975	-23.8	-13	Pass	8000




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.19	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64	-13	Pass	2985
30	1000	0.1	Peak	863.219	-53.02	-13	Pass	9699
1000	1840	1	Peak	1309.368	-41.42	-13	Pass	840
1840	1925	1	Peak	1905.663	26.54	60	Pass	401
1925	3000	1	Peak	2934.939	-36.98	-13	Pass	1075
3000	12000	1	Peak	11748.689	-31.39	-13	Pass	9000
12000	20000	1	Peak	19785.973	-23.2	-13	Pass	8000




10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.73	-13	Pass	401
0.15	30	0.01	Peak	6.992	-63.5	-13	Pass	2985
30	1000	0.1	Peak	994.993	-52.9	-13	Pass	9699
1000	1840	1	Peak	1779.928	-41.39	-13	Pass	840
1840	1925	1	Peak	1905.45	26.5	60	Pass	401
1925	3000	1	Peak	2911.918	-37.35	-13	Pass	1075
3000	12000	1	Peak	11316.154	-32.01	-13	Pass	9000
12000	20000	1	Peak	19778.972	-22.85	-13	Pass	8000




**10.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.3	-13	Pass	401
0.15	30	0.01	Peak	0.27	-64.73	-13	Pass	2985
30	1000	0.1	Peak	505.858	-52.03	-13	Pass	9699
1000	1840	1	Peak	1837.998	-38.21	-13	Pass	840
1840	1925	1	Peak	1850.838	27.17	60	Pass	401
1925	3000	1	Peak	2953.957	-36.3	-13	Pass	1075
3000	12000	1	Peak	11065.985	-31.84	-13	Pass	9000
12000	20000	1	Peak	19787.973	-22.63	-13	Pass	8000




**10.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.23	-13	Pass	401
0.15	30	0.01	Peak	0.48	-64.52	-13	Pass	2985
30	1000	0.1	Peak	732.086	-52.3	-13	Pass	9699
1000	1840	1	Peak	1837.998	-37.34	-13	Pass	840
1840	1925	1	Peak	1850.838	27.19	60	Pass	401
1925	3000	1	Peak	2909.916	-36.84	-13	Pass	1075
3000	12000	1	Peak	7884.596	-31.65	-13	Pass	9000
12000	20000	1	Peak	19840.98	-23.49	-13	Pass	8000




**10.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.2	-13	Pass	401
0.15	30	0.01	Peak	0.35	-63.46	-13	Pass	2985
30	1000	0.1	Peak	363.241	-53.12	-13	Pass	9699
1000	1840	1	Peak	1460.548	-41.6	-13	Pass	840
1840	1925	1	Peak	1875.913	26.37	60	Pass	401
1925	3000	1	Peak	2864.874	-37.16	-13	Pass	1075
3000	12000	1	Peak	11577.477	-30.86	-13	Pass	9000
12000	20000	1	Peak	19767.971	-23.83	-13	Pass	8000




**10.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.29	-13	Pass	401
0.15	30	0.01	Peak	0.21	-63.3	-13	Pass	2985
30	1000	0.1	Peak	415.347	-52.84	-13	Pass	9699
1000	1840	1	Peak	1760.906	-40.48	-13	Pass	840
1840	1925	1	Peak	1875.913	26.39	60	Pass	401
1925	3000	1	Peak	2780.796	-36.78	-13	Pass	1075
3000	12000	1	Peak	11366.216	-31.96	-13	Pass	9000
12000	20000	1	Peak	19858.982	-23.73	-13	Pass	8000




**10.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.39	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.17	-13	Pass	2985
30	1000	0.1	Peak	738.687	-53.15	-13	Pass	9699
1000	1840	1	Peak	1792.944	-41.69	-13	Pass	840
1840	1925	1	Peak	1900.775	26.7	60	Pass	401
1925	3000	1	Peak	2849.86	-37.2	-13	Pass	1075
3000	12000	1	Peak	11121.991	-31.56	-13	Pass	9000
12000	20000	1	Peak	19803.975	-23.27	-13	Pass	8000




**10.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.17	-13	Pass	401
0.15	30	0.01	Peak	5.492	-64.78	-13	Pass	2985
30	1000	0.1	Peak	694.281	-52.91	-13	Pass	9699
1000	1840	1	Peak	1548.653	-41.3	-13	Pass	840
1840	1925	1	Peak	1900.988	26.73	60	Pass	401
1925	3000	1	Peak	2845.857	-36.65	-13	Pass	1075
3000	12000	1	Peak	11879.851	-31.41	-13	Pass	9000
12000	20000	1	Peak	19797.975	-23.51	-13	Pass	8000




**10.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.04	-13	Pass	401
0.15	30	0.01	Peak	7.312	-65.17	-13	Pass	2985
30	1000	0.1	Peak	702.582	-53.33	-13	Pass	9699
1000	1840	1	Peak	1840	-31.62	-13	Pass	840
1840	1925	1	Peak	1851.05	27.18	60	Pass	401
1925	3000	1	Peak	2923.929	-37.07	-13	Pass	1075
3000	12000	1	Peak	11601.507	-32.19	-13	Pass	9000
12000	20000	1	Peak	19806.976	-23.75	-13	Pass	8000




**10.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.58	-13	Pass	401
0.15	30	0.01	Peak	0.69	-64.16	-13	Pass	2985
30	1000	0.1	Peak	845.7	-52.66	-13	Pass	9699
1000	1840	1	Peak	1840	-37.21	-13	Pass	840
1840	1925	1	Peak	1851.05	27.08	60	Pass	401
1925	3000	1	Peak	2924.93	-37.05	-13	Pass	1075
3000	12000	1	Peak	11393.249	-31.87	-13	Pass	9000
12000	20000	1	Peak	19795.974	-23.57	-13	Pass	8000




**10.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.66	-13	Pass	401
0.15	30	0.01	Peak	0.32	-65.74	-13	Pass	2985
30	1000	0.1	Peak	895.461	-52.3	-13	Pass	9699
1000	1840	1	Peak	1833.993	-40.93	-13	Pass	840
1840	1925	1	Peak	1873.575	26.43	60	Pass	401
1925	3000	1	Peak	2814.828	-36.97	-13	Pass	1075
3000	12000	1	Peak	11873.844	-31.28	-13	Pass	9000
12000	20000	1	Peak	19804.976	-23.62	-13	Pass	8000




**10.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.92	-13	Pass	401
0.15	30	0.01	Peak	0.46	-64.99	-13	Pass	2985
30	1000	0.1	Peak	498.257	-52.72	-13	Pass	9699
1000	1840	1	Peak	1154.184	-41.5	-13	Pass	840
1840	1925	1	Peak	1873.575	26.44	60	Pass	401
1925	3000	1	Peak	2908.915	-36.32	-13	Pass	1075
3000	12000	1	Peak	6987.487	-31.87	-13	Pass	9000
12000	20000	1	Peak	19795.974	-23.36	-13	Pass	8000




**10.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.42	-13	Pass	401
0.15	30	0.01	Peak	0.2	-65.26	-13	Pass	2985
30	1000	0.1	Peak	790.293	-52.01	-13	Pass	9699
1000	1840	1	Peak	1813.969	-41.21	-13	Pass	840
1840	1925	1	Peak	1896.1	26.59	60	Pass	401
1925	3000	1	Peak	2841.853	-37.13	-13	Pass	1075
3000	12000	1	Peak	11827.787	-31.81	-13	Pass	9000
12000	20000	1	Peak	19821.978	-23.51	-13	Pass	8000



**10.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.45	-13	Pass	401
0.15	30	0.01	Peak	3.341	-64.44	-13	Pass	2985
30	1000	0.1	Peak	797.894	-52.85	-13	Pass	9699
1000	1840	1	Peak	1677.807	-40.86	-13	Pass	840
1840	1925	1	Peak	1896.1	26.7	60	Pass	401
1925	3000	1	Peak	2852.863	-36.61	-13	Pass	1075
3000	12000	1	Peak	11303.138	-30.91	-13	Pass	9000
12000	20000	1	Peak	19799.975	-23.49	-13	Pass	8000



11. LTE_Band26


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.7	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.67	-13	Pass	2985
30	805	0.1	Peak	374.945	-51.84	-13	Pass	7750
805	860	0.1	Peak	814.317	24.58	60	Pass	550
860	1000	0.1	Peak	961.072	-52.24	-13	Pass	1400
1000	3000	1	Peak	2764.882	-37.25	-13	Pass	2000
3000	10000	1	Peak	8118.731	-32.36	-13	Pass	7000




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-67.83	-13	Pass	401
0.15	30	0.01	Peak	0.68	-64.68	-13	Pass	2985
30	805	0.1	Peak	360.143	-52.4	-13	Pass	7750
805	860	0.1	Peak	814.217	25.34	60	Pass	550
860	1000	0.1	Peak	986.19	-52.03	-13	Pass	1400
1000	3000	1	Peak	2848.924	-38.05	-13	Pass	2000
3000	10000	1	Peak	7966.71	-32.52	-13	Pass	7000




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:26865, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.75	-13	Pass	401
0.15	30	0.01	Peak	18.846	-64.75	-13	Pass	2985
30	805	0.1	Peak	582.371	-52.39	-13	Pass	7750
805	860	0.1	Peak	831.047	24.64	60	Pass	550
860	1000	0.1	Peak	879.014	-52.31	-13	Pass	1400
1000	3000	1	Peak	2746.873	-37.67	-13	Pass	2000
3000	10000	1	Peak	7105.587	-32.16	-13	Pass	7000




11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:26865, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-69.18	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.72	-13	Pass	2985
30	805	0.1	Peak	728.49	-51.85	-13	Pass	7750
805	860	0.1	Peak	831.047	24.68	60	Pass	550
860	1000	0.1	Peak	862.102	-51.77	-13	Pass	1400
1000	3000	1	Peak	2904.952	-37.61	-13	Pass	2000
3000	10000	1	Peak	8817.831	-33.22	-13	Pass	7000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.07	-13	Pass	401
0.15	30	0.01	Peak	25.228	-64.48	-13	Pass	2985
30	805	0.1	Peak	723.389	-52.33	-13	Pass	7750
805	860	0.1	Peak	847.778	24.51	60	Pass	550
860	1000	0.1	Peak	884.818	-52.06	-13	Pass	1400
1000	3000	1	Peak	2890.945	-37.47	-13	Pass	2000
3000	10000	1	Peak	7966.71	-32.52	-13	Pass	7000




11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.6	-13	Pass	401
0.15	30	0.01	Peak	0.66	-65.25	-13	Pass	2985
30	805	0.1	Peak	488.959	-51.86	-13	Pass	7750
805	860	0.1	Peak	847.778	24.95	60	Pass	550
860	1000	0.1	Peak	895.325	-51.48	-13	Pass	1400
1000	3000	1	Peak	2841.921	-38.11	-13	Pass	2000
3000	10000	1	Peak	8813.831	-31.93	-13	Pass	7000




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.19	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.71	-13	Pass	2985
30	805	0.1	Peak	348.941	-52.21	-13	Pass	7750
805	860	0.1	Peak	814.217	24.55	60	Pass	550
860	1000	0.1	Peak	994.896	-52.12	-13	Pass	1400
1000	3000	1	Peak	2971.986	-37.61	-13	Pass	2000
3000	10000	1	Peak	7892.699	-32.7	-13	Pass	7000




11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.23	-13	Pass	401
0.15	30	0.01	Peak	0.29	-64.7	-13	Pass	2985
30	805	0.1	Peak	773.796	-51.65	-13	Pass	7750
805	860	0.1	Peak	814.217	25.34	60	Pass	550
860	1000	0.1	Peak	968.778	-51.88	-13	Pass	1400
1000	3000	1	Peak	2846.923	-37.76	-13	Pass	2000
3000	10000	1	Peak	7543.649	-32.6	-13	Pass	7000




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:26865, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.85	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.13	-13	Pass	2985
30	805	0.1	Peak	800.999	-52.45	-13	Pass	7750
805	860	0.1	Peak	830.246	24.48	60	Pass	550
860	1000	0.1	Peak	959.071	-52.2	-13	Pass	1400
1000	3000	1	Peak	2971.986	-37.92	-13	Pass	2000
3000	10000	1	Peak	8918.846	-32.78	-13	Pass	7000




11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:26865, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.6	-13	Pass	401
0.15	30	0.01	Peak	5.712	-63.71	-13	Pass	2985
30	805	0.1	Peak	398.248	-51.9	-13	Pass	7750
805	860	0.1	Peak	830.246	24.89	60	Pass	550
860	1000	0.1	Peak	872.409	-51.63	-13	Pass	1400
1000	3000	1	Peak	2927.964	-38.25	-13	Pass	2000
3000	10000	1	Peak	7995.714	-31.88	-13	Pass	7000




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.26	-13	Pass	401
0.15	30	0.01	Peak	24.478	-63.84	-13	Pass	2985
30	805	0.1	Peak	511.962	-51.81	-13	Pass	7750
805	860	0.1	Peak	846.275	24.76	60	Pass	550
860	1000	0.1	Peak	891.322	-51.98	-13	Pass	1400
1000	3000	1	Peak	2835.918	-37.75	-13	Pass	2000
3000	10000	1	Peak	6991.57	-32.68	-13	Pass	7000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-68.09	-13	Pass	401
0.15	30	0.01	Peak	1.43	-64.4	-13	Pass	2985
30	805	0.1	Peak	789.298	-52.37	-13	Pass	7750
805	860	0.1	Peak	846.275	25.2	60	Pass	550
860	1000	0.1	Peak	980.886	-51.79	-13	Pass	1400
1000	3000	1	Peak	2844.922	-38.3	-13	Pass	2000
3000	10000	1	Peak	9049.864	-32.79	-13	Pass	7000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-67.45	-13	Pass	401
0.15	30	0.01	Peak	1.12	-65.21	-13	Pass	2985
30	805	0.1	Peak	717.389	-52.3	-13	Pass	7750
805	860	0.1	Peak	814.317	24.73	60	Pass	550
860	1000	0.1	Peak	979.185	-52.21	-13	Pass	1400
1000	3000	1	Peak	2786.893	-37.89	-13	Pass	2000
3000	10000	1	Peak	8812.83	-33.03	-13	Pass	7000




11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.23	-13	Pass	401
0.15	30	0.01	Peak	6.752	-65.24	-13	Pass	2985
30	805	0.1	Peak	640.179	-52.45	-13	Pass	7750
805	860	0.1	Peak	814.317	25.28	60	Pass	550
860	1000	0.1	Peak	939.357	-52.37	-13	Pass	1400
1000	3000	1	Peak	2944.972	-37.13	-13	Pass	2000
3000	10000	1	Peak	7909.701	-32.73	-13	Pass	7000




11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:26865, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.55	-13	Pass	401
0.15	30	0.01	Peak	17.846	-64.49	-13	Pass	2985
30	805	0.1	Peak	479.658	-52.04	-13	Pass	7750
805	860	0.1	Peak	829.344	25.17	60	Pass	550
860	1000	0.1	Peak	939.257	-52.41	-13	Pass	1400
1000	3000	1	Peak	2929.965	-37.26	-13	Pass	2000
3000	10000	1	Peak	8766.824	-32.62	-13	Pass	7000




11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:26865, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.08	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.19	-13	Pass	2985
30	805	0.1	Peak	439.353	-51.9	-13	Pass	7750
805	860	0.1	Peak	829.344	24.86	60	Pass	550
860	1000	0.1	Peak	877.913	-52.26	-13	Pass	1400
1000	3000	1	Peak	2834.917	-37.31	-13	Pass	2000
3000	10000	1	Peak	8146.735	-31.62	-13	Pass	7000




11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.63	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.48	-13	Pass	2985
30	805	0.1	Peak	372.544	-52.16	-13	Pass	7750
805	860	0.1	Peak	844.271	24.92	60	Pass	550
860	1000	0.1	Peak	887.32	-52.42	-13	Pass	1400
1000	3000	1	Peak	2980.99	-37.89	-13	Pass	2000
3000	10000	1	Peak	8261.752	-32.53	-13	Pass	7000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.63	-13	Pass	401
0.15	30	0.01	Peak	0.24	-64.08	-13	Pass	2985
30	805	0.1	Peak	666.882	-52.03	-13	Pass	7750
805	860	0.1	Peak	844.372	24.8	60	Pass	550
860	1000	0.1	Peak	993.195	-52.38	-13	Pass	1400
1000	3000	1	Peak	2948.974	-37.49	-13	Pass	2000
3000	10000	1	Peak	7138.591	-32.93	-13	Pass	7000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.71	-13	Pass	401
0.15	30	0.01	Peak	28.019	-64.84	-13	Pass	2985
30	805	0.1	Peak	781.697	-51.91	-13	Pass	7750
805	860	0.1	Peak	814.617	25.15	60	Pass	550
860	1000	0.1	Peak	981.587	-51.97	-13	Pass	1400
1000	3000	1	Peak	2901.951	-38.24	-13	Pass	2000
3000	10000	1	Peak	9493.928	-32.65	-13	Pass	7000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-67.77	-13	Pass	401
0.15	30	0.01	Peak	18.166	-64.87	-13	Pass	2985
30	805	0.1	Peak	483.959	-52.04	-13	Pass	7750
805	860	0.1	Peak	814.517	25.32	60	Pass	550
860	1000	0.1	Peak	915.039	-52.01	-13	Pass	1400
1000	3000	1	Peak	2835.918	-37.14	-13	Pass	2000
3000	10000	1	Peak	8807.83	-32.71	-13	Pass	7000




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:26865, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-68.59	-13	Pass	401
0.15	30	0.01	Peak	0.19	-65.3	-13	Pass	2985
30	805	0.1	Peak	347.541	-52.2	-13	Pass	7750
805	860	0.1	Peak	827.04	24.87	60	Pass	550
860	1000	0.1	Peak	891.823	-51.69	-13	Pass	1400
1000	3000	1	Peak	2855.928	-38.22	-13	Pass	2000
3000	10000	1	Peak	7467.638	-32.29	-13	Pass	7000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26865, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.43	-13	Pass	401
0.15	30	0.01	Peak	18.536	-63.68	-13	Pass	2985
30	805	0.1	Peak	611.175	-51.93	-13	Pass	7750
805	860	0.1	Peak	827.14	25.19	60	Pass	550
860	1000	0.1	Peak	887.92	-52.34	-13	Pass	1400
1000	3000	1	Peak	2946.973	-37.45	-13	Pass	2000
3000	10000	1	Peak	7493.642	-33.01	-13	Pass	7000




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.73	-13	Pass	401
0.15	30	0.01	Peak	0.33	-64.32	-13	Pass	2985
30	805	0.1	Peak	363.043	-52.41	-13	Pass	7750
805	860	0.1	Peak	839.563	24.62	60	Pass	550
860	1000	0.1	Peak	996.598	-52.25	-13	Pass	1400
1000	3000	1	Peak	2913.957	-37.56	-13	Pass	2000
3000	10000	1	Peak	7718.674	-32.23	-13	Pass	7000




**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.74	-13	Pass	401
0.15	30	0.01	Peak	27.029	-65.05	-13	Pass	2985
30	805	0.1	Peak	766.895	-51.97	-13	Pass	7750
805	860	0.1	Peak	839.563	24.98	60	Pass	550
860	1000	0.1	Peak	966.376	-51.53	-13	Pass	1400
1000	3000	1	Peak	2941.971	-37.92	-13	Pass	2000
3000	10000	1	Peak	8033.719	-31.4	-13	Pass	7000




**11.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26765, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.07	-13	Pass	401
0.15	30	0.01	Peak	0.61	-65.37	-13	Pass	2985
30	805	0.1	Peak	483.358	-52.14	-13	Pass	7750
805	860	0.1	Peak	814.818	24.79	60	Pass	550
860	1000	0.1	Peak	996.598	-52.18	-13	Pass	1400
1000	3000	1	Peak	2862.931	-37.79	-13	Pass	2000
3000	10000	1	Peak	9749.964	-33.12	-13	Pass	7000




**11.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26765, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-68.14	-13	Pass	401
0.15	30	0.01	Peak	0.49	-65.47	-13	Pass	2985
30	805	0.1	Peak	752.993	-51.78	-13	Pass	7750
805	860	0.1	Peak	814.818	25.46	60	Pass	550
860	1000	0.1	Peak	896.026	-52.32	-13	Pass	1400
1000	3000	1	Peak	2890.945	-36.88	-13	Pass	2000
3000	10000	1	Peak	7698.671	-31.86	-13	Pass	7000




**11.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.79	-13	Pass	401
0.15	30	0.01	Peak	1.901	-63.92	-13	Pass	2985
30	805	0.1	Peak	714.888	-51.57	-13	Pass	7750
805	860	0.1	Peak	824.836	25.61	60	Pass	550
860	1000	0.1	Peak	898.227	-51.84	-13	Pass	1400
1000	3000	1	Peak	2951.976	-36.89	-13	Pass	2000
3000	10000	1	Peak	8010.716	-32.41	-13	Pass	7000




**11.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.41	-13	Pass	401
0.15	30	0.01	Peak	1.681	-62.67	-13	Pass	2985
30	805	0.1	Peak	452.054	-52.66	-13	Pass	7750
805	860	0.1	Peak	824.836	25.07	60	Pass	550
860	1000	0.1	Peak	900.529	-52.34	-13	Pass	1400
1000	3000	1	Peak	2825.913	-37.98	-13	Pass	2000
3000	10000	1	Peak	9999	-32.68	-13	Pass	7000




**11.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.95	-13	Pass	401
0.15	30	0.01	Peak	18.136	-64.92	-13	Pass	2985
30	805	0.1	Peak	650.48	-51.57	-13	Pass	7750
805	860	0.1	Peak	834.854	24.65	60	Pass	550
860	1000	0.1	Peak	882.016	-52.23	-13	Pass	1400
1000	3000	1	Peak	2851.926	-37.6	-13	Pass	2000
3000	10000	1	Peak	7855.694	-32.72	-13	Pass	7000



**11.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.33	-13	Pass	401
0.15	30	0.01	Peak	23.498	-64.76	-13	Pass	2985
30	805	0.1	Peak	657.881	-52.37	-13	Pass	7750
805	860	0.1	Peak	834.854	25.07	60	Pass	550
860	1000	0.1	Peak	938.856	-52.03	-13	Pass	1400
1000	3000	1	Peak	2761.881	-38.42	-13	Pass	2000
3000	10000	1	Peak	9288.898	-32.24	-13	Pass	7000



12. LTE_Band30


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:27685, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.65	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.06	-13	Pass	2985
30	1000	0.1	RMS	344.638	-62.28	-13	Pass	9699
1000	2295	1	RMS	2293.999	-51.68	-13	Pass	1295
2295	2325	1	RMS	2305.35	21.33	60	Pass	401
2325	3000	1	RMS	2852.782	-49.28	-13	Pass	675
3000	12000	1	RMS	11600.506	-43.32	-13	Pass	9000
12000	24000	1	RMS	23995.999	-30.72	-13	Pass	12000




12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:27685, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.44	-13	Pass	401
0.15	30	0.01	RMS	0.91	-72.82	-13	Pass	2985
30	1000	0.1	RMS	344.638	-63.14	-13	Pass	9699
1000	2295	1	RMS	2295	-51.64	-13	Pass	1295
2295	2325	1	RMS	2305.275	20.41	60	Pass	401
2325	3000	1	RMS	2848.776	-49.31	-13	Pass	675
3000	12000	1	RMS	11600.506	-43.26	-13	Pass	9000
12000	24000	1	RMS	23996.999	-30.68	-13	Pass	12000




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:27710, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.77	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.68	-13	Pass	2985
30	1000	0.1	RMS	913.585	-63.71	-13	Pass	9699
1000	2295	1	RMS	2287.995	-51.68	-13	Pass	1295
2295	2325	1	RMS	2307.825	16.31	60	Pass	401
2325	3000	1	RMS	2846.773	-49.33	-13	Pass	675
3000	12000	1	RMS	11997.998	-43.34	-13	Pass	9000
12000	24000	1	RMS	23995.999	-30.64	-13	Pass	12000




12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:27710, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.92	-13	Pass	2985
30	1000	0.1	RMS	876.536	-63.68	-13	Pass	9699
1000	2295	1	RMS	2287.995	-51.76	-13	Pass	1295
2295	2325	1	RMS	2307.825	16.63	60	Pass	401
2325	3000	1	RMS	2850.779	-49.3	-13	Pass	675
3000	12000	1	RMS	11596.501	-43.25	-13	Pass	9000
12000	24000	1	RMS	24000	-30.67	-13	Pass	12000




**12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:27735, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.16	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.67	-13	Pass	2985
30	1000	0.1	RMS	865.622	-63.66	-13	Pass	9699
1000	2295	1	RMS	2290.997	-51.45	-13	Pass	1295
2295	2325	1	RMS	2310.225	16.58	60	Pass	401
2325	3000	1	RMS	2851.78	-49.3	-13	Pass	675
3000	12000	1	RMS	11599.504	-43.28	-13	Pass	9000
12000	24000	1	RMS	23996.999	-30.66	-13	Pass	12000




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:27735, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.12	-13	Pass	401
0.15	30	0.01	RMS	0.26	-71.69	-13	Pass	2985
30	1000	0.1	RMS	868.726	-63.89	-13	Pass	9699
1000	2295	1	RMS	2290.997	-51.57	-13	Pass	1295
2295	2325	1	RMS	2310.3	16.71	60	Pass	401
2325	3000	1	RMS	2848.776	-49.36	-13	Pass	675
3000	12000	1	RMS	12000	-43.27	-13	Pass	9000
12000	24000	1	RMS	23993.998	-30.67	-13	Pass	12000




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.78	-13	Pass	2985
30	1000	0.1	RMS	975.768	-63.77	-13	Pass	9699
1000	2295	1	RMS	2295	-51.81	-13	Pass	1295
2295	2325	1	RMS	2305.5	16.43	60	Pass	401
2325	3000	1	RMS	2848.776	-49.29	-13	Pass	675
3000	12000	1	RMS	11599.504	-43.29	-13	Pass	9000
12000	24000	1	RMS	23997.999	-30.67	-13	Pass	12000



**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:27710, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.23	-13	Pass	2985
30	1000	0.1	RMS	873.132	-63.7	-13	Pass	9699
1000	2295	1	RMS	2295	-51.75	-13	Pass	1295
2295	2325	1	RMS	2305.575	16.6	60	Pass	401
2325	3000	1	RMS	2848.776	-49.35	-13	Pass	675
3000	12000	1	RMS	11598.503	-43.31	-13	Pass	9000
12000	24000	1	RMS	23989.997	-30.7	-13	Pass	12000



13. LTE_Band41 full


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.32	-25	Pass	691
0.15	30	0.01	RMS	22.918	-71.49	-25	Pass	2985
30	1000	0.1	RMS	936.093	-60.41	-25	Pass	9700
1000	2486	1	RMS	2486	-49.83	-25	Pass	1486
2486	2700	1	RMS	2496.235	10.64	60	Pass	691
2700	3000	1	RMS	2858.261	-47.66	-25	Pass	691
3000	12000	1	RMS	11775.975	-39.43	-25	Pass	9000
12000	28000	1	RMS	27841.99	-26.88	-25	Pass	16000




13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.22	-25	Pass	691
0.15	30	0.01	RMS	29.19	-71.03	-25	Pass	2985
30	1000	0.1	RMS	952.795	-60.45	-25	Pass	9700
1000	2486	1	RMS	2486	-49.88	-25	Pass	1486
2486	2700	1	RMS	2496.235	10.77	60	Pass	691
2700	3000	1	RMS	2856.522	-47.66	-25	Pass	691
3000	12000	1	RMS	11770.975	-39.36	-25	Pass	9000
12000	28000	1	RMS	27805.988	-26.9	-25	Pass	16000




13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.24	-25	Pass	691
0.15	30	0.01	RMS	23.208	-72.07	-25	Pass	2985
30	1000	0.1	RMS	926.792	-60.58	-25	Pass	9700
1000	2486	1	RMS	2482.998	-49.9	-25	Pass	1486
2486	2700	1	RMS	2590.829	11.15	60	Pass	691
2700	3000	1	RMS	2850.87	-47.67	-25	Pass	691
3000	12000	1	RMS	11398.933	-39.37	-25	Pass	9000
12000	28000	1	RMS	27811.988	-26.87	-25	Pass	16000




13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.62	-25	Pass	691
0.15	30	0.01	RMS	0.18	-71.93	-25	Pass	2985
30	1000	0.1	RMS	891.589	-60.5	-25	Pass	9700
1000	2486	1	RMS	2482.998	-49.84	-25	Pass	1486
2486	2700	1	RMS	2590.829	11.55	60	Pass	691
2700	3000	1	RMS	2850.435	-47.66	-25	Pass	691
3000	12000	1	RMS	11769.974	-39.4	-25	Pass	9000
12000	28000	1	RMS	27826.989	-26.89	-25	Pass	16000




13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.36	-25	Pass	691
0.15	30	0.01	RMS	24.378	-71.88	-25	Pass	2985
30	1000	0.1	RMS	893.389	-60.53	-25	Pass	9700
1000	2486	1	RMS	2483.999	-49.89	-25	Pass	1486
2486	2700	1	RMS	2685.423	11.88	60	Pass	691
2700	3000	1	RMS	2860	-47.64	-25	Pass	691
3000	12000	1	RMS	11397.933	-39.37	-25	Pass	9000
12000	28000	1	RMS	27806.988	-26.9	-25	Pass	16000




13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.39	-25	Pass	691
0.15	30	0.01	RMS	0.16	-71.57	-25	Pass	2985
30	1000	0.1	RMS	936.293	-60.55	-25	Pass	9700
1000	2486	1	RMS	2484.999	-49.85	-25	Pass	1486
2486	2700	1	RMS	2685.423	11.94	60	Pass	691
2700	3000	1	RMS	2855.217	-47.63	-25	Pass	691
3000	12000	1	RMS	11772.975	-39.33	-25	Pass	9000
12000	28000	1	RMS	27823.989	-26.89	-25	Pass	16000




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.54	-25	Pass	691
0.15	30	0.01	RMS	24.018	-71.88	-25	Pass	2985
30	1000	0.1	RMS	938.494	-60.52	-25	Pass	9700
1000	2486	1	RMS	2486	-49.8	-25	Pass	1486
2486	2700	1	RMS	2496.235	10.68	60	Pass	691
2700	3000	1	RMS	2954.783	-47.67	-25	Pass	691
3000	12000	1	RMS	11400.933	-39.38	-25	Pass	9000
12000	28000	1	RMS	27846.99	-26.86	-25	Pass	16000




13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.65	-25	Pass	691
0.15	30	0.01	RMS	0.15	-71.67	-25	Pass	2985
30	1000	0.1	RMS	906.69	-60.39	-25	Pass	9700
1000	2486	1	RMS	2486	-49.84	-25	Pass	1486
2486	2700	1	RMS	2496.545	10.85	60	Pass	691
2700	3000	1	RMS	2856.957	-47.68	-25	Pass	691
3000	12000	1	RMS	11395.933	-39.42	-25	Pass	9000
12000	28000	1	RMS	27819.989	-26.87	-25	Pass	16000




**13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.51	-25	Pass	691
0.15	30	0.01	RMS	28.039	-71.7	-25	Pass	2985
30	1000	0.1	RMS	987.599	-60.48	-25	Pass	9700
1000	2486	1	RMS	2486	-49.88	-25	Pass	1486
2486	2700	1	RMS	2588.658	10.98	60	Pass	691
2700	3000	1	RMS	2856.522	-47.65	-25	Pass	691
3000	12000	1	RMS	11776.975	-39.35	-25	Pass	9000
12000	28000	1	RMS	27806.988	-26.86	-25	Pass	16000




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.39	-25	Pass	691
0.15	30	0.01	RMS	28.059	-71.72	-25	Pass	2985
30	1000	0.1	RMS	890.289	-60.45	-25	Pass	9700
1000	2486	1	RMS	2486	-49.87	-25	Pass	1486
2486	2700	1	RMS	2588.658	10.92	60	Pass	691
2700	3000	1	RMS	2856.957	-47.65	-25	Pass	691
3000	12000	1	RMS	11766.974	-39.4	-25	Pass	9000
12000	28000	1	RMS	27850.991	-26.85	-25	Pass	16000




**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.44	-25	Pass	691
0.15	30	0.01	RMS	28.87	-71.68	-25	Pass	2985
30	1000	0.1	RMS	951.795	-60.33	-25	Pass	9700
1000	2486	1	RMS	2481.997	-49.87	-25	Pass	1486
2486	2700	1	RMS	2680.771	12.35	60	Pass	691
2700	3000	1	RMS	2852.609	-47.64	-25	Pass	691
3000	12000	1	RMS	11777.975	-39.36	-25	Pass	9000
12000	28000	1	RMS	27808.988	-26.85	-25	Pass	16000




**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.31	-25	Pass	691
0.15	30	0.01	RMS	22.417	-71.78	-25	Pass	2985
30	1000	0.1	RMS	911.891	-60.45	-25	Pass	9700
1000	2486	1	RMS	2473.992	-49.88	-25	Pass	1486
2486	2700	1	RMS	2680.771	12.18	60	Pass	691
2700	3000	1	RMS	2852.174	-47.64	-25	Pass	691
3000	12000	1	RMS	11769.974	-39.34	-25	Pass	9000
12000	28000	1	RMS	27811.988	-26.87	-25	Pass	16000




**13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.36	-25	Pass	691
0.15	30	0.01	RMS	0.16	-71.17	-25	Pass	2985
30	1000	0.1	RMS	893.389	-60.59	-25	Pass	9700
1000	2486	1	RMS	2483.999	-48.8	-25	Pass	1486
2486	2700	1	RMS	2496.855	10.48	60	Pass	691
2700	3000	1	RMS	2855.652	-47.65	-25	Pass	691
3000	12000	1	RMS	11398.933	-39.34	-25	Pass	9000
12000	28000	1	RMS	27806.988	-26.87	-25	Pass	16000




**13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.34	-25	Pass	691
0.15	30	0.01	RMS	29.46	-71.59	-25	Pass	2985
30	1000	0.1	RMS	866.986	-60.3	-25	Pass	9700
1000	2486	1	RMS	2483.999	-48.68	-25	Pass	1486
2486	2700	1	RMS	2496.545	10.88	60	Pass	691
2700	3000	1	RMS	2851.739	-47.65	-25	Pass	691
3000	12000	1	RMS	11777.975	-39.38	-25	Pass	9000
12000	28000	1	RMS	27804.988	-26.84	-25	Pass	16000




**13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.4	-25	Pass	691
0.15	30	0.01	RMS	0.27	-71.5	-25	Pass	2985
30	1000	0.1	RMS	904.99	-60.54	-25	Pass	9700
1000	2486	1	RMS	2478.995	-49.89	-25	Pass	1486
2486	2700	1	RMS	2586.177	10.85	60	Pass	691
2700	3000	1	RMS	2852.174	-47.63	-25	Pass	691
3000	12000	1	RMS	11778.975	-39.35	-25	Pass	9000
12000	28000	1	RMS	27809.988	-26.84	-25	Pass	16000




**13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.32	-25	Pass	691
0.15	30	0.01	RMS	0.31	-71.87	-25	Pass	2985
30	1000	0.1	RMS	944.194	-60.55	-25	Pass	9700
1000	2486	1	RMS	2486	-49.87	-25	Pass	1486
2486	2700	1	RMS	2586.487	10.62	60	Pass	691
2700	3000	1	RMS	2860.435	-47.62	-25	Pass	691
3000	12000	1	RMS	11398.933	-39.35	-25	Pass	9000
12000	28000	1	RMS	27820.989	-26.84	-25	Pass	16000




**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.43	-25	Pass	691
0.15	30	0.01	RMS	0.2	-71.6	-25	Pass	2985
30	1000	0.1	RMS	987.199	-60.55	-25	Pass	9700
1000	2486	1	RMS	2480.997	-49.89	-25	Pass	1486
2486	2700	1	RMS	2675.809	11.41	60	Pass	691
2700	3000	1	RMS	2857.391	-47.64	-25	Pass	691
3000	12000	1	RMS	11769.974	-39.33	-25	Pass	9000
12000	28000	1	RMS	27822.989	-26.84	-25	Pass	16000




**13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.33	-25	Pass	691
0.15	30	0.01	RMS	22.548	-71.74	-25	Pass	2985
30	1000	0.1	RMS	936.994	-60.5	-25	Pass	9700
1000	2486	1	RMS	2477.995	-49.88	-25	Pass	1486
2486	2700	1	RMS	2676.119	11.68	60	Pass	691
2700	3000	1	RMS	2857.826	-47.65	-25	Pass	691
3000	12000	1	RMS	11768.974	-39.38	-25	Pass	9000
12000	28000	1	RMS	27842.99	-26.83	-25	Pass	16000




**13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.54	-25	Pass	691
0.15	30	0.01	RMS	0.18	-71.39	-25	Pass	2985
30	1000	0.1	RMS	934.093	-60.33	-25	Pass	9700
1000	2486	1	RMS	2486	-49.57	-25	Pass	1486
2486	2700	1	RMS	2496.855	10.64	60	Pass	691
2700	3000	1	RMS	2859.13	-47.62	-25	Pass	691
3000	12000	1	RMS	11770.975	-39.33	-25	Pass	9000
12000	28000	1	RMS	27798.987	-26.85	-25	Pass	16000




**13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.45	-25	Pass	691
0.15	30	0.01	RMS	28.82	-71.03	-25	Pass	2985
30	1000	0.1	RMS	849.484	-60.6	-25	Pass	9700
1000	2486	1	RMS	2486	-49.24	-25	Pass	1486
2486	2700	1	RMS	2496.855	11.02	60	Pass	691
2700	3000	1	RMS	2849.565	-47.61	-25	Pass	691
3000	12000	1	RMS	11399.933	-39.33	-25	Pass	9000
12000	28000	1	RMS	27840.99	-26.84	-25	Pass	16000




**13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.36	-25	Pass	691
0.15	30	0.01	RMS	25.008	-70.8	-25	Pass	2985
30	1000	0.1	RMS	922.392	-60.21	-25	Pass	9700
1000	2486	1	RMS	2484.999	-49.89	-25	Pass	1486
2486	2700	1	RMS	2584.006	10.79	60	Pass	691
2700	3000	1	RMS	2856.522	-47.61	-25	Pass	691
3000	12000	1	RMS	11778.975	-39.36	-25	Pass	9000
12000	28000	1	RMS	27838.99	-26.79	-25	Pass	16000




**13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.19	-25	Pass	691
0.15	30	0.01	RMS	28.61	-71.39	-25	Pass	2985
30	1000	0.1	RMS	924.292	-60.56	-25	Pass	9700
1000	2486	1	RMS	2483.999	-49.84	-25	Pass	1486
2486	2700	1	RMS	2584.006	11.09	60	Pass	691
2700	3000	1	RMS	2859.565	-47.63	-25	Pass	691
3000	12000	1	RMS	11786.976	-39.38	-25	Pass	9000
12000	28000	1	RMS	27852.991	-26.83	-25	Pass	16000




**13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.5	-25	Pass	691
0.15	30	0.01	RMS	0.29	-71.73	-25	Pass	2985
30	1000	0.1	RMS	923.392	-60.57	-25	Pass	9700
1000	2486	1	RMS	2478.995	-49.84	-25	Pass	1486
2486	2700	1	RMS	2671.157	11.81	60	Pass	691
2700	3000	1	RMS	2855.217	-47.65	-25	Pass	691
3000	12000	1	RMS	11772.975	-39.35	-25	Pass	9000
12000	28000	1	RMS	27839.99	-26.8	-25	Pass	16000



**13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.34	-25	Pass	691
0.15	30	0.01	RMS	29.28	-71.93	-25	Pass	2985
30	1000	0.1	RMS	914.691	-60.62	-25	Pass	9700
1000	2486	1	RMS	2483.999	-49.84	-25	Pass	1486
2486	2700	1	RMS	2671.157	11.65	60	Pass	691
2700	3000	1	RMS	2852.174	-47.62	-25	Pass	691
3000	12000	1	RMS	11776.975	-39.37	-25	Pass	9000
12000	28000	1	RMS	27821.989	-26.83	-25	Pass	16000



END