

Appendix A

7.1 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant0	35.24	4.53	0.73
NVNT	a	5180	Ant1	35.23	4.53	0.73
NVNT	a	5200	Ant0	35.24	4.53	0.73
NVNT	a	5200	Ant1	35.23	4.53	0.73
NVNT	a	5240	Ant0	35.26	4.53	0.73
NVNT	a	5240	Ant1	35.26	4.53	0.73
NVNT	a	5260	Ant0	35.26	4.53	0.73
NVNT	a	5260	Ant1	35.23	4.53	0.73
NVNT	a	5300	Ant0	35.24	4.53	0.73
NVNT	a	5300	Ant1	35.24	4.53	0.73
NVNT	a	5320	Ant0	35.24	4.53	0.73
NVNT	a	5320	Ant1	35.26	4.53	0.73
NVNT	a	5500	Ant0	35.26	4.53	0.73
NVNT	a	5500	Ant1	35.24	4.53	0.73
NVNT	a	5600	Ant0	35.26	4.53	0.73
NVNT	a	5600	Ant1	35.24	4.53	0.73
NVNT	a	5700	Ant0	35.23	4.53	0.73
NVNT	a	5700	Ant1	35.24	4.53	0.73
NVNT	a	5745	Ant0	35.21	4.53	0.74
NVNT	a	5745	Ant1	35.24	4.53	0.73
NVNT	a	5785	Ant0	35.24	4.53	0.73
NVNT	a	5785	Ant1	35.23	4.53	0.73
NVNT	a	5825	Ant0	35.24	4.53	0.73
NVNT	a	5825	Ant1	35.21	4.53	0.74
NVNT	n20	5180	Ant0	31.5	5.02	0.87
NVNT	n20	5180	Ant1	31.5	5.02	0.87
NVNT	n20	5200	Ant0	31.48	5.02	0.87
NVNT	n20	5200	Ant1	31.47	5.02	0.87
NVNT	n20	5240	Ant0	31.5	5.02	0.87
NVNT	n20	5240	Ant1	31.5	5.02	0.87
NVNT	n20	5260	Ant0	31.47	5.02	0.87
NVNT	n20	5260	Ant1	31.47	5.02	0.87
NVNT	n20	5300	Ant0	31.47	5.02	0.87



NVNT	n20	5300	Ant1	31.47	5.02	0.87
NVNT	n20	5320	Ant0	31.47	5.02	0.87
NVNT	n20	5320	Ant1	31.47	5.02	0.87
NVNT	n20	5500	Ant0	31.47	5.02	0.87
NVNT	n20	5500	Ant1	31.5	5.02	0.87
NVNT	n20	5600	Ant0	31.5	5.02	0.87
NVNT	n20	5600	Ant1	31.47	5.02	0.87
NVNT	n20	5700	Ant0	31.48	5.02	0.87
NVNT	n20	5700	Ant1	31.47	5.02	0.87
NVNT	n20	5745	Ant0	31.47	5.02	0.87
NVNT	n20	5745	Ant1	31.47	5.02	0.87
NVNT	n20	5785	Ant0	31.47	5.02	0.87
NVNT	n20	5785	Ant1	31.47	5.02	0.87
NVNT	n20	5825	Ant0	31.47	5.02	0.87
NVNT	n20	5825	Ant1	31.47	5.02	0.87
NVNT	n40	5190	Ant0	18.67	7.29	1.74
NVNT	n40	5190	Ant1	18.67	7.29	1.74
NVNT	n40	5230	Ant0	18.63	7.3	1.75
NVNT	n40	5230	Ant1	18.05	7.44	1.8
NVNT	n40	5270	Ant0	18.62	7.3	1.75
NVNT	n40	5270	Ant1	18.67	7.29	1.74
NVNT	n40	5310	Ant0	18.67	7.29	1.74
NVNT	n40	5310	Ant1	18.64	7.3	1.75
NVNT	n40	5510	Ant0	18.67	7.29	1.74
NVNT	n40	5510	Ant1	18.67	7.29	1.74
NVNT	n40	5590	Ant0	18.63	7.3	1.75
NVNT	n40	5590	Ant1	18.67	7.29	1.74
NVNT	n40	5670	Ant0	18.7	7.28	1.74
NVNT	n40	5670	Ant1	18.67	7.29	1.74
NVNT	n40	5755	Ant0	18.7	7.28	1.74
NVNT	n40	5755	Ant1	18.61	7.3	1.75
NVNT	n40	5795	Ant0	18.7	7.28	1.74
NVNT	n40	5795	Ant1	18.54	7.32	1.75
NVNT	ac20	5180	Ant0	31.57	5.01	0.87
NVNT	ac20	5180	Ant1	31.57	5.01	0.87
NVNT	ac20	5200	Ant0	31.57	5.01	0.87
NVNT	ac20	5200	Ant1	31.57	5.01	0.87
NVNT	ac20	5240	Ant0	31.57	5.01	0.87
NVNT	ac20	5240	Ant1	31.55	5.01	0.87
NVNT	ac20	5260	Ant0	31.57	5.01	0.87
NVNT	ac20	5260	Ant1	31.57	5.01	0.87



NVNT	ac20	5300	Ant0	31.57	5.01	0.87
NVNT	ac20	5300	Ant1	31.55	5.01	0.87
NVNT	ac20	5320	Ant0	31.55	5.01	0.87
NVNT	ac20	5320	Ant1	31.55	5.01	0.87
NVNT	ac20	5500	Ant0	31.55	5.01	0.87
NVNT	ac20	5500	Ant1	31.55	5.01	0.87
NVNT	ac20	5600	Ant0	31.57	5.01	0.87
NVNT	ac20	5600	Ant1	31.55	5.01	0.87
NVNT	ac20	5700	Ant0	31.55	5.01	0.87
NVNT	ac20	5700	Ant1	31.55	5.01	0.87
NVNT	ac20	5745	Ant0	31.55	5.01	0.87
NVNT	ac20	5745	Ant1	31.55	5.01	0.87
NVNT	ac20	5785	Ant0	31.55	5.01	0.87
NVNT	ac20	5785	Ant1	31.55	5.01	0.87
NVNT	ac20	5825	Ant0	31.55	5.01	0.87
NVNT	ac20	5825	Ant1	31.57	5.01	0.87
NVNT	ac40	5190	Ant0	18.77	7.27	1.73
NVNT	ac40	5190	Ant1	18.83	7.25	1.72
NVNT	ac40	5230	Ant0	18.77	7.27	1.73
NVNT	ac40	5230	Ant1	18.74	7.27	1.73
NVNT	ac40	5270	Ant0	18.74	7.27	1.73
NVNT	ac40	5270	Ant1	18.67	7.29	1.74
NVNT	ac40	5310	Ant0	18.77	7.27	1.73
NVNT	ac40	5310	Ant1	18.77	7.27	1.73
NVNT	ac40	5510	Ant0	18.77	7.27	1.73
NVNT	ac40	5510	Ant1	18.77	7.27	1.73
NVNT	ac40	5590	Ant0	18.77	7.27	1.73
NVNT	ac40	5590	Ant1	18.77	7.27	1.73
NVNT	ac40	5670	Ant0	18.77	7.27	1.73
NVNT	ac40	5670	Ant1	18.77	7.27	1.73
NVNT	ac40	5755	Ant0	18.83	7.25	1.72
NVNT	ac40	5755	Ant1	18.83	7.25	1.72
NVNT	ac40	5795	Ant0	18.73	7.27	1.74
NVNT	ac40	5795	Ant1	18.83	7.25	1.72
NVNT	ac80	5210	Ant0	10.32	9.86	3.47
NVNT	ac80	5210	Ant1	10.39	9.83	3.45
NVNT	ac80	5290	Ant0	10.39	9.83	3.45
NVNT	ac80	5290	Ant1	10.39	9.83	3.45
NVNT	ac80	5530	Ant0	10.39	9.83	3.45
NVNT	ac80	5530	Ant1	10.39	9.83	3.45
NVNT	ac80	5610	Ant0	10.46	9.8	3.42



NVNT	ac80	5610	Ant1	10.39	9.83	3.45
NVNT	ac80	5775	Ant0	10.39	9.83	3.45
NVNT	ac80	5775	Ant1	10.39	9.83	3.45
NVNT	ax20	5180	Ant0	28.3	5.48	1.01
NVNT	ax20	5180	Ant1	28.32	5.48	1.01
NVNT	ax20	5200	Ant0	28.32	5.48	1.01
NVNT	ax20	5200	Ant1	28.32	5.48	1.01
NVNT	ax20	5240	Ant0	28.3	5.48	1.01
NVNT	ax20	5240	Ant1	28.32	5.48	1.01
NVNT	ax20	5260	Ant0	28.3	5.48	1.01
NVNT	ax20	5260	Ant1	28.32	5.48	1.01
NVNT	ax20	5300	Ant0	28.32	5.48	1.01
NVNT	ax20	5300	Ant1	28.32	5.48	1.01
NVNT	ax20	5320	Ant0	28.32	5.48	1.01
NVNT	ax20	5320	Ant1	28.29	5.48	1.01
NVNT	ax20	5500	Ant0	28.32	5.48	1.01
NVNT	ax20	5500	Ant1	28.32	5.48	1.01
NVNT	ax20	5600	Ant0	28.32	5.48	1.01
NVNT	ax20	5600	Ant1	28.32	5.48	1.01
NVNT	ax20	5700	Ant0	28.29	5.48	1.01
NVNT	ax20	5700	Ant1	28.29	5.48	1.01
NVNT	ax20	5745	Ant0	28.3	5.48	1.01
NVNT	ax20	5745	Ant1	28.29	5.48	1.01
NVNT	ax20	5785	Ant0	28.29	5.48	1.01
NVNT	ax20	5785	Ant1	28.29	5.48	1.01
NVNT	ax20	5825	Ant0	28.29	5.48	1.01
NVNT	ax20	5825	Ant1	28.29	5.48	1.01
NVNT	ax40	5190	Ant0	18.54	7.32	1.75
NVNT	ax40	5190	Ant1	18.62	7.3	1.75
NVNT	ax40	5230	Ant0	18.7	7.28	1.74
NVNT	ax40	5230	Ant1	18.73	7.27	1.74
NVNT	ax40	5270	Ant0	18.67	7.29	1.74
NVNT	ax40	5270	Ant1	18.73	7.27	1.74
NVNT	ax40	5310	Ant0	18.67	7.29	1.74
NVNT	ax40	5310	Ant1	18.73	7.27	1.74
NVNT	ax40	5510	Ant0	17.27	7.63	1.92
NVNT	ax40	5510	Ant1	18.62	7.3	1.75
NVNT	ax40	5590	Ant0	17.24	7.63	1.92
NVNT	ax40	5590	Ant1	18.6	7.3	1.75
NVNT	ax40	5670	Ant0	17.24	7.63	1.92
NVNT	ax40	5670	Ant1	18.6	7.3	1.75



NVNT	ax40	5755	Ant0	17.22	7.64	1.92
NVNT	ax40	5755	Ant1	18.6	7.3	1.75
NVNT	ax40	5795	Ant0	17.2	7.64	1.92
NVNT	ax40	5795	Ant1	18.73	7.27	1.74
NVNT	ax80	5210	Ant0	10.07	9.97	3.57
NVNT	ax80	5210	Ant1	10.14	9.94	3.55
NVNT	ax80	5290	Ant0	10.07	9.97	3.57
NVNT	ax80	5290	Ant1	10.07	9.97	3.57
NVNT	ax80	5530	Ant0	10.07	9.97	3.57
NVNT	ax80	5530	Ant1	10.07	9.97	3.57
NVNT	ax80	5610	Ant0	10.05	9.98	3.57
NVNT	ax80	5610	Ant1	10.07	9.97	3.57
NVNT	ax80	5775	Ant0	10.07	9.97	3.57
NVNT	ax80	5775	Ant1	10.05	9.98	3.57

7.2 6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant0	16.026	0.5	Pass
NVNT	a	5745	Ant1	16.266	0.5	Pass
NVNT	a	5785	Ant0	16.311	0.5	Pass
NVNT	a	5785	Ant1	16.044	0.5	Pass
NVNT	a	5825	Ant0	16.011	0.5	Pass
NVNT	a	5825	Ant1	16.038	0.5	Pass
NVNT	n20	5745	Ant0	17.109	0.5	Pass
NVNT	n20	5745	Ant1	16.932	0.5	Pass
NVNT	n20	5785	Ant0	16.944	0.5	Pass
NVNT	n20	5785	Ant1	17.232	0.5	Pass
NVNT	n20	5825	Ant0	16.419	0.5	Pass
NVNT	n20	5825	Ant1	16.584	0.5	Pass
NVNT	n40	5755	Ant0	35.91	0.5	Pass
NVNT	n40	5755	Ant1	35.442	0.5	Pass
NVNT	n40	5795	Ant0	35.454	0.5	Pass
NVNT	n40	5795	Ant1	35.598	0.5	Pass
NVNT	ac20	5745	Ant0	16.818	0.5	Pass
NVNT	ac20	5745	Ant1	17.385	0.5	Pass
NVNT	ac20	5785	Ant0	16.665	0.5	Pass
NVNT	ac20	5785	Ant1	17.088	0.5	Pass
NVNT	ac20	5825	Ant0	16.935	0.5	Pass
NVNT	ac20	5825	Ant1	16.905	0.5	Pass
NVNT	ac40	5755	Ant0	33.828	0.5	Pass
NVNT	ac40	5755	Ant1	35.484	0.5	Pass
NVNT	ac40	5795	Ant0	35.742	0.5	Pass
NVNT	ac40	5795	Ant1	35.568	0.5	Pass
NVNT	ac80	5775	Ant0	75.78	0.5	Pass
NVNT	ac80	5775	Ant1	76.32	0.5	Pass
NVNT	ax20	5745	Ant0	18.66	0.5	Pass
NVNT	ax20	5745	Ant1	18.105	0.5	Pass
NVNT	ax20	5785	Ant0	18.468	0.5	Pass
NVNT	ax20	5785	Ant1	18.069	0.5	Pass
NVNT	ax20	5825	Ant0	17.889	0.5	Pass
NVNT	ax20	5825	Ant1	17.457	0.5	Pass
NVNT	ax40	5755	Ant0	36.174	0.5	Pass
NVNT	ax40	5755	Ant1	35.586	0.5	Pass
NVNT	ax40	5795	Ant0	35.568	0.5	Pass
NVNT	ax40	5795	Ant1	35.904	0.5	Pass




REPORT NO.: E01A23040641F00101
Page 7 of 525


NVNT	ax80	5775	Ant0	76.98	0.5	Pass
NVNT	ax80	5775	Ant1	77.232	0.5	Pass



Test Graphs



-6dB Bandwidth NVNT a 5745MHz Ant0







-6dB Bandwidth NVNT a 5745MHz Ant1







































































26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant0	24.258	0.5	Pass
NVNT	a	5180	Ant1	24.489	0.5	Pass
NVNT	a	5200	Ant0	23.229	0.5	Pass
NVNT	a	5200	Ant1	18.588	0.5	Pass
NVNT	a	5240	Ant0	23.19	0.5	Pass
NVNT	a	5240	Ant1	18.618	0.5	Pass
NVNT	a	5260	Ant0	18.537	0.5	Pass
NVNT	a	5260	Ant1	25.935	0.5	Pass
NVNT	a	5300	Ant0	18.606	0.5	Pass
NVNT	a	5300	Ant1	18.546	0.5	Pass
NVNT	a	5320	Ant0	18.645	0.5	Pass
NVNT	a	5320	Ant1	25.842	0.5	Pass
NVNT	a	5500	Ant0	23.514	0.5	Pass
NVNT	a	5500	Ant1	18.558	0.5	Pass
NVNT	a	5600	Ant0	18.684	0.5	Pass
NVNT	a	5600	Ant1	18.651	0.5	Pass
NVNT	a	5700	Ant0	18.696	0.5	Pass
NVNT	a	5700	Ant1	18.6	0.5	Pass
NVNT	n20	5180	Ant0	27.327	0.5	Pass
NVNT	n20	5180	Ant1	20.892	0.5	Pass
NVNT	n20	5200	Ant0	19.536	0.5	Pass
NVNT	n20	5200	Ant1	25.398	0.5	Pass
NVNT	n20	5240	Ant0	19.641	0.5	Pass
NVNT	n20	5240	Ant1	25.641	0.5	Pass
NVNT	n20	5260	Ant0	21.012	0.5	Pass
NVNT	n20	5260	Ant1	25.746	0.5	Pass
NVNT	n20	5300	Ant0	21.132	0.5	Pass
NVNT	n20	5300	Ant1	26.361	0.5	Pass
NVNT	n20	5320	Ant0	20.907	0.5	Pass
NVNT	n20	5320	Ant1	25.89	0.5	Pass
NVNT	n20	5500	Ant0	19.53	0.5	Pass
NVNT	n20	5500	Ant1	26.028	0.5	Pass
NVNT	n20	5600	Ant0	19.716	0.5	Pass
NVNT	n20	5600	Ant1	21.066	0.5	Pass
NVNT	n20	5700	Ant0	19.653	0.5	Pass
NVNT	n20	5700	Ant1	21.081	0.5	Pass
NVNT	n40	5190	Ant0	53.028	0.5	Pass
NVNT	n40	5190	Ant1	41.652	0.5	Pass



NVNT	n40	5230	Ant0	41.988	0.5	Pass
NVNT	n40	5230	Ant1	41.61	0.5	Pass
NVNT	n40	5270	Ant0	42.894	0.5	Pass
NVNT	n40	5270	Ant1	41.964	0.5	Pass
NVNT	n40	5310	Ant0	44.652	0.5	Pass
NVNT	n40	5310	Ant1	41.958	0.5	Pass
NVNT	n40	5510	Ant0	41.838	0.5	Pass
NVNT	n40	5510	Ant1	41.85	0.5	Pass
NVNT	n40	5590	Ant0	41.856	0.5	Pass
NVNT	n40	5590	Ant1	41.73	0.5	Pass
NVNT	n40	5670	Ant0	42.06	0.5	Pass
NVNT	n40	5670	Ant1	42.078	0.5	Pass
NVNT	ac20	5180	Ant0	28.431	0.5	Pass
NVNT	ac20	5180	Ant1	25.962	0.5	Pass
NVNT	ac20	5200	Ant0	21.069	0.5	Pass
NVNT	ac20	5200	Ant1	19.644	0.5	Pass
NVNT	ac20	5240	Ant0	21.039	0.5	Pass
NVNT	ac20	5240	Ant1	19.686	0.5	Pass
NVNT	ac20	5260	Ant0	21.087	0.5	Pass
NVNT	ac20	5260	Ant1	26.04	0.5	Pass
NVNT	ac20	5300	Ant0	21.12	0.5	Pass
NVNT	ac20	5300	Ant1	28.635	0.5	Pass
NVNT	ac20	5320	Ant0	20.868	0.5	Pass
NVNT	ac20	5320	Ant1	28.329	0.5	Pass
NVNT	ac20	5500	Ant0	19.614	0.5	Pass
NVNT	ac20	5500	Ant1	25.599	0.5	Pass
NVNT	ac20	5600	Ant0	19.524	0.5	Pass
NVNT	ac20	5600	Ant1	19.809	0.5	Pass
NVNT	ac20	5700	Ant0	19.641	0.5	Pass
NVNT	ac20	5700	Ant1	19.671	0.5	Pass
NVNT	ac40	5190	Ant0	42.93	0.5	Pass
NVNT	ac40	5190	Ant1	42.882	0.5	Pass
NVNT	ac40	5230	Ant0	43.11	0.5	Pass
NVNT	ac40	5230	Ant1	42.138	0.5	Pass
NVNT	ac40	5270	Ant0	42.942	0.5	Pass
NVNT	ac40	5270	Ant1	42.948	0.5	Pass
NVNT	ac40	5310	Ant0	42.498	0.5	Pass
NVNT	ac40	5310	Ant1	43.044	0.5	Pass
NVNT	ac40	5510	Ant0	44.736	0.5	Pass
NVNT	ac40	5510	Ant1	42.684	0.5	Pass
NVNT	ac40	5590	Ant0	43.152	0.5	Pass



NVNT	ac40	5590	Ant1	43.26	0.5	Pass
NVNT	ac40	5670	Ant0	42.948	0.5	Pass
NVNT	ac40	5670	Ant1	42.786	0.5	Pass
NVNT	ac80	5210	Ant0	83.232	0.5	Pass
NVNT	ac80	5210	Ant1	83.172	0.5	Pass
NVNT	ac80	5290	Ant0	83.604	0.5	Pass
NVNT	ac80	5290	Ant1	82.776	0.5	Pass
NVNT	ac80	5530	Ant0	83.544	0.5	Pass
NVNT	ac80	5530	Ant1	85.5	0.5	Pass
NVNT	ac80	5610	Ant0	83.292	0.5	Pass
NVNT	ac80	5610	Ant1	83.868	0.5	Pass
NVNT	ax20	5180	Ant0	20.607	0.5	Pass
NVNT	ax20	5180	Ant1	20.433	0.5	Pass
NVNT	ax20	5200	Ant0	20.703	0.5	Pass
NVNT	ax20	5200	Ant1	20.472	0.5	Pass
NVNT	ax20	5240	Ant0	20.493	0.5	Pass
NVNT	ax20	5240	Ant1	20.667	0.5	Pass
NVNT	ax20	5260	Ant0	20.526	0.5	Pass
NVNT	ax20	5260	Ant1	20.562	0.5	Pass
NVNT	ax20	5300	Ant0	20.61	0.5	Pass
NVNT	ax20	5300	Ant1	20.535	0.5	Pass
NVNT	ax20	5320	Ant0	20.535	0.5	Pass
NVNT	ax20	5320	Ant1	20.559	0.5	Pass
NVNT	ax20	5500	Ant0	20.55	0.5	Pass
NVNT	ax20	5500	Ant1	20.523	0.5	Pass
NVNT	ax20	5600	Ant0	20.523	0.5	Pass
NVNT	ax20	5600	Ant1	20.538	0.5	Pass
NVNT	ax20	5700	Ant0	20.535	0.5	Pass
NVNT	ax20	5700	Ant1	20.547	0.5	Pass
NVNT	ax40	5190	Ant0	57.834	0.5	Pass
NVNT	ax40	5190	Ant1	43.188	0.5	Pass
NVNT	ax40	5230	Ant0	42.816	0.5	Pass
NVNT	ax40	5230	Ant1	42.786	0.5	Pass
NVNT	ax40	5270	Ant0	42.816	0.5	Pass
NVNT	ax40	5270	Ant1	43.05	0.5	Pass
NVNT	ax40	5310	Ant0	42.954	0.5	Pass
NVNT	ax40	5310	Ant1	42.738	0.5	Pass
NVNT	ax40	5510	Ant0	43.602	0.5	Pass
NVNT	ax40	5510	Ant1	42.648	0.5	Pass
NVNT	ax40	5590	Ant0	41.946	0.5	Pass
NVNT	ax40	5590	Ant1	42.684	0.5	Pass




REPORT NO.: E01A23040641F00101

Page 31 of 525

NVNT	ax40	5670	Ant0	42	0.5	Pass
NVNT	ax40	5670	Ant1	42.768	0.5	Pass
NVNT	ax80	5210	Ant0	80.76	0.5	Pass
NVNT	ax80	5210	Ant1	79.512	0.5	Pass
NVNT	ax80	5290	Ant0	79.896	0.5	Pass
NVNT	ax80	5290	Ant1	80.796	0.5	Pass
NVNT	ax80	5530	Ant0	80.58	0.5	Pass
NVNT	ax80	5530	Ant1	81.888	0.5	Pass
NVNT	ax80	5610	Ant0	82.128	0.5	Pass
NVNT	ax80	5610	Ant1	82.008	0.5	Pass

Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant0



-26dB Bandwidth NVNT a 5180MHz Ant1

