



Type 5 Radar Waveform_5

Download	5	Type 5	8	1.5000000	12.0000000	5.510000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	844149.0	96.9	5	3	1425.0	1482.0	1976.0
		1	1207633.0	96.3	5	3	1274.0	1294.0	1236.0
		2	74313.0	96.8	5	3	1599.0	1088.0	1088.0
		3	436929.0	84.7	5	3	1715.0	1085.0	1879.0
		4	800390.0	79.7	5	2	1372.0	1816.0	-
		5	1184882.0	54.5	5	1	1299.0	-	-
		6	29632.0	79.8	5	2	1167.0	1652.0	-
		7	393138.0	59.2	5	1	1326.0	-	-

Type 5 Radar Waveform_6

Download	6	Type 5	16	0.7500000	12.0000000	5.510000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	376853.0	85.8	15	3	1546.0	1048.0	1249.0
		1	658756.0	78.4	15	2	1327.0	1061.0	-
		2	741395.0	59.0	15	1	1095.0	-	-
		3	173460.0	99.4	15	3	1194.0	1335.0	1243.0
		4	354180.0	95.2	15	3	1227.0	1624.0	1476.0
		5	535906.0	68.8	15	2	1697.0	1409.0	-
		6	717300.0	75.3	15	2	1605.0	1242.0	-
		7	151374.0	72.6	15	2	1277.0	1473.0	-
		8	331754.0	93.8	15	3	1911.0	1673.0	1079.0
		9	512376.0	95.2	15	3	1894.0	1151.0	1821.0
		10	693428.0	91.0	15	3	1280.0	1466.0	1768.0
		11	129186.0	50.0	15	1	1969.0	-	-
		12	310831.0	56.7	15	1	1428.0	-	-
		13	492214.0	55.1	15	1	1695.0	-	-
		14	872661.0	82.0	15	2	1618.0	1228.0	-
		15	106403.0	98.8	15	3	1580.0	1893.0	1544.0

Type 5 Radar Waveform_7

Download	7	Type 5	11	1.0909091	12.0000000	5.510000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	419955.0	55.5	9	1	1129.0	-	-
		1	683249.0	69.5	9	2	1417.0	1325.0	-
		2	947994.0	57.2	9	1	1788.0	-	-
		3	122804.0	88.1	9	3	1191.0	1013.0	1484.0
		4	386328.0	92.8	9	3	1698.0	1007.0	1437.0
		5	650338.0	80.5	9	2	1997.0	1418.0	-
		6	913944.0	79.5	9	2	1643.0	1946.0	-
		7	90246.0	86.6	9	3	1315.0	1328.0	1987.0
		8	354016.0	76.1	9	2	1996.0	1670.0	-
		9	618017.0	77.1	9	2	1730.0	1391.0	-
		10	880245.0	86.0	9	3	1793.0	1379.0	1917.0

Type 5 Radar Waveform_8

Download	8	Type 5	16	0.7500000	12.0000000	5.510000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	39766.0	77.9	15	2	1386.0	1182.0	-
		1	220648.0	91.1	15	3	1033.0	1509.0	1359.0
		2	403047.0	53.7	15	1	1213.0	-	-
		3	582973.0	94.0	15	3	1371.0	1069.0	1051.0
		4	17387.0	90.3	15	3	1280.0	1934.0	1479.0
		5	196020.0	89.8	15	3	1584.0	1804.0	1787.0
		6	380115.0	76.1	15	2	1038.0	1282.0	-
		7	561140.0	73.9	15	2	1518.0	1216.0	-
		8	743703.0	62.7	15	1	1397.0	-	-
		9	178676.0	50.1	15	1	1331.0	-	-
		10	357235.0	78.7	15	2	1679.0	1776.0	-
		11	537328.0	94.8	15	3	1877.0	1604.0	1319.0
		12	719540.0	76.6	15	2	1345.0	1815.0	-
		13	154075.0	71.3	15	2	1387.0	1081.0	-
		14	335821.0	53.9	15	1	1474.0	-	-
		15	517008.0	62.7	15	1	1986.0	-	-



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 5 Radar Waveform_9

Download	9	Type 5	12	1.0000000	12.0000000	5.510000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	930447.0	81.4	9	2	1530.0	1960.0	-
		1	175406.0	86.8	9	3	1849.0	1517.0	1353.0
		2	417903.0	70.9	9	2	1179.0	1606.0	-
		3	660633.0	50.6	9	1	1010.0	-	-
		4	898843.0	91.7	9	3	1968.0	1620.0	1931.0
		5	146117.0	63.3	9	1	1682.0	-	-
		6	387229.0	98.1	9	3	1692.0	1144.0	1447.0
		7	629348.0	79.1	9	2	1702.0	1589.0	-
		8	872546.0	60.1	9	1	1615.0	-	-
		9	115999.0	97.4	9	3	1533.0	1504.0	1166.0
		10	357227.0	91.7	9	3	1653.0	1769.0	1574.0
		11	600360.0	66.5	9	1	1981.0	-	-

Type 5 Radar Waveform_10

Download	10	Type 5	16	0.7500000	12.0000000	5.497000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	631424.0	55.3	15	1	1941.0	-	-
		1	64644.0	99.0	15	3	1439.0	1067.0	1152.0
		2	246013.0	72.4	15	2	1301.0	1271.0	-
		3	426720.0	73.2	15	2	1594.0	1971.0	-
		4	807893.0	68.0	15	2	1346.0	1446.0	-
		5	42441.0	82.8	15	2	1000.0	1020.0	-
		6	223258.0	97.4	15	3	1405.0	1045.0	1547.0
		7	404612.0	81.5	15	2	1630.0	1383.0	-
		8	585379.0	90.0	15	3	1266.0	1206.0	1189.0
		9	20032.0	91.2	15	3	1052.0	1681.0	1452.0
		10	201546.0	50.7	15	1	1964.0	-	-
		11	383034.0	60.2	15	1	1793.0	-	-
		12	564061.0	90.7	15	2	1269.0	1096.0	-
		13	745177.0	81.3	15	2	1176.0	1398.0	-
		14	178903.0	69.2	15	2	1646.0	1441.0	-
		15	359412.0	98.7	15	3	1087.0	1910.0	1419.0

Type 5 Radar Waveform_11

Download	11	Type 5	14	0.8571429	12.0000000	5.496000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	619535.0	76.8	12	2	1686.0	1617.0	-
		1	826996.0	74.8	12	2	1025.0	1004.0	-
		2	179125.0	80.6	12	2	1626.0	1111.0	-
		3	386226.0	66.8	12	2	1314.0	1696.0	-
		4	592332.0	88.8	12	3	1907.0	1288.0	1318.0
		5	800909.0	67.8	12	2	1351.0	1255.0	-
		6	153264.0	98.1	12	3	1170.0	1670.0	1567.0
		7	359901.0	99.9	12	3	1622.0	1550.0	1543.0
		8	569020.0	55.1	12	1	1284.0	-	-
		9	775037.0	76.5	12	2	1278.0	1706.0	-
		10	127741.0	94.4	12	3	1432.0	1590.0	1944.0
		11	335915.0	64.6	12	1	1160.0	-	-
		12	541846.0	93.1	12	3	1575.0	1164.0	1953.0
		13	748998.0	74.6	12	2	1169.0	1394.0	-

Type 5 Radar Waveform_12

Download	12	Type 5	13	0.9230769	12.0000000	5.495000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	110165.0	83.8	11	3	1431.0	1678.0	1759.0
		1	333057.0	93.0	11	3	1143.0	1729.0	1573.0
		2	555526.0	98.2	11	3	1775.0	1341.0	1871.0
		3	781508.0	59.5	11	1	1074.0	-	-
		4	82939.0	68.6	11	2	1763.0	1321.0	-
		5	306478.0	63.8	11	1	1844.0	-	-
		6	829023.0	77.8	11	2	1747.0	1633.0	-
		7	753415.0	55.4	11	1	1746.0	-	-
		8	55507.0	76.7	11	2	1091.0	1122.0	-
		9	278155.0	93.8	11	3	1817.0	1312.0	1365.0
		10	501799.0	73.9	11	2	1583.0	1336.0	-
		11	724927.0	72.4	11	2	1863.0	1106.0	-
		12	27994.0	72.7	11	2	1231.0	1058.0	-



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 5 Radar Waveform_13

Download	13	Type 5	20	0.6000000	12.0000000	5.499000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	FRI-1 (us)	FRI-2 (us)	FRI-3 (us)
		0	162666.0	90.3	20	3	1856.0	1322.0	1031.0
		1	306951.0	86.1	20	3	1795.0	1287.0	1436.0
		2	453377.0	60.6	20	1	1875.0	-	-
		3	316.0	69.9	20	2	1368.0	1540.0	-
		4	145409.0	60.3	20	1	1758.0	-	-
		5	288996.0	94.1	20	3	1463.0	1690.0	1705.0
		6	433146.0	99.4	20	3	1505.0	1964.0	1651.0
		7	580764.0	52.2	20	1	1678.0	-	-
		8	127008.0	85.4	20	3	1761.0	1116.0	1360.0
		9	272144.0	66.7	20	2	1210.0	1612.0	-
		10	417206.0	74.8	20	2	1414.0	1083.0	-
		11	561626.0	77.7	20	2	1622.0	1399.0	-
		12	109286.0	87.5	20	3	1519.0	1023.0	1284.0
		13	254971.0	50.8	20	1	1256.0	-	-
		14	399048.0	72.5	20	2	1177.0	1781.0	-
		15	543431.0	68.1	20	2	1893.0	1534.0	-
		16	91321.0	91.6	20	3	1937.0	1958.0	1034.0
		17	236191.0	88.5	20	3	1404.0	1063.0	1024.0
		18	381393.0	82.8	20	2	1665.0	1009.0	-
		19	523817.0	88.5	20	3	1928.0	1614.0	1908.0

Type 5 Radar Waveform_14

Download	14	Type 5	19	0.6315789	12.0000000	5.498000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	FRI-1 (us)	FRI-2 (us)	FRI-3 (us)
		0	77895.0	65.3	19	1	1173.0	-	-
		1	230576.0	57.3	19	1	1752.0	-	-
		2	383262.0	57.7	19	1	1862.0	-	-
		3	536712.0	62.1	19	1	1011.0	-	-
		4	59903.0	71.1	19	2	1183.0	1684.0	-
		5	211767.0	62.7	19	1	1731.0	-	-
		6	364958.0	55.4	19	1	1156.0	-	-
		7	516726.0	70.9	19	2	1382.0	1027.0	-
		8	40121.0	71.3	19	2	1017.0	1845.0	-
		9	192230.0	98.1	19	3	1228.0	1119.0	1739.0
		10	343924.0	86.8	19	3	1982.0	1197.0	1806.0
		11	495930.0	93.0	19	3	1942.0	1218.0	1777.0
		12	21391.0	66.3	19	1	1316.0	-	-
		13	173242.0	95.1	19	3	1794.0	1403.0	1764.0
		14	326835.0	57.8	19	1	1843.0	-	-
		15	479976.0	63.8	19	1	1304.0	-	-
		16	2546.0	94.5	19	3	1499.0	1801.0	1978.0
		17	195460.0	56.6	19	1	1158.0	-	-
		18	306695.0	84.0	19	3	1324.0	1867.0	1285.0

Type 5 Radar Waveform_15

Download	15	Type 5	17	0.7058924	12.0000000	5.497000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	FRI-1 (us)	FRI-2 (us)	FRI-3 (us)
		0	514131.0	70.5	16	2	1235.0	1956.0	-
		1	683449.0	93.7	16	3	1002.0	1913.0	1413.0
		2	152420.0	72.3	16	2	1056.0	1532.0	-
		3	322218.0	98.5	16	3	1041.0	1828.0	1402.0
		4	493164.0	76.2	16	2	1298.0	1857.0	-
		5	663829.0	73.3	16	2	1412.0	1498.0	-
		6	131212.0	81.9	16	2	1859.0	1983.0	-
		7	301592.0	81.1	16	2	1914.0	1679.0	-
		8	473467.0	62.9	16	1	1225.0	-	-
		9	644038.0	55.2	16	1	1587.0	-	-
		10	110085.0	87.4	16	3	1393.0	1203.0	1973.0
		11	279980.0	85.2	16	3	1675.0	1895.0	1536.0
		12	452309.0	55.3	16	1	1392.0	-	-
		13	621260.0	91.2	16	3	1219.0	1022.0	1310.0
		14	89076.0	84.0	16	3	1771.0	1525.0	1754.0
		15	260421.0	57.4	16	1	1339.0	-	-
		16	430491.0	82.9	16	2	1273.0	1380.0	-



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 5 Radar Waveform_16

Download	16	Type 5	16	0.666667	12.000000	5.490000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	566778.0	78.3	17	2	1593.0	1938.0	-
		1	64335.0	90.6	17	3	1950.0	1515.0	1494.0
		2	225029.0	98.9	17	3	1435.0	1207.0	1700.0
		3	385741.0	97.7	17	3	1230.0	1966.0	1014.0
		4	545783.0	88.7	17	3	1961.0	1458.0	1548.0
		5	44716.0	78.5	17	2	1721.0	1021.0	-
		6	205993.0	81.0	17	2	1900.0	1313.0	-
		7	365815.0	87.3	17	3	1012.0	1637.0	1806.0
		8	527551.0	80.0	17	2	1874.0	1161.0	-
		9	24850.0	81.9	17	2	1798.0	1800.0	-
		10	186337.0	61.3	17	1	1198.0	-	-
		11	345898.0	92.4	17	3	1158.0	1577.0	1985.0
		12	505905.0	93.1	17	3	1951.0	1850.0	1613.0
		13	5059.0	58.7	17	1	1140.0	-	-
		14	165955.0	73.7	17	2	1261.0	1940.0	-
		15	325801.0	84.9	17	3	1841.0	1888.0	1634.0
		16	488914.0	54.5	17	1	1655.0	-	-
		17	650188.0	62.2	17	1	1668.0	-	-

Type 5 Radar Waveform_17

Download	17	Type 5	14	0.8571429	12.000000	5.490000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	187917.0	94.8	13	3	1241.0	1375.0	1366.0
		1	394613.0	93.0	13	3	1048.0	1790.0	1625.0
		2	603726.0	58.9	13	1	1185.0	-	-
		3	808787.0	81.6	13	2	1945.0	1915.0	-
		4	162483.0	88.9	13	3	1426.0	1084.0	1188.0
		5	368902.0	89.3	13	3	1744.0	1866.0	1401.0
		6	576359.0	81.6	13	2	1854.0	1989.0	-
		7	783577.0	92.5	13	3	1093.0	1054.0	1407.0
		8	137282.0	65.7	13	1	1984.0	-	-
		9	343524.0	84.0	13	3	1394.0	1466.0	1954.0
		10	552105.0	62.9	13	1	1926.0	-	-
		11	758710.0	81.5	13	2	1142.0	1699.0	-
		12	111818.0	51.7	13	1	1196.0	-	-
		13	318716.0	82.4	13	2	1967.0	1192.0	-

Type 5 Radar Waveform_18

Download	18	Type 5	11	1.0959991	12.000000	5.490000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	669151.0	87.7	9	3	1502.0	1460.0	1133.0
		1	933970.0	75.0	9	2	1445.0	1214.0	-
		2	109404.0	85.6	9	3	1723.0	1513.0	1906.0
		3	373200.0	95.9	9	3	1018.0	1623.0	1153.0
		4	638048.0	57.7	9	1	1785.0	-	-
		5	899711.0	86.3	9	3	1827.0	1814.0	1128.0
		6	77078.0	81.9	9	2	1683.0	1896.0	-
		7	341570.0	65.2	9	1	1090.0	-	-
		8	603764.0	91.4	9	3	1809.0	1868.0	1429.0
		9	869063.0	61.1	9	1	1514.0	-	-
		10	44528.0	96.3	9	3	1812.0	1683.0	1726.0

Type 5 Radar Waveform_19

Download	19	Type 5	18	0.666667	12.000000	5.490000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	187582.0	91.4	18	3	1924.0	1545.0	1639.0
		1	349268.0	70.5	18	2	1307.0	1449.0	-
		2	509681.0	88.8	18	3	1043.0	1080.0	1421.0
		3	7388.0	69.9	18	2	1541.0	1842.0	-
		4	167804.0	96.5	18	3	1799.0	1813.0	1553.0
		5	330275.0	63.7	18	1	1060.0	-	-
		6	491252.0	50.2	18	1	1674.0	-	-
		7	652950.0	50.7	18	1	1250.0	-	-
		8	148470.0	79.0	18	2	1716.0	1535.0	-
		9	308895.0	89.3	18	3	1965.0	1508.0	1223.0
		10	471540.0	64.4	18	1	1457.0	-	-
		11	630827.0	73.9	18	2	1825.0	1784.0	-
		12	128389.0	96.7	18	3	1836.0	1462.0	1303.0
		13	290203.0	59.7	18	1	1756.0	-	-
		14	451411.0	59.6	18	1	1835.0	-	-
		15	613181.0	66.1	18	1	1262.0	-	-
		16	108569.0	96.2	18	3	1329.0	1832.0	1694.0
		17	270609.0	62.8	18	1	1092.0	-	-



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 5 Radar Waveform_20

Download	20	Type 5	20	0.6000000	12.0000000	5.521000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	385088.0	97.0	20	3	1861.0	1972.0	1680.0
		1	532495.0	74.4	20	2	1453.0	1340.0	-
		2	79800.0	98.5	20	3	1703.0	1616.0	1925.0
		3	224698.0	80.1	20	2	1936.0	1581.0	-
		4	369439.0	79.0	20	2	1837.0	1658.0	-
		5	515404.0	54.6	20	1	1922.0	-	-
		6	62234.0	68.0	20	2	1996.0	1311.0	-
		7	206884.0	73.2	20	2	1572.0	1930.0	-
		8	351882.0	77.8	20	2	1939.0	1005.0	-
		9	496738.0	77.2	20	2	1361.0	1522.0	-
		10	44437.0	68.2	20	2	1501.0	1430.0	-
		11	189378.0	80.4	20	2	1105.0	1404.0	-
		12	333663.0	79.5	20	2	1422.0	1848.0	-
		13	479999.0	51.6	20	1	1512.0	-	-
		14	26541.0	97.9	20	3	1330.0	1608.0	1297.0
		15	170947.0	85.3	20	3	1500.0	1774.0	1263.0
		16	315367.0	97.5	20	3	1380.0	1667.0	1506.0
		17	460494.0	68.7	20	2	1885.0	1732.0	-
		18	9746.0	92.9	20	3	1006.0	1829.0	1229.0
		19	153466.0	72.5	20	2	1427.0	1912.0	-

Type 5 Radar Waveform_21

Download	21	Type 5	11	1.0909091	12.0000000	5.525000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	544097.0	69.2	8	2	1075.0	1072.0	-
		1	807132.0	70.3	8	2	1892.0	1635.0	-
		2	1073313.0	62.6	8	1	1032.0	-	-
		3	247182.0	80.7	8	2	1778.0	1820.0	-
		4	511085.0	72.8	8	2	1347.0	1876.0	-
		5	773280.0	93.2	8	3	1918.0	1792.0	1735.0
		6	1038703.0	73.3	8	2	1469.0	1711.0	-
		7	215179.0	51.0	8	1	1168.0	-	-
		8	477835.0	88.9	8	3	1538.0	1644.0	1713.0
		9	741385.0	86.2	8	3	1601.0	1887.0	1178.0
		10	1005439.0	98.2	8	3	1395.0	1471.0	1145.0

Type 5 Radar Waveform_22

Download	22	Type 5	12	1.0000000	12.0000000	5.525000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	167027.0	70.2	10	2	1823.0	1499.0	-
		1	408525.0	85.7	10	3	1438.0	1363.0	1077.0
		2	651992.0	52.4	10	1	1003.0	-	-
		3	891095.0	94.5	10	3	1570.0	1015.0	1977.0
		4	137005.0	86.7	10	3	1467.0	1988.0	1666.0
		5	378323.0	97.8	10	3	1833.0	1995.0	1217.0
		6	622058.0	61.3	10	1	1147.0	-	-
		7	961935.0	91.6	10	3	1201.0	1202.0	1491.0
		8	107442.0	84.1	10	3	1477.0	1044.0	1130.0
		9	349781.0	51.8	10	1	1672.0	-	-
		10	591581.0	73.3	10	2	1195.0	1026.0	-
		11	832687.0	85.9	10	3	1029.0	1113.0	1141.0

Type 5 Radar Waveform_23

Download	23	Type 5	9	1.3333333	12.0000000	5.527000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	103749.0	73.1	6	2	1180.0	1367.0	-
		1	426146.0	82.6	6	2	1810.0	1865.0	-
		2	748344.0	98.6	6	3	1001.0	1610.0	1571.0
		3	1073062.0	59.7	6	1	1257.0	-	-
		4	64054.0	62.8	6	1	1283.0	-	-
		5	396659.0	76.1	6	2	1154.0	1708.0	-
		6	710281.0	61.4	6	1	1097.0	-	-
		7	1033110.0	62.2	6	1	1459.0	-	-
		8	24193.0	90.9	6	3	1552.0	1485.0	1802.0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 5 Radar Waveform_24

Download	24	Type 5	12	1.0000000	12.0000000	5.525000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	260097.0	73.2	10	2	1444.0	1036.0	-	
		1	501579.0	73.7	10	2	1890.0	1481.0	-	
		2	742776.0	93.6	10	3	1138.0	1364.0	1561.0	
		3	985590.0	76.7	10	2	1695.0	1086.0	-	
		4	230406.0	61.8	10	1	1999.0	-	-	
		5	472093.0	67.8	10	2	1591.0	1172.0	-	
		6	714816.0	57.2	10	1	1560.0	-	-	
		7	953649.0	85.9	10	3	1821.0	1480.0	1722.0	
		8	200387.0	81.3	10	2	1818.0	1211.0	-	
		9	442259.0	67.0	10	2	1488.0	1370.0	-	
		10	683286.0	84.4	10	3	1903.0	1037.0	1101.0	
		11	924246.0	91.6	10	3	1338.0	1603.0	1737.0	

Type 5 Radar Waveform_25

Download	25	Type 5	18	0.6666667	12.0000000	5.522000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	113451.0	79.0	17	2	1555.0	1952.0	-	
		1	274034.0	98.1	17	3	1358.0	1712.0	1124.0	
		2	434100.0	94.7	17	3	1921.0	1974.0	1220.0	
		3	596322.0	77.1	17	2	1932.0	1208.0	-	
		4	94006.0	57.1	17	1	1123.0	-	-	
		5	255185.0	61.1	17	1	1791.0	-	-	
		6	414561.0	87.6	17	3	1628.0	1753.0	1376.0	
		7	575522.0	86.2	17	3	1408.0	1786.0	1071.0	
		8	73909.0	77.2	17	2	1118.0	1929.0	-	
		9	235557.0	58.7	17	1	1070.0	-	-	
		10	395684.0	70.7	17	2	1455.0	1797.0	-	
		11	555654.0	95.9	17	3	1306.0	1556.0	1259.0	
		12	53920.0	84.4	17	3	1897.0	1662.0	1492.0	
		13	214499.0	89.6	17	3	1285.0	1554.0	1856.0	
		14	375087.0	98.2	17	3	1300.0	1757.0	1569.0	
		15	536632.0	74.2	17	2	1869.0	1546.0	-	
		16	34141.0	83.4	17	3	1994.0	1677.0	1648.0	
		17	195788.0	60.5	17	1	1073.0	-	-	

Type 5 Radar Waveform_26

Download	26	Type 5	9	1.3333333	12.0000000	5.528000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	714061.0	74.9	7	2	1564.0	1270.0	-	
		1	1036050.0	77.4	7	2	1772.0	1959.0	-	
		2	28949.0	74.0	7	2	1019.0	1343.0	-	
		3	362047.0	57.3	7	1	1240.0	-	-	
		4	673479.0	97.0	7	3	1767.0	1411.0	1302.0	
		5	998068.0	62.0	7	1	1410.0	-	-	
		6	1321272.0	58.8	7	1	1238.0	-	-	
		7	311883.0	67.8	7	2	1464.0	1348.0	-	
		8	634844.0	74.9	7	2	1065.0	1186.0	-	

Type 5 Radar Waveform_27

Download	27	Type 5	11	1.0809091	12.0000000	5.528000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	782872.0	80.0	9	2	1746.0	1039.0	-	
		1	1048006.0	54.0	9	1	1507.0	-	-	
		2	222918.0	55.7	9	1	1018.0	-	-	
		3	486957.0	52.8	9	1	1676.0	-	-	
		4	749591.0	84.9	9	3	1110.0	1062.0	1736.0	
		5	1013188.0	89.0	9	3	1733.0	1137.0	1076.0	
		6	189813.0	94.4	9	3	1042.0	1440.0	1658.0	
		7	453149.0	94.1	9	3	1760.0	1050.0	1905.0	
		8	716375.0	84.6	9	3	1899.0	1352.0	1782.0	
		9	982605.0	53.9	9	1	1862.0	-	-	
		10	157520.0	82.6	9	2	1748.0	1190.0	-	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 5 Radar Waveform_28

Download	28	Type 5	15	0.8000000	12.0000000	5.524000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	309427.0	55.6	14	1	1099.0	-	-	
		1	502711.0	65.0	14	1	1863.0	-	-	
		2	695834.0	73.8	14	2	1082.0	1289.0	-	
		3	91506.0	76.1	14	2	1809.0	1859.0	-	
		4	285528.0	63.7	14	1	1187.0	-	-	
		5	479310.0	64.5	14	1	1112.0	-	-	
		6	672687.0	52.9	14	1	1563.0	-	-	
		7	67682.0	97.8	14	3	1524.0	1526.0	1254.0	
		8	260294.0	92.3	14	3	1850.0	1811.0	1909.0	
		9	453910.0	72.3	14	2	1880.0	1923.0	-	
		10	647994.0	69.7	14	2	1448.0	1148.0	-	
		11	43963.0	83.0	14	2	1719.0	1276.0	-	
		12	237753.0	52.4	14	1	1344.0	-	-	
		13	431004.0	70.8	14	2	1030.0	1146.0	-	
		14	622691.0	92.2	14	3	1416.0	1332.0	1741.0	

Type 5 Radar Waveform_29

Download	29	Type 5	13	0.9230769	12.0000000	5.524000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	23315.0	56.9	12	1	1040.0	-	-	
		1	246465.0	67.6	12	2	1354.0	1450.0	-	
		2	469388.0	71.7	12	2	1346.0	1992.0	-	
		3	694075.0	51.0	12	1	1184.0	-	-	
		4	915108.0	82.7	12	2	2000.0	1751.0	-	
		5	218810.0	68.2	12	2	1585.0	1904.0	-	
		6	441254.0	89.4	12	3	1796.0	1688.0	1222.0	
		7	664579.0	86.2	12	3	1200.0	1127.0	1562.0	
		8	889721.0	57.6	12	1	1600.0	-	-	
		9	191412.0	82.2	12	2	1834.0	1296.0	-	
		10	414700.0	71.5	12	2	1442.0	1308.0	-	
		11	638635.0	55.9	12	1	1701.0	-	-	
		12	858938.0	85.9	12	3	1898.0	1456.0	1724.0	

Radar Type 6 - Radar Statistical Performance

Trail #	1=Detection 0=No Detection	Trail #	1=Detection 0=No Detection
0	1	15	1
1	1	16	1
2	1	17	1
3	1	18	1
4	1	19	1
5	1	20	1
6	1	21	1
7	1	22	1
8	1	23	1
9	1	24	1
10	1	25	1
11	1	26	1
12	1	27	1
13	1	28	1
14	1	29	1
Detection Percentage (%)		100.0%	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 6 Radar Waveform_0

Download	0	Type 6	1.0	333.3	9	0.3333	300.0000000	5
		Frequency List (MHz)	0	1	2	3	4	
		0	5311	5261	5611	5721	5371	
		5	5294	5446	5618	5331	5272	
		10	5496	5348	5551	5374	5406	
		15	5344	5368	5585	5659	5579	
		20	5677	5636	5712	5361	5439	
		25	5381	5300	5418	5462	5519	
		30	5686	5637	5375	5275	5456	
		35	5266	5665	5385	5490	5651	
		40	5544	5643	5467	5679	5329	
		45	5720	5410	5365	5398	5513	
		50	5400	5274	5282	5707	5279	
		55	5260	5396	5547	5594	5288	
		60	5702	5484	5724	5478	5613	
		65	5352	5645	5621	5339	5276	
		70	5416	5459	5506	5304	5427	
		75	5318	5423	5399	5313	5633	
		80	5635	5471	5322	5251	5521	
		85	5258	5472	5354	5675	5587	
		90	5443	5302	5673	5454	5308	
		95	5445	5337	5309	5487	5680	

Type 6 Radar Waveform_1

Download	1	Type 6	1.0	333.3	9	0.3333	300.0000000	7
		Frequency List (MHz)	0	1	2	3	4	
		0	5469	5500	5547	5407	5688	
		5	5433	5371	5693	5494	5576	
		10	5330	5612	5592	5472	5427	
		15	5432	5495	5704	5296	5588	
		20	5327	5653	5668	5334	5705	
		25	5503	5522	5496	5373	5408	
		30	5643	5377	5624	5473	5595	
		35	5357	5558	5538	5404	5490	
		40	5627	5581	5707	5674	5314	
		45	5659	5412	5303	5463	5630	
		50	5487	5574	5564	5489	5572	
		55	5604	5420	5708	5353	5690	
		60	5518	5723	5453	5269	5316	
		65	5562	5670	5679	5388	5477	
		70	5416	5617	5445	5425	5419	
		75	5686	5482	5263	5396	5438	
		80	5566	5380	5565	5268	5385	
		85	5716	5284	5575	5435	5536	
		90	5319	5251	5475	5310	5608	
		95	5336	5458	5466	5325	5321	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 6 Radar Waveform_2

Download	2	Type 6	1.0	333.3	9	0.3333	300.0000000	9
		Frequency List (MHz)	0	1	2	3	4	
		0	5724	5264	5483	5568	5433	
		5	5475	5393	5293	5560	5308	
		10	5261	5401	5633	5667	5448	
		15	5423	5525	5316	5274	5488	
		20	5596	5396	5691	5660	5307	
		25	5593	5657	5706	5626	5530	
		30	5512	5394	5600	5495	5301	
		35	5259	5354	5415	5329	5332	
		40	5519	5472	5671	5718	5639	
		45	5419	5517	5363	5653	5615	
		50	5578	5395	5548	5511	5662	
		55	5543	5509	5392	5377	5618	
		60	5689	5623	5388	5616	5405	
		65	5424	5687	5420	5411	5422	
		70	5535	5361	5697	5365	5461	
		75	5612	5342	5378	5672	5702	
		80	5545	5720	5436	5514	5253	
		85	5680	5723	5508	5298	5580	
		90	5273	5340	5575	5555	5305	
		95	5348	5698	5263	5400	5312	

Type 6 Radar Waveform_3

Download	3	Type 6	1.0	333.3	9	0.3333	300.0000000	10
		Frequency List (MHz)	0	1	2	3	4	
		0	5504	5503	5419	5254	5275	
		5	5517	5318	5368	5723	5515	
		10	5667	5287	5674	5387	5469	
		15	5511	5652	5322	5697	5680	
		20	5604	5562	5632	5274	5280	
		25	5384	5606	5434	5352	5564	
		30	5554	5283	5557	5710	5550	
		35	5491	5301	5539	5625	5466	
		40	5329	5643	5415	5457	5712	
		45	5668	5619	5578	5472	5307	
		50	5617	5354	5666	5289	5596	
		55	5395	5699	5616	5258	5706	
		60	5363	5506	5308	5634	5552	
		65	5311	5703	5460	5519	5601	
		70	5686	5397	5522	5337	5656	
		75	5581	5342	5497	5391	5453	
		80	5608	5620	5253	5662	5356	
		85	5458	5348	5627	5256	5399	
		90	5328	5463	5586	5684	5456	
		95	5610	5386	5478	5327	5421	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 6 Radar Waveform_4

Download	4	Type 6	1.0	333.3	9	0.3333	300.0000000	8
		Frequency List (MHz)	0	1	2	3	4	
		0	5284	5267	5355	5415	5495	
		5	5656	5340	5443	5411	5722	
		10	5501	5551	5337	5582	5490	
		15	5599	5304	5425	5397	5515	
		20	5631	5573	5266	5253	5272	
		25	5458	5540	5456	5598	5596	
		30	5647	5417	5450	5324	5311	
		35	5440	5252	5421	5619	5718	
		40	5579	5498	5395	5380	5287	
		45	5479	5661	5525	5669	5493	
		50	5530	5717	5378	5419	5339	
		55	5412	5570	5448	5334	5635	
		60	5473	5384	5612	5605	5429	
		65	5409	5399	5254	5470	5404	
		70	5283	5480	5708	5313	5615	
		75	5681	5701	5423	5323	5274	
		80	5709	5555	5671	5617	5565	
		85	5673	5518	5685	5526	5628	
		90	5592	5341	5482	5696	5665	
		95	5370	5684	5720	5453	5446	

Type 6 Radar Waveform_5

Download	5	Type 6	1.0	333.3	9	0.3333	300.0000000	9
		Frequency List (MHz)	0	1	2	3	4	
		0	5442	5506	5291	5576	5337	
		5	5698	5265	5518	5574	5551	
		10	5432	5340	5378	5302	5511	
		15	5687	5431	5528	5312	5589	
		20	5523	5322	5611	5355	5701	
		25	5635	5310	5268	5560	5632	
		30	5260	5633	5374	5665	5476	
		35	5509	5579	5343	5314	5297	
		40	5254	5418	5678	5711	5620	
		45	5284	5311	5269	5438	5578	
		50	5459	5369	5706	5293	5467	
		55	5717	5661	5600	5524	5638	
		60	5344	5305	5667	5621	5691	
		65	5535	5252	5358	5338	5561	
		70	5682	5452	5466	5625	5460	
		75	5289	5553	5346	5469	5304	
		80	5526	5514	5490	5622	5356	
		85	5614	5643	5468	5612	5481	
		90	5257	5261	5420	5318	5598	
		95	5278	5364	5330	5720	5354	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 6 Radar Waveform_6

Download	6	Type 6	1.0	333.3	9	0.3333	300.0000000	5
		Frequency List (MHz)	0	1	2	3	4	
		0	5697	5270	5702	5262	5557	
		5	5265	5287	5593	5640	5283	
		10	5363	5604	5419	5400	5532	
		15	5678	5558	5631	5357	5306	
		20	5531	5488	5552	5347	5674	
		25	5426	5259	5471	5664	5666	
		30	5302	5522	5331	5308	5250	
		35	5329	5718	5434	5585	5547	
		40	5643	5257	5286	5649	5385	
		45	5281	5715	5559	5352	5399	
		50	5346	5720	5407	5344	5556	
		55	5540	5605	5313	5478	5353	
		60	5541	5654	5321	5328	5566	
		65	5523	5361	5497	5453	5307	
		70	5374	5296	5535	5485	5524	
		75	5452	5628	5309	5533	5466	
		80	5612	5285	5303	5624	5271	
		85	5311	5611	5468	5454	5444	
		90	5690	5668	5544	5483	5312	
		95	5342	5507	5300	5435	5269	

Type 6 Radar Waveform_7

Download	7	Type 6	1.0	333.3	9	0.3333	300.0000000	14
		Frequency List (MHz)	0	1	2	3	4	
		0	5477	5509	5638	5326	5399	
		5	5307	5687	5668	5328	5490	
		10	5672	5393	5460	5595	5553	
		15	5291	5588	5259	5305	5442	
		20	5557	5493	5436	5647	5314	
		25	5586	5674	5390	5700	5344	
		30	5508	5288	5523	5402	5527	
		35	5285	5525	5381	5571	5369	
		40	5587	5528	5278	5547	5435	
		45	5457	5684	5611	5499	5583	
		50	5395	5645	5266	5452	5501	
		55	5335	5543	5360	5625	5450	
		60	5511	5355	5662	5540	5276	
		65	5256	5410	5603	5427	5596	
		70	5438	5253	5633	5716	5492	
		75	5394	5489	5658	5363	5555	
		80	5475	5482	5608	5655	5371	
		85	5296	5504	5544	5293	5441	
		90	5364	5648	5707	5724	5506	
		95	5451	5524	5419	5642	5554	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 6 Radar Waveform_8

Download	8	Type 6	1.0	333.3	9	0.3333	300.0000000	9
		Frequency List (MHz)	0	1	2	3	4	
		0	5257	5273	5574	5487	5619	
		5	5446	5709	5268	5491	5319	
		10	5603	5279	5501	5315	5379	
		15	5715	5265	5350	5312	5450	
		20	5723	5531	5428	5620	5580	
		25	5535	5402	5494	5259	5386	
		30	5397	5720	5263	5651	5347	
		35	5424	5616	5274	5378	5568	
		40	5410	5452	5525	5293	5275	
		45	5476	5422	5518	5515	5640	
		50	5498	5375	5284	5356	5564	
		55	5396	5592	5289	5636	5654	
		60	5596	5579	5658	5456	5585	
		65	5486	5477	5680	5349	5338	
		70	5697	5566	5290	5521	5256	
		75	5482	5595	5451	5363	5609	
		80	5326	5344	5710	5272	5308	
		85	5639	5545	5508	5467	5695	
		90	5689	5562	5713	5283	5291	
		95	5560	5638	5403	5540	5406	

Type 6 Radar Waveform_9

Download	9	Type 6	1.0	333.3	9	0.3333	300.0000000	13
		Frequency List (MHz)	0	1	2	3	4	
		0	5512	5510	5648	5461	5488	
		5	5634	5343	5654	5526	5534	
		10	5543	5542	5595	5467	5367	
		15	5368	5395	5504	5458	5317	
		20	5472	5517	5593	5468	5387	
		25	5508	5598	5293	5525	5286	
		30	5677	5478	5328	5642	5563	
		35	5329	5545	5628	5482	5346	
		40	5632	5463	5533	5369	5405	
		45	5402	5601	5476	5693	5288	
		50	5251	5460	5497	5445	5718	
		55	5305	5351	5473	5567	5708	
		60	5348	5498	5591	5411	5432	
		65	5678	5629	5385	5645	5589	
		70	5272	5362	5507	5356	5331	
		75	5571	5410	5710	5254	5372	
		80	5325	5487	5382	5564	5706	
		85	5705	5505	5570	5274	5552	
		90	5527	5271	5462	5503	5719	
		95	5695	5572	5655	5465	5484	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 6 Radar Waveform_10

Download	10	Type 6	1.0	333.3	9	0.3333	300.0000000	10
		Frequency List (MHz)	0	1	2	3	4	
		0	5670	5276	5446	5334	5681	
		5	5530	5656	5418	5720	5258	
		10	5368	5332	5583	5705	5616	
		15	5458	5494	5471	5440	5696	
		20	5369	5483	5413	5509	5566	
		25	5259	5714	5711	5702	5327	
		30	5567	5272	5634	5596	5577	
		35	5365	5605	5420	5341	5306	
		40	5396	5660	5715	5401	5298	
		45	5366	5712	5382	5684	5534	
		50	5271	5650	5602	5636	5548	
		55	5685	5662	5493	5672	5541	
		60	5441	5285	5513	5443	5423	
		65	5378	5501	5578	5324	5380	
		70	5384	5550	5531	5359	5558	
		75	5547	5679	5374	5515	5264	
		80	5492	5345	5395	5293	5502	
		85	5290	5652	5491	5490	5469	
		90	5700	5710	5580	5668	5250	
		95	5254	5520	5468	5433	5267	

Type 6 Radar Waveform_11

Download	11	Type 6	1.0	333.3	9	0.3333	300.0000000	11
		Frequency List (MHz)	0	1	2	3	4	
		0	5450	5515	5382	5495	5523	
		5	5572	5678	5493	5408	5562	
		10	5299	5596	5624	5328	5637	
		15	5546	5524	5574	5388	5413	
		20	5377	5552	5451	5598	5539	
		25	5622	5663	5439	5428	5264	
		30	5609	5636	5591	5336	5254	
		35	5660	5269	5511	5612	5459	
		40	5407	5499	5323	5339	5441	
		45	5363	5641	5362	5292	5592	
		50	5324	5440	5381	5337	5599	
		55	5623	5411	5509	5681	5626	
		60	5256	5489	5412	5394	5255	
		65	5635	5421	5702	5527	5360	
		70	5687	5654	5353	5603	5576	
		75	5648	5397	5561	5287	5516	
		80	5505	5601	5559	5356	5485	
		85	5555	5333	5550	5643	5434	
		90	5386	5400	5358	5666	5315	
		95	5689	5575	5452	5331	5721	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 6 Radar Waveform_12

Download	12	Type 6	1.0	333.3	9	0.3333	300.0000000	14
		Frequency List (MHz)	0	1	2	3	4	
		0	5705	5279	5318	5656	5268	
		5	5711	5603	5568	5571	5294	
		10	5608	5385	5287	5523	5658	
		15	5634	5651	5677	5433	5605	
		20	5718	5392	5590	5512	5510	
		25	5515	5642	5532	5298	5273	
		30	5525	5548	5551	5503	5383	
		35	5408	5602	5505	5709	5321	
		40	5338	5655	5681	5360	5473	
		45	5342	5375	5553	5377	5257	
		50	5513	5650	5334	5453	5394	
		55	5580	5446	5308	5368	5430	
		60	5659	5461	5367	5476	5396	
		65	5422	5546	5631	5297	5562	
		70	5462	5256	5499	5520	5517	
		75	5704	5293	5615	5382	5723	
		80	5419	5496	5302	5555	5598	
		85	5359	5700	5672	5327	5328	
		90	5630	5533	5497	5594	5447	
		95	5717	5640	5516	5404	5540	

Type 6 Radar Waveform_13

Download	13	Type 6	1.0	333.3	9	0.3333	300.0000000	7
		Frequency List (MHz)	0	1	2	3	4	
		0	5485	5615	5254	5342	5585	
		5	5278	5625	5643	5259	5501	
		10	5539	5271	5328	5718	5679	
		15	5722	5303	5683	5478	5322	
		20	5296	5312	5333	5301	5464	
		25	5370	5636	5332	5315	5511	
		30	5505	5291	5655	5678	5547	
		35	5693	5387	5710	5274	5586	
		40	5593	5446	5357	5402	5700	
		45	5458	5611	5430	5592	5608	
		50	5689	5701	5423	5532	5300	
		55	5582	5534	5257	5652	5533	
		60	5375	5491	5384	5313	5251	
		65	5425	5335	5341	5434	5369	
		70	5548	5465	5580	5475	5721	
		75	5489	5637	5372	5724	5545	
		80	5250	5638	5579	5493	5497	
		85	5589	5573	5455	5267	5659	
		90	5407	5418	5688	5365	5457	
		95	5436	5345	5685	5517	5602	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 6 Radar Waveform_14

Download	14	Type 6	1.0	333.3	9	0.3333	300.0000000	3
		Frequency List (MHz)	0	1	2	3	4	
		0	5643	5379	5665	5406	5330	
		5	5320	5550	5718	5422	5470	
		10	5535	5369	5438	5700	5713	
		15	5430	5311	5426	5514	5304	
		20	5478	5274	5671	5458	5664	
		25	5316	5476	5265	5366	5357	
		30	5400	5462	5409	5429	5401	
		35	5589	5309	5572	5540	5721	
		40	5588	5669	5531	5686	5451	
		45	5331	5680	5541	5386	5382	
		50	5387	5390	5277	5512	5355	
		55	5719	5295	5488	5351	5324	
		60	5703	5306	5698	5323	5685	
		65	5356	5549	5471	5371	5464	
		70	5708	5615	5538	5534	5565	
		75	5332	5354	5583	5361	5282	
		80	5418	5705	5263	5419	5479	
		85	5642	5393	5692	5431	5536	
		90	5647	5610	5710	5655	5616	
		95	5378	5339	5545	5362	5501	

Type 6 Radar Waveform_15

Download	15	Type 6	1.0	333.3	9	0.3333	300.0000000	4
		Frequency List (MHz)	0	1	2	3	4	
		0	5423	5618	5601	5567	5647	
		5	5362	5572	5318	5488	5537	
		10	5304	5324	5410	5633	5721	
		15	5326	5557	5414	5471	5328	
		20	5312	5547	5285	5431	5455	
		25	5643	5679	5369	5400	5496	
		30	5386	5419	5624	5581	5696	
		35	5253	5497	5465	5315	5635	
		40	5427	5277	5469	5354	5448	
		45	5638	5660	5630	5439	5269	
		50	5263	5566	5556	5442	5444	
		55	5674	5435	5388	5265	5511	
		60	5302	5275	5420	5407	5296	
		65	5503	5418	5610	5617	5568	
		70	5656	5330	5542	5402	5561	
		75	5686	5477	5373	5675	5705	
		80	5390	5412	5361	5273	5596	
		85	5364	5575	5664	5428	5339	
		90	5543	5377	5379	5320	5582	
		95	5398	5443	5331	5335	5257	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 6 Radar Waveform_16

Download	16	Type 6	1.0	333.3	9	0.3333	300.0000000	10
		Frequency List (MHz)	0	1	2	3	4	
		0	5678	5382	5537	5253	5392	
		5	5501	5497	5393	5651	5269	
		10	5710	5588	5451	5256	5267	
		15	5414	5587	5517	5516	5520	
		20	5698	5713	5374	5404	5343	
		25	5592	5407	5570	5434	5538	
		30	5275	5376	5364	5355	5261	
		35	5468	5549	5266	5457	5594	
		40	5445	5567	5640	5707	5688	
		45	5492	5534	5614	5379	5312	
		50	5510	5574	5396	5634	5437	
		55	5645	5467	5553	5307	5462	
		60	5723	5573	5369	5346	5506	
		65	5298	5696	5304	5603	5668	
		70	5505	5306	5677	5425	5607	
		75	5289	5254	5386	5456	5332	
		80	5390	5387	5264	5687	5559	
		85	5459	5443	5715	5676	5708	
		90	5480	5642	5481	5666	5493	
		95	5375	5566	5422	5533	5255	

Type 6 Radar Waveform_17

Download	17	Type 6	1.0	333.3	9	0.3333	300.0000000	9
		Frequency List (MHz)	0	1	2	3	4	
		0	5458	5621	5473	5414	5612	
		5	5543	5519	5468	5339	5573	
		10	5641	5377	5492	5451	5288	
		15	5502	5714	5620	5561	5712	
		20	5706	5404	5669	5366	5609	
		25	5444	5610	5674	5580	5639	
		30	5333	5579	5507	5434	5679	
		35	5532	5560	5540	5345	5359	
		40	5442	5399	5315	5271	5545	
		45	5421	5490	5443	5430	5401	
		50	5677	5357	5287	5350	5349	
		55	5634	5596	5718	5252	5391	
		60	5260	5291	5299	5318	5382	
		65	5338	5665	5499	5376	5589	
		70	5671	5354	5282	5460	5646	
		75	5275	5270	5506	5496	5453	
		80	5384	5424	5642	5529	5619	
		85	5651	5311	5449	5398	5486	
		90	5676	5363	5300	5510	5550	
		95	5304	5537	5256	5352	5615	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 6 Radar Waveform_18

Download	18	Type 6	1.0	333.3	9	0.3333	300.0000000	9
		Frequency List (MHz)	0	1	2	3	4	
		0	5713	5385	5409	5575	5454	
		5	5585	5444	5543	5502	5305	
		10	5475	5641	5533	5646	5309	
		15	5493	5366	5626	5509	5429	
		20	5714	5473	5707	5455	5350	
		25	5497	5393	5338	5303	5719	
		30	5625	5290	5697	5281	5534	
		35	5573	5295	5328	5396	5474	
		40	5516	5623	5283	5439	5600	
		45	5398	5598	5686	5269	5619	
		50	5481	5490	5500	5301	5304	
		55	5539	5453	5250	5408	5672	
		60	5698	5561	5712	5267	5321	
		65	5548	5460	5302	5448	5296	
		70	5678	5258	5419	5518	5665	
		75	5251	5606	5563	5381	5642	
		80	5371	5582	5271	5276	5720	
		85	5652	5492	5613	5312	5527	
		90	5485	5631	5664	5640	5551	
		95	5445	5564	5610	5346	5472	

Type 6 Radar Waveform_19

Download	19	Type 6	1.0	333.3	9	0.3333	300.0000000	6
		Frequency List (MHz)	0	1	2	3	4	
		0	5396	5624	5345	5261	5674	
		5	5627	5466	5618	5568	5512	
		10	5406	5527	5574	5366	5330	
		15	5581	5493	5254	5554	5621	
		20	5625	5639	5648	5447	5420	
		25	5385	5720	5444	5407	5536	
		30	5286	5514	5722	5437	5433	
		35	5257	5712	5386	5696	5549	
		40	5388	5355	5706	5267	5533	
		45	5483	5481	5290	5651	5573	
		50	5620	5320	5532	5579	5701	
		55	5623	5663	5636	5272	5461	
		60	5379	5617	5530	5484	5658	
		65	5323	5691	5357	5380	5352	
		70	5299	5430	5709	5378	5487	
		75	5310	5464	5707	5438	5619	
		80	5274	5252	5281	5339	5545	
		85	5463	5373	5375	5253	5498	
		90	5647	5505	5421	5544	5540	
		95	5615	5562	5640	5268	5443	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 6 Radar Waveform_20

Download	20	Type 6	1.0	333.3	9	0.3333	300.0000000	6
		Frequency List (MHz)	0	1	2	3	4	
		0	5651	5388	5281	5422	5516	
		5	5291	5391	5693	5256	5719	
		10	5337	5316	5712	5561	5351	
		15	5669	5620	5357	5599	5338	
		20	5633	5708	5589	5536	5393	
		25	5572	5647	5608	5570	5328	
		30	5403	5679	5652	5682	5552	
		35	5376	5574	5492	5702	5399	
		40	5411	5537	5507	5530	5564	
		45	5463	5348	5704	5363	5496	
		50	5583	5668	5524	5567	5590	
		55	5444	5469	5432	5508	5263	
		60	5659	5362	5310	5604	5640	
		65	5622	5286	5689	5644	5302	
		70	5279	5588	5456	5430	5607	
		75	5688	5690	5254	5416	5264	
		80	5278	5534	5448	5627	5605	
		85	5655	5584	5250	5621	5670	
		90	5418	5601	5387	5433	5595	
		95	5460	5619	5371	5472	5538	

Type 6 Radar Waveform_21

Download	21	Type 6	1.0	333.3	9	0.3333	300.0000000	8
		Frequency List (MHz)	0	1	2	3	4	
		0	5431	5627	5692	5583	5261	
		5	5333	5413	5293	5419	5548	
		10	5646	5580	5278	5659	5372	
		15	5282	5650	5460	5644	5530	
		20	5641	5399	5528	5366	5539	
		25	5521	5375	5712	5604	5370	
		30	5389	5636	5392	5359	5275	
		35	5418	5665	5288	5477	5313	
		40	5508	5494	5475	5272	5527	
		45	5493	5443	5647	5309	5660	
		50	5250	5672	5634	5379	5347	
		55	5414	5467	5544	5306	5540	
		60	5428	5669	5708	5589	5332	
		65	5422	5417	5564	5383	5630	
		70	5402	5603	5296	5328	5453	
		75	5653	5364	5311	5483	5327	
		80	5351	5448	5566	5568	5452	
		85	5679	5394	5393	5607	5618	
		90	5542	5675	5680	5358	5501	
		95	5474	5292	5633	5498	5556	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 6 Radar Waveform_22

Download	22	Type 6	1.0	333.3	9	0.3333	300.0000000	7
		Frequency List (MHz)	0	1	2	3	4	
		0	5686	5391	5628	5647	5578	
		5	5375	5338	5368	5582	5280	
		10	5577	5369	5319	5379	5393	
		15	5273	5302	5563	5592	5344	
		20	5552	5468	5568	5617	5339	
		25	5330	5373	5341	5638	5509	
		30	5278	5593	5510	5608	5570	
		35	5557	5281	5656	5630	5702	
		40	5444	5413	5415	5524	5325	
		45	5423	5255	5367	5713	5515	
		50	5626	5685	5645	5358	5655	
		55	5498	5252	5277	5669	5549	
		60	5598	5534	5548	5538	5632	
		65	5309	5455	5616	5405	5452	
		70	5540	5297	5573	5321	5650	
		75	5719	5377	5567	5390	5272	
		80	5546	5351	5408	5467	5417	
		85	5642	5688	5613	5652	5529	
		90	5651	5692	5664	5256	5480	
		95	5490	5253	5462	5493	5259	

Type 6 Radar Waveform_23

Download	23	Type 6	1.0	333.3	9	0.3333	300.0000000	7
		Frequency List (MHz)	0	1	2	3	4	
		0	5369	5630	5564	5333	5323	
		5	5417	5360	5443	5648	5487	
		10	5411	5633	5574	5414	5361	
		15	5429	5569	5637	5536	5560	
		20	5634	5509	5609	5312	5693	
		25	5322	5306	5445	5672	5551	
		30	5642	5550	5250	5285	5390	
		35	5696	5372	5452	5308	5713	
		40	5283	5282	5351	5655	5521	
		45	5254	5403	5338	5425	5291	
		50	5402	5502	5549	5261	5557	
		55	5371	5680	5368	5442	5401	
		60	5723	5494	5430	5539	5307	
		65	5464	5579	5645	5624	5699	
		70	5505	5679	5516	5689	5644	
		75	5367	5631	5496	5348	5336	
		80	5269	5266	5591	5562	5684	
		85	5415	5438	5619	5589	5314	
		90	5663	5709	5251	5459	5688	
		95	5674	5488	5620	5433	5606	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 6 Radar Waveform_24

Download	24	Type 6	1.0	333.3	9	0.3333	300.0000000	10
		Frequency List (MHz)	0	1	2	3	4	
		0	5624	5394	5500	5494	5640	
		5	5556	5295	5518	5336	5316	
		10	5342	5519	5401	5294	5435	
		15	5449	5672	5682	5253	5568	
		20	5703	5547	5698	5484	5649	
		25	5509	5646	5706	5593	5628	
		30	5507	5465	5534	5588	5263	
		35	5463	5723	5558	5627	5597	
		40	5365	5289	5420	5658	5383	
		45	5421	5386	5344	5667	5378	
		50	5250	5312	5669	5406	5632	
		55	5598	5694	5452	5448	5536	
		60	5262	5283	5582	5572	5436	
		65	5343	5674	5471	5351	5696	
		70	5685	5508	5528	5492	5648	
		75	5613	5338	5510	5612	5651	
		80	5604	5644	5461	5254	5664	
		85	5279	5638	5663	5603	5625	
		90	5623	5671	5297	5251	5718	
		95	5341	5308	5411	5346	5483	

Type 6 Radar Waveform_25

Download	25	Type 6	1.0	333.3	9	0.3333	300.0000000	9
		Frequency List (MHz)	0	1	2	3	4	
		0	5404	5633	5436	5655	5385	
		5	5598	5307	5593	5499	5523	
		10	5273	5308	5442	5392	5456	
		15	5537	5683	5300	5630	5445	
		20	5479	5394	5488	5690	5258	
		25	5372	5501	5615	5275	5265	
		30	5257	5517	5464	5680	5686	
		35	5408	5402	5554	5616	5711	
		40	5541	5448	5702	5660	5612	
		45	5490	5363	5504	5444	5397	
		50	5254	5426	5357	5492	5471	
		55	5269	5360	5347	5417	5568	
		60	5581	5613	5481	5569	5584	
		65	5528	5298	5379	5506	5266	
		70	5629	5390	5671	5608	5377	
		75	5371	5607	5485	5361	5556	
		80	5428	5610	5567	5676	5641	
		85	5656	5632	5614	5689	5339	
		90	5429	5293	5253	5560	5406	
		95	5365	5713	5522	5320	5411	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 6 Radar Waveform_26

Download	26	Type 6	1.0	333.3	9	0.3333	300.0000000	5
		Frequency List (MHz)	0	1	2	3	4	
		0	5659	5397	5372	5341	5702	
		5	5640	5707	5668	5662	5255	
		10	5582	5572	5483	5587	5477	
		15	5528	5713	5403	5675	5637	
		20	5487	5463	5429	5304	5706	
		25	5638	5450	5343	5379	5299	
		30	5503	5421	5323	5460	5606	
		35	5541	5267	5412	5389	5552	
		40	5275	5531	5328	5609	5419	
		45	5721	5502	5344	5508	5602	
		50	5414	5446	5315	5415	5457	
		55	5314	5537	5711	5539	5710	
		60	5303	5426	5498	5410	5474	
		65	5596	5334	5318	5716	5633	
		70	5432	5462	5279	5611	5701	
		75	5347	5566	5454	5481	5699	
		80	5671	5680	5720	5641	5256	
		85	5264	5473	5535	5348	5674	
		90	5558	5643	5724	5458	5259	
		95	5594	5338	5418	5382	5353	

Type 6 Radar Waveform_27

Download	27	Type 6	1.0	333.3	9	0.3333	300.0000000	11
		Frequency List (MHz)	0	1	2	3	4	
		0	5439	5636	5308	5502	5447	
		5	5304	5254	5268	5253	5559	
		10	5513	5361	5524	5307	5498	
		15	5616	5365	5506	5720	5354	
		20	5495	5629	5467	5296	5679	
		25	5526	5302	5546	5483	5333	
		30	5341	5392	5378	5538	5612	
		35	5426	5680	5358	5683	5542	
		40	5466	5686	5711	5481	5568	
		45	5606	5251	5701	5670	5463	
		50	5406	5706	5384	5303	5465	
		55	5535	5516	5262	5645	5252	
		60	5433	5510	5267	5468	5330	
		65	5420	5322	5283	5548	5428	
		70	5710	5534	5265	5550	5323	
		75	5525	5423	5601	5270	5652	
		80	5457	5258	5422	5424	5635	
		85	5668	5287	5637	5694	5360	
		90	5623	5531	5695	5527	5399	
		95	5408	5318	5656	5617	5627	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 6 Radar Waveform_28

Download	28	Type 6	1.0	333.3	9	0.3333	300.0000000	10
		Frequency List (MHz)	0	1	2	3	4	
		0	5597	5497	5719	5663	5289	
		5	5346	5654	5343	5416	5291	
		10	5444	5625	5662	5502	5519	
		15	5704	5492	5512	5290	5546	
		20	5406	5320	5408	5385	5652	
		25	5414	5251	5274	5684	5367	
		30	5480	5281	5335	5278	5386	
		35	5624	5722	5449	5479	5317	
		40	5380	5525	5319	5419	5333	
		45	5603	5655	5681	5521	5459	
		50	5496	5260	5516	5339	5261	
		55	5697	5442	5252	5481	5396	
		60	5633	5413	5637	5634	5463	
		65	5620	5707	5293	5698	5513	
		70	5703	5714	5302	5299	5484	
		75	5295	5721	5709	5368	5678	
		80	5584	5487	5632	5388	5438	
		85	5604	5475	5391	5648	5608	
		90	5645	5313	5271	5565	5636	
		95	5287	5691	5538	5720	5447	

Type 6 Radar Waveform_29

Download	29	Type 6	1.0	333.3	9	0.3333	300.0000000	11
		Frequency List (MHz)	0	1	2	3	4	
		0	5377	5261	5655	5252	5509	
		5	5388	5676	5418	5579	5498	
		10	5278	5511	5703	5697	5540	
		15	5317	5619	5615	5713	5263	
		20	5414	5389	5349	5625	5680	
		25	5578	5477	5313	5304	5522	
		30	5267	5292	5493	5538	5444	
		35	5386	5372	5470	5294	5364	
		40	5402	5357	5476	5600	5584	
		45	5661	5361	5512	5383	5514	
		50	5558	5567	5637	5528	5449	
		55	5651	5632	5546	5355	5525	
		60	5323	5358	5469	5557	5409	
		65	5346	5656	5329	5590	5694	
		70	5300	5712	5717	5626	5275	
		75	5443	5264	5366	5556	5614	
		80	5486	5478	5459	5550	5629	
		85	5583	5341	5543	5660	5570	
		90	5259	5699	5381	5465	5374	
		95	5502	5362	5648	5433	5518	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Radar Statistical Performance Check (802.11ax-HE80 mode – 5530MHz)

Radar Type 1-4 - Radar Statistical Performance								
Trial	Radar Type 1		Radar Type 2		Radar Type 3		Radar Type 4	
	Frequency (MHz)	1=detected 0=no detect	Frequency (MHz)	1=detected 0=no detect	Frequency (MHz)	1=detected 0=no detect	Frequency (MHz)	1=detected 0=no detect
0	5528	1	5509	1	5490	1	5554	0
1	5510	1	5524	1	5561	1	5546	1
2	5503	1	5490	1	5569	1	5530	1
3	5570	1	5558	1	5525	1	5566	1
4	5565	1	5492	1	5545	1	5528	1
5	5523	1	5530	1	5538	1	5549	1
6	5520	1	5554	1	5548	1	5512	1
7	5570	1	5495	1	5570	1	5490	1
8	5498	1	5511	1	5540	0	5525	1
9	5544	1	5559	1	5511	1	5530	1
10	5530	1	5538	1	5565	1	5521	1
11	5524	1	5490	1	5497	0	5512	1
12	5537	0	5493	1	5549	1	5526	0
13	5490	1	5549	1	5557	1	5565	1
14	5536	1	5521	1	5513	1	5570	1
15	5518	1	5545	1	5530	1	5500	1
16	5506	1	5532	1	5561	1	5526	0
17	5546	1	5554	1	5553	1	5513	1
18	5497	1	5494	1	5570	1	5539	1
19	5530	1	5562	1	5561	1	5565	1
20	5528	1	5546	1	5542	1	5562	1
21	5525	1	5536	1	5512	1	5536	0
22	5490	1	5570	1	5511	1	5570	1
23	5511	1	5495	1	5536	1	5565	1
24	5538	1	5512	1	5523	1	5517	1
25	5546	1	5549	1	5549	1	5560	1
26	5543	1	5503	1	5490	1	5553	1
27	5495	1	5551	1	5510	1	5490	1
28	5505	1	5570	1	5530	1	5553	1

Radar Type 1-4 - Radar Statistical Performance								
Trial	Radar Type 1		Radar Type 2		Radar Type 3		Radar Type 4	
	Frequency	1=detect	Frequency	1=detect	Frequency	1=detect	Frequency	1=detect
	(MHz)	0=no detect	(MHz)	0=no detect	(MHz)	0=no detect	(MHz)	0=no detect
29	5497	1	5498	1	5508	0	5517	1
Probability:	96.7%		100.0%		90.0%		86.7%	
Aggregate:	90.0% (>80%)							



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Radar Type 1 - Radar Waveform

Trial List

	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Number of Pulses	Waveform Length (us)
Download	0	Type 1	1.0	778.0	68	52904.0
Download	1	Type 1	1.0	738.0	72	53136.0
Download	2	Type 1	1.0	578.0	92	53176.0
Download	3	Type 1	1.0	538.0	99	53262.0
Download	4	Type 1	1.0	838.0	63	52794.0
Download	5	Type 1	1.0	658.0	81	53298.0
Download	6	Type 1	1.0	618.0	86	53148.0
Download	7	Type 1	1.0	3066.0	18	55188.0
Download	8	Type 1	1.0	598.0	89	53222.0
Download	9	Type 1	1.0	818.0	65	53170.0
Download	10	Type 1	1.0	678.0	78	52884.0
Download	11	Type 1	1.0	878.0	61	53558.0
Download	12	Type 1	1.0	718.0	74	53132.0
Download	13	Type 1	1.0	518.0	102	52836.0
Download	14	Type 1	1.0	638.0	83	52954.0
Download	15	Type 1	1.0	820.0	65	53300.0
Download	16	Type 1	1.0	2796.0	19	53124.0
Download	17	Type 1	1.0	987.0	54	53298.0
Download	18	Type 1	1.0	1349.0	40	53960.0
Download	19	Type 1	1.0	2203.0	24	52872.0
Download	20	Type 1	1.0	1773.0	30	53190.0
Download	21	Type 1	1.0	1062.0	50	53100.0
Download	22	Type 1	1.0	1218.0	44	53592.0
Download	23	Type 1	1.0	2742.0	20	54840.0
Download	24	Type 1	1.0	1129.0	47	53063.0
Download	25	Type 1	1.0	1400.0	38	53200.0
Download	26	Type 1	1.0	531.0	100	53100.0
Download	27	Type 1	1.0	1106.0	48	53088.0
Download	28	Type 1	1.0	2402.0	22	52844.0
Download	29	Type 1	1.0	2778.0	19	52782.0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Radar Type 2 - Radar Waveform

Trial List

	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Number of Pulses	Waveform Length (us)
Download	0	Type 2	2.6	220.0	25	5500.0
Download	1	Type 2	1.5	228.0	23	5244.0
Download	2	Type 2	3.2	180.0	26	4680.0
Download	3	Type 2	2.4	175.0	25	4375.0
Download	4	Type 2	3.9	210.0	27	5670.0
Download	5	Type 2	4.7	151.0	29	4379.0
Download	6	Type 2	1.5	170.0	23	3910.0
Download	7	Type 2	4.2	209.0	28	5852.0
Download	8	Type 2	4.1	195.0	28	5460.0
Download	9	Type 2	3.7	202.0	27	5454.0
Download	10	Type 2	2.5	152.0	25	3800.0
Download	11	Type 2	2.1	207.0	24	4968.0
Download	12	Type 2	1.3	167.0	23	3841.0
Download	13	Type 2	2.8	196.0	26	5096.0
Download	14	Type 2	3.4	183.0	27	4941.0
Download	15	Type 2	2.4	187.0	25	4675.0
Download	16	Type 2	1.7	153.0	24	3672.0
Download	17	Type 2	1.5	224.0	23	5152.0
Download	18	Type 2	2.2	225.0	25	5625.0
Download	19	Type 2	1.8	161.0	24	3864.0
Download	20	Type 2	1.5	191.0	23	4393.0
Download	21	Type 2	2.9	223.0	26	5798.0
Download	22	Type 2	3.1	218.0	26	5668.0
Download	23	Type 2	2.8	206.0	26	5356.0
Download	24	Type 2	2.8	199.0	26	5174.0
Download	25	Type 2	2.7	203.0	25	5075.0
Download	26	Type 2	1.0	198.0	23	4554.0
Download	27	Type 2	4.7	174.0	29	5046.0
Download	28	Type 2	4.4	221.0	28	6188.0
Download	29	Type 2	2.0	166.0	24	3984.0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Radar Type 3 - Radar Waveform

Trial List

	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Number of Pulses	Waveform Length (us)
Download	0	Type 3	7.6	296.0	17	5032.0
Download	1	Type 3	6.5	333.0	16	5328.0
Download	2	Type 3	8.2	331.0	17	5627.0
Download	3	Type 3	7.4	212.0	17	3604.0
Download	4	Type 3	8.9	247.0	18	4446.0
Download	5	Type 3	9.7	450.0	18	8100.0
Download	6	Type 3	6.5	227.0	16	3632.0
Download	7	Type 3	9.2	338.0	18	6084.0
Download	8	Type 3	9.1	245.0	18	4410.0
Download	9	Type 3	8.7	325.0	18	5850.0
Download	10	Type 3	7.5	203.0	17	3451.0
Download	11	Type 3	7.1	218.0	16	3488.0
Download	12	Type 3	6.3	201.0	16	3216.0
Download	13	Type 3	7.8	423.0	17	7191.0
Download	14	Type 3	8.4	500.0	17	8500.0
Download	15	Type 3	7.4	311.0	17	5287.0
Download	16	Type 3	6.7	381.0	16	6096.0
Download	17	Type 3	6.5	485.0	16	7760.0
Download	18	Type 3	7.2	417.0	16	6672.0
Download	19	Type 3	6.8	371.0	16	5936.0
Download	20	Type 3	6.5	264.0	16	4224.0
Download	21	Type 3	7.9	347.0	17	5899.0
Download	22	Type 3	8.1	483.0	17	8211.0
Download	23	Type 3	7.8	419.0	17	7123.0
Download	24	Type 3	7.8	489.0	17	8313.0
Download	25	Type 3	7.7	283.0	17	4811.0
Download	26	Type 3	6.0	254.0	16	4064.0
Download	27	Type 3	9.7	473.0	18	8514.0
Download	28	Type 3	9.4	380.0	18	6840.0
Download	29	Type 3	7.0	445.0	16	7120.0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Radar Type 4 - Radar Waveform

Trial List

	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Number of Pulses	Waveform Length (us)
Download	0	Type 4	14.7	296.0	14	4144.0
Download	1	Type 4	12.1	333.0	12	3996.0
Download	2	Type 4	16.0	331.0	14	4634.0
Download	3	Type 4	14.1	212.0	13	2756.0
Download	4	Type 4	17.4	247.0	15	3705.0
Download	5	Type 4	19.3	450.0	16	7200.0
Download	6	Type 4	12.1	227.0	12	2724.0
Download	7	Type 4	18.1	338.0	15	5070.0
Download	8	Type 4	18.0	245.0	15	3675.0
Download	9	Type 4	17.1	325.0	15	4875.0
Download	10	Type 4	14.5	203.0	13	2639.0
Download	11	Type 4	13.4	218.0	13	2834.0
Download	12	Type 4	11.7	201.0	12	2412.0
Download	13	Type 4	15.1	423.0	14	5922.0
Download	14	Type 4	16.4	500.0	15	7500.0
Download	15	Type 4	14.3	311.0	13	4043.0
Download	16	Type 4	12.7	381.0	12	4572.0
Download	17	Type 4	12.1	485.0	12	5820.0
Download	18	Type 4	13.7	417.0	13	5421.0
Download	19	Type 4	12.8	371.0	13	4823.0
Download	20	Type 4	12.1	264.0	12	3168.0
Download	21	Type 4	15.3	347.0	14	4858.0
Download	22	Type 4	15.8	483.0	14	6762.0
Download	23	Type 4	15.0	419.0	14	5866.0
Download	24	Type 4	15.2	489.0	14	6846.0
Download	25	Type 4	14.8	283.0	14	3962.0
Download	26	Type 4	11.0	254.0	12	3048.0
Download	27	Type 4	19.2	473.0	16	7568.0
Download	28	Type 4	18.7	380.0	16	6080.0
Download	29	Type 4	13.3	445.0	13	5785.0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Radar Type 5 - Radar Statistical Performance					
Trail #	Test Freq. (MHz)	1=Detection 0=No Detection	Trail #	Test Freq. (MHz)	1=Detection 0=No Detection
0	5530	1	15	5495	1
1	5530	1	16	5494	1
2	5530	1	17	5494	1
3	5530	1	18	5495	1
4	5530	1	19	5494	1
5	5530	1	20	5567	1
6	5530	1	21	5564	1
7	5530	1	22	5564	1
8	5530	1	23	5564	1
9	5530	1	24	5564	1
10	5495	1	25	5565	1
11	5495	1	26	5567	1
12	5493	1	27	5561	1
13	5496	1	28	5562	1
14	5497	1	29	5565	1
Detection Percentage (%)			100.0%		

Type 5 Radar Waveform_0										
Download	0	Type 5	13	0.9230789	12.0000000	5.530000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	802605.0	70.6	11	2	1348.0	1219.0	-	
		1	826861.0	56.1	11	1	1447.0	-	-	
		2	128538.0	77.6	11	2	1754.0	1249.0	-	
		3	351652.0	67.3	11	2	1862.0	1227.0	-	
		4	573839.0	85.5	11	3	1566.0	1885.0	1141.0	
		5	796191.0	95.8	11	3	1727.0	1620.0	1717.0	
		6	101263.0	56.4	11	1	1077.0	-	-	
		7	323448.0	89.1	11	3	1982.0	1337.0	1813.0	
		8	546592.0	88.7	11	3	1265.0	1267.0	1737.0	
		9	769315.0	83.9	11	3	1454.0	1351.0	1603.0	
		10	73596.0	69.3	11	2	1563.0	1047.0	-	
		11	297104.0	63.5	11	1	1787.0	-	-	
		12	520487.0	54.0	11	1	1890.0	-	-	
Type 5 Radar Waveform_1										
Download	1	Type 5	9	1.3333333	12.0000000	5.530000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	1074397.0	73.1	6	2	1179.0	1714.0	-	
		1	66638.0	80.1	6	2	1157.0	1572.0	-	
		2	389203.0	68.3	6	2	1879.0	1356.0	-	
		3	712865.0	59.6	6	1	1233.0	-	-	
		4	1035605.0	56.4	6	1	1666.0	-	-	
		5	28906.0	65.0	6	1	1767.0	-	-	
		6	350044.0	60.1	6	1	1041.0	-	-	
		7	672936.0	56.1	6	1	1498.0	-	-	
		8	994807.0	73.9	6	2	1110.0	1914.0	-	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 5 Radar Waveform_2

Download	2	Type 5	15	0.6000000	12.0000000	5.530000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	FRI-1 (us)	FRI-2 (us)	FRI-3 (us)
		0	789673.0	76.8	13	2	1292.0	1326.0	-
		1	185692.0	72.2	13	2	1512.0	1061.0	-
		2	378783.0	73.1	13	2	1867.0	1360.0	-
		3	572101.0	71.3	13	2	1508.0	1613.0	-
		4	767275.0	50.2	13	1	1136.0	-	-
		5	161389.0	95.5	13	3	1840.0	1895.0	1205.0
		6	354276.0	92.4	13	3	1948.0	1422.0	1436.0
		7	549583.0	63.0	13	1	1240.0	-	-
		8	739148.0	92.9	13	3	1871.0	1886.0	1960.0
		9	137672.0	86.6	13	3	1464.0	1974.0	1301.0
		10	332058.0	66.5	13	1	1105.0	-	-
		11	624205.0	81.0	13	2	1708.0	1824.0	-
		12	718210.0	69.1	13	2	1101.0	1517.0	-
		13	114390.0	50.6	13	1	1413.0	-	-
		14	308150.0	51.9	13	1	1215.0	-	-

Type 5 Radar Waveform_3

Download	3	Type 5	12	1.0000000	12.0000000	5.530000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	FRI-1 (us)	FRI-2 (us)	FRI-3 (us)
		0	627489.0	66.2	10	1	1296.0	-	-
		1	868243.0	67.4	10	2	1568.0	1408.0	-
		2	113213.0	64.2	10	1	1355.0	-	-
		3	355384.0	58.0	10	1	1445.0	-	-
		4	597754.0	56.0	10	1	1128.0	-	-
		5	836892.0	93.5	10	2	1092.0	1795.0	1951.0
		6	83202.0	78.7	10	2	1942.0	1532.0	-
		7	324573.0	64.3	10	3	1530.0	1043.0	1878.0
		8	566679.0	77.6	10	2	1367.0	1933.0	-
		9	808665.0	76.5	10	2	1936.0	1050.0	-
		10	53528.0	53.4	10	1	1671.0	-	-
		11	294860.0	89.6	10	3	1149.0	1410.0	1793.0

Type 5 Radar Waveform_4

Download	4	Type 5	17	0.7058824	12.0000000	5.530000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	FRI-1 (us)	FRI-2 (us)	FRI-3 (us)
		0	378715.0	75.9	16	2	1648.0	1193.0	-
		1	547926.0	92.8	16	3	1244.0	1474.0	1786.0
		2	16883.0	68.5	16	2	1492.0	1766.0	-
		3	187667.0	50.7	16	1	1096.0	-	-
		4	358256.0	57.3	16	1	1773.0	-	-
		5	626680.0	84.6	16	3	1453.0	1923.0	1544.0
		6	696184.0	96.7	16	3	1580.0	1846.0	1979.0
		7	166289.0	79.4	16	2	1308.0	1156.0	-
		8	337434.0	55.3	16	1	1329.0	-	-
		9	506640.0	84.2	16	3	1188.0	1271.0	1185.0
		10	678832.0	64.1	16	1	1697.0	-	-
		11	145019.0	95.6	16	3	1258.0	1231.0	1211.0
		12	316328.0	61.0	16	1	1457.0	-	-
		13	484761.0	96.7	16	3	1423.0	1583.0	1940.0
		14	656519.0	75.6	16	2	1997.0	1066.0	-
		15	123869.0	91.1	16	3	1139.0	1777.0	1762.0
		16	294501.0	82.8	16	2	1415.0	1909.0	-

Type 5 Radar Waveform_5

Download	5	Type 5	19	0.6315789	12.0000000	5.530000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	FRI-1 (us)	FRI-2 (us)	FRI-3 (us)
		0	415018.0	97.0	19	3	1383.0	1761.0	1330.0
		1	568685.0	73.1	19	2	1375.0	1332.0	-
		2	92527.0	54.0	19	1	1190.0	-	-
		3	244747.0	79.4	19	2	1570.0	1340.0	-
		4	397820.0	66.4	19	1	1959.0	-	-
		5	548904.0	93.4	19	3	1515.0	1073.0	1222.0
		6	73221.0	89.0	19	3	1775.0	1716.0	1751.0
		7	226297.0	60.7	19	1	1988.0	-	-
		8	379289.0	62.0	19	1	1496.0	-	-
		9	532037.0	50.1	19	1	1575.0	-	-
		10	64737.0	80.5	19	2	1035.0	1696.0	-
		11	206723.0	88.1	19	3	1768.0	1086.0	1458.0
		12	358278.0	87.9	19	3	1857.0	1658.0	1805.0
		13	510834.0	95.6	19	3	1543.0	1431.0	1525.0
		14	36863.0	84.9	19	3	1401.0	1890.0	1026.0
		15	187968.0	96.8	19	3	1256.0	1427.0	1679.0
		16	341423.0	55.8	19	1	1901.0	-	-
		17	494631.0	66.5	19	1	1274.0	-	-
		18	17169.0	70.3	19	2	1140.0	1083.0	-



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 5 Radar Waveform_6

Download	6	Type 5	9	1.3333333	12.0000000	5.530000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	358988.0	74.3	7	2	1626.0	1196.0	-	
		1	681127.0	85.8	7	3	1482.0	1246.0	1170.0	
		2	1005552.0	59.2	7	1	1255.0	-	-	
		3	1325395.0	86.5	7	3	1046.0	1721.0	1735.0	
		4	319170.0	72.4	7	2	1521.0	1591.0	-	
		5	641842.0	71.2	7	2	1331.0	1675.0	-	
		6	962808.0	96.6	7	3	1874.0	1520.0	1929.0	
		7	1287462.0	72.0	7	2	1640.0	1027.0	-	
		8	279683.0	53.3	7	1	1911.0	-	-	

Type 5 Radar Waveform_7

Download	7	Type 5	18	0.6666667	12.0000000	5.530000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	300327.0	68.7	17	2	1434.0	1667.0	-	
		1	460622.0	97.1	17	3	1601.0	1037.0	1384.0	
		2	623369.0	59.4	17	1	1052.0	-	-	
		3	119558.0	67.8	17	2	1597.0	1554.0	-	
		4	280363.0	87.7	17	3	1148.0	1142.0	1143.0	
		5	442684.0	51.4	17	1	1229.0	-	-	
		6	601917.0	80.7	17	2	1864.0	1741.0	-	
		7	99939.0	53.4	17	1	1803.0	-	-	
		8	260407.0	99.5	17	3	1497.0	1057.0	1241.0	
		9	422877.0	60.1	17	1	1115.0	-	-	
		10	583728.0	59.5	17	1	1760.0	-	-	
		11	79731.0	99.4	17	3	1920.0	1004.0	1748.0	
		12	240892.0	79.6	17	2	1889.0	1113.0	-	
		13	400877.0	100.0	17	3	1192.0	1602.0	1817.0	
		14	564125.0	55.2	17	1	1452.0	-	-	
		15	60004.0	94.4	17	3	1204.0	1656.0	1262.0	
		16	221554.0	66.2	17	1	1535.0	-	-	
		17	382060.0	81.4	17	2	1122.0	1818.0	-	

Type 5 Radar Waveform_8

Download	8	Type 5	18	0.6666667	12.0000000	5.530000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	543586.0	67.5	17	2	1078.0	1189.0	-	
		1	40147.0	98.7	17	3	1896.0	1441.0	1839.0	
		2	201261.0	69.2	17	2	1785.0	1144.0	-	
		3	361228.0	98.8	17	3	1630.0	1608.0	1542.0	
		4	524338.0	55.1	17	1	1505.0	-	-	
		5	20455.0	80.2	17	2	1033.0	1891.0	-	
		6	181691.0	55.3	17	1	1983.0	-	-	
		7	342261.0	66.8	17	2	1878.0	1339.0	-	
		8	502361.0	97.0	17	3	1203.0	1414.0	1665.0	
		9	625.0	87.8	17	3	1537.0	1147.0	1488.0	
		10	161136.0	86.7	17	3	1485.0	1937.0	1425.0	
		11	322435.0	81.6	17	2	1387.0	1842.0	-	
		12	454847.0	58.1	17	1	1160.0	-	-	
		13	645130.0	69.8	17	2	1103.0	1213.0	-	
		14	141792.0	71.3	17	2	1283.0	1564.0	-	
		15	301778.0	85.7	17	3	1247.0	1912.0	1905.0	
		16	463468.0	82.1	17	2	1404.0	1899.0	-	
		17	625798.0	54.9	17	1	1769.0	-	-	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 5 Radar Waveform_9

Download	9	Type 5	16	0.7500000	12.0000000	5.530000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	137066.0	90.8	15	3	1239.0	1242.0	1484.0	
		1	318880.0	62.6	15	1	1906.0	-	-	
		2	500291.0	60.4	15	1	1945.0	-	-	
		3	679019.0	86.5	15	3	1550.0	1661.0	1695.0	
		4	115207.0	64.9	15	1	1183.0	-	-	
		5	295326.0	91.5	15	3	1598.0	1561.0	1788.0	
		6	475769.0	97.3	15	3	1770.0	1870.0	1707.0	
		7	657248.0	95.8	15	3	1309.0	1641.0	1402.0	
		8	92765.0	56.9	15	1	1755.0	-	-	
		9	273458.0	70.9	15	2	1887.0	1998.0	-	
		10	454142.0	94.8	15	3	1259.0	1841.0	1232.0	
		11	634785.0	85.9	15	3	1420.0	1798.0	1354.0	
		12	70425.0	53.9	15	1	1621.0	-	-	
		13	250832.0	92.1	15	3	1220.0	1882.0	1782.0	
		14	433434.0	56.2	15	1	1624.0	-	-	
		15	612808.0	89.9	15	3	1064.0	1396.0	1757.0	

Type 5 Radar Waveform_10

Download	10	Type 5	13	0.9230769	12.0000000	5.495000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	59095.0	79.1	11	2	1191.0	1808.0	-	
		1	282310.0	73.4	11	2	1670.0	1111.0	-	
		2	504873.0	84.1	11	3	1373.0	1137.0	1432.0	
		3	728599.0	69.9	11	2	1600.0	1335.0	-	
		4	31575.0	91.9	11	3	1493.0	1272.0	1200.0	
		5	254757.0	79.2	11	2	1291.0	1704.0	-	
		6	478624.0	62.5	11	1	1612.0	-	-	
		7	700943.0	70.8	11	2	1677.0	1465.0	-	
		8	4127.0	54.5	11	1	1763.0	-	-	
		9	226848.0	93.0	11	3	1927.0	1772.0	1006.0	
		10	450076.0	66.8	11	2	2000.0	1696.0	-	
		11	673184.0	67.9	11	2	1844.0	1676.0	-	
		12	898534.0	52.0	11	1	1131.0	-	-	

Type 5 Radar Waveform_11

Download	11	Type 5	11	1.0909091	12.0000000	5.495000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	235728.0	89.8	9	3	1924.0	1576.0	1792.0	
		1	499954.0	78.1	9	2	1539.0	1729.0	-	
		2	762237.0	93.9	9	3	1863.0	1744.0	1804.0	
		3	1027622.0	67.9	9	2	1223.0	1947.0	-	
		4	204025.0	50.3	9	1	1398.0	-	-	
		5	466400.0	53.6	9	1	1084.0	-	-	
		6	732545.0	53.5	9	1	1341.0	-	-	
		7	994576.0	70.9	9	2	1946.0	1825.0	-	
		8	171326.0	81.0	9	2	1138.0	1212.0	-	
		9	434213.0	83.8	9	3	1747.0	1830.0	1582.0	
		10	699193.0	77.8	9	2	1578.0	1010.0	-	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 5 Radar Waveform_12

Download	12	Type 5	9	1.3333333	12.0000000	5.493000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	1178471.0	51.4	6	1	1702.0	-	-	
		1	169830.0	59.4	6	1	1478.0	-	-	
		2	492139.0	73.2	6	2	1953.0	1438.0	-	
		3	814434.0	84.5	6	3	1134.0	1074.0	1804.0	
		4	1137416.0	72.0	6	2	1389.0	1802.0	-	
		5	130052.0	61.1	6	1	1372.0	-	-	
		6	451785.0	83.8	6	3	1855.0	1865.0	1503.0	
		7	774299.0	94.6	6	3	1290.0	1853.0	1383.0	
		8	1097519.0	75.4	6	2	1955.0	1430.0	-	

Type 5 Radar Waveform_13

Download	13	Type 5	13	0.9230769	12.0000000	5.496000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	62396.0	68.3	12	2	1076.0	1234.0	-	
		1	285192.0	90.8	12	3	1538.0	1403.0	1042.0	
		2	507806.0	98.0	12	3	1712.0	1040.0	1764.0	
		3	733359.0	51.6	12	1	1030.0	-	-	
		4	34936.0	62.1	12	1	1055.0	-	-	
		5	258553.0	63.0	12	1	1063.0	-	-	
		6	481921.0	61.5	12	1	1540.0	-	-	
		7	705231.0	50.1	12	1	1790.0	-	-	
		8	7362.0	89.6	12	3	1778.0	1611.0	1281.0	
		9	230545.0	81.9	12	2	1715.0	1199.0	-	
		10	453829.0	72.0	12	2	1627.0	1053.0	-	
		11	677178.0	74.6	12	2	1251.0	1261.0	-	
		12	899929.0	79.4	12	2	1861.0	1177.0	-	

Type 5 Radar Waveform_14

Download	14	Type 5	15	0.8000000	12.0000000	5.497000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	175699.0	93.8	14	3	1093.0	1319.0	1394.0	
		1	369165.0	67.2	14	2	1552.0	1470.0	-	
		2	561618.0	92.9	14	3	1029.0	1701.0	1480.0	
		3	757569.0	50.8	14	1	1102.0	-	-	
		4	151914.0	67.9	14	2	1957.0	1848.0	-	
		5	346201.0	53.6	14	1	1072.0	-	-	
		6	537383.0	88.4	14	3	1467.0	1734.0	1691.0	
		7	733193.0	52.6	14	1	1657.0	-	-	
		8	128245.0	68.9	14	2	1120.0	1958.0	-	
		9	320814.0	98.1	14	3	1964.0	1449.0	1424.0	
		10	513755.0	89.6	14	3	1888.0	1221.0	1590.0	
		11	709361.0	56.2	14	1	1637.0	-	-	
		12	104426.0	68.4	14	2	1934.0	1226.0	-	
		13	297777.0	82.5	14	2	1487.0	1426.0	-	
		14	491967.0	55.9	14	1	1500.0	-	-	

Type 5 Radar Waveform_15

Download	15	Type 5	12	1.0000000	12.0000000	5.495000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	856423.0	78.1	10	2	1382.0	1207.0	-	
		1	100717.0	98.9	10	3	1904.0	1254.0	1298.0	
		2	342076.0	93.4	10	3	1275.0	1629.0	1843.0	
		3	585166.0	59.1	10	1	1832.0	-	-	
		4	825909.0	72.2	10	2	1860.0	1594.0	-	
		5	70976.0	92.6	10	3	1446.0	1736.0	1393.0	
		6	312477.0	83.8	10	3	1494.0	1722.0	1107.0	
		7	554177.0	99.0	10	3	1024.0	1080.0	1829.0	
		8	796619.0	80.1	10	2	1451.0	1400.0	-	
		9	41225.0	92.3	10	3	1589.0	1659.0	1638.0	
		10	283567.0	55.8	10	1	1381.0	-	-	
		11	523848.0	87.3	10	3	1528.0	1668.0	1823.0	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 5 Radar Waveform_16

Download	16	Type 5	10	1.2000000	12.0000000	5.494000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	918866.0	92.2	8	3	1236.0	1079.0	1534.0	
		1	13852.0	53.4	8	1	1049.0	-	-	
		2	304126.0	81.4	8	2	1153.0	1900.0	-	
		3	593903.0	99.2	8	3	1169.0	1483.0	1448.0	
		4	895770.0	61.8	8	1	1634.0	-	-	
		5	1177032.0	53.2	8	1	1001.0	-	-	
		6	269500.0	72.0	8	2	1009.0	1456.0	-	
		7	559295.0	65.7	8	1	1834.0	-	-	
		8	849914.0	56.0	8	1	1711.0	-	-	
		9	1138314.0	91.6	8	3	1771.0	1181.0	1094.0	

Type 5 Radar Waveform_17

Download	17	Type 5	9	1.3333333	12.0000000	5.494000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	258633.0	71.2	7	2	1130.0	1350.0	-	
		1	580389.0	93.3	7	3	1811.0	1359.0	1639.0	
		2	903565.0	80.2	7	2	1838.0	1548.0	-	
		3	1227449.0	56.2	7	1	1944.0	-	-	
		4	218743.0	72.7	7	2	1287.0	1995.0	-	
		5	540776.0	99.4	7	3	1392.0	1280.0	1952.0	
		6	863452.0	92.7	7	3	1184.0	1257.0	1533.0	
		7	1187852.0	58.3	7	1	1745.0	-	-	
		8	178915.0	95.4	7	3	1653.0	1070.0	1252.0	

Type 5 Radar Waveform_18

Download	18	Type 5	11	1.0909091	12.0000000	5.495000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	409428.0	93.7	9	3	1892.0	1880.0	1463.0	
		1	673651.0	80.6	9	2	1981.0	1781.0	-	
		2	939687.0	55.5	9	1	1016.0	-	-	
		3	113995.0	72.0	9	2	1087.0	1180.0	-	
		4	377102.0	90.8	9	3	1921.0	1197.0	1807.0	
		5	641104.0	88.6	9	3	1395.0	1217.0	1268.0	
		6	906895.0	62.8	9	1	1295.0	-	-	
		7	81494.0	52.4	9	1	1978.0	-	-	
		8	344954.0	86.9	9	3	1439.0	1008.0	1549.0	
		9	610023.0	59.9	9	1	1391.0	-	-	
		10	873129.0	68.2	9	2	1429.0	1379.0	-	

Type 5 Radar Waveform_19

Download	19	Type 5	10	1.2000000	12.0000000	5.494000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	53875.0	62.7	8	1	1819.0	-	-	
		1	344657.0	58.6	8	1	1178.0	-	-	
		2	635055.0	62.1	8	1	1845.0	-	-	
		3	925536.0	66.3	8	1	1987.0	-	-	
		4	18035.0	96.3	8	3	1739.0	1930.0	1159.0	
		5	307874.0	99.3	8	3	1872.0	1284.0	1780.0	
		6	598057.0	87.6	8	3	1421.0	1472.0	1358.0	
		7	888201.0	99.0	8	3	1738.0	1059.0	1270.0	
		8	1179310.0	77.8	8	2	1681.0	1313.0	-	
		9	272951.0	53.0	8	1	1516.0	-	-	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 5 Radar Waveform_20

Download	20	Type 5	9	1.3333333	12.0000000	5.567000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	624975.0	96.4	6	3	1524.0	1007.0	1856.0	
		1	947630.0	66.8	6	2	1925.0	1980.0	-	
		2	1270155.0	100.0	6	3	1333.0	1390.0	1081.0	
		3	262925.0	86.5	6	3	1152.0	1866.0	1556.0	
		4	585720.0	77.7	6	2	1651.0	1723.0	-	
		5	909745.0	50.1	6	1	1225.0	-	-	
		6	1230941.0	79.0	6	2	1943.0	1316.0	-	
		7	223692.0	66.0	6	1	1822.0	-	-	
		8	546168.0	69.8	6	2	1224.0	1713.0	-	

Type 5 Radar Waveform_21

Download	21	Type 5	14	0.8571429	12.0000000	5.564000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	557376.0	84.4	12	3	1099.0	1397.0	1166.0	
		1	766016.0	56.2	12	1	1826.0	-	-	
		2	117947.0	71.7	12	2	1567.0	1654.0	-	
		3	324790.0	96.9	12	3	1586.0	1195.0	1125.0	
		4	533464.0	62.1	12	1	1117.0	-	-	
		5	740385.0	56.7	12	1	1917.0	-	-	
		6	92257.0	86.6	12	3	1828.0	1753.0	1305.0	
		7	299487.0	81.4	12	2	1622.0	1750.0	-	
		8	506469.0	90.6	12	3	1264.0	1005.0	1245.0	
		9	714839.0	60.6	12	1	1913.0	-	-	
		10	66909.0	99.0	12	3	1044.0	1121.0	1288.0	
		11	274712.0	50.7	12	1	1095.0	-	-	
		12	480082.0	85.1	12	3	1976.0	1114.0	1996.0	
		13	699935.0	55.7	12	1	1112.0	-	-	

Type 5 Radar Waveform_22

Download	22	Type 5	14	0.8571429	12.0000000	5.564000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	41313.0	87.9	13	3	1831.0	1523.0	1990.0	
		1	248743.0	78.9	13	2	1365.0	1089.0	-	
		2	456429.0	62.5	13	1	1709.0	-	-	
		3	662895.0	81.2	13	2	1343.0	1672.0	-	
		4	15946.0	63.8	13	1	1068.0	-	-	
		5	223398.0	59.9	13	1	1731.0	-	-	
		6	430281.0	73.4	13	2	1649.0	1276.0	-	
		7	638154.0	61.7	13	1	1963.0	-	-	
		8	843056.0	93.8	13	3	1560.0	1919.0	1018.0	
		9	197494.0	80.6	13	2	1720.0	1519.0	-	
		10	403913.0	92.4	13	3	1323.0	1973.0	1378.0	
		11	610696.0	97.4	13	3	1695.0	1809.0	1135.0	
		12	820656.0	63.8	13	1	1293.0	-	-	
		13	172243.0	55.6	13	1	1954.0	-	-	

Type 5 Radar Waveform_23

Download	23	Type 5	13	0.9230769	12.0000000	5.564000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	407779.0	85.6	12	3	1357.0	1632.0	1546.0	
		1	632300.0	63.1	12	1	1992.0	-	-	
		2	853157.0	88.4	12	3	1039.0	1907.0	1774.0	
		3	157678.0	83.9	12	3	1116.0	1618.0	1126.0	
		4	380299.0	86.5	12	3	1644.0	1019.0	1965.0	
		5	604315.0	67.1	12	2	1377.0	1328.0	-	
		6	826843.0	75.6	12	2	1896.0	1577.0	-	
		7	130585.0	61.9	12	1	1263.0	-	-	
		8	353233.0	91.0	12	3	1210.0	1435.0	1015.0	
		9	577428.0	61.8	12	1	1733.0	-	-	
		10	800917.0	50.0	12	1	1694.0	-	-	
		11	103018.0	59.6	12	1	1518.0	-	-	
		12	326704.0	59.6	12	1	1014.0	-	-	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 5 Radar Waveform_24

Download	24	Type 5	14	0.8671429	12.0000000	5.564000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	509821.0	67.8	12	2	1904.0	1052.0	-
		1	715917.0	97.0	12	3	1664.0	1011.0	1558.0
		2	89879.0	88.4	12	3	1706.0	1017.0	1345.0
		3	277175.0	78.8	12	2	1218.0	1617.0	-
		4	485293.0	52.2	12	1	1209.0	-	-
		5	892820.0	61.2	12	1	1536.0	-	-
		6	44525.0	61.0	12	1	1527.0	-	-
		7	252025.0	62.1	12	1	1573.0	-	-
		8	459399.0	57.6	12	1	1812.0	-	-
		9	667344.0	65.1	12	1	1171.0	-	-
		10	18936.0	69.0	12	2	1344.0	1433.0	-
		11	226565.0	65.2	12	1	1196.0	-	-
		12	434075.0	56.0	12	1	1361.0	-	-
		13	639057.0	96.5	12	3	1961.0	1460.0	1371.0

Type 5 Radar Waveform_25

Download	25	Type 5	13	0.9230789	12.0000000	5.568000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	913351.0	72.7	11	2	1023.0	1606.0	-
		1	218296.0	62.5	11	1	1968.0	-	-
		2	438372.0	91.2	11	3	1652.0	1482.0	1623.0
		3	663528.0	54.4	11	1	1362.0	-	-
		4	887087.0	64.7	11	1	1347.0	-	-
		5	188136.0	93.0	11	3	1491.0	1972.0	1636.0
		6	411793.0	81.0	11	2	1174.0	1650.0	-
		7	633849.0	95.9	11	3	1034.0	1499.0	1935.0
		8	857694.0	77.5	11	2	1501.0	1837.0	-
		9	161070.0	72.2	11	2	1054.0	1202.0	-
		10	384671.0	65.1	11	1	1939.0	-	-
		11	608589.0	64.3	11	1	1161.0	-	-
		12	830640.0	68.0	11	2	1167.0	1703.0	-

Type 5 Radar Waveform_26

Download	26	Type 5	8	1.5000000	12.0000000	5.567000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	217313.0	80.2	5	2	1967.0	1366.0	-
		1	580603.0	75.9	5	2	1243.0	1312.0	-
		2	842209.0	87.9	5	3	1994.0	1529.0	1526.0
		3	1305298.0	50.6	5	1	1021.0	-	-
		4	172552.0	81.1	5	2	1851.0	1903.0	-
		5	536231.0	54.1	5	1	1541.0	-	-
		6	899685.0	50.3	5	1	1490.0	-	-
		7	1263269.0	55.6	5	1	1315.0	-	-

Type 5 Radar Waveform_27

Download	27	Type 5	19	0.6315789	12.0000000	5.561000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	53956.0	64.7	19	1	1318.0	-	-
		1	206549.0	55.4	19	1	1820.0	-	-
		2	359348.0	51.7	19	1	1710.0	-	-
		3	509704.0	90.2	19	3	1816.0	1479.0	1376.0
		4	34876.0	86.1	19	3	1158.0	1338.0	1502.0
		5	187733.0	52.7	19	1	1827.0	-	-
		6	338642.0	93.6	19	3	1505.0	1647.0	1993.0
		7	492270.0	78.0	19	2	1300.0	1718.0	-
		8	16120.0	98.0	19	3	1418.0	1835.0	1127.0
		9	168566.0	69.3	19	2	1969.0	1176.0	-
		10	321114.0	68.6	19	2	1815.0	1071.0	-
		11	474141.0	80.5	19	2	1109.0	1048.0	-
		12	625941.0	70.6	19	2	1201.0	1814.0	-
		13	150164.0	52.8	19	1	1505.0	-	-
		14	301778.0	99.5	19	3	1938.0	1002.0	1098.0
		15	453788.0	99.9	19	3	1858.0	1163.0	1277.0
		16	608485.0	57.3	19	1	1646.0	-	-
		17	130728.0	85.3	19	3	1785.0	1407.0	1364.0
		18	283572.0	66.7	19	2	1450.0	1388.0	-



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 5 Radar Waveform_28

Download	28	Type 5	19	0.6315789	12.0000000	5.562000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	FRI-1 (us)	FRI-2 (us)	FRI-3 (us)	
		0	435418.0	78.7	18	2	1794.0	1971.0	-	
		1	589720.0	72.0	18	2	1619.0	1038.0	-	
		2	112292.0	69.5	18	2	1168.0	1708.0	-	
		3	265410.0	66.1	18	1	1363.0	-	-	
		4	418225.0	63.7	18	1	1411.0	-	-	
		5	568777.0	88.0	18	3	1032.0	1455.0	1444.0	
		6	93308.0	93.2	18	3	1579.0	1003.0	1655.0	
		7	245920.0	80.9	18	2	1922.0	1133.0	-	
		8	398172.0	86.2	18	3	1020.0	1028.0	1299.0	
		9	550733.0	69.7	18	2	1719.0	1406.0	-	
		10	74874.0	64.4	18	1	1645.0	-	-	
		11	226721.0	87.9	18	3	1660.0	1442.0	1123.0	
		12	380577.0	61.1	18	1	1405.0	-	-	
		13	533307.0	55.6	18	1	1531.0	-	-	
		14	65737.0	90.8	18	3	1801.0	1678.0	1743.0	
		15	208942.0	57.9	18	1	1320.0	-	-	
		16	361538.0	57.0	18	1	1776.0	-	-	
		17	511959.0	89.4	18	3	1182.0	1609.0	1833.0	
		18	37238.0	64.3	18	1	1615.0	-	-	

Type 5 Radar Waveform_29

Download	29	Type 5	11	1.0909091	12.0000000	5.565000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	FRI-1 (us)	FRI-2 (us)	FRI-3 (us)	
		0	327975.0	78.7	9	2	1683.0	1931.0	-	
		1	591146.0	90.2	9	3	1908.0	1317.0	1368.0	
		2	854422.0	87.4	9	3	1571.0	1797.0	1466.0	
		3	31791.0	67.8	9	2	1970.0	1593.0	-	
		4	295411.0	79.5	9	2	1889.0	1928.0	-	
		5	560235.0	52.8	9	1	1595.0	-	-	
		6	822308.0	96.5	9	3	1495.0	1273.0	1628.0	
		7	1086072.0	83.9	9	3	1477.0	1155.0	1514.0	
		8	282774.0	97.5	9	3	1469.0	1240.0	1983.0	
		9	508932.0	77.3	9	2	1725.0	1440.0	-	
		10	791081.0	76.4	9	2	1013.0	1688.0	-	

Radar Type 6 - Radar Statistical Performance

Trail #	1=Detection 0=No Detection	Trail #	1=Detection 0=No Detection
0	1	15	1
1	1	16	1
2	1	17	1
3	1	18	1
4	1	19	1
5	1	20	1
6	1	21	1
7	1	22	1
8	1	23	1
9	1	24	1
10	1	25	1
11	1	26	1
12	1	27	1
13	1	28	1
14	1	29	1
Detection Percentage (%)		100.0%	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 6 Radar Waveform_0

☐ Download	0	Type 6	1.0	333.3	9	0.3333	300.0000000	15
		Frequency List (MHz)	0	1	2	3	4	
		0	5383	5597	5718	5424	5489	
		5	5580	5294	5547	5474	5460	
		10	5355	5336	5535	5569	5409	
		15	5275	5604	5521	5635	5638	
		20	5482	5583	5617	5653	5389	
		25	5309	5711	5410	5541	5469	
		30	5537	5481	5516	5334	5498	
		35	5436	5664	5314	5557	5377	
		40	5373	5682	5667	5312	5582	
		45	5347	5308	5425	5723	5522	
		50	5338	5490	5361	5351	5593	
		55	5350	5659	5691	5706	5256	
		60	5352	5270	5696	5642	5451	
		65	5636	5661	5287	5457	5328	
		70	5511	5456	5282	5333	5549	
		75	5614	5463	5471	5265	5393	
		80	5433	5621	5494	5665	5564	
		85	5477	5688	5493	5367	5404	
		90	5662	5318	5395	5478	5413	
		95	5397	5586	5412	5260	5704	

Type 6 Radar Waveform_1

☐ Download	1	Type 6	1.0	333.3	9	0.3333	300.0000000	20
		Frequency List (MHz)	0	1	2	3	4	
		0	5638	5361	5654	5585	5709	
		5	5285	5602	5369	5613	5681	
		10	5391	5619	5474	5255	5590	
		15	5497	5402	5707	5566	5352	
		20	5646	5648	5524	5706	5626	
		25	5277	5258	5342	5514	5575	
		30	5511	5426	5438	5256	5583	
		35	5455	5637	5527	5460	5564	
		40	5568	5313	5456	5347	5447	
		45	5664	5716	5562	5430	5366	
		50	5381	5610	5398	5541	5337	
		55	5659	5295	5684	5304	5510	
		60	5580	5385	5517	5690	5528	
		65	5468	5494	5600	5349	5606	
		70	5680	5442	5687	5383	5421	
		75	5259	5495	5444	5723	5278	
		80	5649	5537	5496	5618	5689	
		85	5503	5308	5458	5418	5652	
		90	5482	5483	5498	5415	5506	
		95	5603	5363	5396	5586	5620	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 6 Radar Waveform_2

Download	2	Type 6	1.0	333.3	9	0.3333	300.0000000	22
		Frequency List (MHz)	0	1	2	3	4	
		0	5418	5697	5590	5271	5551	
		5	5327	5527	5444	5301	5413	
		10	5700	5505	5515	5450	5611	
		15	5585	5529	5335	5641	5654	
		20	5717	5562	5698	5599	5543	
		25	5545	5618	5609	5553	5412	
		30	5395	5374	5260	5275	5715	
		35	5353	5482	5627	5539	5285	
		40	5661	5548	5542	5513	5434	
		45	5400	5274	5690	5592	5426	
		50	5385	5617	5397	5258	5467	
		55	5329	5514	5682	5635	5360	
		60	5391	5440	5683	5534	5636	
		65	5619	5409	5277	5428	5358	
		70	5663	5342	5390	5379	5541	
		75	5425	5500	5388	5430	5604	
		80	5656	5615	5568	5345	5326	
		85	5372	5328	5680	5648	5504	
		90	5449	5555	5620	5380	5628	
		95	5565	5723	5606	5556	5263	

Type 6 Radar Waveform_3

Download	3	Type 6	1.0	333.3	9	0.3333	300.0000000	21
		Frequency List (MHz)	0	1	2	3	4	
		0	5576	5461	5526	5432	5296	
		5	5369	5549	5519	5464	5717	
		10	5631	5294	5556	5548	5632	
		15	5656	5438	5559	5358	5565	
		20	5408	5503	5312	5572	5431	
		25	5534	5273	5722	5643	5692	
		30	5301	5352	5589	5509	5473	
		35	5440	5331	5624	5395	5396	
		40	5466	5622	5698	5355	5280	
		45	5477	5522	5596	5385	5487	
		50	5287	5625	5391	5515	5683	
		55	5561	5585	5687	5657	5546	
		60	5372	5677	5667	5386	5409	
		65	5483	5575	5539	5511	5446	
		70	5627	5682	5639	5262	5499	
		75	5684	5406	5655	5498	5686	
		80	5293	5719	5612	5604	5471	
		85	5284	5560	5595	5291	5423	
		90	5500	5338	5510	5437	5637	
		95	5364	5447	5351	5403	5258	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 6 Radar Waveform_4

Download	4	Type 6	1.0	333.3	9	0.3333	300.0000000	23
		Frequency List (MHz)	0	1	2	3	4	
		0	5356	5700	5462	5593	5613	
		5	5508	5474	5594	5627	5449	
		10	5562	5558	5597	5268	5653	
		15	5664	5686	5541	5604	5550	
		20	5573	5477	5444	5304	5545	
		25	5697	5386	5476	5448	5677	
		30	5259	5665	5309	5329	5661	
		35	5293	5482	5422	5420	5645	
		40	5407	5305	5327	5539	5595	
		45	5277	5502	5679	5443	5540	
		50	5552	5404	5567	5694	5506	
		55	5408	5298	5641	5372	5345	
		60	5493	5675	5537	5622	5499	
		65	5615	5429	5707	5432	5611	
		70	5371	5306	5490	5518	5497	
		75	5630	5531	5638	5706	5619	
		80	5255	5484	5511	5467	5457	
		85	5307	5512	5324	5374	5601	
		90	5523	5312	5634	5377	5349	
		95	5698	5503	5516	5319	5261	

Type 6 Radar Waveform_5

Download	5	Type 6	1.0	333.3	9	0.3333	300.0000000	13
		Frequency List (MHz)	0	1	2	3	4	
		0	5611	5464	5396	5657	5358	
		5	5550	5496	5669	5315	5656	
		10	5396	5347	5638	5463	5674	
		15	5277	5338	5547	5649	5267	
		20	5581	5643	5482	5393	5518	
		25	5585	5335	5679	5552	5711	
		30	5301	5651	5266	5544	5435	
		35	5491	5621	5513	5313	5323	
		40	5321	5619	5410	5477	5263	
		45	5274	5713	5287	5404	5593	
		50	5439	5280	5268	5270	5329	
		55	5352	5486	5595	5562	5639	
		60	5367	5702	5567	5428	5441	
		65	5375	5433	5381	5647	5673	
		70	5671	5687	5483	5255	5380	
		75	5591	5597	5578	5642	5465	
		80	5684	5723	5370	5509	5616	
		85	5374	5443	5504	5599	5331	
		90	5668	5357	5579	5293	5583	
		95	5429	5322	5308	5557	5324	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Type 6 Radar Waveform_6

Download	6	Type 6	1.0	333.3	9	0.3333	300.0000000	16
		Frequency List (MHz)	0	1	2	3	4	
		0	5391	5703	5334	5343	5675	
		5	5592	5421	5269	5381	5485	
		10	5327	5611	5679	5658	5695	
		15	5365	5465	5650	5694	5459	
		20	5492	5712	5423	5385	5491	
		25	5376	5662	5310	5656	5270	
		30	5540	5698	5587	5311	5285	
		35	5604	5584	5476	5710	5555	
		40	5493	5415	5503	5271	5642	
		45	5370	5462	5646	5704	5631	
		50	5444	5321	5404	5530	5674	
		55	5549	5277	5458	5338	5392	
		60	5512	5260	5267	5256	5330	
		65	5586	5413	5468	5474	5284	
		70	5469	5258	5607	5567	5556	
		75	5547	5287	5541	5446	5461	
		80	5504	5688	5506	5336	5382	
		85	5546	5599	5467	5716	5358	
		90	5625	5638	5660	5619	5317	
		95	5454	5718	5455	5359	5603	

Type 6 Radar Waveform_7

Download	7	Type 6	1.0	333.3	9	0.3333	300.0000000	21
		Frequency List (MHz)	0	1	2	3	4	
		0	5646	5467	5270	5504	5420	
		5	5634	5443	5344	5544	5692	
		10	5258	5497	5720	5378	5716	
		15	5356	5592	5278	5642	5651	
		20	5500	5403	5364	5474	5464	
		25	5264	5514	5513	5285	5304	
		30	5482	5429	5655	5402	5361	
		35	5509	5327	5695	5380	5629	
		40	5721	5394	5673	5353	5268	
		45	5345	5453	5520	5699	5591	
		50	5507	5620	5372	5493	5618	
		55	5387	5503	5309	5587	5557	
		60	5554	5567	5665	5267	5457	
		65	5279	5622	5623	5263	5277	
		70	5552	5358	5456	5446	5515	
		75	5419	5407	5427	5713	5269	
		80	5377	5593	5531	5316	5432	
		85	5336	5536	5523	5631	5328	
		90	5491	5693	5494	5644	5288	
		95	5342	5412	5666	5298	5595	



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity