



**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2985
30	653	0.1	RMS	613.694	-64.93	-13	Pass	6230
653	709	0.1	RMS	664.12	19.58	60	Pass	560
709	1000	0.1	RMS	854.45	-63.89	-13	Pass	2910
1000	3000	1	RMS	1328.164	-42.06	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.84	-13	Pass	7000




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2985
30	653	0.1	RMS	590.79	-64.83	-13	Pass	6230
653	709	0.1	RMS	664.12	19.09	60	Pass	560
709	1000	0.1	RMS	848.148	-63.82	-13	Pass	2910
1000	3000	1	RMS	1328.164	-42.49	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.86	-13	Pass	7000




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:133297, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2985
30	653	0.1	RMS	491.774	-64.77	-13	Pass	6230
653	709	0.1	RMS	671.633	19.53	60	Pass	560
709	1000	0.1	RMS	865.254	-63.78	-13	Pass	2910
1000	3000	1	RMS	1343.172	-43.84	-13	Pass	2000
3000	10000	1	RMS	6964.566	-41.92	-13	Pass	7000




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:133297, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.76	-13	Pass	2985
30	653	0.1	RMS	491.074	-64.79	-13	Pass	6230
653	709	0.1	RMS	671.633	18.36	60	Pass	560
709	1000	0.1	RMS	868.355	-63.88	-13	Pass	2910
1000	3000	1	RMS	1343.172	-44.06	-13	Pass	2000
3000	10000	1	RMS	6966.567	-41.82	-13	Pass	7000




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.06	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.69	-13	Pass	2985
30	653	0.1	RMS	504.476	-64.93	-13	Pass	6230
653	709	0.1	RMS	679.047	19.56	60	Pass	560
709	1000	0.1	RMS	709.9	-63.84	-13	Pass	2910
1000	3000	1	RMS	1357.179	-46.63	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.8	-13	Pass	7000



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.85	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.74	-13	Pass	2985
30	653	0.1	RMS	640.198	-64.9	-13	Pass	6230
653	709	0.1	RMS	679.047	18.58	60	Pass	560
709	1000	0.1	RMS	710.901	-63.55	-13	Pass	2910
1000	3000	1	RMS	1358.179	-47.03	-13	Pass	2000
3000	10000	1	RMS	6959.566	-41.81	-13	Pass	7000



13. LTE_Band41 full


**13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.5	-25	Pass	401
0.15	30	0.01	RMS	0.27	-68.73	-25	Pass	2985
30	1000	0.1	RMS	827.797	-60.25	-25	Pass	9699
1000	2486	1	RMS	2484.999	-41.61	-25	Pass	1486
2486	2700	1	RMS	2496.165	22.43	60	Pass	401
2700	3000	1	RMS	2961	-45.15	-25	Pass	401
3000	12000	1	RMS	11958.949	-47.75	-25	Pass	9000
12000	27000	1	RMS	26008.854	-34.02	-25	Pass	15000



13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.33	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.14	-25	Pass	2985
30	1000	0.1	RMS	841.099	-60.25	-25	Pass	9699
1000	2486	1	RMS	2484.999	-41.52	-25	Pass	1486
2486	2700	1	RMS	2496.165	22.75	60	Pass	401
2700	3000	1	RMS	2956.5	-45.13	-25	Pass	401
3000	12000	1	RMS	6696.451	-47.79	-25	Pass	9000
12000	27000	1	RMS	25995.853	-34	-25	Pass	15000



13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.92	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.2	-25	Pass	2985
30	1000	0.1	RMS	832.698	-60.15	-25	Pass	9699
1000	2486	1	RMS	2476.994	-46.9	-25	Pass	1486
2486	2700	1	RMS	2590.325	22.22	60	Pass	401
2700	3000	1	RMS	2957.25	-45.14	-25	Pass	401
3000	12000	1	RMS	11949.938	-47.75	-25	Pass	9000
12000	27000	1	RMS	25999.853	-34.03	-25	Pass	15000



13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.99	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.13	-25	Pass	2985
30	1000	0.1	RMS	853.406	-60.2	-25	Pass	9699
1000	2486	1	RMS	2486	-46.83	-25	Pass	1486
2486	2700	1	RMS	2590.86	21.72	60	Pass	401
2700	3000	1	RMS	2959.5	-45.15	-25	Pass	401
3000	12000	1	RMS	6699.452	-47.78	-25	Pass	9000
12000	27000	1	RMS	25996.853	-34.03	-25	Pass	15000



13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.43	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.76	-25	Pass	2985
30	1000	0.1	RMS	724.585	-59.71	-25	Pass	9699
1000	2486	1	RMS	2484.999	-46.92	-25	Pass	1486
2486	2700	1	RMS	2685.02	22.8	60	Pass	401
2700	3000	1	RMS	2700	-44.26	-25	Pass	401
3000	12000	1	RMS	6962.484	-47.71	-25	Pass	9000
12000	27000	1	RMS	25999.853	-34.02	-25	Pass	15000



13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.66	-25	Pass	401
0.15	30	0.01	RMS	0.26	-69.06	-25	Pass	2985
30	1000	0.1	RMS	861.116	-60.17	-25	Pass	9699
1000	2486	1	RMS	2476.994	-46.88	-25	Pass	1486
2486	2700	1	RMS	2685.02	22.36	60	Pass	401
2700	3000	1	RMS	2700	-44.27	-25	Pass	401
3000	12000	1	RMS	6694.451	-47.77	-25	Pass	9000
12000	27000	1	RMS	26008.854	-33.95	-25	Pass	15000



**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.47	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.48	-25	Pass	2985
30	1000	0.1	RMS	841.199	-60.06	-25	Pass	9699
1000	2486	1	RMS	2483.999	-41.48	-25	Pass	1486
2486	2700	1	RMS	2496.165	23.07	60	Pass	401
2700	3000	1	RMS	2958	-45.17	-25	Pass	401
3000	12000	1	RMS	6701.452	-47.69	-25	Pass	9000
12000	27000	1	RMS	26006.854	-34.02	-25	Pass	15000



13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.58	-25	Pass	2985
30	1000	0.1	RMS	856.81	-60.27	-25	Pass	9699
1000	2486	1	RMS	2483.999	-42.57	-25	Pass	1486
2486	2700	1	RMS	2496.165	21.96	60	Pass	401
2700	3000	1	RMS	2951.25	-45.15	-25	Pass	401
3000	12000	1	RMS	11967.96	-47.8	-25	Pass	9000
12000	27000	1	RMS	25987.851	-33.93	-25	Pass	15000



**13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.2	-25	Pass	2985
30	1000	0.1	RMS	849.5	-60.07	-25	Pass	9699
1000	2486	1	RMS	2483.999	-46.9	-25	Pass	1486
2486	2700	1	RMS	2588.185	23.25	60	Pass	401
2700	3000	1	RMS	2956.5	-45.15	-25	Pass	401
3000	12000	1	RMS	6962.484	-47.76	-25	Pass	9000
12000	27000	1	RMS	26013.855	-34.02	-25	Pass	15000



13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.97	-25	Pass	2985
30	1000	0.1	RMS	842.499	-60.07	-25	Pass	9699
1000	2486	1	RMS	2476.994	-46.9	-25	Pass	1486
2486	2700	1	RMS	2588.185	22.21	60	Pass	401
2700	3000	1	RMS	2956.5	-45.12	-25	Pass	401
3000	12000	1	RMS	6958.483	-47.69	-25	Pass	9000
12000	27000	1	RMS	25981.85	-33.98	-25	Pass	15000




**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.54	-25	Pass	2985
30	1000	0.1	RMS	847.2	-60.21	-25	Pass	9699
1000	2486	1	RMS	2484.999	-46.84	-25	Pass	1486
2486	2700	1	RMS	2680.205	23.62	60	Pass	401
2700	3000	1	RMS	2700	-36.94	-25	Pass	401
3000	12000	1	RMS	6699.452	-47.64	-25	Pass	9000
12000	27000	1	RMS	26007.854	-34.01	-25	Pass	15000



13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.99	-25	Pass	2985
30	1000	0.1	RMS	719.884	-59.73	-25	Pass	9699
1000	2486	1	RMS	2478.995	-46.88	-25	Pass	1486
2486	2700	1	RMS	2680.205	22.41	60	Pass	401
2700	3000	1	RMS	2700	-37.91	-25	Pass	401
3000	12000	1	RMS	6697.451	-47.81	-25	Pass	9000
12000	27000	1	RMS	26001.853	-34.06	-25	Pass	15000



**13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.61	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.74	-25	Pass	2985
30	1000	0.1	RMS	848.1	-60.1	-25	Pass	9699
1000	2486	1	RMS	2482.998	-29.36	-25	Pass	1486
2486	2700	1	RMS	2496.7	23.95	60	Pass	401
2700	3000	1	RMS	2960.25	-45.26	-25	Pass	401
3000	12000	1	RMS	6964.484	-47.88	-25	Pass	9000
12000	27000	1	RMS	25998.853	-34.13	-25	Pass	15000



**13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.71	-25	Pass	2985
30	1000	0.1	RMS	847.7	-60.31	-25	Pass	9699
1000	2486	1	RMS	2482.998	-29.05	-25	Pass	1486
2486	2700	1	RMS	2496.165	21.67	60	Pass	401
2700	3000	1	RMS	2961	-45.25	-25	Pass	401
3000	12000	1	RMS	6962.484	-47.8	-25	Pass	9000
12000	27000	1	RMS	26005.854	-34.1	-25	Pass	15000



**13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.88	-25	Pass	2985
30	1000	0.1	RMS	863.118	-60.35	-25	Pass	9699
1000	2486	1	RMS	2481.997	-46.86	-25	Pass	1486
2486	2700	1	RMS	2586.045	23.67	60	Pass	401
2700	3000	1	RMS	2957.25	-45.26	-25	Pass	401
3000	12000	1	RMS	6968.484	-47.86	-25	Pass	9000
12000	27000	1	RMS	25994.852	-34.04	-25	Pass	15000



13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.96	-25	Pass	2985
30	1000	0.1	RMS	854.207	-60.29	-25	Pass	9699
1000	2486	1	RMS	2483.999	-46.93	-25	Pass	1486
2486	2700	1	RMS	2586.045	22.23	60	Pass	401
2700	3000	1	RMS	2956.5	-45.21	-25	Pass	401
3000	12000	1	RMS	6961.484	-47.9	-25	Pass	9000
12000	27000	1	RMS	26004.854	-34.02	-25	Pass	15000




**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.16	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.64	-25	Pass	2985
30	1000	0.1	RMS	825.297	-60.16	-25	Pass	9699
1000	2486	1	RMS	2455.98	-46.6	-25	Pass	1486
2486	2700	1	RMS	2675.925	22.39	60	Pass	401
2700	3000	1	RMS	2702.25	-38.31	-25	Pass	401
3000	12000	1	RMS	6961.484	-47.81	-25	Pass	9000
12000	27000	1	RMS	25997.853	-34.07	-25	Pass	15000




13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.17	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.7	-25	Pass	2985
30	1000	0.1	RMS	826.797	-60.2	-25	Pass	9699
1000	2486	1	RMS	2486	-46.96	-25	Pass	1486
2486	2700	1	RMS	2675.39	22.63	60	Pass	401
2700	3000	1	RMS	2702.25	-38	-25	Pass	401
3000	12000	1	RMS	6965.484	-47.77	-25	Pass	9000
12000	27000	1	RMS	26000.853	-34.06	-25	Pass	15000



**13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70	-25	Pass	401
0.15	30	0.01	RMS	0.27	-68.59	-25	Pass	2985
30	1000	0.1	RMS	854.908	-60.38	-25	Pass	9699
1000	2475	1	RMS	2475	-46.45	-25	Pass	1475
2486	2700	1	RMS	2496.7	23.43	60	Pass	401
2700	3000	1	RMS	2956.5	-45.33	-25	Pass	401
3000	12000	1	RMS	11949.938	-47.97	-25	Pass	9000
12000	27000	1	RMS	25992.852	-34.08	-25	Pass	15000



13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.13	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.21	-25	Pass	2985
30	1000	0.1	RMS	822.297	-60.43	-25	Pass	9699
1000	2475	1	RMS	2473.999	-46.55	-25	Pass	1475
2486	2700	1	RMS	2496.7	23.51	60	Pass	401
2700	3000	1	RMS	2957.25	-45.3	-25	Pass	401
3000	12000	1	RMS	6961.484	-47.86	-25	Pass	9000
12000	27000	1	RMS	26001.853	-34.18	-25	Pass	15000



**13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.66	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.45	-25	Pass	2985
30	1000	0.1	RMS	863.519	-60.17	-25	Pass	9699
1000	2486	1	RMS	2482.998	-46.88	-25	Pass	1486
2486	2700	1	RMS	2583.905	23.82	60	Pass	401
2700	3000	1	RMS	2959.5	-45.24	-25	Pass	401
3000	12000	1	RMS	6960.483	-47.77	-25	Pass	9000
12000	27000	1	RMS	26008.854	-34.16	-25	Pass	15000



13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.5	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.67	-25	Pass	2985
30	1000	0.1	RMS	862.918	-60.29	-25	Pass	9699
1000	2486	1	RMS	2482.998	-46.9	-25	Pass	1486
2486	2700	1	RMS	2583.905	22.83	60	Pass	401
2700	3000	1	RMS	2957.25	-45.24	-25	Pass	401
3000	12000	1	RMS	6699.452	-47.76	-25	Pass	9000
12000	27000	1	RMS	25999.853	-34.03	-25	Pass	15000



**13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.82	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.11	-25	Pass	2985
30	1000	0.1	RMS	856.91	-60.34	-25	Pass	9699
1000	2486	1	RMS	2484.999	-46.93	-25	Pass	1486
2486	2700	1	RMS	2671.11	22.9	60	Pass	401
2700	3000	1	RMS	2706	-34.95	-25	Pass	401
3000	12000	1	RMS	6961.484	-47.75	-25	Pass	9000
12000	27000	1	RMS	25998.853	-34.06	-25	Pass	15000



13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.8	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.93	-25	Pass	2985
30	1000	0.1	RMS	856.61	-60.26	-25	Pass	9699
1000	2486	1	RMS	2486	-46.93	-25	Pass	1486
2486	2700	1	RMS	2670.575	21.62	60	Pass	401
2700	3000	1	RMS	2706.75	-35.68	-25	Pass	401
3000	12000	1	RMS	11965.958	-47.79	-25	Pass	9000
12000	27000	1	RMS	26015.855	-34.09	-25	Pass	15000



END