



Profile: 1842039R	Page No.: 1
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 11:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5180MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.435	40.089	-34.565	74.000	-0.654	PK
2	*	15540.000	44.903	40.090	-29.097	74.000	4.813	PK

Profile: 1842039R	Page No.: 2
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 11:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5180MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.707	40.361	-34.293	74.000	-0.654	PK
2	*	15540.000	44.839	40.026	-29.161	74.000	4.813	PK

Profile: 1842039R	Page No.: 3
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5220MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.456	40.884	-33.544	74.000	-0.428	PK
2	*	15660.000	45.717	40.750	-28.283	74.000	4.968	PK

Profile: 1842039R	Page No.: 4
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5220MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.859	40.287	-34.141	74.000	-0.428	PK
2	*	15660.000	45.429	40.462	-28.571	74.000	4.968	PK

Profile: 1842039R	Page No.: 5
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5240MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.030	40.611	-33.970	74.000	-0.580	PK
2	*	15720.000	46.509	40.952	-27.491	74.000	5.557	PK

Profile: 1842039R	Page No.: 6
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5240MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.249	40.830	-33.751	74.000	-0.580	PK
2	*	15720.000	45.987	40.430	-28.013	74.000	5.557	PK

Profile: 1842039R	Page No.: 21
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5745MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.519	40.663	-33.481	74.000	-0.144	PK
2	*	17235.000	45.932	40.641	-28.068	74.000	5.291	PK

Profile: 1842039R	Page No.: 22
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5745MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.732	40.876	-33.268	74.000	-0.144	PK
2	*	17235.000	46.145	40.854	-27.855	74.000	5.291	PK

Profile: 1842039R	Page No.: 23
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5785MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.932	40.553	-33.068	74.000	0.379	PK
2	*	17355.000	46.533	40.612	-27.467	74.000	5.921	PK

Profile: 1842039R	Page No.: 24
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5785MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.727	40.348	-33.273	74.000	0.379	PK
2	*	17355.000	46.027	40.106	-27.973	74.000	5.921	PK

Profile: 1842039R	Page No.: 25
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5825MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.625	40.077	-33.375	74.000	0.549	PK
2	*	17475.000	47.778	40.953	-26.222	74.000	6.825	PK

Profile: 1842039R	Page No.: 26
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5825MHz by 802.11A(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.219	40.671	-32.781	74.000	0.549	PK
2	*	17475.000	47.246	40.421	-26.754	74.000	6.825	PK

Profile: 1842039R	Page No.: 27
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5180MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.750	40.404	-34.250	74.000	-0.654	PK
2	*	15540.000	45.419	40.606	-28.581	74.000	4.813	PK

Profile: 1842039R	Page No.: 28
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5180MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.469	40.123	-34.531	74.000	-0.654	PK
2	*	15540.000	45.205	40.392	-28.795	74.000	4.813	PK

Profile: 1842039R	Page No.: 29
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5220MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.931	40.359	-34.069	74.000	-0.428	PK
2	*	15660.000	45.733	40.766	-28.267	74.000	4.968	PK

Profile: 1842039R	Page No.: 30
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5220MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.219	40.647	-33.781	74.000	-0.428	PK
2	*	15660.000	45.275	40.308	-28.725	74.000	4.968	PK

Profile: 1842039R	Page No.: 31
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5240MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.120	40.701	-33.880	74.000	-0.580	PK
2	*	15720.000	45.815	40.258	-28.185	74.000	5.557	PK

Profile: 1842039R	Page No.: 32
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5240MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.334	40.915	-33.666	74.000	-0.580	PK
2	*	15720.000	45.587	40.030	-28.413	74.000	5.557	PK

Profile: 1842039R	Page No.: 47
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5745MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	39.943	40.087	-34.057	74.000	-0.144	PK
2	*	17235.000	45.726	40.435	-28.274	74.000	5.291	PK

Profile: 1842039R	Page No.: 48
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5745MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.019	40.163	-33.981	74.000	-0.144	PK
2	*	17235.000	45.655	40.364	-28.345	74.000	5.291	PK

Profile: 1842039R	Page No.: 49
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5785MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.031	40.652	-32.969	74.000	0.379	PK
2	*	17355.000	45.969	40.048	-28.031	74.000	5.921	PK

Profile: 1842039R	Page No.: 50
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5785MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.059	40.680	-32.941	74.000	0.379	PK
2	*	17355.000	46.117	40.196	-27.883	74.000	5.921	PK

Profile: 1842039R	Page No.: 51
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5825MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.624	40.076	-33.376	74.000	0.549	PK
2	*	17475.000	47.768	40.943	-26.232	74.000	6.825	PK

Profile: 1842039R	Page No.: 52
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5825MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.535	40.987	-32.465	74.000	0.549	PK
2	*	17475.000	47.631	40.806	-26.369	74.000	6.825	PK

Profile: 1842039R	Page No.: 53
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5190MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.509	40.061	-34.491	74.000	-0.551	PK
2	*	15570.000	45.985	40.053	-28.015	74.000	5.931	PK

Profile: 1842039R	Page No.: 54
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5190MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.169	40.721	-33.831	74.000	-0.551	PK
2	*	15570.000	46.108	40.176	-27.892	74.000	5.931	PK

Profile: 1842039R	Page No.: 55
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5230MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.908	40.520	-34.092	74.000	-0.612	PK
2	*	15690.000	46.897	40.106	-27.103	74.000	6.791	PK

Profile: 1842039R	Page No.: 56
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5230MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.560	40.172	-34.440	74.000	-0.612	PK
2	*	15690.000	47.107	40.316	-26.893	74.000	6.791	PK

Profile: 1842039R	Page No.: 69
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5755MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.482	40.161	-33.518	74.000	0.321	PK
2	*	17265.000	47.592	40.482	-26.408	74.000	7.110	PK

Profile: 1842039R	Page No.: 70
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5755MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.805	40.484	-33.195	74.000	0.321	PK
2	*	17265.000	47.597	40.487	-26.403	74.000	7.110	PK

Profile: 1842039R	Page No.: 71
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5795MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.526	40.332	-32.474	74.000	1.193	PK
2	*	17385.000	47.137	40.113	-26.863	74.000	7.024	PK

Profile: 1842039R	Page No.: 72
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5795MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.073	40.879	-31.927	74.000	1.193	PK
2	*	17385.000	47.323	40.299	-26.677	74.000	7.024	PK

Profile: 1842039R	Page No.: 73
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5180MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.192	40.846	-33.808	74.000	-0.654	PK
2	*	15540.000	45.689	40.876	-28.311	74.000	4.813	PK

Profile: 1842039R	Page No.: 74
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5180MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.715	40.369	-34.285	74.000	-0.654	PK
2	*	15540.000	45.602	40.789	-28.398	74.000	4.813	PK

Profile: 1842039R	Page No.: 75
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5220MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.859	40.287	-34.141	74.000	-0.428	PK
2	*	15660.000	45.299	40.332	-28.701	74.000	4.968	PK

Profile: 1842039R	Page No.: 76
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5220MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.068	40.496	-33.932	74.000	-0.428	PK
2	*	15660.000	45.329	40.362	-28.671	74.000	4.968	PK

Profile: 1842039R	Page No.: 77
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5240MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.428	40.009	-34.572	74.000	-0.580	PK
2	*	15720.000	46.342	40.785	-27.658	74.000	5.557	PK

Profile: 1842039R	Page No.: 78
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 13:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5240MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.473	40.054	-34.527	74.000	-0.580	PK
2	*	15720.000	46.523	40.966	-27.477	74.000	5.557	PK

Profile: 1842039R	Page No.: 93
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5745MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.393	40.537	-33.607	74.000	-0.144	PK
2	*	17235.000	45.714	40.423	-28.286	74.000	5.291	PK

Profile: 1842039R	Page No.: 94
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5745MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.487	40.631	-33.513	74.000	-0.144	PK
2	*	17235.000	45.892	40.601	-28.108	74.000	5.291	PK

Profile: 1842039R	Page No.: 95
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5785MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.089	40.710	-32.911	74.000	0.379	PK
2	*	17355.000	46.895	40.974	-27.105	74.000	5.921	PK

Profile: 1842039R	Page No.: 96
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5785MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.739	40.360	-33.261	74.000	0.379	PK
2	*	17355.000	46.864	40.943	-27.136	74.000	5.921	PK

Profile: 1842039R	Page No.: 97
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5825MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.309	40.761	-32.691	74.000	0.549	PK
2	*	17475.000	47.111	40.286	-26.889	74.000	6.825	PK

Profile: 1842039R	Page No.: 98
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5825MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.620	40.072	-33.380	74.000	0.549	PK
2	*	17475.000	46.959	40.134	-27.041	74.000	6.825	PK

Profile: 1842039R	Page No.: 99
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5190MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.582	40.134	-34.418	74.000	-0.551	PK
2	*	15570.000	46.283	40.351	-27.717	74.000	5.931	PK

Profile: 1842039R	Page No.: 100
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5190MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.110	40.662	-33.890	74.000	-0.551	PK
2	*	15570.000	46.376	40.444	-27.624	74.000	5.931	PK

Profile: 1842039R	Page No.: 101
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5230MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.228	40.840	-33.772	74.000	-0.612	PK
2	*	15690.000	47.663	40.872	-26.337	74.000	6.791	PK

Profile: 1842039R	Page No.: 102
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5230MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.123	40.735	-33.877	74.000	-0.612	PK
2	*	15690.000	47.404	40.613	-26.596	74.000	6.791	PK

Profile: 1842039R	Page No.: 115
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5755MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.715	40.394	-33.285	74.000	0.321	PK
2	*	17265.000	47.435	40.325	-26.565	74.000	7.110	PK

Profile: 1842039R	Page No.: 116
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5755MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.518	40.197	-33.482	74.000	0.321	PK
2	*	17265.000	47.551	40.441	-26.449	74.000	7.110	PK

Profile: 1842039R	Page No.: 117
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5795MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.662	40.468	-32.338	74.000	1.193	PK
2	*	17385.000	47.956	40.932	-26.044	74.000	7.024	PK

Profile: 1842039R	Page No.: 118
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5795MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.775	40.581	-32.225	74.000	1.193	PK
2	*	17385.000	47.063	40.039	-26.937	74.000	7.024	PK

Profile: 1842039R	Page No.: 119
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5210MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.031	40.205	-34.969	74.000	-1.174	PK
2	*	15630.000	46.007	40.320	-27.993	74.000	5.688	PK

Profile: 1842039R	Page No.: 120
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5210MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	38.867	40.041	-35.133	74.000	-1.174	PK
2	*	15630.000	45.881	40.194	-28.119	74.000	5.688	PK

Profile: 1842039R	Page No.: 127
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5775MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	41.001	40.867	-32.999	74.000	0.134	PK
2	*	17325.000	45.671	40.126	-28.329	74.000	5.545	PK

Profile: 1842039R	Page No.: 128
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5775MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	40.274	40.140	-33.726	74.000	0.134	PK
2	*	17325.000	45.983	40.438	-28.017	74.000	5.545	PK

Profile: 1842039R	Page No.: 129
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5180MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.846	40.500	-34.154	74.000	-0.654	PK
2	*	15540.000	44.854	40.041	-29.146	74.000	4.813	PK

Profile: 1842039R	Page No.: 130
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5180MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.265	40.919	-33.735	74.000	-0.654	PK
2	*	15540.000	45.673	40.860	-28.327	74.000	4.813	PK

Profile: 1842039R	Page No.: 131
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5220MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.547	40.975	-33.453	74.000	-0.428	PK
2	*	15660.000	45.776	40.809	-28.224	74.000	4.968	PK

Profile: 1842039R	Page No.: 132
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5220MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.370	40.798	-33.630	74.000	-0.428	PK
2	*	15660.000	45.506	40.539	-28.494	74.000	4.968	PK

Profile: 1842039R	Page No.: 133
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5240MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.977	40.558	-34.023	74.000	-0.580	PK
2	*	15720.000	46.188	40.631	-27.812	74.000	5.557	PK

Profile: 1842039R	Page No.: 134
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5240MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.763	40.344	-34.237	74.000	-0.580	PK
2	*	15720.000	45.636	40.079	-28.364	74.000	5.557	PK

Profile: 1842039R	Page No.: 141
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.808	40.462	-34.192	74.000	-0.654	PK
2	*	15540.000	45.580	40.767	-28.420	74.000	4.813	PK

Profile: 1842039R	Page No.: 142
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.580	40.234	-34.420	74.000	-0.654	PK
2	*	15540.000	45.786	40.973	-28.214	74.000	4.813	PK

Profile: 1842039R	Page No.: 143
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.064	40.492	-33.936	74.000	-0.428	PK
2	*	15660.000	45.830	40.863	-28.170	74.000	4.968	PK

Profile: 1842039R	Page No.: 144
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.716	40.144	-34.284	74.000	-0.428	PK
2	*	15660.000	45.332	40.365	-28.668	74.000	4.968	PK

Profile: 1842039R	Page No.: 145
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.215	40.796	-33.785	74.000	-0.580	PK
2	*	15720.000	46.444	40.887	-27.556	74.000	5.557	PK

Profile: 1842039R	Page No.: 146
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.685	40.266	-34.315	74.000	-0.580	PK
2	*	15720.000	46.100	40.543	-27.900	74.000	5.557	PK

Profile: 1842039R	Page No.: 153
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11N40eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.813	40.365	-34.187	74.000	-0.551	PK
2	*	15570.000	46.665	40.733	-27.335	74.000	5.931	PK

Profile: 1842039R	Page No.: 154
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11N40eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.820	40.372	-34.180	74.000	-0.551	PK
2	*	15570.000	45.952	40.020	-28.048	74.000	5.931	PK

Profile: 1842039R	Page No.: 155
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11N40eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.297	40.909	-33.703	74.000	-0.612	PK
2	*	15690.000	46.820	40.029	-27.180	74.000	6.791	PK

Profile: 1842039R	Page No.: 156
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11N40eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.240	40.852	-33.760	74.000	-0.612	PK
2	*	15690.000	47.079	40.288	-26.921	74.000	6.791	PK

Profile: 1842039R	Page No.: 161
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5180MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.697	40.351	-34.303	74.000	-0.654	PK
2	*	15540.000	45.104	40.291	-28.896	74.000	4.813	PK

Profile: 1842039R	Page No.: 162
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5180MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.087	40.741	-33.913	74.000	-0.654	PK
2	*	15540.000	45.105	40.292	-28.895	74.000	4.813	PK

Profile: 1842039R	Page No.: 163
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5220MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.440	40.868	-33.560	74.000	-0.428	PK
2	*	15660.000	45.019	40.052	-28.981	74.000	4.968	PK

Profile: 1842039R	Page No.: 164
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5220MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.820	40.248	-34.180	74.000	-0.428	PK
2	*	15660.000	45.726	40.759	-28.274	74.000	4.968	PK

Profile: 1842039R	Page No.: 165
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5240MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.048	40.629	-33.952	74.000	-0.580	PK
2	*	15720.000	46.552	40.995	-27.448	74.000	5.557	PK

Profile: 1842039R	Page No.: 166
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5240MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.732	40.313	-34.268	74.000	-0.580	PK
2	*	15720.000	46.468	40.911	-27.532	74.000	5.557	PK

Profile: 1842039R	Page No.: 173
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5190MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.594	40.146	-34.406	74.000	-0.551	PK
2	*	15570.000	46.223	40.291	-27.777	74.000	5.931	PK

Profile: 1842039R	Page No.: 174
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5190MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.064	40.616	-33.936	74.000	-0.551	PK
2	*	15570.000	46.852	40.920	-27.148	74.000	5.931	PK

Profile: 1842039R	Page No.: 175
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5230MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.440	40.052	-34.560	74.000	-0.612	PK
2	*	15690.000	47.263	40.472	-26.737	74.000	6.791	PK

Profile: 1842039R	Page No.: 176
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5230MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.156	40.768	-33.844	74.000	-0.612	PK
2	*	15690.000	46.887	40.096	-27.113	74.000	6.791	PK

Profile: 1842039R	Page No.: 181
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5210MHz by 802.11AC80(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.322	40.496	-34.678	74.000	-1.174	PK
2	*	15630.000	45.910	40.223	-28.090	74.000	5.688	PK

Profile: 1842039R	Page No.: 182
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5210MHz by 802.11AC80(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	38.843	40.017	-35.157	74.000	-1.174	PK
2	*	15630.000	45.910	40.223	-28.090	74.000	5.688	PK

Profile: 1842039R	Page No.: 183
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5290MHz by 802.11AC80(eth7)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	39.912	40.661	-34.088	74.000	-0.749	PK
2	*	15870.000	46.585	40.910	-27.415	74.000	5.676	PK

Profile: 1842039R	Page No.: 184
Engineer: Eric	
Site:AC5	Time: 2018/07/31 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5290MHz by 802.11AC80(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	39.503	40.252	-34.497	74.000	-0.749	PK
2	*	15870.000	46.662	40.987	-27.338	74.000	5.676	PK

Note:

1. Measured Level = Reading Level + Factor.
2. The test frequency range, 9kHz~30MHz, 18GHz~40GHz, both of the worst case are at least 20dB below the limits, therefore no data appear in the report.
3. This limit applies for using average detector, if the test result on peak is lower than average limit, then average measurement needn't be performed.
4. As the radiated emission was performed, so conducted emission was not tested.
5. The data was too large so was showed in below attached files.

The worst case of Radiated Emission below 1GHz:

Engineer: EricSamuel	
Site: AC3	Time: 2018/05/14
Limit: FCC_Part15.109_RE(3m)_ClassC	Margin: 0
Probe: AC3_3m (30-1000MHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Probe (dB/m)	Cable (dB)	Amp (dB)	Ant Pos (cm)	Table Pos (deg)	Type
1		31.819	28.092	1.200	-11.908	40.000	20.429	6.464	0.000	100	66	QP
2		36.062	26.960	1.400	-13.040	40.000	19.062	6.498	0.000	100	152	QP
3		132.456	22.646	5.200	-20.854	43.500	10.443	7.002	0.000	100	199	QP
4		175.985	25.343	7.900	-18.157	43.500	10.257	7.186	0.000	200	360	QP
5		659.287	32.669	3.200	-13.331	46.000	20.901	8.569	0.000	100	154	QP
6	*	906.274	36.733	4.700	-9.267	46.000	22.923	9.109	0.000	100	264	QP

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).

Engineer: EricSamuel

Site: AC3

Time: 2018/05/14

Limit: FCC_Part15.109_RE(3m)_ClassC

Margin: 0


Probe: AC3_3m (30-1000MHz)

Polarity: Vertical

EUT: Wireless Access point

Power: AC 120V/60Hz

Note: Mode 1:Transmit at 5180MHz by 802.11a




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Probe (dB/m)	Cable (dB)	Amp (dB)	Ant Pos (cm)	Table Pos (deg)	Type
1		30.485	25.349	1.400	-14.651	40.000	17.492	6.457	0.000	100	87	QP
2		54.250	24.824	7.700	-15.176	40.000	10.504	6.620	0.000	100	331	QP
3		131.729	26.395	5.500	-17.105	43.500	13.895	7.000	0.000	100	214	QP
4		207.995	25.965	2.700	-17.535	43.500	15.954	7.311	0.000	200	196	QP
5		313.361	25.811	1.000	-20.189	46.000	17.151	7.660	0.000	100	177	QP
6	*	939.739	36.620	2.400	-9.380	46.000	25.039	9.182	0.000	100	54	QP

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).


The worst case of Simultaneous Radiated Emission:

Engineer: Damon	
Site: AC5	Time: 2018/06/29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: WIFI+BT simultaneous transmit	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	31.708	40.006	-42.292	74.000	-8.298	PK
2		7206.000	36.145	41.115	-37.855	74.000	-4.970	PK
3		9608.000	39.135	40.065	-34.865	74.000	-0.930	PK
4		10360.000	42.952	42.981	-31.048	74.000	-0.029	PK
5	*	15540.000	50.014	44.157	-23.986	74.000	5.857	PK

Engineer: Damon	
Site: AC5	Time: 2018/06/29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: WIFI+BT simultaneous transmit	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	31.759	40.057	-42.241	74.000	-8.298	PK
2		7206.000	36.146	41.116	-37.854	74.000	-4.970	PK
3		9608.000	39.148	40.078	-34.852	74.000	-0.930	PK
4		10360.000	42.123	42.152	-31.877	74.000	-0.029	PK
5	*	15540.000	50.452	44.595	-23.548	74.000	5.857	PK

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).

_____ The End _____