![EARDATEK logo]

EWN-8822BUN2AA Dongle
User Manual

V1.0

1. Product Introduction

EWN-8822BUN2AA is a USB3.0 interface supporting IEEE 802.11b/g/n/a/ac 2T2R Dual-band WLAN and Bluetooth 4.2 (BLE) dongle. It is a high performance wireless network and Bluetooth device.

2. Instructions

◆ Connect the Dongle to the USB port of the computer.

◆ Install Wi-Fi driver and Bluetooth driver.

◆ After the Wi-Fi Driver is installed , click the Network icon on the Windows task file to bring up Windows-brought network management tools to search the network , and click the Refresh icon "⟳ "above the network Management Tools tool to refresh and re-search the network if you can't find the wireless network you want.

◆ Connect the Wireless Network you want.

◆ After the Bluetooth driver is installed , click the Bluetooth icon " 🅱 " in the lower right corner of the computer and select Add Bluetooth device in the menu.

Warning

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Caution: The user is cautioned that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

—Reorient or relocate the receiving antenna.

—Increase the separation between the equipment and receiver.

—Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

—Consult the dealer or an experienced radio/TV technician for help.

ISED Warning

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

(1) This device may not cause interference; and
(2) This device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

The devices for operation in the band 5150-5350 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems.
Les dispositifs destinés à fonctionner dans la bande 5150-5350 MHz sont uniquement destinés à une utilisation intérieure afin de réduire le risque d'interférences nuisibles aux systèmes de satellites mobiles co-canaux.