



Profile: 1842039	Page No.: 1
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5180MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.405	40.059	-34.595	74.000	-0.654	PK
2	*	15540.000	45.651	40.838	-28.349	74.000	4.813	PK

Profile: 1842039	Page No.: 2
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5180MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.120	40.774	-33.880	74.000	-0.654	PK
2	*	15540.000	45.202	40.389	-28.798	74.000	4.813	PK

Profile: 1842039	Page No.: 3
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5220MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.248	40.676	-33.752	74.000	-0.428	PK
2	*	15660.000	45.250	40.283	-28.750	74.000	4.968	PK

Profile: 1842039	Page No.: 4
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5220MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.808	40.236	-34.192	74.000	-0.428	PK
2	*	15660.000	45.342	40.375	-28.658	74.000	4.968	PK

Profile: 1842039	Page No.: 5
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5240MHz by 802.11A (eth6)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.141	40.722	-33.859	74.000	-0.580	PK
2	*	15720.000	46.256	40.699	-27.744	74.000	5.557	PK


Profile: 1842039	Page No.: 6
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5240MHz by 802.11A (eth6)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.900	40.481	-34.100	74.000	-0.580	PK
2	*	15720.000	45.682	40.125	-28.318	74.000	5.557	PK


Profile: 1842039	Page No.: 7
------------------	-------------

Profile: 1842039	Page No.: 21
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5745MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.797	40.941	-33.203	74.000	-0.144	PK
2	*	17235.000	46.271	40.980	-27.729	74.000	5.291	PK

Profile: 1842039	Page No.: 22
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5745MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.391	40.535	-33.609	74.000	-0.144	PK
2	*	17235.000	45.543	40.252	-28.457	74.000	5.291	PK

Profile: 1842039	Page No.: 23
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5785MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.713	40.334	-33.287	74.000	0.379	PK
2	*	17355.000	46.637	40.716	-27.363	74.000	5.921	PK

Profile: 1842039	Page No.: 24
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5785MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.464	40.085	-33.536	74.000	0.379	PK
2	*	17355.000	46.310	40.389	-27.690	74.000	5.921	PK

Profile: 1842039	Page No.: 25
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5825MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.720	40.172	-33.280	74.000	0.549	PK
2	*	17475.000	47.173	40.348	-26.827	74.000	6.825	PK

Profile: 1842039	Page No.: 26
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 5825MHz by 802.11A (eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.504	40.956	-32.496	74.000	0.549	PK
2	*	17475.000	47.432	40.607	-26.568	74.000	6.825	PK

Profile: 1842039	Page No.: 27
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5180MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.093	40.747	-33.907	74.000	-0.654	PK
2	*	15540.000	45.174	40.361	-28.826	74.000	4.813	PK

Profile: 1842039	Page No.: 28
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5180MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.910	40.564	-34.090	74.000	-0.654	PK
2	*	15540.000	45.550	40.737	-28.450	74.000	4.813	PK

Profile: 1842039	Page No.: 29
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5220MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.631	40.059	-34.369	74.000	-0.428	PK
2	*	15660.000	45.500	40.533	-28.500	74.000	4.968	PK

Profile: 1842039	Page No.: 30
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5220MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.924	40.352	-34.076	74.000	-0.428	PK
2	*	15660.000	45.259	40.292	-28.741	74.000	4.968	PK

Profile: 1842039	Page No.: 31
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5240MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.234	40.815	-33.766	74.000	-0.580	PK
2	*	15720.000	46.292	40.735	-27.708	74.000	5.557	PK

Profile: 1842039	Page No.: 32
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5240MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	40.297	40.878	-33.703	74.000	-0.580	PK
2	*	15720.000	46.275	40.718	-27.725	74.000	5.557	PK

Profile: 1842039	Page No.: 41
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5580MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.013	40.576	-32.987	74.000	0.437	PK
2	*	16740.000	45.908	40.193	-28.092	74.000	5.716	PK

Profile: 1842039	Page No.: 42
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5580MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	41.263	40.826	-32.737	74.000	0.437	PK
2	*	16740.000	46.267	40.552	-27.733	74.000	5.716	PK

Profile: 1842039	Page No.: 43
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5700MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.107	40.762	-32.893	74.000	0.346	PK
2	*	17100.000	46.904	40.576	-27.096	74.000	6.328	PK

Profile: 1842039	Page No.: 44
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5700MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	40.456	40.111	-33.544	74.000	0.346	PK
2	*	17100.000	46.662	40.334	-27.338	74.000	6.328	PK

Profile: 1842039	Page No.: 47
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5745MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.401	40.545	-33.599	74.000	-0.144	PK
2	*	17235.000	45.386	40.095	-28.614	74.000	5.291	PK

Profile: 1842039	Page No.: 48
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5745MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.376	40.520	-33.624	74.000	-0.144	PK
2	*	17235.000	45.972	40.681	-28.028	74.000	5.291	PK

Profile: 1842039	Page No.: 49
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5785MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.334	40.955	-32.666	74.000	0.379	PK
2	*	17355.000	46.259	40.338	-27.741	74.000	5.921	PK

Profile: 1842039	Page No.: 50
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5785MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.946	40.567	-33.054	74.000	0.379	PK
2	*	17355.000	45.994	40.073	-28.006	74.000	5.921	PK

Profile: 1842039	Page No.: 51
Engineer: Pawn	
Site:AC5	Time: 2018/08/01 - 09:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5825MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.993	40.445	-33.007	74.000	0.549	PK
2	*	17475.000	47.658	40.833	-26.342	74.000	6.825	PK

Profile: 1842039	Page No.: 52
Engineer: Pawn	
Site:AC5	Time: 2018/08/01 - 09:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 5825MHz by 802.11N20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.506	40.958	-32.494	74.000	0.549	PK
2	*	17475.000	46.906	40.081	-27.094	74.000	6.825	PK

Profile: 1842039	Page No.: 53
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5190MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.155	40.707	-33.845	74.000	-0.551	PK
2	*	15570.000	46.164	40.232	-27.836	74.000	5.931	PK

Profile: 1842039	Page No.: 54
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5190MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.892	40.444	-34.108	74.000	-0.551	PK
2	*	15570.000	46.757	40.825	-27.243	74.000	5.931	PK

Profile: 1842039	Page No.: 55
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5230MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.974	40.586	-34.026	74.000	-0.612	PK
2	*	15690.000	47.752	40.961	-26.248	74.000	6.791	PK

Profile: 1842039	Page No.: 56
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5230MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.425	40.037	-34.575	74.000	-0.612	PK
2	*	15690.000	47.757	40.966	-26.243	74.000	6.791	PK

Profile: 1842039	Page No.: 69
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5755MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.891	40.570	-33.109	74.000	0.321	PK
2	*	17265.000	47.197	40.087	-26.803	74.000	7.110	PK

Profile: 1842039	Page No.: 70
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5755MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	41.132	40.811	-32.868	74.000	0.321	PK
2	*	17265.000	47.227	40.117	-26.773	74.000	7.110	PK

Profile: 1842039	Page No.: 71
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5795MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.897	40.703	-32.103	74.000	1.193	PK
2	*	17385.000	47.266	40.242	-26.734	74.000	7.024	PK

Profile: 1842039	Page No.: 72
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 5795MHz by 802.11N40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.620	40.426	-32.380	74.000	1.193	PK
2	*	17385.000	47.776	40.752	-26.224	74.000	7.024	PK

Profile: 1842039	Page No.: 73
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5180MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.661	40.315	-34.339	74.000	-0.654	PK
2	*	15540.000	45.442	40.629	-28.558	74.000	4.813	PK

Profile: 1842039	Page No.: 74
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5180MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.722	40.376	-34.278	74.000	-0.654	PK
2	*	15540.000	45.225	40.412	-28.775	74.000	4.813	PK

Profile: 1842039	Page No.: 75
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5220MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.509	40.937	-33.491	74.000	-0.428	PK
2	*	15660.000	45.766	40.799	-28.234	74.000	4.968	PK

Profile: 1842039	Page No.: 76
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5220MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.934	40.362	-34.066	74.000	-0.428	PK
2	*	15660.000	45.534	40.567	-28.466	74.000	4.968	PK

Profile: 1842039	Page No.: 77
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5240MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.489	40.070	-34.511	74.000	-0.580	PK
2	*	15720.000	45.712	40.155	-28.288	74.000	5.557	PK

Profile: 1842039	Page No.: 78
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5240MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.833	40.414	-34.167	74.000	-0.580	PK
2	*	15720.000	45.626	40.069	-28.374	74.000	5.557	PK

Profile: 1842039	Page No.: 93
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5745MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	40.073	40.217	-33.927	74.000	-0.144	PK
2	*	17235.000	46.249	40.958	-27.751	74.000	5.291	PK

Profile: 1842039	Page No.: 94
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5745MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	39.865	40.009	-34.135	74.000	-0.144	PK
2	*	17235.000	45.986	40.695	-28.014	74.000	5.291	PK

Profile: 1842039	Page No.: 95
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5785MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.863	40.484	-33.137	74.000	0.379	PK
2	*	17355.000	46.530	40.609	-27.470	74.000	5.921	PK

Profile: 1842039	Page No.: 96
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5785MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	40.570	40.191	-33.430	74.000	0.379	PK
2	*	17355.000	46.440	40.519	-27.560	74.000	5.921	PK

Profile: 1842039	Page No.: 97
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5825MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	40.804	40.256	-33.196	74.000	0.549	PK
2	*	17475.000	47.357	40.532	-26.643	74.000	6.825	PK

Profile: 1842039	Page No.: 98
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 5825MHz by 802.11AC20(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	41.542	40.994	-32.458	74.000	0.549	PK
2	*	17475.000	47.510	40.685	-26.490	74.000	6.825	PK

Profile: 1842039	Page No.: 99
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5190MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.459	40.011	-34.541	74.000	-0.551	PK
2	*	15570.000	45.939	40.007	-28.061	74.000	5.931	PK

Profile: 1842039	Page No.: 100
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5190MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.989	40.541	-34.011	74.000	-0.551	PK
2	*	15570.000	46.213	40.281	-27.787	74.000	5.931	PK

Profile: 1842039	Page No.: 101
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5230MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.692	40.304	-34.308	74.000	-0.612	PK
2	*	15690.000	47.660	40.869	-26.340	74.000	6.791	PK

Profile: 1842039	Page No.: 102
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5230MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	39.818	40.430	-34.182	74.000	-0.612	PK
2	*	15690.000	47.102	40.311	-26.898	74.000	6.791	PK

Profile: 1842039	Page No.: 115
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5755MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	41.005	40.684	-32.995	74.000	0.321	PK
2	*	17265.000	47.926	40.816	-26.074	74.000	7.110	PK

Profile: 1842039	Page No.: 116
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5755MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	40.402	40.081	-33.598	74.000	0.321	PK
2	*	17265.000	47.300	40.190	-26.700	74.000	7.110	PK

Profile: 1842039	Page No.: 117
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5795MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.455	40.261	-32.545	74.000	1.193	PK
2	*	17385.000	47.624	40.600	-26.376	74.000	7.024	PK

Profile: 1842039	Page No.: 118
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 5795MHz by 802.11AC40(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	41.449	40.255	-32.551	74.000	1.193	PK
2	*	17385.000	47.492	40.468	-26.508	74.000	7.024	PK

Profile: 1842039	Page No.: 119
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5210MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.682	40.856	-34.318	74.000	-1.174	PK
2	*	15630.000	45.925	40.238	-28.075	74.000	5.688	PK

Profile: 1842039	Page No.: 120
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5210MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.176	40.350	-34.824	74.000	-1.174	PK
2	*	15630.000	46.584	40.897	-27.416	74.000	5.688	PK

Profile: 1842039	Page No.: 127
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5775MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	40.890	40.756	-33.110	74.000	0.134	PK
2	*	17325.000	46.234	40.689	-27.766	74.000	5.545	PK

Profile: 1842039	Page No.: 128
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 5775MHz by 802.11AC80(eth6)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	40.671	40.537	-33.329	74.000	0.134	PK
2	*	17325.000	46.341	40.796	-27.659	74.000	5.545	PK

Profile: 1842039	Page No.: 129
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5180MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.664	40.318	-34.336	74.000	-0.654	PK
2	*	15540.000	45.169	40.356	-28.831	74.000	4.813	PK

Profile: 1842039	Page No.: 130
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5180MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.366	40.020	-34.634	74.000	-0.654	PK
2	*	15540.000	45.238	40.425	-28.762	74.000	4.813	PK

Profile: 1842039	Page No.: 131
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5220MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.308	40.736	-33.692	74.000	-0.428	PK
2	*	15660.000	45.582	40.615	-28.418	74.000	4.968	PK

Profile: 1842039	Page No.: 132
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5220MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.297	40.725	-33.703	74.000	-0.428	PK
2	*	15660.000	45.638	40.671	-28.362	74.000	4.968	PK

Profile: 1842039	Page No.: 133
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5240MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.507	40.088	-34.493	74.000	-0.580	PK
2	*	15720.000	46.507	40.950	-27.493	74.000	5.557	PK

Profile: 1842039	Page No.: 134
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 5240MHz by 802.11A(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	39.818	40.399	-34.182	74.000	-0.580	PK
2	*	15720.000	46.167	40.610	-27.833	74.000	5.557	PK

Profile: 1842039	Page No.: 141
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5180MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.177	40.831	-33.823	74.000	-0.654	PK
2	*	15540.000	45.326	40.513	-28.674	74.000	4.813	PK

Profile: 1842039	Page No.: 142
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5180MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.888	40.542	-34.112	74.000	-0.654	PK
2	*	15540.000	45.484	40.671	-28.516	74.000	4.813	PK

Profile: 1842039	Page No.: 143
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5220MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.278	40.706	-33.722	74.000	-0.428	PK
2	*	15660.000	45.805	40.838	-28.195	74.000	4.968	PK

Profile: 1842039	Page No.: 144
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 5220MHz by 802.11N20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.959	40.387	-34.041	74.000	-0.428	PK
2	*	15660.000	45.923	40.956	-28.077	74.000	4.968	PK

Profile: 1842039	Page No.: 153
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5190MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.101	40.653	-33.899	74.000	-0.551	PK
2	*	15570.000	46.747	40.815	-27.253	74.000	5.931	PK

Profile: 1842039	Page No.: 154
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode9:Transmit at 5190MHz by 802.11N40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.204	40.756	-33.796	74.000	-0.551	PK
2	*	15570.000	46.451	40.519	-27.549	74.000	5.931	PK

Profile: 1842039	Page No.: 161
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5180MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	39.546	40.200	-34.454	74.000	-0.654	PK
2	*	15540.000	45.801	40.988	-28.199	74.000	4.813	PK

Profile: 1842039	Page No.: 162
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5180MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	40.122	40.776	-33.878	74.000	-0.654	PK
2	*	15540.000	45.430	40.617	-28.570	74.000	4.813	PK

Profile: 1842039	Page No.: 163
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5220MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.362	40.790	-33.638	74.000	-0.428	PK
2	*	15660.000	45.124	40.157	-28.876	74.000	4.968	PK

Profile: 1842039	Page No.: 164
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode10:Transmit at 5220MHz by 802.11AC20(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	39.771	40.199	-34.229	74.000	-0.428	PK
2	*	15660.000	45.285	40.318	-28.715	74.000	4.968	PK

Profile: 1842039	Page No.: 173
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5190MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	39.725	40.277	-34.275	74.000	-0.551	PK
2	*	15570.000	46.224	40.292	-27.776	74.000	5.931	PK

Profile: 1842039	Page No.: 174
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode11:Transmit at 5190MHz by 802.11AC40(eth7)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	40.119	40.671	-33.881	74.000	-0.551	PK
2	*	15570.000	46.105	40.173	-27.895	74.000	5.931	PK

Profile: 1842039	Page No.: 181
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode12:Transmit at 5210MHz by 802.11AC80(eth7)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.326	40.500	-34.674	74.000	-1.174	PK
2	*	15630.000	46.418	40.731	-27.582	74.000	5.688	PK

Profile: 1842039	Page No.: 182
Engineer: Pawn	
Site:AC5	Time: 2018/07/31 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode12:Transmit at 5210MHz by 802.11AC80(eth7)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	39.127	40.301	-34.873	74.000	-1.174	PK
2	*	15630.000	46.247	40.560	-27.753	74.000	5.688	PK