

EXHIBIT A- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

30M-1G

BLE-Horizontal-TX

Test result

Project Number: Test

Test Time: 2023-12-21_14.16.32

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-02#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	64.669	28.44	-26.75	40.0	11.56	Peak	343.60	100	Horizontal	Pass
2	139.420	37.63	-29.10	43.5	5.87	Peak	293.70	125	Horizontal	Pass
2*	139.420	35.98	-29.10	43.5	7.52	QP	293.70	125	Horizontal	Pass
3	147.238	39.11	-29.25	43.5	4.39	Peak	302.60	122	Horizontal	Pass
3*	147.238	37.46	-29.25	43.5	6.04	QP	302.60	122	Horizontal	Pass
4	222.497	40.86	-25.04	46.0	5.14	Peak	359.50	100	Horizontal	Pass
5	445.299	37.58	-18.85	46.0	8.42	Peak	36.40	100	Horizontal	Pass
6	816.473	42.33	-10.75	46.0	3.67	Peak	123.50	100	Horizontal	Pass

BLE-Vertical-TX

Test result

Project Number: Test

Test Time: 2023-12-21_14.05.58

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): N.A

Hum.: N.A

Test Engineer: ZY


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E23100101-02#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequen cy (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	45.516	38.64	-24.28	40.0	1.36	Peak	188.70	100	Vertical	Pass
2	64.616	41.13	-26.66	40.0	-1.13	Peak	295.90	100	Vertical	N/A
2*	64.616	39.02	-26.66	40.0	0.98	QP	295.90	100	Vertical	Pass
3	74.251	40.18	-30.14	40.0	-0.18	Peak	359.70	143	Vertical	N/A
3*	74.251	35.21	-30.14	40.0	4.79	QP	359.70	143	Vertical	Pass
4	82.997	40.34	-30.21	40.0	-0.34	Peak	232.70	123	Vertical	N/A
4*	82.997	37.33	-30.21	40.0	2.67	QP	232.70	123	Vertical	Pass
5	222.739	40.13	-25.03	46.0	5.87	Peak	204.40	100	Vertical	Pass
6	445.299	39.66	-18.85	46.0	6.34	Peak	359.50	100	Vertical	Pass

1-18G

BLE-Low channel-Horizontal-TX

Test result

Project Number: Test

Test Time: 2023-12-22_20.17.34

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: full load

Hum.: N.A

Remark: DR-RSE01-E23100101-02#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1039.500	42.53	-14.33	74.0	31.47	Peak	141.10	100	Horizontal	Pass
1**	1039.500	37.22	-14.33	54.0	16.78	AV	141.10	100	Horizontal	Pass
2	1188.000	45.93	-13.73	74.0	28.07	Peak	141.10	100	Horizontal	Pass
2**	1188.000	40.12	-13.73	54.0	13.88	AV	141.10	100	Horizontal	Pass
3	1886.750	45.29	-11.86	74.0	28.71	Peak	205.90	100	Horizontal	Pass
3**	1886.750	31.61	-11.86	54.0	22.39	AV	205.90	100	Horizontal	Pass
4	2404.750	48.84	-4.77	74.0	25.16	Peak	141.10	100	Horizontal	Pass
4**	2404.750	37.85	-4.77	54.0	16.15	AV	141.10	100	Horizontal	Pass
5	2867.500	48.11	-4.15	74.0	25.89	Peak	0.00	100	Horizontal	Pass
5**	2867.500	37.83	-4.15	54.0	16.17	AV	0.00	100	Horizontal	Pass
6	3622.000	48.78	-2.29	74.0	25.22	Peak	227.00	100	Horizontal	Pass
6**	3622.000	38.35	-2.29	54.0	15.65	AV	227.00	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2023-12-14_18.47.09

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-02#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8045.000	34.27	3.87	74.0	39.73	Peak	219.80	100	Horizontal	Pass
1**	8045.000	23.36	3.87	54.0	30.64	AV	219.80	100	Horizontal	Pass
2	9422.750	38.23	6.71	74.0	35.77	Peak	219.80	100	Horizontal	Pass
2**	9422.750	27.35	6.71	54.0	26.65	AV	219.80	100	Horizontal	Pass
3	11276.250	43.25	11.40	74.0	30.75	Peak	65.00	100	Horizontal	Pass
3**	11276.250	33.24	11.40	54.0	20.76	AV	65.00	100	Horizontal	Pass
4	13110.500	45.69	12.99	74.0	28.31	Peak	219.80	100	Horizontal	Pass
4**	13110.500	34.82	12.99	54.0	19.18	AV	219.80	100	Horizontal	Pass
5	14202.250	50.70	18.36	74.0	23.30	Peak	126.00	100	Horizontal	Pass
5**	14202.250	40.08	18.36	54.0	13.92	AV	126.00	100	Horizontal	Pass
6	17425.250	53.77	20.43	74.0	20.23	Peak	219.80	100	Horizontal	Pass
6**	17425.250	43.80	20.43	54.0	10.20	AV	219.80	100	Horizontal	Pass

BLE-Low channel-Vertical-TX

Test result

Project Number: Test

Test Time: 2023-12-22_20.37.21

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: full load

Hum.: N.A

Remark: DR-RSE01-E23100101-02#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1039.500	42.77	-14.33	74.0	31.23	Peak	76.30	100	Vertical	Pass
1**	1039.500	35.39	-14.33	54.0	18.61	AV	76.30	100	Vertical	Pass
2	1410.500	44.88	-12.71	74.0	29.12	Peak	44.30	100	Vertical	Pass
2**	1410.500	35.88	-12.71	54.0	18.12	AV	44.30	100	Vertical	Pass
3	1571.250	46.69	-13.02	74.0	27.31	Peak	93.10	100	Vertical	Pass
3**	1571.250	34.07	-13.02	54.0	19.93	AV	93.10	100	Vertical	Pass
4	2400.250	47.87	-4.67	74.0	26.13	Peak	93.10	100	Vertical	Pass
4**	2400.250	38.37	-4.67	54.0	15.63	AV	93.10	100	Vertical	Pass
5	2864.250	47.62	-4.17	74.0	26.38	Peak	360.00	100	Vertical	Pass
5**	2864.250	37.31	-4.17	54.0	16.69	AV	360.00	100	Vertical	Pass
6	4156.000	48.24	-2.06	74.0	25.76	Peak	127.80	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2023-12-14_18.38.15

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-02#01

R Emission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9153.250	37.41	6.37	74.0	36.59	Peak	44.70	100	Vertical	Pass
1**	9153.250	27.02	6.37	54.0	26.98	AV	44.70	100	Vertical	Pass
2	10115.750	39.53	8.62	74.0	34.47	Peak	356.90	100	Vertical	Pass
2**	10115.750	30.01	8.62	54.0	23.99	AV	356.90	100	Vertical	Pass
3	11177.250	42.58	10.22	74.0	31.42	Peak	356.90	100	Vertical	Pass
3**	11177.250	32.76	10.22	54.0	21.24	AV	356.90	100	Vertical	Pass
4	13091.250	45.34	12.79	74.0	28.66	Peak	0.00	100	Vertical	Pass
4**	13091.250	34.62	12.79	54.0	19.38	AV	0.00	100	Vertical	Pass
5	14205.000	49.71	18.30	74.0	24.29	Peak	106.50	100	Vertical	Pass
5**	14205.000	39.73	18.30	54.0	14.27	AV	106.50	100	Vertical	Pass
6	17865.251	58.82	23.71	74.0	15.18	Peak	44.70	100	Vertical	Pass

BLE-Middle channel-Horizontal-TX

Test result

Project Number: Test

Test Time: 2023-12-22_20.22.30

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: full load

Hum.: N.A

Remark: DR-RSE01-E23100101-02#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1039.500	43.16	-14.33	74.0	30.84	Peak	104.90	100	Horizontal	Pass
1**	1039.500	37.19	-14.33	54.0	16.81	AV	104.90	100	Horizontal	Pass
2	1188.000	45.02	-13.73	74.0	28.98	Peak	263.50	100	Horizontal	Pass
2**	1188.000	39.38	-13.73	54.0	14.62	AV	263.50	100	Horizontal	Pass
3	2182.750	45.36	-8.23	74.0	28.64	Peak	169.00	100	Horizontal	Pass
3**	2182.750	35.18	-8.23	54.0	18.82	AV	169.00	100	Horizontal	Pass
4	2391.750	48.43	-4.84	74.0	25.57	Peak	263.50	100	Horizontal	Pass
4**	2391.750	38.79	-4.84	54.0	15.21	AV	263.50	100	Horizontal	Pass
5	2847.750	47.76	-4.27	74.0	26.24	Peak	360.00	100	Horizontal	Pass
5**	2847.750	37.30	-4.27	54.0	16.70	AV	360.00	100	Horizontal	Pass
6	4508.500	49.18	-0.81	74.0	24.82	Peak	103.40	100	Horizontal	Pass
6**	4508.500	39.41	-0.81	54.0	14.59	AV	103.40	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2023-12-14_18.49.56

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): N.A

Hum.: N.A

Test Engineer: ZY


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E23100101-02#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7981.750	33.92	2.96	74.0	40.08	Peak	357.00	100	Horizontal	Pass
1**	7981.750	23.50	2.96	54.0	30.50	AV	357.00	100	Horizontal	Pass
2	8809.500	36.11	4.21	74.0	37.89	Peak	357.00	100	Horizontal	Pass
2**	8809.500	25.67	4.21	54.0	28.33	AV	357.00	100	Horizontal	Pass
3	9956.250	40.85	8.72	74.0	33.15	Peak	234.40	100	Horizontal	Pass
3**	9956.250	30.32	8.72	54.0	23.68	AV	234.40	100	Horizontal	Pass
4	12395.500	44.07	11.77	74.0	29.93	Peak	360.00	100	Horizontal	Pass
4**	12395.500	34.05	11.77	54.0	19.95	AV	360.00	100	Horizontal	Pass
5	14185.750	49.66	18.59	74.0	24.34	Peak	234.40	100	Horizontal	Pass
5**	14185.750	40.92	18.59	54.0	13.08	AV	234.40	100	Horizontal	Pass
6	17496.750	54.89	21.54	74.0	19.11	Peak	299.20	100	Horizontal	Pass
6**	17496.750	44.57	21.54	54.0	9.43	AV	299.20	100	Horizontal	Pass

BLE-Middle channel-Vertical-TX

Test result

Project Number: Test

Test Time: 2023-12-22_20.34.57

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: full load

Hum.: N.A

Remark: DR-RSE01-E23100101-02#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1039.250	42.14	-14.32	74.0	31.86	Peak	82.60	100	Vertical	Pass
1**	1039.250	36.20	-14.32	54.0	17.80	AV	82.60	100	Vertical	Pass
2	1187.750	43.91	-13.73	74.0	30.09	Peak	82.60	100	Vertical	Pass
2**	1187.750	36.92	-13.73	54.0	17.08	AV	82.60	100	Vertical	Pass
3	1992.500	47.18	-11.03	74.0	26.82	Peak	360.00	100	Vertical	Pass
3**	1992.500	35.13	-11.03	54.0	18.87	AV	360.00	100	Vertical	Pass
4	2392.250	48.06	-4.45	74.0	25.94	Peak	227.00	100	Vertical	Pass
4**	2392.250	38.50	-4.45	54.0	15.50	AV	227.00	100	Vertical	Pass
5	2965.000	47.40	-3.76	74.0	26.60	Peak	115.70	100	Vertical	Pass
5**	2965.000	37.45	-3.76	54.0	16.55	AV	115.70	100	Vertical	Pass
6	4096.000	49.15	-1.44	74.0	24.85	Peak	26.20	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2023-12-14_18.43.49

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-02#01

R Emission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9169.750	37.12	6.27	74.0	36.88	Peak	129.50	100	Vertical	Pass
1**	9169.750	27.77	6.27	54.0	26.23	AV	129.50	100	Vertical	Pass
2	10533.750	40.67	9.46	74.0	33.33	Peak	303.30	100	Vertical	Pass
2**	10533.750	30.90	9.46	54.0	23.10	AV	303.30	100	Vertical	Pass
3	11314.750	43.97	11.34	74.0	30.03	Peak	303.30	100	Vertical	Pass
3**	11314.750	32.72	11.34	54.0	21.28	AV	303.30	100	Vertical	Pass
4	13149.000	46.54	13.10	74.0	27.46	Peak	129.50	100	Vertical	Pass
4**	13149.000	36.76	13.10	54.0	17.24	AV	129.50	100	Vertical	Pass
5	14521.250	50.59	16.64	74.0	23.41	Peak	129.50	100	Vertical	Pass
5**	14521.250	39.68	16.64	54.0	14.32	AV	129.50	100	Vertical	Pass
6	17829.501	56.96	23.24	74.0	17.04	Peak	0.00	100	Vertical	Pass

BLE-High channel-Horizontal-TX

Test result

Project Number: Test

Test Time: 2023-12-22_20.24.51

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: full load

Hum.: N.A

Remark: DR-RSE01-E23100101-02#01

REmission Test case_FCC_Part15C_FCC_15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1039.500	43.78	-14.33	74.0	30.22	Peak	94.50	100	Horizontal	Pass
1**	1039.500	37.77	-14.33	54.0	16.23	AV	94.50	100	Horizontal	Pass
2	1187.750	43.45	-13.73	74.0	30.55	Peak	94.50	100	Horizontal	Pass
2**	1187.750	38.38	-13.73	54.0	15.62	AV	94.50	100	Horizontal	Pass
3	1589.250	44.79	-13.07	74.0	29.21	Peak	45.30	100	Horizontal	Pass
3**	1589.250	31.52	-13.07	54.0	22.48	AV	45.30	100	Horizontal	Pass
4	2404.250	48.24	-4.76	74.0	25.76	Peak	94.50	100	Horizontal	Pass
4**	2404.250	38.10	-4.76	54.0	15.90	AV	94.50	100	Horizontal	Pass
5	2984.250	48.23	-3.61	74.0	25.77	Peak	227.80	100	Horizontal	Pass
5**	2984.250	37.39	-3.61	54.0	16.61	AV	227.80	100	Horizontal	Pass
6	4483.500	49.42	-1.32	74.0	24.58	Peak	246.70	100	Horizontal	Pass
6**	4483.500	39.42	-1.32	54.0	14.58	AV	246.70	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2023-12-14_18.51.39

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): N.A

Hum.: N.A

Test Engineer: ZY

Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E23100101-02#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7979.000	33.98	2.93	74.0	40.02	Peak	125.10	100	Horizontal	Pass
1**	7979.000	23.90	2.93	54.0	30.10	AV	125.10	100	Horizontal	Pass
2	9508.000	39.45	7.09	74.0	34.55	Peak	298.30	100	Horizontal	Pass
2**	9508.000	27.46	7.09	54.0	26.54	AV	298.30	100	Horizontal	Pass
3	12450.500	44.92	11.88	74.0	29.08	Peak	45.80	100	Horizontal	Pass
3**	12450.500	34.69	11.88	54.0	19.31	AV	45.80	100	Horizontal	Pass
4	14199.500	50.50	18.42	74.0	23.50	Peak	186.20	100	Horizontal	Pass
4**	14199.500	40.45	18.42	54.0	13.55	AV	186.20	100	Horizontal	Pass
5	14777.000	50.65	17.80	74.0	23.35	Peak	45.80	100	Horizontal	Pass
5**	14777.000	40.07	17.80	54.0	13.93	AV	45.80	100	Horizontal	Pass
6	17813.000	56.87	22.81	74.0	17.13	Peak	0.00	100	Horizontal	Pass
6**	17813.000	47.12	22.81	54.0	6.88	AV	0.00	100	Horizontal	Pass

BLE-High channel-Vertical-TX

Test result

Project Number: Test

Test Time: 2023-12-22_20.32.21

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: full load

Hum.: N.A

Remark: DR-RSE01-E23100101-02#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G) 1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1039.250	41.96	-14.32	74.0	32.04	Peak	65.20	100	Vertical	Pass
1**	1039.250	36.56	-14.32	54.0	17.44	AV	65.20	100	Vertical	Pass
2	1188.000	43.48	-13.73	74.0	30.52	Peak	82.30	100	Vertical	Pass
2**	1188.000	38.36	-13.73	54.0	15.64	AV	82.30	100	Vertical	Pass
3	1337.000	44.38	-12.89	74.0	29.62	Peak	351.00	100	Vertical	Pass
3**	1337.000	35.62	-12.89	54.0	18.38	AV	351.00	100	Vertical	Pass
4	2403.750	47.74	-4.75	74.0	26.26	Peak	272.10	100	Vertical	Pass
4**	2403.750	38.50	-4.75	54.0	15.50	AV	272.10	100	Vertical	Pass
5	2982.250	47.30	-3.62	74.0	26.70	Peak	359.40	100	Vertical	Pass
5**	2982.250	37.63	-3.62	54.0	16.37	AV	359.40	100	Vertical	Pass
6	3612.500	47.93	-2.56	74.0	26.07	Peak	27.30	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2023-12-14_18.45.18

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-02#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8806.750	35.55	4.19	74.0	38.45	Peak	13.10	100	Vertical	Pass
1**	8806.750	25.29	4.19	54.0	28.71	AV	13.10	100	Vertical	Pass
2	10839.000	42.41	10.11	74.0	31.59	Peak	185.40	100	Vertical	Pass
2**	10839.000	31.81	10.11	54.0	22.19	AV	185.40	100	Vertical	Pass
3	11193.750	43.63	10.38	74.0	30.37	Peak	13.10	100	Vertical	Pass
3**	11193.750	32.46	10.38	54.0	21.54	AV	13.10	100	Vertical	Pass
4	13138.000	45.58	13.07	74.0	28.42	Peak	252.00	100	Vertical	Pass
4**	13138.000	35.49	13.07	54.0	18.51	AV	252.00	100	Vertical	Pass
5	14177.500	50.06	18.32	74.0	23.94	Peak	76.00	100	Vertical	Pass
5**	14177.500	39.89	18.32	54.0	14.11	AV	76.00	100	Vertical	Pass
6	17480.249	54.40	21.63	74.0	19.60	Peak	76.00	100	Vertical	Pass

BLE-Bandedge -Low channel- Horizontal –TX

Test result

Project Number: Test

Test Time: 2023-12-21_15.05.11

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: full load

Hum.: N.A

Remark: DR-RSE01-E23100010-02#01

R Emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	49.90	-10.27	74.0	24.10	Peak	0.80	100	H	Pass
1**	2390.000	41.92	-10.27	54.0	12.08	AV	0.80	100	H	Pass

BLE-Bandedge -Low channel- Vertical -TX

Test result

Project Number: Test

Test Time: 2023-12-22_20.39.31

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: full load

Hum.: N.A

Remark: DR-RSE01-E23100101-02#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	49.16	-10.27	74.0	24.84	Peak	197.88	100	V	Pass
1**	2390.000	41.56	-10.27	54.0	12.44	AV	197.88	100	V	Pass

BLE-Bandedge -High channel- Horizontal –TX

Test result

Project Number: Test

Test Time: 2023-12-22_20.28.14

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: full load

Hum.: N.A

Remark: DR-RSE01-E23100101-02#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	49.99	-9.82	74.0	24.01	Peak	268.73	100	H	Pass
1**	2483.500	42.49	-9.82	54.0	11.51	AV	268.73	100	H	Pass

BLE-Bandedge -High channel- Vertical –TX

Test result

Project Number: Test

Test Time: 2023-12-22_20.30.55

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: full load

Hum.: N.A

Remark: DR-RSE01-E23100101-02#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	50.89	-9.82	74.0	23.11	Peak	223.17	100	V	Pass
1**	2483.500	42.32	-9.82	54.0	11.68	AV	223.17	100	V	Pass