

## Technical Specs

Items	Specification
Operating System	Android 11
CPU	Quad-core@2.0Ghz+Quad-core@1.5GHz
Memory	4GB RAM + 64GB ROM (LPDDR4x)
Display	4.0" IPS, 480*800
Camera	13MP AF(back) + 2MP FF(front)
Scanner	E3
Communication	IEEE 802.11a/b/g/n/ac(2.4G/5G) Bluetooth 5.0, Support NFC
Cellular Network	Support 2g/3g/4g
Audio	Microphone/Receiver/Speaker
Interface	USB type-C /3.5mm Audio jack /Pogo pin
Battery	3.85V/5200mAh (Rated capacity)
Environment Characteristic	Drop:1.5m Level of Protection:IP65

## ATTENTION

### Warning

- Read all instructions and safety information before use to avoid injury.
- The limit operating ambient temperature of the device declared by the manufacturer is -10~45°C.

### Battery safety

- Charge battery only at ambient temperatures ranging from 0~40°C.
- Dispose of used batteries according to manufacturer's instructions.
- Danger of explosion if battery is incorrectly replaced. Replace only with the same or equivalent type of battery recommended by the manufacturer.

### Statement

- The equipment damage caused by natural disasters, falling, self disassembly and non-compliance with the operation specifications is not covered by the free warranty.
- Some details of this document may be inconsistent with the real object due to the update iteration of the product. Please take the real object as the standard, and our company reserves the right to interpret this document.


# T8

## Quick Guide



K7612000273LA

## Product Diagram



### NFC Reader

Used for sensing chip and acquire data through contactless way.

### Camera

Used for taking interesting photos or videos.

### Scanner

Used to capture and identify 1D and 2D code.

### LED Indicator

Used for indicating the charging status.

### Power Button

Used for change the running states of device, such as pressing 2~3 seconds to power on/off or screen capture and pressing 10 seconds to restart automatically when device is crashed.

### Side Button

Scan button serves as the shortcut key of scan. Functional button can be customized to the function as you want, such as the shortcut key of adjusting volume.

### Battery Lock

Turn left to lock the battery cover to fix the battery while turn right to remove this restriction.

### Pogo Pin

Used for a specific expand scenarios such as device charging and data transmission.


### USB Type-C

Used for device charging and plug in OTG.

### Hand Strap Ring

Used to fix the hand strap for easy carrying.

## Card Selection Instruction



## Package List

NO.	Items list	Description
1	Device	Default
2	Battery	1pcs, 5200mAh/3.85V
3	USB cable	1pcs, 1m/black/type-c
4	Hand Strap	Neutral
5	User manual	Neutral

## FCC Statement

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

**Note :** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates,uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: —Reorient or relocate the receiving antenna.

—Increase the separation between the equipment and receiver.

—Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

—Consult the dealer or an experienced radio/TV technician for help.

## RF Exposure Information (SAR) :

This device meets the government's requirements for exposure to radio waves. This device is designed and manufactured not to exceed the emission limits for exposure to radio frequency (RF) energy set by the Federal Communications Commission of the U.S. Government. The exposure standard for wireless devices employs a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit set by the FCC is 1.6 W/kg. \*Tests for SAR are conducted using standard operating positions accepted by the FCC with the device transmitting at its highest certified power level in all tested frequency bands.

Although the SAR is determined at the highest certified power level, the actual SAR level of the device while operating can be well below the maximum value. This is because the device is designed to operate at multiple power levels so as to use only the power required to reach the network. In general, the closer you are to a wireless base station antenna, the lower the power output.

The highest SAR value for the device as reported to the FCC when worn on the body, as described in this user guide, is 0.8 W/kg (Body-worn measurements differ among devices, depending upon available enhancements and FCC requirements.) While there may be differences between the SAR levels of various devices and at various positions, they all meet the government requirement. The FCC has granted an Equipment Authorization for this device with all reported SAR levels evaluated as in compliance with the FCC RF exposure guidelines. SAR information on this device is on file with the FCC and can be found under the Display Grant section of <http://www.fcc.gov/oet/fccid> after searching on FCC ID: 2A2UU-T8.

For body worn operation, this device has been tested and meets the FCC RF exposure guidelines for use with an accessory that contains no metal and the positions the product a minimum of 10 mm from the body . Use of other enhancements may not ensure compliance with FCC RF exposure guidelines.