


Report Number :E2/2022/30010
 Operation Mode :802.11ax80
 Test Frequency :5530 MHz
 Test Mode :BE CH LOW RU FULL
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-16
 Temp./Humi. :20.8/68
 Antenna Pol. :Vertical
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5457.400	Average	40.90	2.63	43.53	54.00	-10.47
5457.400	Peak	55.42	2.63	58.05	74.00	-15.95
5460.000	Average	41.21	2.64	43.85	54.00	-10.15
5460.000	Peak	54.00	2.64	56.64	74.00	-17.36
5468.700	Peak	54.90	2.75	57.65	68.20	-10.55
5470.000	Peak	53.32	2.77	56.09	68.20	-12.11


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ax80
Test Frequency :5530 MHz
Test Mode :BE CH LOW RU FULL
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-16
Temp./Humi. :20.8/68
Antenna Pol. :Horizontal
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5456.400	Average	47.63	2.63	50.25	54.00	-3.75
5456.400	Peak	62.41	2.63	65.03	74.00	-8.97
5460.000	Average	46.27	2.64	48.91	54.00	-5.09
5460.000	Peak	58.70	2.64	61.34	74.00	-12.66
5466.200	Peak	62.69	2.72	65.41	68.20	-2.79
5470.000	Peak	58.09	2.77	60.86	68.20	-7.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-16

Test Frequency :5530 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 996/67

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5450.700	Average	39.58	2.60	42.18	54.00	-11.82
5450.700	Peak	54.69	2.60	57.29	74.00	-16.71
5460.000	Average	39.50	2.64	42.14	54.00	-11.86
5460.000	Peak	52.53	2.64	55.17	74.00	-18.83
5460.800	Peak	54.36	2.65	57.01	68.20	-11.19
5470.000	Peak	53.01	2.77	55.78	68.20	-12.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-16

Test Frequency :5530 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 996/67

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5456.400	Average	45.76	2.63	48.39	54.00	-5.61
5456.400	Peak	61.97	2.63	64.59	74.00	-9.41
5460.000	Average	40.79	2.64	43.43	54.00	-10.57
5460.000	Peak	54.31	2.64	56.95	74.00	-17.05
5467.900	Peak	61.44	2.74	64.18	68.20	-4.02
5470.000	Peak	56.51	2.77	59.28	68.20	-8.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-16

Test Frequency :5610 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	51.39	4.21	55.60	68.20	-12.60
5730.680	Peak	52.87	4.26	57.12	68.20	-11.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-16

Test Frequency :5610 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	59.71	4.21	63.92	68.20	-4.28
5725.280	Peak	59.86	4.21	64.08	68.20	-4.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-16

Test Frequency :5610 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 996/67

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	52.54	4.21	56.75	68.20	-11.45
5725.820	Peak	53.39	4.22	57.61	68.20	-10.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2022/30010	Test Site	:SAC G
Operation Mode	:802.11ax80	Test Date	:2022-03-16
Test Frequency	:5610 MHz	Temp./Humi.	:20.8/68
Test Mode	:BE CH HIGH RU 996/67	Antenna Pol.	:Horizontal
EUT Pol	:NB Plane	Engineer	:Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	60.73	4.21	64.94	68.20	-3.26
5725.640	Peak	60.61	4.22	64.82	68.20	-3.38


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ax80
 Test Frequency :5690 MHz
 Test Mode :BE CH MID RU FULL
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-21
 Temp./Humi. :21.0/70
 Antenna Pol. :Vertical
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5363.000	Average	38.91	2.25	41.16	54.00	-12.84
5363.000	Peak	52.17	2.25	54.41	74.00	-19.59
5460.000	Average	38.91	2.64	41.55	54.00	-12.45
5460.000	Peak	50.13	2.64	52.77	74.00	-21.23
5470.000	Peak	50.38	2.77	53.16	68.20	-15.04
5480.000	Peak	50.21	2.76	52.97	68.20	-15.23
5850.000	Peak	49.56	4.31	53.87	68.20	-14.33
5982.450	Peak	53.36	3.96	57.32	68.20	-10.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-21

Test Frequency :5690 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH MID RU FULL

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5456.600	Average	40.01	2.63	42.63	54.00	-11.37
5456.600	Peak	53.34	2.63	55.97	74.00	-18.03
5460.000	Average	39.83	2.64	42.47	54.00	-11.53
5460.000	Peak	51.35	2.64	53.99	74.00	-20.01
5470.000	Peak	51.34	2.77	54.11	68.20	-14.09
5480.000	Peak	52.53	2.76	55.29	68.20	-12.91
5850.000	Peak	53.23	4.31	57.54	68.20	-10.66
5860.900	Peak	54.32	4.10	58.42	68.20	-9.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-21

Test Frequency :5690 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH MID RU 996/67

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5448.800	Average	36.19	2.57	38.75	54.00	-15.25
5448.800	Peak	49.74	2.57	52.30	74.00	-21.70
5460.000	Average	36.29	2.64	38.93	54.00	-15.07
5460.000	Peak	47.71	2.64	50.35	74.00	-23.65
5470.000	Peak	48.28	2.77	51.05	68.20	-17.15
5480.000	Peak	48.46	2.76	51.22	68.20	-16.98
5850.000	Peak	48.38	4.31	52.69	68.20	-15.51
5950.600	Peak	50.47	4.03	54.49	68.20	-13.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-21

Test Frequency :5690 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH MID RU 996/67

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5431.250	Average	39.27	2.39	41.66	54.00	-12.34
5431.250	Peak	55.41	2.39	57.80	74.00	-16.20
5460.000	Average	39.09	2.64	41.73	54.00	-12.27
5460.000	Peak	51.70	2.64	54.34	74.00	-19.66
5470.000	Peak	54.62	2.77	57.39	68.20	-10.81
5480.000	Peak	52.51	2.76	55.27	68.20	-12.93
5850.000	Peak	55.60	4.31	59.91	68.20	-8.29
5863.500	Peak	58.05	4.06	62.11	68.20	-6.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ax80
 Test Frequency :5775 MHz
 Test Mode :BE CH LOW RU FULL
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-21
 Temp./Humi. :21.0/70
 Antenna Pol. :Vertical
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5642.920	Peak	51.72	3.47	55.18	68.20	-13.02
5650.000	Peak	50.04	3.60	53.64	68.20	-14.56
5700.000	Peak	55.78	3.31	59.09	105.20	-46.11
5720.000	Peak	59.00	4.17	63.17	110.80	-47.63
5725.000	Peak	55.16	4.21	59.37	122.20	-62.83


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ax80
 Test Frequency :5775 MHz
 Test Mode :BE CH LOW RU FULL
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-21
 Temp./Humi. :21.0/70
 Antenna Pol. :Horizontal
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5641.810	Peak	58.80	3.44	62.24	68.20	-5.96
5650.000	Peak	54.65	3.60	58.25	68.20	-9.95
5700.000	Peak	61.46	3.31	64.77	105.20	-40.43
5720.000	Peak	63.97	4.17	68.14	110.80	-42.66
5725.000	Peak	64.74	4.21	68.95	122.20	-53.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-21

Test Frequency :5775 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 996/67

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5648.100	Peak	51.96	3.56	55.53	68.20	-12.67
5650.000	Peak	50.90	3.60	54.50	68.20	-13.70
5700.000	Peak	51.84	3.31	55.15	105.20	-50.05
5720.000	Peak	55.75	4.17	59.92	110.80	-50.88
5725.000	Peak	55.83	4.21	60.04	122.20	-62.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-21

Test Frequency :5775 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 996/67

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5649.210	Peak	61.81	3.59	65.39	68.20	-2.81
5650.000	Peak	60.83	3.60	64.43	68.20	-3.77
5700.000	Peak	60.66	3.31	63.97	105.20	-41.23
5720.000	Peak	69.68	4.17	73.85	110.80	-36.95
5725.000	Peak	69.57	4.21	73.78	122.20	-48.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-21

Test Frequency :5775 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	54.51	4.31	58.82	122.20	-63.38
5855.000	Peak	51.44	4.21	55.65	110.80	-55.15
5875.000	Peak	50.72	3.90	54.62	105.20	-50.58
5925.000	Peak	50.99	4.36	55.34	68.20	-12.86
5928.400	Peak	52.31	4.35	56.66	68.20	-11.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-21

Test Frequency :5775 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	64.12	4.31	68.43	122.20	-53.77
5855.000	Peak	63.42	4.21	67.63	110.80	-43.17
5875.000	Peak	57.54	3.90	61.44	105.20	-43.76
5925.000	Peak	51.87	4.36	56.22	68.20	-11.98
5926.800	Peak	55.41	4.35	59.76	68.20	-8.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-21

Test Frequency :5775 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 996/67

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	56.98	4.31	61.29	122.20	-60.91
5855.000	Peak	55.73	4.21	59.94	110.80	-50.86
5875.000	Peak	54.17	3.90	58.07	105.20	-47.13
5925.000	Peak	50.88	4.36	55.24	68.20	-12.96
5929.800	Peak	52.94	4.34	57.28	68.20	-10.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax80

Test Date :2022-03-21

Test Frequency :5775 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 996/67

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	67.55	4.31	71.86	122.20	-50.34
5855.000	Peak	67.49	4.21	71.70	110.80	-39.10
5875.000	Peak	63.31	3.90	67.21	105.20	-37.99
5925.000	Peak	51.89	4.36	56.25	68.20	-11.95
5933.800	Peak	53.06	4.26	57.32	68.20	-10.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ax160
 Test Frequency :5250 MHz
 Test Mode :BE CH LOW RU FULL
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-21
 Temp./Humi. :21.0/70
 Antenna Pol. :Vertical
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5135.360	Average	39.62	2.74	42.37	54.00	-11.63
5135.360	Peak	53.71	2.74	56.46	74.00	-17.54
5150.000	Average	39.28	3.03	42.31	54.00	-11.69
5150.000	Peak	50.91	3.03	53.94	74.00	-20.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax160

Test Date :2022-03-21

Test Frequency :5250 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU FULL

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5127.000	Average	47.12	2.64	49.76	54.00	-4.24
5127.000	Peak	60.67	2.64	63.30	74.00	-10.70
5150.000	Average	41.37	3.03	44.40	54.00	-9.60
5150.000	Peak	55.42	3.03	58.45	74.00	-15.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax160

Test Date :2022-03-21

Test Frequency :5250 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 1992/68

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5095.080	Average	39.35	3.15	42.51	54.00	-11.49
5095.080	Peak	56.64	3.15	59.79	74.00	-14.21
5150.000	Average	39.45	3.03	42.48	54.00	-11.52
5150.000	Peak	52.74	3.03	55.77	74.00	-18.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax160

Test Date :2022-03-21

Test Frequency :5250 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH LOW RU 1992/68

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5125.480	Average	48.58	2.61	51.19	54.00	-2.81
5125.480	Peak	68.04	2.61	70.65	74.00	-3.35
5150.000	Average	45.71	3.03	48.74	54.00	-5.26
5150.000	Peak	62.22	3.03	65.25	74.00	-8.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax160

Test Date :2022-03-21

Test Frequency :5250 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	40.37	2.21	42.58	54.00	-11.42
5350.000	Peak	51.75	2.21	53.96	74.00	-20.04
5378.050	Average	40.20	2.33	42.54	54.00	-11.46
5378.050	Peak	53.86	2.33	56.19	74.00	-17.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax160

Test Date :2022-03-21

Test Frequency :5250 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.000	Average	40.91	2.21	43.12	54.00	-10.88
5350.000	Peak	52.51	2.21	54.72	74.00	-19.28
5365.570	Average	49.33	2.27	51.60	54.00	-2.40
5365.570	Peak	62.88	2.27	65.15	74.00	-8.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax160

Test Date :2022-03-21

Test Frequency :5250 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 1992/68

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	39.50	2.21	41.71	54.00	-12.29
5350.000	Peak	52.47	2.21	54.68	74.00	-19.32
5352.960	Average	39.05	2.21	41.26	54.00	-12.74
5352.960	Peak	55.80	2.21	58.01	74.00	-15.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax160

Test Date :2022-03-21

Test Frequency :5250 MHz


Temp./Humi. :21.0/70

Test Mode :BE CH HIGH RU 1992/68

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	47.63	2.21	49.84	54.00	-4.16
5350.000	Peak	63.06	2.21	65.27	74.00	-8.73
5359.200	Average	49.63	2.22	51.85	54.00	-2.15
5359.200	Peak	65.76	2.22	67.98	74.00	-6.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax160

Test Date :2022-03-16

Test Frequency :5570 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU FULL

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5457.780	Average	40.02	2.63	42.65	54.00	-11.35
5457.780	Peak	53.73	2.63	56.36	74.00	-17.64
5460.000	Average	39.84	2.64	42.48	54.00	-11.52
5460.000	Peak	52.79	2.64	55.43	74.00	-18.57
5468.070	Peak	53.31	2.75	56.06	68.20	-12.14
5470.000	Peak	51.83	2.77	54.60	68.20	-13.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ax160
Test Frequency :5570 MHz
Test Mode :BE CH LOW RU FULL
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-16
Temp./Humi. :20.8/68
Antenna Pol. :Horizontal
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5426.070	Average	46.57	2.40	48.97	54.00	-5.03
5426.070	Peak	61.05	2.40	63.45	74.00	-10.55
5460.000	Average	40.27	2.64	42.91	54.00	-11.09
5460.000	Peak	52.78	2.64	55.42	74.00	-18.58
5465.760	Peak	56.88	2.71	59.59	68.20	-8.61
5470.000	Peak	53.11	2.77	55.88	68.20	-12.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax160

Test Date :2022-03-16

Test Frequency :5570 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 1992/68

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5393.520	Average	38.64	2.59	41.23	54.00	-12.77
5393.520	Peak	53.11	2.59	55.70	74.00	-18.30
5460.000	Average	38.56	2.64	41.20	54.00	-12.80
5460.000	Peak	51.69	2.64	54.33	74.00	-19.67
5469.330	Peak	53.53	2.76	56.29	68.20	-11.91
5470.000	Peak	51.39	2.77	54.16	68.20	-14.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax160

Test Date :2022-03-16

Test Frequency :5570 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH LOW RU 1992/68

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5442.240	Average	39.35	2.38	41.73	54.00	-12.27
5442.240	Peak	57.69	2.38	60.06	74.00	-13.94
5460.000	Average	39.63	2.64	42.27	54.00	-11.73
5460.000	Peak	54.38	2.64	57.02	74.00	-16.98
5467.860	Peak	59.89	2.74	62.63	68.20	-5.57
5470.000	Peak	58.74	2.77	61.51	68.20	-6.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax160

Test Date :2022-03-16

Test Frequency :5570 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	51.34	4.21	55.55	68.20	-12.65
5726.030	Peak	52.55	4.22	56.77	68.20	-11.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax160

Test Date :2022-03-16

Test Frequency :5570 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	58.72	4.21	62.93	68.20	-5.27
5726.450	Peak	61.69	4.22	65.91	68.20	-2.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax160

Test Date :2022-03-16

Test Frequency :5570 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 1992/68

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	51.18	4.21	55.39	68.20	-12.81
5731.280	Peak	52.96	4.26	57.23	68.20	-10.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax160

Test Date :2022-03-16

Test Frequency :5570 MHz


Temp./Humi. :20.8/68

Test Mode :BE CH HIGH RU 1992/68

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	58.66	4.21	62.87	68.20	-5.33
5726.870	Peak	59.29	4.23	63.51	68.20	-4.69

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.