



FCC SAR Test Report

LTE Band 41															
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		40140	40640	41140				Channel		40115	40640	41165	
		Frequency(MHz)		2545	2595	2645				Frequency(MHz)		2542.5	2595	2647.5	
20M	QPSK	1	0	24.02	23.84	23.78	0	15M	QPSK	1	0	24.01	23.76	23.72	0
		1	50	24.16	24.01	23.95	0			1	37	24.12	23.95	23.93	0
		1	99	24.02	23.89	23.79	0			1	74	24.00	23.85	23.73	0
		50	0	23.09	23.01	22.91	1			36	0	23.03	23.00	22.90	1
		50	25	23.28	23.13	22.95	1			36	19	23.27	23.08	22.88	1
		50	50	23.11	23.10	22.95	1			36	39	23.03	23.08	22.93	1
	16QAM	100	0	23.17	23.08	22.91	1			75	0	23.16	23.05	22.86	1
		1	0	23.14	22.97	22.96	1		16QAM	1	0	23.11	22.91	22.94	1
		1	50	23.27	23.20	23.07	1			1	37	23.23	23.18	23.00	1
		1	99	23.05	23.04	22.88	1			1	74	22.99	23.01	22.84	1
		50	0	22.22	22.14	22.02	2			36	0	22.20	22.13	22.01	2
		50	25	22.25	22.27	22.11	2			36	19	22.17	22.22	22.06	2
	64QAM	50	50	22.23	22.20	22.07	2			36	39	22.20	22.18	22.05	2
		100	0	22.23	22.05	21.99	2			75	0	22.22	21.97	21.93	2
		1	0	21.87	21.77	21.65	2		64QAM	1	0	21.81	21.73	21.64	2
		1	50	22.10	22.03	21.84	2			1	37	22.08	21.98	21.76	2
		1	99	21.83	21.81	21.73	2			1	74	21.77	21.79	21.72	2
		50	0	21.23	21.03	21.00	3			36	0	21.22	20.95	20.97	3
		50	25	21.30	21.22	21.06	3			36	19	21.23	21.16	21.02	3
		50	50	21.20	21.09	21.01	3			36	39	21.18	21.05	20.99	3
		100	0	21.21	21.11	21.01	3			75	0	21.19	21.10	20.98	3
BW	MCS Index	Channel		40090	40640	41190	3GPP MPR (dB)	BW	MCS Index	Channel		40065	40640	41215	3GPP MPR (dB)
		Frequency(MHz)		2540	2595	2650				Frequency(MHz)		2537.5	2595	2652.5	
10M	QPSK	1	0	23.94	23.79	23.70	0	5M	QPSK	1	0	23.97	23.79	23.72	0
		1	24	24.14	24.00	23.93	0			1	12	24.14	23.99	23.88	0
		1	49	23.94	23.84	23.71	0			1	24	23.97	23.88	23.73	0
		25	0	23.06	22.99	22.88	1			12	0	23.05	22.96	22.84	1
		25	12	23.26	23.08	22.93	1			12	6	23.20	23.08	22.87	1
		25	25	23.05	23.08	22.90	1			12	13	23.07	23.09	22.89	1
	16QAM	50	0	23.16	23.00	22.89	1			25	0	23.11	23.03	22.89	1
		1	0	23.07	22.91	22.91	1		16QAM	1	0	23.07	22.95	22.91	1
		1	24	23.24	23.18	23.05	1			1	12	23.19	23.15	23.06	1
		1	49	23.03	22.99	22.80	1			1	24	23.03	23.02	22.83	1
		25	0	22.16	22.12	21.96	2			12	0	22.14	22.06	22.00	2
		25	12	22.23	22.26	22.05	2			12	6	22.19	22.21	22.06	2
	64QAM	25	25	22.15	22.15	22.00	2			12	13	22.16	22.18	22.05	2
		50	0	22.21	22.04	21.91	2			25	0	22.17	22.00	21.98	2
		1	0	21.79	21.72	21.63	2		64QAM	1	0	21.80	21.75	21.60	2
		1	24	22.07	22.01	21.76	2			1	12	22.02	21.97	21.79	2
		1	49	21.81	21.76	21.67	2			1	24	21.75	21.79	21.72	2
		25	0	21.17	21.01	20.93	3			12	0	21.19	20.95	20.98	3
		25	12	21.29	21.14	21.03	3			12	6	21.22	21.20	21.01	3
		25	25	21.15	21.03	20.99	3			12	13	21.16	21.01	20.97	3
		50	0	21.20	21.09	20.95	3			25	0	21.15	21.08	20.93	3

FCC SAR Test Report

CA_7C							
Combination 20MHz+20MHz (100RB+100RB)							
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset	
20850	21048	QPSK	1	50	0	0	22.68
		16QAM	1	50	0	0	22.07
		64QAM	1	50	0	0	21.21
21001	21199	QPSK	1	50	0	0	22.63
		16QAM	1	50	0	0	22.00
		64QAM	1	50	0	0	21.20
21152	21350	QPSK	1	50	0	0	22.50
		16QAM	1	50	0	0	21.95
		64QAM	1	50	0	0	21.13

CA_38C							
Combination 20MHz+20MHz (100RB+100RB)							
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset	
37850	38048	QPSK	1	50	0	0	23.91
		16QAM	1	50	0	0	23.12
		64QAM	1	50	0	0	22.01
37901	38099	QPSK	1	50	0	0	23.92
		16QAM	1	50	0	0	22.82
		64QAM	1	50	0	0	21.96
37952	38150	QPSK	1	50	0	0	24.05
		16QAM	1	50	0	0	22.83
		64QAM	1	50	0	0	21.78

FCC SAR Test Report

< WWAN-Ant 1 Reduced Power for Head >

Band	GSM1900		
Channel	512	661	810
Frequency (MHz)	1850.2	1880.0	1909.8
Maximum Burst-Averaged Output Power			
GSM (GMSK, 1Tx-slot)	24.31	24.35	24.60
GPRS (GMSK, 1Tx-slot)	24.31	24.29	24.54
GPRS (GMSK, 2Tx-slot)	22.33	22.32	22.63
GPRS (GMSK, 3Tx-slot)	20.34	20.45	20.79
GPRS (GMSK, 4Tx-slot)	18.90	18.87	19.42
EDGE (8PSK, 1Tx-slot)	24.36	24.28	24.48
EDGE (8PSK, 2Tx-slot)	22.60	22.50	22.92
EDGE (8PSK, 3Tx-slot)	20.48	20.35	20.72
EDGE (8PSK, 4Tx-slot)	19.28	19.26	19.53
Maximum Frame-Averaged Output Power			
GSM (GMSK, 1Tx-slot)	15.31	15.35	15.60
GPRS (GMSK, 1Tx-slot)	15.31	15.29	15.54
GPRS (GMSK, 2Tx-slot)	16.33	16.32	16.63
GPRS (GMSK, 3Tx-slot)	16.08	16.19	16.53
GPRS (GMSK, 4Tx-slot)	15.90	15.87	16.42
EDGE (8PSK, 1Tx-slot)	15.36	15.28	15.48
EDGE (8PSK, 2Tx-slot)	16.60	16.50	16.92
EDGE (8PSK, 3Tx-slot)	16.22	16.09	16.46
EDGE (8PSK, 4Tx-slot)	16.28	16.26	16.53

Band	WCDMA Band II			WCDMA Band IV			WCDMA Band V			3GPP MPR (dB)
Channel	9262	9400	9538	1312	1413	1513	4132	4182	4233	
Frequency (MHz)	1852.4	1880.0	1907.6	1712.4	1732.6	1752.6	826.4	836.4	846.6	
RMC 12.2K	15.48	15.67	15.77	15.58	15.50	15.38	23.23	23.09	23.19	-
HSDPA Subtest-1	15.16	15.10	15.28	15.09	14.88	14.97	22.98	22.89	22.93	0
HSDPA Subtest-2	15.00	15.17	15.21	14.92	14.96	14.93	23.04	22.81	22.84	0
HSDPA Subtest-3	14.59	14.61	14.72	14.59	14.61	15.55	22.53	22.56	22.51	0.5
HSDPA Subtest-4	14.57	14.53	13.78	14.53	14.47	14.51	22.59	22.53	22.52	0.5
DC-HSDPA Subtest-1	15.01	14.99	15.20	15.00	14.88	14.96	22.78	22.62	22.74	0
DC-HSDPA Subtest-2	15.12	15.11	15.10	15.08	14.98	14.83	22.90	22.70	22.71	0
DC-HSDPA Subtest-3	14.54	14.57	14.59	14.56	14.50	14.41	22.55	22.53	22.53	0.5
DC-HSDPA Subtest-4	14.62	14.52	14.66	14.66	14.48	14.52	22.56	22.51	22.55	0.5
HSUPA Subtest-1	14.79	14.97	14.83	14.71	14.75	14.54	21.04	21.02	21.04	0
HSUPA Subtest-2	15.12	15.04	15.22	15.14	15.04	15.22	21.42	21.52	21.43	2
HSUPA Subtest-3	14.46	14.55	14.58	14.43	14.43	14.39	22.13	22.09	22.14	1
HSUPA Subtest-4	15.07	15.08	15.22	15.12	15.02	15.17	20.98	20.90	20.97	2
HSUPA Subtest-5	14.84	14.84	14.86	14.82	14.70	14.68	22.16	22.15	22.04	0



FCC SAR Test Report

LTE Band 2															
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100				Channel		18675	18900	19125	
		Frequency(MHz)		1860	1880	1900				Frequency(MHz)		1857.5	1880	1902.5	
20M	QPSK	1	0	15.58	15.70	15.62	0	15M	QPSK	1	0	15.57	15.66	15.54	0
		1	50	15.63	15.78	15.76	0			1	37	15.59	15.75	15.70	0
		1	99	15.46	15.58	15.52	0			1	74	15.44	15.57	15.48	0
		50	0	15.30	15.44	15.49	1			36	0	15.24	15.39	15.48	1
		50	25	15.37	15.54	15.45	1			36	19	15.36	15.52	15.40	1
		50	50	15.25	15.42	15.47	1			36	39	15.17	15.35	15.45	1
	16QAM	100	0	15.29	15.44	15.38	1			75	0	15.28	15.40	15.35	1
		1	0	15.41	15.59	15.54	1		16QAM	1	0	15.38	15.58	15.48	1
		1	50	15.49	15.61	15.63	1			1	37	15.45	15.56	15.61	1
		1	99	15.29	15.44	15.44	1			1	74	15.23	15.42	15.41	1
		50	0	15.38	15.41	15.47	2			36	0	15.36	15.33	15.46	2
		50	25	15.30	15.52	15.47	2			36	19	15.22	15.48	15.42	2
	64QAM	50	50	15.36	15.44	15.49	2			36	39	15.33	15.38	15.47	2
		100	0	15.34	15.39	15.35	2			75	0	15.33	15.34	15.27	2
		1	0	15.25	15.43	15.36	2		64QAM	1	0	15.19	15.40	15.32	2
		1	50	15.37	15.47	15.50	2			1	37	15.35	15.40	15.45	2
		1	99	15.20	15.31	15.31	2			1	74	15.14	15.23	15.29	2
		50	0	15.29	15.43	15.39	3			36	0	15.28	15.41	15.31	3
		50	25	15.34	15.42	15.43	3			36	19	15.27	15.34	15.37	3
		50	50	15.29	15.42	15.42	3			36	39	15.27	15.41	15.38	3
		100	0	15.32	15.39	15.37	3			75	0	15.30	15.31	15.36	3
BW	MCS Index	Channel		18650	18900	19150	3GPP MPR (dB)	BW	MCS Index	Channel		18625	18900	19175	3GPP MPR (dB)
		Frequency(MHz)		1855	1880	1905				Frequency(MHz)		1852.5	1880	1907.5	
10M	QPSK	1	0	15.50	15.66	15.57	0	5M	QPSK	1	0	15.53	15.63	15.57	0
		1	24	15.61	15.70	15.75	0			1	12	15.61	15.70	15.74	0
		1	49	15.38	15.54	15.47	0			1	24	15.41	15.50	15.51	0
		25	0	15.27	15.38	15.47	1			12	0	15.26	15.39	15.44	1
		25	12	15.35	15.47	15.40	1			12	6	15.29	15.53	15.40	1
		25	25	15.19	15.34	15.45	1			12	13	15.21	15.37	15.46	1
	16QAM	50	0	15.28	15.42	15.30	1			25	0	15.23	15.42	15.33	1
		1	0	15.34	15.51	15.48	1		16QAM	1	0	15.34	15.54	15.52	1
		1	24	15.46	15.55	15.61	1			1	12	15.41	15.59	15.58	1
		1	49	15.27	15.37	15.39	1			1	24	15.27	15.36	15.42	1
		25	0	15.32	15.33	15.45	2			12	0	15.30	15.35	15.39	2
		25	12	15.28	15.44	15.46	2			12	6	15.24	15.50	15.41	2
	64QAM	25	25	15.28	15.40	15.44	2			12	13	15.29	15.39	15.47	2
		50	0	15.32	15.31	15.34	2			25	0	15.28	15.32	15.30	2
		1	0	15.17	15.39	15.31	2		64QAM	1	0	15.18	15.38	15.34	2
		1	24	15.34	15.41	15.48	2			1	12	15.29	15.45	15.44	2
		1	49	15.18	15.24	15.26	2			1	24	15.12	15.30	15.29	2
		25	0	15.23	15.35	15.37	3			12	0	15.25	15.38	15.31	3
		25	12	15.33	15.40	15.35	3			12	6	15.26	15.41	15.41	3
		25	25	15.24	15.34	15.36	3			12	13	15.25	15.37	15.34	3
		50	0	15.31	15.33	15.35	3			25	0	15.26	15.37	15.34	3
BW	MCS Index	Channel		18615	18900	19185	3GPP MPR (dB)	BW	MCS Index	Channel		18607	18900	19193	3GPP MPR (dB)
		Frequency(MHz)		1851.5	1880	1908.5				Frequency(MHz)		1850.7	1880	1909.3	
3M	QPSK	1	0	15.52	15.68	15.56	0	1.4M	QPSK	1	0	15.50	15.66	15.57	0
		1	7	15.56	15.73	15.74	0			1	2	15.60	15.72	15.74	0
		1	14	15.40	15.51	15.47	0			1	5	15.44	15.51	15.47	0
		8	0	15.23	15.39	15.47	1			3	0	15.24	15.36	15.47	1
		8	3	15.29	15.52	15.39	1			3	1	15.36	15.52	15.37	1
		8	7	15.17	15.41	15.45	1			3	3	15.20	15.34	15.41	1
	16QAM	15	0	15.25	15.39	15.30	1			6	0	15.28	15.38	15.36	1
		1	0	15.33	15.58	15.52	1		16QAM	1	0	15.36	15.52	15.49	1
		1	7	15.44	15.56	15.59	1			1	2	15.47	15.53	15.61	1
		1	14	15.27	15.36	15.43	1			1	5	15.24	15.36	15.43	1
		8	0	15.30	15.37	15.42	2			3	0	15.34	15.36	15.42	2
		8	3	15.27	15.46	15.45	2			3	1	15.22	15.51	15.42	2
	64QAM	8	7	15.34	15.37	15.44	2			3	3	15.32	15.39	15.48	2
		15	0	15.28	15.31	15.33	2			6	0	15.28	15.37	15.30	2
		1	0	15.24	15.41	15.28	2		64QAM	1	0	15.18	15.38	15.34	2
		1	7	15.32	15.39	15.44	2			1	2	15.29	15.45	15.45	2
		1	14	15.19	15.25	15.29	2			1	5	15.18	15.23	15.29	2
		8	0	15.24	15.41	15.32	3			3	0	15.21	15.37	15.31	3
		8	3	15.32	15.34	15.42	3			3	1	15.28	15.40	15.37	3
		8	7	15.21	15.38	15.37	3			3	3	15.24	15.34	15.41	3
		15	0	15.30	15.31	15.36	3			6	0	15.28	15.34	15.32	3



FCC SAR Test Report

LTE Band 4															
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20050	20175	20300				Channel		20025	20175	20325	
		Frequency(MHz)		1720	1732.5	1745				Frequency(MHz)		1717.5	1732.5	1747.5	
20M	QPSK	1	0	15.70	15.62	15.48	0	15M	QPSK	1	0	15.69	15.58	15.40	0
		1	50	15.75	15.70	15.62	0			1	37	15.71	15.67	15.56	0
		1	99	15.56	15.48	15.36	0			1	74	15.54	15.47	15.32	0
		50	0	15.38	15.32	15.31	1			36	0	15.32	15.27	15.30	1
		50	25	15.48	15.45	15.30	1			36	19	15.47	15.43	15.25	1
		50	50	15.33	15.30	15.29	1			36	39	15.25	15.23	15.27	1
	16QAM	100	0	15.38	15.33	15.21	1			75	0	15.37	15.29	15.18	1
		1	0	15.51	15.49	15.38	1		16QAM	1	0	15.48	15.48	15.32	1
		1	50	15.68	15.60	15.56	1			1	37	15.64	15.55	15.54	1
		1	99	15.43	15.38	15.32	1			1	74	15.37	15.36	15.29	1
		50	0	15.46	15.29	15.29	2			36	0	15.44	15.21	15.28	2
		50	25	15.41	15.43	15.32	2			36	19	15.33	15.39	15.27	2
	64QAM	50	50	15.44	15.32	15.31	2			36	39	15.41	15.26	15.29	2
		100	0	15.44	15.29	15.19	2			75	0	15.43	15.24	15.11	2
		1	0	15.33	15.31	15.18	2		64QAM	1	0	15.27	15.28	15.14	2
		1	50	15.49	15.39	15.36	2			1	37	15.47	15.32	15.31	2
		1	99	15.25	15.16	15.10	2			1	74	15.19	15.08	15.08	2
		50	0	15.38	15.32	15.22	3			36	0	15.37	15.30	15.14	3
		50	25	15.45	15.33	15.28	3			36	19	15.38	15.25	15.22	3
		50	50	15.39	15.32	15.26	3			36	39	15.37	15.31	15.22	3
		100	0	15.43	15.30	15.22	3			75	0	15.41	15.22	15.21	3
BW	MCS Index	Channel		20000	20175	20350	3GPP MPR (dB)	BW	MCS Index	Channel		19975	20175	20375	3GPP MPR (dB)
		Frequency(MHz)		1715	1732.5	1750				Frequency(MHz)		1712.5	1732.5	1752.5	
10M	QPSK	1	0	15.62	15.58	15.43	0	5M	QPSK	1	0	15.65	15.55	15.43	0
		1	24	15.73	15.62	15.61	0			1	12	15.73	15.62	15.60	0
		1	49	15.48	15.44	15.31	0			1	24	15.51	15.40	15.35	0
		25	0	15.35	15.26	15.29	1			12	0	15.34	15.27	15.26	1
		25	12	15.46	15.38	15.25	1			12	6	15.40	15.44	15.25	1
		25	25	15.27	15.22	15.27	1			12	13	15.29	15.25	15.28	1
	16QAM	50	0	15.37	15.31	15.13	1			25	0	15.32	15.31	15.16	1
		1	0	15.44	15.41	15.32	1		16QAM	1	0	15.44	15.44	15.36	1
		1	24	15.65	15.54	15.54	1			1	12	15.60	15.58	15.51	1
		1	49	15.41	15.31	15.27	1			1	24	15.41	15.30	15.30	1
		25	0	15.40	15.21	15.27	2			12	0	15.38	15.23	15.21	2
		25	12	15.39	15.35	15.31	2			12	6	15.35	15.41	15.26	2
	64QAM	25	25	15.36	15.28	15.26	2			12	13	15.37	15.27	15.29	2
		50	0	15.42	15.21	15.18	2			25	0	15.38	15.22	15.14	2
		1	0	15.25	15.27	15.13	2		64QAM	1	0	15.26	15.26	15.16	2
		1	24	15.46	15.33	15.34	2			1	12	15.41	15.37	15.30	2
		1	49	15.23	15.09	15.05	2			1	24	15.17	15.15	15.08	2
		25	0	15.32	15.24	15.20	3			12	0	15.34	15.27	15.14	3
3M	QPSK	25	12	15.44	15.31	15.20	3			12	6	15.37	15.32	15.26	3
		25	25	15.34	15.24	15.20	3			12	13	15.35	15.27	15.18	3
		50	0	15.42	15.24	15.20	3			25	0	15.37	15.28	15.19	3
	16QAM	1	0	15.64	15.60	15.42	0		QPSK	1	0	15.62	15.58	15.43	0
		1	7	15.68	15.65	15.60	0			1	2	15.72	15.64	15.60	0
		1	14	15.50	15.41	15.31	0			1	5	15.54	15.41	15.31	0
		8	0	15.31	15.27	15.29	1			3	0	15.32	15.24	15.29	1
		8	3	15.40	15.43	15.24	1			3	1	15.47	15.43	15.22	1
		8	7	15.25	15.29	15.27	1			3	3	15.28	15.22	15.23	1
	64QAM	15	0	15.34	15.28	15.13	1		16QAM	6	0	15.37	15.27	15.19	1
		1	0	15.43	15.48	15.36	1			1	0	15.46	15.42	15.33	1
		1	7	15.63	15.55	15.52	1			1	2	15.66	15.52	15.54	1
		1	14	15.41	15.30	15.31	1			1	5	15.38	15.30	15.31	1
		8	0	15.38	15.25	15.24	2			3	0	15.42	15.24	15.24	2
		8	3	15.38	15.37	15.30	2			3	1	15.33	15.42	15.27	2
1.4M	QPSK	8	7	15.42	15.25	15.26	2		16QAM	3	3	15.40	15.27	15.30	2
		15	0	15.38	15.21	15.17	2			6	0	15.38	15.27	15.14	2
		1	0	15.32	15.29	15.10	2		64QAM	1	0	15.26	15.26	15.16	2
		1	7	15.44	15.31	15.30	2			1	2	15.41	15.37	15.31	2
		1	14	15.24	15.10	15.08	2			1	5	15.23	15.08	15.08	2
		8	0	15.33	15.30	15.15	3			3	0	15.30	15.26	15.14	3
	16QAM	8	3	15.43	15.25	15.27	3			3	1	15.39	15.31	15.22	3
		8	7	15.31	15.28	15.21	3			3	3	15.34	15.24	15.25	3
		15	0	15.41	15.22	15.21	3			6	0	15.39	15.25	15.17	3



FCC SAR Test Report

LTE Band 5															
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20450	20525	20600				Channel		20425	20525	20625	
		Frequency(MHz)		829	836.5	844				Frequency(MHz)		826.5	836.5	846.5	
10M	QPSK	1	0	23.24	23.27	23.28	0	5M	QPSK	1	0	23.19	23.20	23.23	0
		1	24	23.30	23.33	23.31	0			1	12	23.28	23.25	23.29	0
		1	49	23.24	23.24	23.28	0			1	24	23.19	23.16	23.27	0
		25	0	22.92	22.98	22.90	1			12	0	22.88	22.93	22.85	1
		25	12	23.00	23.19	23.09	1			12	6	22.92	23.18	23.04	1
		25	25	23.04	23.09	23.10	1			12	13	23.00	23.04	23.09	1
	16QAM	50	0	22.97	23.03	23.01	1			25	0	22.91	23.01	22.96	1
		1	0	23.02	23.07	23.07	1		16QAM	1	0	22.95	23.02	23.05	1
		1	24	22.99	23.11	23.09	1			1	12	22.91	23.09	23.04	1
		1	49	22.99	23.00	23.05	1			1	24	22.97	22.92	23.03	1
		25	0	21.83	21.97	21.87	2			12	0	21.75	21.91	21.79	2
		25	12	21.97	22.15	22.03	2			12	6	21.91	22.13	21.97	2
	64QAM	25	25	21.97	22.01	22.05	2			12	13	21.90	21.96	22.03	2
		50	0	21.93	22.00	21.98	2			25	0	21.87	21.93	21.93	2
		1	0	22.17	22.21	22.26	2		64QAM	1	0	22.10	22.16	22.24	2
		1	24	22.12	22.30	22.20	2			1	12	22.04	22.28	22.14	2
		1	49	22.11	22.25	22.16	2			1	24	22.03	22.24	22.14	2
		25	0	20.87	20.98	20.89	3			12	0	20.83	20.93	20.81	3
		25	12	21.00	21.12	21.10	3			12	6	20.92	21.11	21.08	3
		25	25	21.00	21.02	20.96	3			12	13	20.96	20.97	20.88	3
		50	0	20.99	21.08	21.06	3			25	0	20.93	21.06	21.03	3
3M		Channel		20415	20525	20635	3GPP MPR (dB)	BW	MCS Index	Channel		20407	20525	20643	3GPP MPR (dB)
		Frequency(MHz)		825.5	836.5	847.5				Frequency(MHz)		824.7	836.5	848.3	
	QPSK	1	0	23.18	23.25	23.22	0	1.4M	QPSK	1	0	23.16	23.23	23.23	0
		1	7	23.23	23.28	23.29	0			1	2	23.27	23.27	23.29	0
		1	14	23.18	23.17	23.23	0			1	5	23.22	23.17	23.23	0
		8	0	22.85	22.93	22.88	1			3	0	22.86	22.90	22.88	1
		8	3	22.92	23.17	23.03	1			3	1	22.99	23.17	23.01	1
		8	7	22.96	23.08	23.08	1			3	3	22.99	23.01	23.04	1
	16QAM	15	0	22.93	22.98	22.93	1			6	0	22.96	22.97	22.99	1
		1	0	22.94	23.06	23.05	1		16QAM	1	0	22.97	23.00	23.02	1
		1	7	22.94	23.06	23.05	1			1	2	22.97	23.03	23.07	1
		1	14	22.97	22.92	23.04	1			1	5	22.94	22.92	23.04	1
		8	0	21.75	21.93	21.82	2			3	0	21.79	21.92	21.82	2
		8	3	21.94	22.09	22.01	2			3	1	21.89	22.14	21.98	2
	64QAM	8	7	21.95	21.94	22.00	2			3	3	21.93	21.96	22.04	2
		15	0	21.87	21.92	21.96	2			6	0	21.87	21.98	21.93	2
		1	0	22.16	22.19	22.18	2		64QAM	1	0	22.10	22.16	22.24	2
		1	7	22.07	22.22	22.14	2			1	2	22.04	22.28	22.15	2
		1	14	22.10	22.19	22.14	2			1	5	22.09	22.17	22.14	2
		8	0	20.82	20.96	20.82	3			3	0	20.79	20.92	20.81	3
		8	3	20.98	21.04	21.09	3			3	1	20.94	21.10	21.04	3
		8	7	20.92	20.98	20.91	3			3	3	20.95	20.94	20.95	3
		15	0	20.97	21.00	21.05	3			6	0	20.95	21.03	21.01	3



FCC SAR Test Report

LTE Band 7															
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20850	21100	21350				Channel		20825	21100	21375	
		Frequency(MHz)		2510	2535	2560				Frequency(MHz)		2507.5	2535	2562.5	
20M	QPSK	1	0	17.76	17.67	17.74	0	15M	QPSK	1	0	17.75	17.63	17.66	0
		1	50	18.02	17.97	18.05	0			1	37	17.98	17.94	17.99	0
		1	99	17.95	17.88	17.94	0			1	74	17.93	17.87	17.90	0
		50	0	17.58	17.55	17.63	1			36	0	17.52	17.50	17.62	1
		50	25	17.73	17.73	17.76	1			36	19	17.72	17.71	17.71	1
		50	50	17.61	17.57	17.71	1			36	39	17.53	17.50	17.69	1
	16QAM	100	0	17.64	17.52	17.66	1			75	0	17.63	17.48	17.63	1
		1	0	17.66	17.60	17.64	1		16QAM	1	0	17.63	17.59	17.58	1
		1	50	17.85	17.79	17.95	1			1	37	17.81	17.74	17.93	1
		1	99	17.73	17.73	17.83	1			1	74	17.67	17.71	17.80	1
		50	0	17.60	17.55	17.66	2			36	0	17.58	17.47	17.65	2
		50	25	17.64	17.71	17.74	2			36	19	17.56	17.67	17.69	2
	64QAM	50	50	17.68	17.56	17.73	2			36	39	17.65	17.50	17.71	2
		100	0	17.62	17.55	17.60	2			75	0	17.61	17.50	17.52	2
		1	0	17.47	17.41	17.54	2		64QAM	1	0	17.41	17.38	17.50	2
		1	50	17.71	17.67	17.75	2			1	37	17.69	17.60	17.70	2
		1	99	17.58	17.52	17.62	2			1	74	17.52	17.44	17.60	2
		50	0	17.58	17.58	17.58	3			36	0	17.57	17.56	17.50	3
		50	25	17.68	17.61	17.74	3			36	19	17.61	17.53	17.68	3
		50	50	17.68	17.61	17.67	3			36	39	17.66	17.60	17.63	3
		100	0	17.62	17.50	17.68	3			75	0	17.60	17.42	17.67	3
BW	MCS Index	Channel		20800	21100	21400	3GPP MPR (dB)	BW	MCS Index	Channel		20775	21100	21425	3GPP MPR (dB)
		Frequency(MHz)		2505	2535	2565				Frequency(MHz)		2502.5	2535	2567.5	
10M	QPSK	1	0	17.68	17.63	17.69	0	5M	QPSK	1	0	17.71	17.60	17.69	0
		1	24	18.00	17.89	18.04	0			1	12	18.00	17.89	18.03	0
		1	49	17.87	17.84	17.89	0			1	24	17.90	17.80	17.93	0
		25	0	17.55	17.49	17.61	1			12	0	17.54	17.50	17.58	1
		25	12	17.71	17.66	17.71	1			12	6	17.65	17.72	17.71	1
		25	25	17.55	17.49	17.69	1			12	13	17.57	17.52	17.70	1
	16QAM	50	0	17.63	17.50	17.58	1			25	0	17.58	17.50	17.61	1
		1	0	17.59	17.52	17.58	1		16QAM	1	0	17.59	17.55	17.62	1
		1	24	17.82	17.73	17.93	1			1	12	17.77	17.77	17.90	1
		1	49	17.71	17.66	17.78	1			1	24	17.71	17.65	17.81	1
		25	0	17.54	17.47	17.64	2			12	0	17.52	17.49	17.58	2
		25	12	17.62	17.63	17.73	2			12	6	17.58	17.69	17.68	2
	64QAM	25	25	17.60	17.52	17.68	2			12	13	17.61	17.51	17.71	2
		50	0	17.60	17.47	17.59	2			25	0	17.56	17.48	17.55	2
		1	0	17.39	17.37	17.49	2		64QAM	1	0	17.40	17.36	17.52	2
		1	24	17.68	17.61	17.73	2			1	12	17.63	17.65	17.69	2
		1	49	17.56	17.45	17.57	2			1	24	17.50	17.51	17.60	2
		25	0	17.52	17.50	17.56	3			12	0	17.54	17.53	17.50	3
		25	12	17.67	17.59	17.66	3			12	6	17.60	17.60	17.72	3
		25	25	17.63	17.53	17.61	3			12	13	17.64	17.56	17.59	3
		50	0	17.61	17.44	17.66	3			25	0	17.56	17.48	17.65	3



FCC SAR Test Report

LTE Band 38																	
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)		
		Channel		37850	38000	38150				Channel		37825	38000	38175			
		Frequency(MHz)		2580	2595	2610				Frequency(MHz)		2577.5	2595	2612.5			
20M	QPSK	1	0	20.59	20.48	20.43	0	15M	QPSK	1	0	20.58	20.44	20.35	0		
		1	50	20.75	20.68	20.64	0			1	37	20.71	20.65	20.58	0		
		1	99	20.65	20.56	20.50	0			1	74	20.63	20.55	20.46	0		
		50	0	20.60	20.55	20.51	1			36	0	20.54	20.50	20.50	1		
		50	25	20.66	20.64	20.55	1			36	19	20.65	20.62	20.50	1		
		50	50	20.59	20.53	20.55	1			36	39	20.51	20.46	20.53	1		
		100	0	20.71	20.57	20.59	1			75	0	20.70	20.53	20.56	1		
	16QAM	1	0	20.47	20.39	20.31	1		16QAM	1	0	20.44	20.38	20.25	1		
		1	50	20.62	20.54	20.58	1			1	37	20.58	20.49	20.56	1		
		1	99	20.50	20.48	20.46	1			1	74	20.44	20.46	20.43	1		
		50	0	20.63	20.56	20.55	2			36	0	20.61	20.48	20.54	2		
		50	25	20.53	20.58	20.49	2			36	19	20.45	20.54	20.44	2		
		50	50	20.68	20.54	20.59	2			36	39	20.65	20.48	20.57	2		
		100	0	20.65	20.56	20.49	2			75	0	20.64	20.51	20.41	2		
	64QAM	1	0	20.30	20.22	20.23	2		64QAM	1	0	20.24	20.19	20.19	2		
		1	50	20.47	20.41	20.37	2			1	37	20.45	20.34	20.32	2		
		1	99	20.32	20.24	20.22	2			1	74	20.26	20.16	20.20	2		
		50	0	20.58	20.56	20.44	3			36	0	20.57	20.54	20.36	3		
		50	25	20.62	20.53	20.54	3			36	19	20.55	20.45	20.48	3		
		50	50	20.63	20.54	20.48	3			36	39	20.61	20.53	20.44	3		
		100	0	20.63	20.49	20.55	3			75	0	20.61	20.41	20.54	3		
	BW	MCS Index	Channel		37800	38000	38200		3GPP MPR (dB)	BW	MCS Index	Channel		37775	38000	38225	3GPP MPR (dB)
			Frequency(MHz)		2575	2595	2615					Frequency(MHz)		2572.5	2595	2617.5	
	10M	QPSK	1	0	20.51	20.44	20.38		0	5M	QPSK	1	0	20.54	20.41	20.38	0
1			24	20.73	20.60	20.63	0	1	12			20.73	20.60	20.62	0		
1			49	20.57	20.52	20.45	0	1	24			20.60	20.48	20.49	0		
25			0	20.57	20.49	20.49	1	12	0			20.56	20.50	20.46	1		
25			12	20.64	20.57	20.50	1	12	6			20.58	20.63	20.50	1		
25			25	20.53	20.45	20.53	1	12	13			20.55	20.48	20.54	1		
50			0	20.70	20.55	20.51	1	25	0			20.65	20.55	20.54	1		
16QAM		1	0	20.40	20.31	20.25	1	16QAM	1		0	20.40	20.34	20.29	1		
		1	24	20.59	20.48	20.56	1		1		12	20.54	20.52	20.53	1		
		1	49	20.48	20.41	20.41	1		1		24	20.48	20.40	20.44	1		
		25	0	20.57	20.48	20.53	2		12		0	20.55	20.50	20.47	2		
		25	12	20.51	20.50	20.48	2		12		6	20.47	20.56	20.43	2		
		25	25	20.60	20.50	20.54	2		12		13	20.61	20.49	20.57	2		
		50	0	20.63	20.48	20.48	2		25		0	20.59	20.49	20.44	2		
64QAM		1	0	20.22	20.18	20.18	2	64QAM	1		0	20.23	20.17	20.21	2		
		1	24	20.44	20.35	20.35	2		1		12	20.39	20.39	20.31	2		
		1	49	20.30	20.17	20.17	2		1		24	20.24	20.23	20.20	2		
		25	0	20.52	20.48	20.42	3		12		0	20.54	20.51	20.36	3		
		25	12	20.61	20.51	20.46	3		12		6	20.54	20.52	20.52	3		
		25	25	20.58	20.46	20.42	3		12		13	20.59	20.49	20.40	3		
		50	0	20.62	20.43	20.53	3		25		0	20.57	20.47	20.52	3		



FCC SAR Test Report

LTE Band 41															
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		40140	40640	41140				Channel		40115	40640	41165	
		Frequency(MHz)		2545	2595	2645				Frequency(MHz)		2542.5	2595	2647.5	
20M	QPSK	1	0	20.62	20.44	20.33	0	15M	QPSK	1	0	20.61	20.36	20.27	0
		1	50	20.79	20.65	20.56	0			1	37	20.75	20.59	20.54	0
		1	99	20.67	20.52	20.35	0			1	74	20.65	20.48	20.29	0
		50	0	20.63	20.59	20.39	1			36	0	20.57	20.58	20.38	1
		50	25	20.71	20.68	20.48	1			36	19	20.70	20.63	20.41	1
		50	50	20.64	20.60	20.45	1			36	39	20.56	20.58	20.43	1
	16QAM	100	0	20.71	20.55	20.42	1			75	0	20.70	20.52	20.37	1
		1	0	20.56	20.40	20.29	1		16QAM	1	0	20.53	20.34	20.27	1
		1	50	20.67	20.59	20.43	1			1	37	20.63	20.57	20.36	1
		1	99	20.52	20.46	20.32	1			1	74	20.46	20.43	20.28	1
		50	0	20.59	20.56	20.36	2			36	0	20.57	20.55	20.35	2
		50	25	20.61	20.62	20.42	2			36	19	20.53	20.57	20.37	2
	64QAM	50	50	20.66	20.53	20.42	2			36	39	20.63	20.51	20.40	2
		100	0	20.65	20.50	20.36	2			75	0	20.64	20.42	20.30	2
		1	0	20.35	20.23	20.16	2		64QAM	1	0	20.29	20.19	20.15	2
		1	50	20.52	20.45	20.24	2			1	37	20.50	20.40	20.16	2
		1	99	20.35	20.30	20.11	2			1	74	20.29	20.28	20.10	2
		50	0	20.66	20.55	20.42	3			36	0	20.65	20.47	20.39	3
		50	25	20.74	20.64	20.53	3			36	19	20.67	20.58	20.49	3
		50	50	20.73	20.58	20.45	3			36	39	20.71	20.54	20.43	3
		100	0	20.70	20.60	20.45	3			75	0	20.68	20.59	20.42	3
BW	MCS Index	Channel		40090	40640	41190	3GPP MPR (dB)	BW	MCS Index	Channel		40065	40640	41215	3GPP MPR (dB)
		Frequency(MHz)		2540	2595	2650				Frequency(MHz)		2537.5	2595	2652.5	
10M	QPSK	1	0	20.54	20.39	20.25	0	5M	QPSK	1	0	20.57	20.39	20.27	0
		1	24	20.77	20.64	20.54	0			1	12	20.77	20.63	20.49	0
		1	49	20.59	20.47	20.27	0			1	24	20.62	20.51	20.29	0
		25	0	20.60	20.57	20.36	1			12	0	20.59	20.54	20.32	1
		25	12	20.69	20.63	20.46	1			12	6	20.63	20.63	20.40	1
		25	25	20.58	20.58	20.40	1			12	13	20.60	20.59	20.39	1
	16QAM	50	0	20.70	20.47	20.40	1			25	0	20.65	20.50	20.40	1
		1	0	20.49	20.34	20.24	1		16QAM	1	0	20.49	20.38	20.24	1
		1	24	20.64	20.57	20.41	1			1	12	20.59	20.54	20.42	1
		1	49	20.50	20.41	20.24	1			1	24	20.50	20.44	20.27	1
		25	0	20.53	20.54	20.30	2			12	0	20.51	20.48	20.34	2
		25	12	20.59	20.61	20.36	2			12	6	20.55	20.56	20.37	2
	64QAM	25	25	20.58	20.48	20.35	2			12	13	20.59	20.51	20.40	2
		50	0	20.63	20.49	20.28	2			25	0	20.59	20.45	20.35	2
		1	0	20.27	20.18	20.14	2		64QAM	1	0	20.28	20.21	20.11	2
		1	24	20.49	20.43	20.16	2			1	12	20.44	20.39	20.19	2
		1	49	20.33	20.25	20.05	2			1	24	20.27	20.28	20.10	2
		25	0	20.60	20.53	20.35	3			12	0	20.62	20.47	20.40	3
		25	12	20.73	20.56	20.50	3			12	6	20.66	20.62	20.48	3
		25	25	20.68	20.52	20.43	3			12	13	20.69	20.50	20.41	3
		50	0	20.69	20.58	20.39	3			25	0	20.64	20.57	20.37	3

FCC SAR Test Report

CA_7C							
Combination 20MHz+20MHz (100RB+100RB)							
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset	
20850	21048	QPSK	50	25	0	0	17.93
		16QAM	50	25	0	0	17.62
		64QAM	50	25	0	0	17.59
21001	21199	QPSK	50	25	0	0	17.86
		16QAM	50	25	0	0	17.55
		64QAM	50	25	0	0	17.53
21152	21350	QPSK	50	25	0	0	17.90
		16QAM	50	25	0	0	17.38
		64QAM	50	25	0	0	17.33

CA_38C							
Combination 20MHz+20MHz (100RB+100RB)							
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset	
37850	38048	QPSK	1	50	0	0	20.59
		16QAM	1	50	0	0	20.49
		64QAM	1	50	0	0	20.44
37901	38099	QPSK	1	50	0	0	20.57
		16QAM	1	50	0	0	20.34
		64QAM	1	50	0	0	20.25
37952	38150	QPSK	1	50	0	0	20.54
		16QAM	1	50	0	0	20.40
		64QAM	1	50	0	0	20.34

FCC SAR Test Report

< WWAN-Ant 1 Reduced Power for Body >

Band	GSM1900		
Channel	512	661	810
Frequency (MHz)	1850.2	1880.0	1909.8
Maximum Burst-Averaged Output Power			
GSM (GMSK, 1Tx-slot)	25.48	25.45	25.68
GPRS (GMSK, 1Tx-slot)	25.50	25.50	25.71
GPRS (GMSK, 2Tx-slot)	21.98	21.98	22.34
GPRS (GMSK, 3Tx-slot)	20.41	20.52	20.89
GPRS (GMSK, 4Tx-slot)	18.88	18.88	19.48
EDGE (8PSK, 1Tx-slot)	25.39	25.28	25.48
EDGE (8PSK, 2Tx-slot)	22.30	22.18	22.45
EDGE (8PSK, 3Tx-slot)	20.56	20.45	20.83
EDGE (8PSK, 4Tx-slot)	19.32	19.30	19.68
Maximum Frame-Averaged Output Power			
GSM (GMSK, 1Tx-slot)	16.48	16.45	16.68
GPRS (GMSK, 1Tx-slot)	16.50	16.50	16.71
GPRS (GMSK, 2Tx-slot)	15.98	15.98	16.34
GPRS (GMSK, 3Tx-slot)	16.15	16.26	16.63
GPRS (GMSK, 4Tx-slot)	15.88	15.88	16.48
EDGE (8PSK, 1Tx-slot)	16.39	16.28	16.48
EDGE (8PSK, 2Tx-slot)	16.30	16.18	16.45
EDGE (8PSK, 3Tx-slot)	16.30	16.19	16.57
EDGE (8PSK, 4Tx-slot)	16.32	16.30	16.68

Band	WCDMA Band II			WCDMA Band IV			3GPP MPR (dB)
Channel	9262	9400	9538	1312	1413	1513	
Frequency (MHz)	1852.4	1880.0	1907.6	1712.4	1732.6	1752.6	
RMC 12.2K	17.10	17.20	17.32	18.14	17.96	17.92	-
HSDPA Subtest-1	16.97	16.93	16.97	17.59	17.50	17.62	0
HSDPA Subtest-2	16.83	16.98	16.95	17.49	17.53	17.60	0
HSDPA Subtest-3	16.51	16.54	16.50	17.15	17.20	17.15	0.5
HSDPA Subtest-4	16.47	16.49	16.44	17.13	17.14	17.15	0.5
DC-HSDPA Subtest-1	16.85	16.91	16.95	17.47	17.46	17.60	0
DC-HSDPA Subtest-2	16.91	16.98	16.88	17.59	17.50	17.56	0
DC-HSDPA Subtest-3	16.46	16.43	16.44	17.13	17.17	17.11	0.5
DC-HSDPA Subtest-4	16.50	16.38	16.49	17.19	17.06	17.20	0.5
HSUPA Subtest-1	16.46	16.53	16.38	17.19	17.18	17.06	0
HSUPA Subtest-2	16.79	16.77	16.82	17.43	17.40	17.47	2
HSUPA Subtest-3	16.45	16.45	16.43	17.18	17.10	17.15	1
HSUPA Subtest-4	16.45	16.55	16.60	17.07	17.23	17.24	2
HSUPA Subtest-5	16.94	16.92	16.94	17.56	17.51	17.52	0



FCC SAR Test Report

LTE Band 2																		
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)			
		Channel		18700	18900	19100				Channel		18675	18900	19125				
		Frequency(MHz)		1860	1880	1900				Frequency(MHz)		1857.5	1880	1902.5				
20M	QPSK	1	0	17.12	17.25	17.13	0	15M	QPSK	1	0	17.11	17.21	17.05	0			
		1	50	17.14	17.30	17.24	0			1	37	17.10	17.27	17.18	0			
		1	99	17.04	17.17	17.07	0			1	74	17.02	17.16	17.03	0			
		50	0	16.81	16.96	16.97	1			36	0	16.75	16.91	16.96	1			
		50	25	16.91	17.09	16.96	1			36	19	16.90	17.07	16.91	1			
		50	50	16.80	16.98	16.99	1			36	39	16.72	16.91	16.97	1			
	16QAM	100	0	16.82	16.98	16.88	1		75	0	16.81	16.94	16.85	1				
		1	0	16.96	17.15	17.06	1		1	0	16.93	17.14	17.00	1				
		1	50	17.07	17.20	17.18	1		1	37	17.03	17.15	17.16	1				
		1	99	16.91	17.07	17.03	1		1	74	16.85	17.05	17.00	1				
		50	0	16.90	16.94	16.96	2		36	0	16.88	16.86	16.95	2				
		50	25	16.81	17.04	16.95	2		36	19	16.73	17.00	16.90	2				
	64QAM	50	50	16.90	16.99	17.00	2		36	39	16.87	16.93	16.98	2				
		100	0	16.88	16.94	16.86	2		75	0	16.87	16.89	16.78	2				
		1	0	16.77	16.96	16.85	2		1	0	16.71	16.93	16.81	2				
		1	50	16.86	16.97	16.96	2		1	37	16.84	16.90	16.91	2				
		1	99	16.71	16.83	16.79	2		1	74	16.65	16.75	16.77	2				
		50	0	16.80	16.95	16.87	3		36	0	16.79	16.93	16.79	3				
	64QAM	50	25	16.85	16.94	16.91	3		36	19	16.78	16.86	16.85	3				
		50	50	16.78	16.92	16.88	3		36	39	16.76	16.91	16.84	3				
		100	0	16.86	16.94	16.88	3		75	0	16.84	16.86	16.87	3				
		BW	MCS Index	Channel		18650	18900		19150	3GPP MPR (dB)	BW	MCS Index	Channel		18625	18900	19175	3GPP MPR (dB)
		Frequency(MHz)		1855	1880	1905	Frequency(MHz)		1852.5		1880	1907.5						
		10M	QPSK	1	0	17.04	17.21		17.08	0	5M	QPSK	1	0	17.07	17.18	17.08	0
1	24			17.12	17.22	17.23	0	1	12	17.12			17.22	17.22	0			
1	49			16.96	17.13	17.02	0	1	24	16.99			17.09	17.06	0			
25	0			16.78	16.90	16.95	1	12	0	16.77			16.91	16.92	1			
25	12			16.89	17.02	16.91	1	12	6	16.83			17.08	16.91	1			
25	25			16.74	16.90	16.97	1	12	13	16.76			16.93	16.98	1			
16QAM	50		0	16.81	16.96	16.80	1	25	0	16.76		16.96	16.83	1				
	1		0	16.89	17.07	17.00	1	1	0	16.89		17.10	17.04	1				
	1		24	17.04	17.14	17.16	1	1	12	16.99		17.18	17.13	1				
	1		49	16.89	17.00	16.98	1	1	24	16.89		16.99	17.01	1				
	25		0	16.84	16.86	16.94	2	12	0	16.82		16.88	16.88	2				
	25		12	16.79	16.96	16.94	2	12	6	16.75		17.02	16.89	2				
64QAM	25		25	16.82	16.95	16.95	2	12	13	16.83		16.94	16.98	2				
	50		0	16.86	16.86	16.85	2	25	0	16.82		16.87	16.81	2				
	1		0	16.69	16.92	16.80	2	1	0	16.70		16.91	16.83	2				
	1		24	16.83	16.91	16.94	2	1	12	16.78		16.95	16.90	2				
	1		49	16.69	16.76	16.74	2	1	24	16.63		16.82	16.77	2				
	25		0	16.74	16.87	16.85	3	12	0	16.76		16.90	16.79	3				
64QAM	25		12	16.84	16.92	16.83	3	12	6	16.77		16.93	16.89	3				
	25		25	16.73	16.84	16.82	3	12	13	16.74		16.87	16.80	3				
	50		0	16.85	16.88	16.86	3	25	0	16.80		16.92	16.85	3				
	BW		MCS Index	Channel		18615	18900	19185	3GPP MPR (dB)	BW		MCS Index	Channel		18607	18900	19193	3GPP MPR (dB)
	Frequency(MHz)		1851.5	1880	1908.5	Frequency(MHz)		1850.7		1880		1909.3						
	3M		QPSK	1	0	17.06	17.23	17.07	0	1.4M		QPSK	1	0	17.04	17.21	17.08	0
1		7		17.07	17.25	17.22	0	1	2		17.11		17.24	17.22	0			
1		14		16.98	17.10	17.02	0	1	5		17.02		17.10	17.02	0			
8		0		16.74	16.91	16.95	1	3	0		16.75		16.88	16.95	1			
8		3		16.83	17.07	16.90	1	3	1		16.90		17.07	16.88	1			
8		7		16.72	16.97	16.97	1	3	3		16.75		16.90	16.93	1			
16QAM		15	0	16.78	16.93	16.80	1	6	0		16.81	16.92	16.86	1				
		1	0	16.88	17.14	17.04	1	1	0		16.91	17.08	17.01	1				
		1	7	17.02	17.15	17.14	1	1	2		17.05	17.12	17.16	1				
		1	14	16.89	16.99	17.02	1	1	5		16.86	16.99	17.02	1				
		8	0	16.82	16.90	16.91	2	3	0		16.86	16.89	16.91	2				
		8	3	16.78	16.98	16.93	2	3	1		16.73	17.03	16.90	2				
64QAM		8	7	16.88	16.92	16.95	2	3	3		16.86	16.94	16.99	2				
		15	0	16.82	16.86	16.84	2	6	0		16.82	16.92	16.81	2				
		1	0	16.76	16.94	16.77	2	64QAM	1		0	16.70	16.91	16.83	2			
		1	7	16.81	16.89	16.90	2		1		2	16.78	16.95	16.91	2			
		1	14	16.70	16.77	16.77	2		1		5	16.69	16.75	16.77	2			
		8	0	16.75	16.93	16.80	3		3		0	16.72	16.89	16.79	3			
8		3	16.83	16.86	16.90	3	3		1		16.79	16.92	16.85	3				
8		7	16.70	16.88	16.83	3	3		3		16.73	16.84	16.87	3				
15		0	16.84	16.86	16.87	3	6		0		16.82	16.89	16.83	3				

FCC SAR Test Report

LTE Band 4															
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20050	20175	20300				Channel		20025	20175	20325	
		Frequency(MHz)		1720	1732.5	1745				Frequency(MHz)		1717.5	1732.5	1747.5	
20M	QPSK	1	0	18.20	18.10	17.97	0	15M	QPSK	1	0	18.19	18.06	17.89	0
		1	50	18.28	18.21	18.14	0			1	37	18.24	18.18	18.08	0
		1	99	18.07	17.97	17.86	0			1	74	18.05	17.96	17.82	0
		50	0	17.87	17.79	17.79	1			36	0	17.81	17.74	17.78	1
		50	25	17.98	17.93	17.79	1			36	19	17.97	17.91	17.74	1
		50	50	17.96	17.91	17.91	1			36	39	17.88	17.84	17.89	1
	16QAM	100	0	17.87	17.80	17.69	1			75	0	17.86	17.76	17.66	1
		1	0	18.04	18.00	17.90	1		16QAM	1	0	18.01	17.99	17.84	1
		1	50	18.22	18.12	18.09	1			1	37	18.18	18.07	18.07	1
		1	99	17.93	17.86	17.81	1			1	74	17.87	17.84	17.78	1
		50	0	17.96	17.77	17.78	2			36	0	17.94	17.69	17.77	2
		50	25	17.89	17.89	17.79	2			36	19	17.81	17.85	17.74	2
	64QAM	50	50	17.92	17.78	17.78	2			36	39	17.89	17.72	17.76	2
		100	0	17.96	17.79	17.70	2			75	0	17.95	17.74	17.62	2
		1	0	17.83	17.79	17.67	2		64QAM	1	0	17.77	17.76	17.63	2
		1	50	17.94	17.82	17.80	2			1	37	17.92	17.75	17.75	2
		1	99	17.72	17.61	17.56	2			1	74	17.66	17.53	17.54	2
		50	0	17.87	17.79	17.70	3			36	0	17.86	17.77	17.62	3
		50	25	17.91	17.77	17.73	3			36	19	17.84	17.69	17.67	3
		50	50	17.86	17.77	17.72	3			36	39	17.84	17.76	17.68	3
		100	0	17.93	17.78	17.71	3			75	0	17.91	17.70	17.70	3
BW	MCS Index	Channel		20000	20175	20350	3GPP MPR (dB)	BW	MCS Index	Channel		19975	20175	20375	3GPP MPR (dB)
		Frequency(MHz)		1715	1732.5	1750				Frequency(MHz)		1712.5	1732.5	1752.5	
10M	QPSK	1	0	18.12	18.06	17.92	0	5M	QPSK	1	0	18.15	18.03	17.92	0
		1	24	18.26	18.13	18.13	0			1	12	18.26	18.13	18.12	0
		1	49	17.99	17.93	17.81	0			1	24	18.02	17.89	17.85	0
		25	0	17.84	17.73	17.77	1			12	0	17.83	17.74	17.74	1
		25	12	17.96	17.86	17.74	1			12	6	17.90	17.92	17.74	1
		25	25	17.90	17.83	17.89	1			12	13	17.92	17.86	17.90	1
	16QAM	50	0	17.86	17.78	17.61	1			25	0	17.81	17.78	17.64	1
		1	0	17.97	17.92	17.84	1		16QAM	1	0	17.97	17.95	17.88	1
		1	24	18.19	18.06	18.07	1			1	12	18.14	18.10	18.04	1
		1	49	17.91	17.79	17.76	1			1	24	17.91	17.78	17.79	1
		25	0	17.90	17.69	17.76	2			12	0	17.88	17.71	17.70	2
		25	12	17.87	17.81	17.78	2			12	6	17.83	17.87	17.73	2
	64QAM	25	25	17.84	17.74	17.73	2			12	13	17.85	17.73	17.76	2
		50	0	17.94	17.71	17.69	2			25	0	17.90	17.72	17.65	2
		1	0	17.75	17.75	17.62	2		64QAM	1	0	17.76	17.74	17.65	2
		1	24	17.91	17.76	17.78	2			1	12	17.86	17.80	17.74	2
		1	49	17.70	17.54	17.51	2			1	24	17.64	17.60	17.54	2
		25	0	17.81	17.71	17.68	3			12	0	17.83	17.74	17.62	3
3M	QPSK	25	12	17.90	17.75	17.65	3			12	6	17.83	17.76	17.71	3
		25	25	17.81	17.69	17.66	3			12	13	17.82	17.72	17.64	3
		50	0	17.92	17.72	17.69	3			25	0	17.87	17.76	17.68	3
	16QAM	1	0	18.14	18.08	17.91	0		QPSK	1	0	18.12	18.06	17.92	0
		1	7	18.21	18.16	18.12	0			1	2	18.25	18.15	18.12	0
		1	14	18.01	17.90	17.81	0			1	5	18.05	17.90	17.81	0
		8	0	17.80	17.74	17.77	1			3	0	17.81	17.71	17.77	1
		8	3	17.90	17.91	17.73	1			3	1	17.97	17.91	17.71	1
		8	7	17.88	17.90	17.89	1			3	3	17.91	17.83	17.85	1
	64QAM	15	0	17.83	17.75	17.61	1			6	0	17.86	17.74	17.67	1
		1	0	17.96	17.99	17.88	1		16QAM	1	0	17.99	17.93	17.85	1
		1	7	18.17	18.07	18.05	1			1	2	18.20	18.04	18.07	1
		1	14	17.91	17.78	17.80	1			1	5	17.88	17.78	17.80	1
		8	0	17.88	17.73	17.73	2			3	0	17.92	17.72	17.73	2
		8	3	17.86	17.83	17.77	2			3	1	17.81	17.88	17.74	2
	64QAM	8	7	17.90	17.71	17.73	2			3	3	17.88	17.73	17.77	2
		15	0	17.90	17.71	17.68	2			6	0	17.90	17.77	17.65	2
		1	0	17.82	17.77	17.59	2		64QAM	1	0	17.76	17.74	17.65	2
		1	7	17.89	17.74	17.74	2			1	2	17.86	17.80	17.75	2
		1	14	17.71	17.55	17.54	2			1	5	17.70	17.53	17.54	2
		8	0	17.82	17.77	17.63	3			3	0	17.79	17.73	17.62	3
1.4M	QPSK	8	3	17.89	17.69	17.72	3			3	1	17.85	17.75	17.67	3
		8	7	17.78	17.73	17.67	3			3	3	17.81	17.69	17.71	3
		15	0	17.91	17.70	17.70	3			6	0	17.89	17.73	17.66	3

**FCC SAR Test Report**

LTE Band 7															
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20850	21100	21350				Channel		20825	21100	21375	
		Frequency(MHz)		2510	2535	2560				Frequency(MHz)		2507.5	2535	2562.5	
20M	QPSK	1	0	17.76	17.67	17.74	0	15M	QPSK	1	0	17.75	17.63	17.66	0
		1	50	18.02	17.97	18.05	0			1	37	17.98	17.94	17.99	0
		1	99	17.95	17.88	17.94	0			1	74	17.93	17.87	17.90	0
		50	0	17.58	17.55	17.63	1			36	0	17.52	17.50	17.62	1
		50	25	17.73	17.73	17.76	1			36	19	17.72	17.71	17.71	1
		50	50	17.61	17.57	17.71	1			36	39	17.53	17.50	17.69	1
	16QAM	100	0	17.64	17.52	17.66	1			75	0	17.63	17.48	17.63	1
		1	0	17.66	17.60	17.64	1		16QAM	1	0	17.63	17.59	17.58	1
		1	50	17.85	17.79	17.95	1			1	37	17.81	17.74	17.93	1
		1	99	17.73	17.73	17.83	1			1	74	17.67	17.71	17.80	1
		50	0	17.60	17.55	17.66	2			36	0	17.58	17.47	17.65	2
		50	25	17.64	17.71	17.74	2			36	19	17.56	17.67	17.69	2
	64QAM	50	50	17.68	17.56	17.73	2			36	39	17.65	17.50	17.71	2
		100	0	17.62	17.55	17.60	2			75	0	17.61	17.50	17.52	2
		1	0	17.47	17.41	17.54	2		64QAM	1	0	17.41	17.38	17.50	2
		1	50	17.71	17.67	17.75	2			1	37	17.69	17.60	17.70	2
		1	99	17.58	17.52	17.62	2			1	74	17.52	17.44	17.60	2
		50	0	17.58	17.58	17.58	3			36	0	17.57	17.56	17.50	3
10M	QPSK	50	25	17.68	17.61	17.74	3			36	19	17.61	17.53	17.68	3
		50	50	17.68	17.61	17.67	3			36	39	17.66	17.60	17.63	3
		100	0	17.62	17.50	17.68	3			75	0	17.60	17.42	17.67	3
	16QAM	Channel		20800	21100	21400	3GPP MPR (dB)	5M	QPSK	Channel		20775	21100	21425	3GPP MPR (dB)
		Frequency(MHz)		2505	2535	2565				Frequency(MHz)		2502.5	2535	2567.5	
		Frequency(MHz)		2505	2535	2565				Frequency(MHz)		2502.5	2535	2567.5	
		1	0	17.68	17.63	17.69	0			1	0	17.71	17.60	17.69	0
		1	24	18.00	17.89	18.04	0			1	12	18.00	17.89	18.03	0
		1	49	17.87	17.84	17.89	0			1	24	17.90	17.80	17.93	0
	64QAM	25	0	17.55	17.49	17.61	1			12	0	17.54	17.50	17.58	1
		25	12	17.71	17.66	17.71	1			12	6	17.65	17.72	17.71	1
		25	25	17.55	17.49	17.69	1			12	13	17.57	17.52	17.70	1
		50	0	17.63	17.50	17.58	1			25	0	17.58	17.50	17.61	1
		1	0	17.59	17.52	17.58	1		16QAM	1	0	17.59	17.55	17.62	1
		1	24	17.82	17.73	17.93	1			1	12	17.77	17.77	17.90	1
		1	49	17.71	17.66	17.78	1			1	24	17.71	17.65	17.81	1
	16QAM	25	0	17.54	17.47	17.64	2			12	0	17.52	17.49	17.58	2
		25	12	17.62	17.63	17.73	2			12	6	17.58	17.69	17.68	2
		25	25	17.60	17.52	17.68	2			12	13	17.61	17.51	17.71	2
5M	64QAM	50	0	17.60	17.47	17.59	2			25	0	17.56	17.48	17.55	2
		1	0	17.39	17.37	17.49	2		64QAM	1	0	17.40	17.36	17.52	2
		1	24	17.68	17.61	17.73	2			1	12	17.63	17.65	17.69	2
		1	49	17.56	17.45	17.57	2			1	24	17.50	17.51	17.60	2
		25	0	17.52	17.50	17.56	3			12	0	17.54	17.53	17.50	3
		25	12	17.67	17.59	17.66	3			12	6	17.60	17.60	17.72	3
	16QAM	25	25	17.63	17.53	17.61	3			12	13	17.64	17.56	17.59	3
		50	0	17.61	17.44	17.66	3			25	0	17.56	17.48	17.65	3



FCC SAR Test Report

LTE Band 38															
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		37850	38000	38150				Channel		37825	38000	38175	
		Frequency(MHz)		2580	2595	2610				Frequency(MHz)		2577.5	2595	2612.5	
20M	QPSK	1	0	19.56	19.45	19.34	0	15M	QPSK	1	0	19.55	19.41	19.26	0
		1	50	19.74	19.63	19.60	0			1	37	19.70	19.60	19.54	0
		1	99	19.67	19.52	19.43	0			1	74	19.65	19.51	19.39	0
		50	0	19.60	19.52	19.52	1			36	0	19.54	19.47	19.51	1
		50	25	19.72	19.56	19.52	1			36	19	19.71	19.54	19.47	1
		50	50	19.61	19.48	19.52	1			36	39	19.53	19.41	19.50	1
	16QAM	100	0	19.70	19.49	19.53	1			75	0	19.69	19.45	19.50	1
		1	0	19.46	19.33	19.32	1		16QAM	1	0	19.43	19.32	19.26	1
		1	50	19.69	19.55	19.55	1			1	37	19.65	19.50	19.53	1
		1	99	19.49	19.45	19.40	1			1	74	19.43	19.43	19.37	1
		50	0	19.66	19.45	19.53	2			36	0	19.64	19.37	19.52	2
		50	25	19.66	19.56	19.58	2			36	19	19.58	19.52	19.53	2
	64QAM	50	50	19.70	19.54	19.49	2			36	39	19.67	19.48	19.47	2
		100	0	19.66	19.52	19.49	2			75	0	19.65	19.47	19.41	2
		1	0	19.35	19.32	19.25	2		64QAM	1	0	19.29	19.29	19.21	2
		1	50	19.57	19.39	19.32	2			1	37	19.55	19.32	19.27	2
		1	99	19.32	19.19	19.19	2			1	74	19.26	19.11	19.17	2
		50	0	19.63	19.51	19.39	3			36	0	19.62	19.49	19.31	3
		50	25	19.67	19.53	19.46	3			36	19	19.60	19.45	19.40	3
		50	50	19.61	19.47	19.43	3			36	39	19.59	19.46	19.39	3
		100	0	19.67	19.44	19.52	3			75	0	19.65	19.36	19.51	3
BW	MCS Index	Channel		37800	38000	38200	3GPP MPR (dB)	BW	MCS Index	Channel		37775	38000	38225	3GPP MPR (dB)
		Frequency(MHz)		2575	2595	2615				Frequency(MHz)		2572.5	2595	2617.5	
10M	QPSK	1	0	19.48	19.41	19.29	0	5M	QPSK	1	0	19.51	19.38	19.29	0
		1	24	19.72	19.55	19.59	0			1	12	19.72	19.55	19.58	0
		1	49	19.59	19.48	19.38	0			1	24	19.62	19.44	19.42	0
		25	0	19.57	19.46	19.50	1			12	0	19.56	19.47	19.47	1
		25	12	19.70	19.49	19.47	1			12	6	19.64	19.55	19.47	1
		25	25	19.55	19.40	19.50	1			12	13	19.57	19.43	19.51	1
	16QAM	50	0	19.69	19.47	19.45	1			25	0	19.64	19.47	19.48	1
		1	0	19.39	19.25	19.26	1		16QAM	1	0	19.39	19.28	19.30	1
		1	24	19.66	19.49	19.53	1			1	12	19.61	19.53	19.50	1
		1	49	19.47	19.38	19.35	1			1	24	19.47	19.37	19.38	1
		25	0	19.60	19.37	19.51	2			12	0	19.58	19.39	19.45	2
		25	12	19.64	19.48	19.57	2			12	6	19.60	19.54	19.52	2
	64QAM	25	25	19.62	19.50	19.44	2			12	13	19.63	19.49	19.47	2
		50	0	19.64	19.44	19.48	2			25	0	19.60	19.45	19.44	2
		1	0	19.27	19.28	19.20	2		64QAM	1	0	19.28	19.27	19.23	2
		1	24	19.54	19.33	19.30	2			1	12	19.49	19.37	19.26	2
		1	49	19.30	19.12	19.14	2			1	24	19.24	19.18	19.17	2
		25	0	19.57	19.43	19.37	3			12	0	19.59	19.46	19.31	3
		25	12	19.66	19.51	19.38	3			12	6	19.59	19.52	19.44	3
		25	25	19.56	19.39	19.37	3			12	13	19.57	19.42	19.35	3
		50	0	19.66	19.38	19.50	3			25	0	19.61	19.42	19.49	3



FCC SAR Test Report

LTE Band 41															
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		40140	40640	41140				Channel		40115	40640	41165	
		Frequency(MHz)		2545	2595	2645				Frequency(MHz)		2542.5	2595	2647.5	
20M	QPSK	1	0	20.12	19.96	19.82	0	15M	QPSK	1	0	20.11	19.88	19.76	0
		1	50	20.31	20.13	20.08	0			1	37	20.27	20.07	20.06	0
		1	99	20.17	19.98	19.81	0			1	74	20.15	19.94	19.75	0
		50	0	20.10	20.05	19.92	1			36	0	20.04	20.04	19.91	1
		50	25	20.26	20.09	19.97	1			36	19	20.25	20.04	19.90	1
		50	50	20.15	20.06	19.96	1			36	39	20.07	20.04	19.94	1
		100	0	20.23	20.02	19.94	1			75	0	20.22	19.99	19.89	1
	16QAM	1	0	20.06	19.87	19.86	1		16QAM	1	0	20.03	19.81	19.84	1
		1	50	20.21	20.09	19.92	1			1	37	20.17	20.07	19.85	1
		1	99	19.98	19.92	19.78	1			1	74	19.92	19.89	19.74	1
		50	0	20.12	19.97	19.89	2			36	0	20.10	19.96	19.88	2
		50	25	20.15	20.03	19.97	2			36	19	20.07	19.98	19.92	2
		50	50	20.18	20.05	19.87	2			36	39	20.15	20.03	19.85	2
		100	0	20.15	19.97	19.90	2			75	0	20.14	19.89	19.84	2
	64QAM	1	0	19.83	19.78	19.66	2		64QAM	1	0	19.77	19.74	19.65	2
		1	50	20.10	19.93	19.72	2			1	37	20.08	19.88	19.64	2
		1	99	19.84	19.76	19.62	2			1	74	19.78	19.74	19.61	2
		50	0	20.20	20.01	19.91	3			36	0	20.19	19.93	19.88	3
		50	25	20.26	20.13	19.97	3			36	19	20.19	20.07	19.93	3
		50	50	20.19	20.01	19.93	3			36	39	20.17	19.97	19.91	3
		100	0	20.25	20.08	19.98	3			75	0	20.23	20.07	19.95	3
BW	MCS Index	Channel		40090	40640	41190	3GPP MPR (dB)	BW	MCS Index	Channel		40065	40640	41215	3GPP MPR (dB)
		Frequency(MHz)		2540	2595	2650				Frequency(MHz)		2537.5	2595	2652.5	
10M	QPSK	1	0	20.04	19.91	19.74	0	5M	QPSK	1	0	20.07	19.91	19.76	0
		1	24	20.29	20.12	20.06	0			1	12	20.29	20.11	20.01	0
		1	49	20.09	19.93	19.73	0			1	24	20.12	19.97	19.75	0
		25	0	20.07	20.03	19.89	1			12	0	20.06	20.00	19.85	1
		25	12	20.24	20.04	19.95	1			12	6	20.18	20.04	19.89	1
		25	25	20.09	20.04	19.91	1			12	13	20.11	20.05	19.90	1
		50	0	20.22	19.94	19.92	1			25	0	20.17	19.97	19.92	1
	16QAM	1	0	19.99	19.81	19.81	1		16QAM	1	0	19.99	19.85	19.81	1
		1	24	20.18	20.07	19.90	1			1	12	20.13	20.04	19.91	1
		1	49	19.96	19.87	19.70	1			1	24	19.96	19.90	19.73	1
		25	0	20.06	19.95	19.83	2			12	0	20.04	19.89	19.87	2
		25	12	20.13	20.02	19.91	2			12	6	20.09	19.97	19.92	2
		25	25	20.10	20.00	19.80	2			12	13	20.11	20.03	19.85	2
		50	0	20.13	19.96	19.82	2			25	0	20.09	19.92	19.89	2
	64QAM	1	0	19.75	19.73	19.64	2		64QAM	1	0	19.76	19.76	19.61	2
		1	24	20.07	19.91	19.64	2			1	12	20.02	19.87	19.67	2
		1	49	19.82	19.71	19.56	2			1	24	19.76	19.74	19.61	2
		25	0	20.14	19.99	19.84	3			12	0	20.16	19.93	19.89	3
		25	12	20.25	20.05	19.94	3			12	6	20.18	20.11	19.92	3
		25	25	20.14	19.95	19.91	3			12	13	20.15	19.93	19.89	3
		50	0	20.24	20.06	19.92	3			25	0	20.19	20.05	19.90	3

FCC SAR Test Report

CA_7C							
Combination 20MHz+20MHz (100RB+100RB)							
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset	
20850	21048	QPSK	1	0	0	0	17.92
		16QAM	1	0	0	0	17.65
		64QAM	1	0	0	0	17.57
21001	21199	QPSK	1	0	0	0	17.87
		16QAM	1	0	0	0	17.59
		64QAM	1	0	0	0	17.52
21152	21350	QPSK	1	0	0	0	17.93
		16QAM	1	0	0	0	17.36
		64QAM	1	0	0	0	17.36

CA_38C							
Combination 20MHz+20MHz (100RB+100RB)							
PCC Channel	SCC Channel	Modulation	PCC		SCC		Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset	
37850	38048	QPSK	1	0	0	0	19.49
		16QAM	1	0	0	0	19.29
		64QAM	1	0	0	0	19.19
37901	38099	QPSK	1	0	0	0	19.34
		16QAM	1	0	0	0	19.09
		64QAM	1	0	0	0	19.03
37952	38150	QPSK	1	0	0	0	19.26
		16QAM	1	0	0	0	19.17
		64QAM	1	0	0	0	19.07

FCC SAR Test Report

WLAN / BT

	Mode	Channel	Frequency (MHz)	Full power (dBm)	Reduced power (dBm)
2.4GHz WLAN	802.11b 1Mbps	1	2412	17.55	17.09
		6	2437	17.70	17.26
		11	2462	17.66	17.36
	802.11g 6Mbps	1	2412	14.67	14.67
		6	2437	14.96	14.96
		11	2462	15.01	15.01
	802.11n-HT20 MCS0	1	2412	13.78	13.78
		6	2437	13.52	13.52
		11	2462	13.65	13.65

	Mode	Channel	Frequency(MHz)	Full power (dBm)
Bluetooth	BR / EDR	0	2402	8.22
		39	2441	9.07
		78	2480	8.79
	BLE 1Mbps	0	2402	-5.16
		19	2440	-4.09
		39	2480	-4.85
	BLE 2Mbps	0	2402	-6.89
		19	2440	-4.86
		39	2480	-5.46

FCC SAR Test Report

5.2GHz WLAN	Mode	Channel	Frequency (MHz)	Full power (dBm)	Reduced power (dBm)
	802.11a 6Mbps	36	5180	13.75	11.00
		40	5200	13.84	11.07
		44	5220	13.81	11.25
		48	5240	13.82	11.03
	802.11n-HT20 MCS0	36	5180	13.62	11.18
		40	5200	13.20	11.05
		44	5220	13.62	11.06
		48	5240	13.63	11.09
	802.11n-HT40 MCS0	38	5190	13.63	11.09
		46	5230	13.58	11.06
	802.11ac-VHT20 MCS0	36	5180	13.17	11.00
		40	5200	13.62	11.04
		44	5220	13.6	11.22
		48	5240	13.60	11.23
	802.11ac-VHT40 MCS0	38	5190	13.14	11.07
		46	5230	13.60	11.22
	802.11ac-VHT80 MCS0	42	5210	13.51	11.14

5.3GHz WLAN	Mode	Channel	Frequency (MHz)	Full power (dBm)	Reduced power (dBm)
	802.11a 6Mbps	52	5260	13.77	11.30
		56	5280	13.73	11.28
		60	5300	13.69	11.23
		64	5320	13.08	11.25
	802.11n-HT20 MCS0	52	5260	13.88	11.22
		56	5280	13.81	11.18
		60	5300	13.58	11.22
		64	5320	13.38	11.31
	802.11n-HT40 MCS0	54	5270	13.55	11.13
		62	5310	13.46	11.14
	802.11ac-VHT20 MCS0	52	5260	13.54	11.17
		56	5280	13.51	11.26
		60	5300	13.43	11.22
		64	5320	13.40	11.14
	802.11ac-VHT40 MCS0	54	5270	13.51	11.30
		62	5310	13.42	11.27
	802.11ac-VHT80 MCS0	58	5290	13.54	11.01

FCC SAR Test Report

	Mode	Channel	Frequency (MHz)	Full power (dBm)	Reduced power (dBm)
5.6GHz WLAN	802.11a 6Mbps	100	5500	13.52	11.04
		116	5580	13.44	10.98
		124	5620	13.60	10.96
		132	5660	13.59	11.00
		140	5700	13.48	11.09
	802.11n-HT20 MCS0	100	5500	13.56	11.08
		116	5580	13.32	11.06
		124	5620	13.50	10.95
		132	5660	13.55	10.92
		140	5700	13.40	10.95
	802.11n-HT40 MCS0	102	5510	13.39	11.04
		110	5550	13.60	11.08
		126	5630	13.46	11.02
		134	5670	13.18	10.75
	802.11ac-VHT20 MCS0	100	5500	13.40	11.02
		116	5580	13.28	11.00
		124	5620	13.41	11.00
		132	5660	13.38	10.78
	802.11ac-VHT40 MCS0	102	5510	13.36	11.09
		110	5550	13.63	11.00
		126	5630	13.43	10.83
		134	5670	13.16	10.91
	802.11ac-VHT80 MCS0	106	5530	13.57	10.86
		122	5610	13.56	10.75

	Mode	Channel	Frequency (MHz)	Full power (dBm)	Reduced power (dBm)
5.8GHz WLAN	802.11a 6Mbps	149	5745	13.51	11.16
		157	5785	13.61	11.16
		165	5825	13.67	11.18
	802.11n-HT20 MCS0	149	5745	13.43	10.98
		157	5785	13.52	11.15
		165	5825	13.58	11.11
	802.11n-HT40 MCS0	151	5755	13.52	10.82
		159	5795	13.54	10.85
	802.11ac-VHT20 MCS0	149	5745	13.44	10.86
		157	5785	13.56	10.87
		165	5825	13.55	10.83
	802.11ac-VHT40 MCS0	151	5755	13.51	10.82
		159	5795	13.46	10.72
	802.11ac-VHT80 MCS0	155	5775	13.50	10.95