



Feature

- ※ High gain
- ※ Omani-directional
- ※ Wide bandwidth

Main Antenna

Application


※ GSM850/900/DCS/PCS/WCDMA B1/B2/B4/B5/B8
LTE B1/B2/B3/B4/B5/B7/B8/B20/B28/B38/B40/B41
communication applications

Project	Name and address of the antenna manufacturer	Model number of the antenna
X6835	Name: 尚远科技通讯科技有限公司 Sunnyway Address: 上海市青浦区高光路 215 弄 99 号 4 号楼 1 楼 Floor 1, Building 4, No. 99, Lane 215, Gaoguang Road, Qingpu District, Shanghai	SYC-X6835-ANT1-V0.2 SYC-X6835-ANT2-V0.2 SYC-X6835-ANT3-V0.2


Transmitter Frequency	GSM 850/WCDMA B5/LTE B5: 824 – 849 MHz
	GSM 900/WCDMA B8/LTE B8: 880 – 915 MHz
	DCS /WCDMA B4/LTE B3/B4: 1710 – 1785 MHz
	PCS/WCDMA B2/LTE B2:1850-1910MHz
	WCDMA B1/LTE B1: 1920 – 1980MHz
	LTE B7:2496-2565MHz
	LTE B40:2300-2400MHz
	LTE B38: 2570-2620MHz
	LTE B41: 2535-2655MHz
	LTE B20:832-862MHz
Receiver Frequency	B28:700-748MHz
	GSM 850/WCDMA B5/LTE B5: 869 – 894 MHz
	GSM 900/WCDMA B8/LTE B8: 925 – 960 MHz
	DCS/LTE B3: 1805 – 1880 MHz
	WCDMA 4/LTE B4: 2110-2155 MHz
	PCS/WCDMA B2/LTE B2:1930-1990MHz
	WCDMA B1/LTE B1: 2110 – 2170MHz
	LTE B7:2620-2690MHz
	LTE B40:2300-2400MHz
	LTE B38: 2570-2620MHz
	LTE B41: 2535-2655MHz
	LTE B20:791-821MHz
Main Antenna Gain (Peak Gain)	LTE B28:758-803MHz
	WCDMA B1/B2/B4/B5/ B8: 23+/-2dBm
	GSM 850/WCDMA B5/LTE B5/ B20: -4.8dBi
	GSM 900/WCDMA B8/LTE B8: -4.2dBi
	DCS/WCDMA B4/ LTE B3/B4/: -1.8dBi
	PCS/WCDMA B2/LTE B2: 1.7dBi
	WCDMA B1/LTE B1: 2.2dBi
	LTE B7/B38/B41: -0.5dBi
3in1 Antenna Gain (Peak Gain)	LTE B40: -1.4dBi
	LTE B28:-6.2MHzdBi
BT/2.4G Wi-Fi:0.8dBi, 5G Wi-Fi: 0.5dBi	

※ Antenna Gain


Main Antenna



GSM 850/WCDMA B5/LTE B5/ B20 $\Phi=0^\circ$




GSM 850/WCDMA B5/LTE B5/ B20 $\Phi=90^\circ$




GSM 850/WCDMA B5/LTE B5/ B20 Theta=90deg

※ Antenna Gain


Main Antenna



LTE B40 Phi=0deg




LTE B40 $\Phi = 90^\circ$




LTE B40 $\Theta = 90^\circ$

※ Antenna Gain


Main Antenna



GSM900 / WCDMA B8 / LTE B8 $\Phi=0^\circ$




GSM900 / WCDMA B8 / LTE B8 $\Phi=90^\circ$




GSM900 / WCDMA B8 / LTE B8 Theta=90deg

※ Antenna Gain


Main Antenna



DCS1800/PCS1900/WCDMA B1/B2/B4/LTE B1/B2/B3/B4 Phi=0deg




DCS1800/PCS1900/WCDMA B1/B2/B4/LTE B1/B2/B3/B4 $\Phi=90\text{deg}$




DCS1800/PCS1900/WCDMA B1/B2/B4/LTE B1/B2/B3/B4 $\Theta=90\text{deg}$

※ Antenna Gain


Main Antenna



LTE B7/B38/41 $\Phi=0^\circ$




LTE B7/B38/41 $\Phi=90^\circ$




LTE B7/B38/41 Theta=90deg

※ Antenna Gain


2.4G WIFI&BT Antenna



2.4G WIFI&BT Phi=0deg




2.4G WIFI&BT $\Phi=90\text{deg}$




2.4G WIFI&BT $\Theta=90\text{deg}$


※ Antenna Gain
5G WIFI Antenna



5G WIFI $\Phi = 0^\circ$



5G WIFI $\Phi = 90^\circ$




5G WIFI Theta=90deg

Antenna Photo


WWAN Main Antenna



WWAN Aux Antenna



Bluetooth/WiFi Antenna



PREPARED BY	CHECKEDBY	APPROVAL BY	S.R.NO	
	Yao.hu		DATE:	2022/12/09