


Mode:	802.11n HT 20 MHz Transmitting	Channel:	5320
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5317.5219	34.82	15.63	-40.59	97.78	107.64	74.00	-33.64	Pass	Horizontal
2	5350.0000	34.85	15.92	-40.60	49.43	59.60	74.00	14.40	Pass	Horizontal

Mode:	802.11n HT 20 MHz Transmitting	Channel:	5320
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5321.4018	34.82	15.66	-40.59	92.55	102.44	74.00	-28.44	Pass	Vertical
2	5350.0000	34.85	15.92	-40.60	48.23	58.40	74.00	15.60	Pass	Vertical

Mode:	802.11n HT 20 MHz Transmitting	Channel:	5320
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5320.7760	34.82	15.66	-40.59	65.49	75.38	54.00	-21.38	Pass	Horizontal
2	5350.0000	34.85	15.92	-40.60	37.58	47.75	54.00	6.25	Pass	Horizontal

Mode:	802.11n HT 20 MHz Transmitting	Channel:	5320
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5321.1514	34.82	15.66	-40.59	63.65	73.54	54.00	-19.54	Pass	Vertical
2	5350.0000	34.85	15.92	-40.60	37.29	47.46	54.00	6.54	Pass	Vertical

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5310
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5312.5156	34.81	15.58	-40.58	90.71	100.52	74.00	-26.52	Pass	Horizontal
2	5350.0000	34.85	15.92	-40.60	49.99	60.16	74.00	13.84	Pass	Horizontal

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5310
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5302.0025	34.80	15.49	-40.58	87.52	97.23	74.00	-23.23	Pass	Vertical
2	5350.0000	34.85	15.92	-40.60	48.02	58.19	74.00	15.81	Pass	Vertical

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5310
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5307.0713	34.81	15.53	-40.59	73.52	83.27	54.00	-29.27	Pass	Horizontal
2	5350.0000	34.85	15.92	-40.60	36.71	46.88	54.00	7.12	Pass	Horizontal

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5310
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5306.8836	34.81	15.53	-40.59	71.53	81.28	54.00	-27.28	Pass	Vertical
2	5350.0000	34.85	15.92	-40.60	35.81	45.98	54.00	8.02	Pass	Vertical

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5290
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5269.3367	34.77	15.40	-40.58	88.61	98.20	74.00	-24.20	Pass	Horizontal
2	5350.0000	34.85	15.92	-40.60	49.60	59.77	74.00	14.23	Pass	Horizontal

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5290
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5278.3479	34.78	15.42	-40.58	83.98	93.60	74.00	-19.60	Pass	Vertical
2	5350.0000	34.85	15.92	-40.60	48.37	58.54	74.00	15.46	Pass	Vertical

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5290
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5278.1602	34.78	15.42	-40.58	52.02	61.64	54.00	-7.64	Pass	Horizontal
2	5350.0000	34.85	15.92	-40.60	37.60	47.77	54.00	6.23	Pass	Horizontal

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5290
Remark:	AV		

Test Graph




NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5277.9725	34.78	15.42	-40.58	50.31	59.93	54.00	-5.93	Pass	Vertical
2	5350.0000	34.85	15.92	-40.60	37.31	47.48	54.00	6.52	Pass	Vertical

For U-NII-2c band Ant2

Mode:	802.11a Transmitting	Channel:	5500
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	47.94	58.29	74.00	15.71	Pass	Horizontal
2	5501.1514	35.00	15.90	-40.64	96.62	106.88	74.00	-32.88	Pass	Horizontal

Mode:	802.11a Transmitting	Channel:	5500
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	48.00	58.35	74.00	15.65	Pass	Vertical
2	5497.7722	35.00	15.93	-40.65	93.53	103.81	74.00	-29.81	Pass	Vertical

Mode:	802.11a Transmitting	Channel:	5500
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	37.40	47.75	54.00	6.25	Pass	Horizontal
2	5500.7009	35.00	15.91	-40.64	65.94	76.21	54.00	-22.21	Pass	Horizontal

Mode:	802.11a Transmitting	Channel:	5500
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	37.25	47.60	54.00	6.40	Pass	Vertical
2	5500.4756	35.00	15.91	-40.64	63.76	74.03	54.00	-20.03	Pass	Vertical

Mode:	802.11n HT 20 MHz Transmitting	Channel:	5500
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	48.36	58.71	74.00	15.29	Pass	Horizontal
2	5501.3767	35.00	15.90	-40.64	96.71	106.97	74.00	-32.97	Pass	Horizontal

Mode:	802.11n HT 20 MHz Transmitting	Channel:	5500
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	47.72	58.07	74.00	15.93	Pass	Vertical
2	5501.6020	35.00	15.90	-40.64	93.31	103.57	74.00	-29.57	Pass	Vertical

Mode:	802.11n HT 20 MHz Transmitting	Channel:	5500
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	37.43	47.78	54.00	6.22	Pass	Horizontal
2	5498.2228	35.00	15.92	-40.64	65.72	76.00	54.00	-22.00	Pass	Horizontal

Mode:	802.11n HT 20 MHz Transmitting	Channel:	5500
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	37.25	47.60	54.00	6.40	Pass	Vertical
2	5500.4756	35.00	15.91	-40.64	63.72	73.99	54.00	-19.99	Pass	Vertical

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5510
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	52.43	62.78	74.00	11.22	Pass	Horizontal
2	5515.3442	35.02	15.69	-40.65	98.10	108.16	74.00	-34.16	Pass	Horizontal

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5510
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	51.12	61.47	74.00	12.53	Pass	Vertical
2	5515.3442	35.02	15.69	-40.65	93.26	103.32	74.00	-29.32	Pass	Vertical

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5510
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	39.06	49.41	54.00	4.59	Pass	Horizontal
2	5513.9925	35.02	15.71	-40.65	85.81	95.89	54.00	-41.89	Pass	Horizontal

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5510
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	38.12	48.47	54.00	5.53	Pass	Vertical
2	5507.4593	35.01	15.81	-40.65	81.95	92.12	54.00	-38.12	Pass	Vertical

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5530
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	49.55	59.90	74.00	14.10	Pass	Horizontal
2	5538.7735	35.06	15.34	-40.67	89.26	98.99	74.00	-24.99	Pass	Horizontal

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5530
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	50.55	60.90	74.00	13.10	Pass	Vertical
2	5525.7071	35.04	15.53	-40.66	83.96	93.87	74.00	-19.87	Pass	Vertical

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5530
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-36.15	36.81	51.64	54.00	2.36	Pass	Horizontal
2	5525.2566	35.04	15.54	-36.09	70.19	84.68	54.00	-30.68	Pass	Horizontal

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5530
Remark:	AV		

Test Graph




NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-36.15	36.41	51.24	54.00	2.76	Pass	Vertical
2	5518.4981	35.03	15.64	-36.11	67.43	81.99	54.00	-27.99	Pass	Vertical

For U-NII-1 band MIMO

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5180
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	47.88	57.07	74.00	16.93	Pass	Horizontal
2	5181.4393	34.68	15.39	-40.55	94.73	104.25	74.00	-30.25	Pass	Horizontal

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5180
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	47.89	57.08	74.00	16.92	Pass	Vertical
2	5181.4393	34.68	15.39	-40.55	90.05	99.57	74.00	-25.57	Pass	Vertical

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5180
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	37.43	46.62	54.00	7.38	Pass	Horizontal
2	5178.3479	34.68	15.36	-40.55	64.06	73.55	54.00	-19.55	Pass	Horizontal

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5180
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	37.17	46.36	54.00	7.64	Pass	Vertical
2	5180.2503	34.68	15.38	-40.55	62.21	71.72	54.00	-17.72	Pass	Vertical

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5190
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	54.51	63.70	74.00	10.30	Pass	Horizontal
2	5185.0313	34.69	15.42	-40.55	91.89	101.45	74.00	-27.45	Pass	Horizontal

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5190
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	49.45	58.64	74.00	15.36	Pass	Vertical
2	5196.5957	34.70	15.54	-40.56	86.34	96.02	74.00	-22.02	Pass	Vertical

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5190
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	37.09	46.28	54.00	7.72	Pass	Horizontal
2	5186.6083	34.69	15.44	-40.56	77.29	86.86	54.00	-32.86	Pass	Horizontal

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5190
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	35.79	44.98	54.00	9.02	Pass	Vertical
2	5187.1339	34.69	15.44	-40.55	72.28	81.86	54.00	-27.86	Pass	Vertical

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5210
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5113.8924	34.61	15.43	-40.52	56.66	66.18	74.00	7.82	Pass	Horizontal
2	5150.0000	34.65	15.08	-40.54	51.44	60.63	74.00	13.37	Pass	Horizontal
3	5216.8335	34.72	15.50	-40.57	89.06	98.71	74.00	-24.71	Pass	Horizontal

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5210
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	48.19	57.38	74.00	16.62	Pass	Vertical
2	5216.5207	34.72	15.50	-40.57	84.79	94.44	74.00	-20.44	Pass	Vertical

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5210
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	37.40	46.59	54.00	7.41	Pass	Horizontal
2	5218.7109	34.72	15.49	-40.56	76.82	86.47	54.00	-32.47	Pass	Horizontal

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5210
Remark:	AV		

Test Graph




NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	36.20	45.39	54.00	8.61	Pass	Vertical
2	5224.3429	34.72	15.46	-40.56	71.89	81.51	54.00	-27.51	Pass	Vertical

For U-NII-2a band MIMO

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5260
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5271.9650	34.77	15.40	-40.57	92.87	102.47	74.00	-28.47	Pass	Horizontal
2	5350.0000	34.85	15.92	-40.60	49.48	59.65	74.00	14.35	Pass	Horizontal

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5260
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5277.4093	34.78	15.42	-40.58	91.19	100.81	74.00	-26.81	Pass	Vertical
2	5350.0000	34.85	15.92	-40.60	50.01	60.18	74.00	13.82	Pass	Vertical

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5260
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5283.4168	34.78	15.43	-40.58	53.41	63.04	54.00	-9.04	Pass	Horizontal
2	5350.0000	34.85	15.92	-40.60	37.87	48.04	54.00	5.96	Pass	Horizontal

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5260
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5278.1602	34.78	15.42	-40.58	52.50	62.12	54.00	-8.12	Pass	Vertical
2	5350.0000	34.85	15.92	-40.60	37.67	47.84	54.00	6.16	Pass	Vertical

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5280
Remar	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5315.3317	34.82	15.61	-40.59	100.02	109.86	74.00	-35.86	Pass	Horizontal
2	5350.0000	34.85	15.92	-40.60	63.76	73.93	74.00	0.07	Pass	Horizontal

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5280
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5305.0063	34.81	15.52	-40.60	95.02	104.75	74.00	-30.75	Pass	Vertical
2	5350.0000	34.85	15.92	-40.60	59.70	69.87	74.00	4.13	Pass	Vertical

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5280
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5314.9562	34.81	15.60	-40.58	80.13	89.96	54.00	-35.96	Pass	Horizontal
2	5350.0000	34.85	15.92	-40.60	43.06	53.23	54.00	0.77	Pass	Horizontal

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5280
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5313.8298	34.81	15.59	-40.58	79.34	89.16	54.00	-35.16	Pass	Vertical
2	5350.0000	34.85	15.92	-40.60	40.51	50.68	54.00	3.32	Pass	Vertical

Mode:	802.11ac VHT 20 MHz Transmitting	Channel:	5320
Remark:	PK		

Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5322.6533	34.82	15.67	-40.58	95.05	104.96	74.00	-30.96	Pass	Horizontal
2	5350.0000	34.85	15.92	-40.60	47.88	58.05	74.00	15.95	Pass	Horizontal