



Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
47	6185	-4.86	0.00	-1.86	5.00	Complies
79	6345	-4.82	0.00	-1.82	5.00	Complies

CH47




CH79




Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
47	6185	-4.85	0.00	-1.85	5.00	Complies
79	6345	-4.64	0.00	-1.64	5.00	Complies

CH47




CH79




Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
47	6185	-4.62	0.00	-1.62	5.00	Complies
79	6345	-4.87	0.00	-1.87	5.00	Complies

CH47




CH79




Test Mode	UNII-5_TX BE(EHT160) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
47	6185	-4.80	0.00	-1.80	5.00	Complies
79	6345	-4.64	0.00	-1.64	5.00	Complies

CH47



CH79




Test Mode	UNII-5_TX BE(EHT160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
47	6185	4.24	5.00	Complies
79	6345	4.28	5.00	Complies

Test Mode	UNII-5_TX BE(EHT320) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
63	6265	-4.91	0.00	-1.91	5.00	Complies


CH63



Test Mode	UNII-5_TX BE(EHT320) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
63	6265	-4.84	0.00	-1.84	5.00	Complies


CH63



Test Mode	UNII-5_TX BE(EHT320) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
63	6265	-4.78	0.00	-1.78	5.00	Complies


CH63



Test Mode	UNII-5_TX BE(EHT320) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
63	6265	-4.79	0.00	-1.79	5.00	Complies

CH63




Test Mode	UNII-5_TX BE(EHT320) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
63	6265	4.19	5.00	Complies


Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-4.55	0.00	-1.55	5.00	Complies
105	6475	-4.52	0.00	-1.52	5.00	Complies
113	6515	-4.23	0.00	-1.23	5.00	Complies


CH97



CH105




CH113




Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-4.39	0.00	-1.39	5.00	Complies
105	6475	-4.46	0.00	-1.46	5.00	Complies
113	6515	-4.33	0.00	-1.33	5.00	Complies


CH97



CH105




CH113




Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-4.80	0.00	-1.80	5.00	Complies
105	6475	-4.54	0.00	-1.54	5.00	Complies
113	6515	-4.41	0.00	-1.41	5.00	Complies


CH97



CH105




CH113




Test Mode	UNII-6_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-4.67	0.00	-1.67	5.00	Complies
105	6475	-4.58	0.00	-1.58	5.00	Complies
113	6515	-4.24	0.00	-1.24	5.00	Complies


CH97



CH105



CH113




Test Mode	UNII-6_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	4.42	5.00	Complies
105	6475	4.50	5.00	Complies
113	6515	4.72	5.00	Complies


Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	-4.12	0.00	-1.12	5.00	Complies
107	6485	-4.11	0.00	-1.11	5.00	Complies

CH99




CH107




Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	-4.01	0.00	-1.01	5.00	Complies
107	6485	-4.58	0.00	-1.58	5.00	Complies

CH99




CH107




Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	-3.96	0.00	-0.96	5.00	Complies
107	6485	-4.53	0.00	-1.53	5.00	Complies

CH99




CH107




Test Mode	UNII-6_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	-4.08	0.00	-1.08	5.00	Complies
107	6485	-4.56	0.00	-1.56	5.00	Complies

CH99



CH107




Test Mode	UNII-6_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	4.98	5.00	Complies
107	6485	4.58	5.00	Complies

Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
103	6465	-4.59	0.00	-1.59	5.00	Complies


CH103



Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
103	6465	-4.77	0.00	-1.77	5.00	Complies


CH103



Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
103	6465	-4.77	0.00	-1.77	5.00	Complies


CH103



Test Mode	UNII-6_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
103	6465	-4.64	0.00	-1.64	5.00	Complies

CH103




Test Mode	UNII-6_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
103	6465	4.33	5.00	Complies


Test Mode	UNII-6_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-4.46	0.00	-1.46	5.00	Complies
105	6475	-4.43	0.00	-1.43	5.00	Complies
113	6515	-4.32	0.00	-1.32	5.00	Complies


CH97



CH105




CH113




Test Mode	UNII-6_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-4.33	0.00	-1.33	5.00	Complies
105	6475	-4.73	0.00	-1.73	5.00	Complies
113	6515	-4.69	0.00	-1.69	5.00	Complies


CH97



CH105




CH113




Test Mode	UNII-6_TX BE(EHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-4.48	0.00	-1.48	5.00	Complies
105	6475	-4.77	0.00	-1.77	5.00	Complies
113	6515	-4.38	0.00	-1.38	5.00	Complies


CH97



CH105




CH113




Test Mode	UNII-6_TX BE(EHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	-4.05	0.00	-1.05	5.00	Complies
105	6475	-4.82	0.00	-1.82	5.00	Complies
113	6515	-4.64	0.00	-1.64	5.00	Complies


CH97



CH105



CH113




Test Mode	UNII-6_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
97	6435	4.69	5.00	Complies
105	6475	4.34	5.00	Complies
113	6515	4.52	5.00	Complies


Test Mode	UNII-6_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	-4.54	0.00	-1.54	5.00	Complies
107	6485	-4.43	0.00	-1.43	5.00	Complies

CH99




CH107




Test Mode	UNII-6_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	-4.57	0.00	-1.57	5.00	Complies
107	6485	-4.50	0.00	-1.50	5.00	Complies

CH99




CH107




Test Mode	UNII-6_TX BE(EHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	-4.81	0.00	-1.81	5.00	Complies
107	6485	-4.51	0.00	-1.51	5.00	Complies

CH99




CH107




Test Mode	UNII-6_TX BE(EHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	-4.44	0.00	-1.44	5.00	Complies
107	6485	-4.64	0.00	-1.64	5.00	Complies

CH99



CH107



Test Mode	UNII-6_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
99	6445	4.43	5.00	Complies
107	6485	4.50	5.00	Complies