

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX(Port1)	Pass	AV	2.3886G	50.92	54.00	-3.08	32.23	3	Horizontal	161	2.12	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	Pass	AV	2.4835G	50.95	54.00	-3.05	32.10	3	Horizontal	188	1.54	-
802.11g_Nss1,(6Mbps)_1TX(Port1)	Pass	AV	2.4835G	50.74	54.00	-3.26	32.10	3	Vertical	291	2.25	-
802.11g_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	2.4835G	50.74	54.00	-3.26	32.10	3	Horizontal	189	1.50	-
802.11n HT20_Nss1,(MCS0)_1TX(Port1)	Pass	AV	2.39G	50.81	54.00	-3.19	32.23	3	Horizontal	171	2.01	-
802.11n HT20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	2.39G	50.81	54.00	-3.19	32.23	3	Vertical	231	1.09	-
802.11n HT20_Nss2,(MCS8)_2TX	Pass	AV	2.3898G	50.81	54.00	-3.19	32.23	3	Horizontal	173	1.78	-
802.11n HT40_Nss1,(MCS0)_1TX(Port1)	Pass	AV	2.3898G	50.81	54.00	-3.19	32.23	3	Horizontal	156	2.28	-
802.11n HT40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	2.3892G	50.99	54.00	-3.01	32.22	3	Horizontal	191	1.85	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11b_Nss1,(1Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.3862G	48.77	54.00	-5.23	32.24	3	Vertical	281	2.19	-
2412MHz_TX	Pass	AV	2.4128G	100.18	Inf	-Inf	32.18	3	Vertical	281	2.19	-
2412MHz_TX	Pass	PK	2.3862G	59.16	74.00	-14.84	32.24	3	Vertical	281	2.19	-
2412MHz_TX	Pass	PK	2.4128G	102.25	Inf	-Inf	32.18	3	Vertical	281	2.19	-
2412MHz_TX	Pass	AV	2.3862G	50.11	54.00	-3.89	32.24	3	Horizontal	158	2.42	-
2412MHz_TX	Pass	AV	2.4112G	101.73	Inf	-Inf	32.19	3	Horizontal	158	2.42	-
2412MHz_TX	Pass	PK	2.3858G	60.01	74.00	-13.99	32.24	3	Horizontal	158	2.42	-
2412MHz_TX	Pass	PK	2.4128G	103.78	Inf	-Inf	32.18	3	Horizontal	158	2.42	-
2412MHz_TX	Pass	AV	4.82394G	41.55	54.00	-12.45	8.16	3	Vertical	8	1.11	-
2412MHz_TX	Pass	PK	4.82396G	48.15	74.00	-25.85	8.16	3	Vertical	8	1.11	-
2412MHz_TX	Pass	AV	4.824G	40.73	54.00	-13.27	8.16	3	Horizontal	304	1.02	-
2412MHz_TX	Pass	PK	4.82376G	47.40	74.00	-26.60	8.16	3	Horizontal	304	1.02	-
2417MHz_TX	Pass	AV	2.39G	48.80	54.00	-5.20	32.23	3	Vertical	268	2.20	-
2417MHz_TX	Pass	AV	2.4178G	101.15	Inf	-Inf	32.17	3	Vertical	268	2.20	-
2417MHz_TX	Pass	PK	2.3896G	59.46	74.00	-14.54	32.23	3	Vertical	268	2.20	-
2417MHz_TX	Pass	PK	2.4178G	103.29	Inf	-Inf	32.17	3	Vertical	268	2.20	-
2417MHz_TX	Pass	AV	2.39G	50.35	54.00	-3.65	32.23	3	Horizontal	160	2.24	-
2417MHz_TX	Pass	AV	2.4178G	103.19	Inf	-Inf	32.17	3	Horizontal	160	2.24	-
2417MHz_TX	Pass	PK	2.3882G	60.03	74.00	-13.97	32.23	3	Horizontal	160	2.24	-
2417MHz_TX	Pass	PK	2.418G	105.42	Inf	-Inf	32.17	3	Horizontal	160	2.24	-
2437MHz_TX	Pass	AV	2.3886G	49.48	54.00	-4.52	32.23	3	Vertical	278	2.41	-
2437MHz_TX	Pass	AV	2.4378G	102.10	Inf	-Inf	32.15	3	Vertical	278	2.41	-
2437MHz_TX	Pass	AV	2.485G	48.38	54.00	-5.62	32.10	3	Vertical	278	2.41	-
2437MHz_TX	Pass	PK	2.3778G	59.76	74.00	-14.24	32.26	3	Vertical	278	2.41	-
2437MHz_TX	Pass	PK	2.4378G	104.17	Inf	-Inf	32.15	3	Vertical	278	2.41	-
2437MHz_TX	Pass	PK	2.4842G	59.58	74.00	-14.42	32.10	3	Vertical	278	2.41	-
2437MHz_TX	Pass	AV	2.3886G	50.92	54.00	-3.08	32.23	3	Horizontal	161	2.12	-
2437MHz_TX	Pass	AV	2.4378G	103.61	Inf	-Inf	32.15	3	Horizontal	161	2.12	-
2437MHz_TX	Pass	AV	2.4846G	49.16	54.00	-4.84	32.10	3	Horizontal	161	2.12	-
2437MHz_TX	Pass	PK	2.387G	60.14	74.00	-13.86	32.23	3	Horizontal	161	2.12	-
2437MHz_TX	Pass	PK	2.4378G	105.96	Inf	-Inf	32.15	3	Horizontal	161	2.12	-
2437MHz_TX	Pass	PK	2.4898G	59.71	74.00	-14.29	32.09	3	Horizontal	161	2.12	-
2437MHz_TX	Pass	AV	4.87393G	42.20	54.00	-11.80	8.25	3	Vertical	92	1.01	-
2437MHz_TX	Pass	PK	4.87397G	48.95	74.00	-25.05	8.25	3	Vertical	92	1.01	-
2437MHz_TX	Pass	AV	4.87393G	43.72	54.00	-10.28	8.25	3	Horizontal	62	1.05	-
2437MHz_TX	Pass	PK	4.87395G	49.74	74.00	-24.26	8.25	3	Horizontal	62	1.05	-
2457MHz_TX	Pass	AV	2.4578G	100.89	Inf	-Inf	32.13	3	Vertical	282	2.13	-
2457MHz_TX	Pass	AV	2.4835G	50.10	54.00	-3.90	32.10	3	Vertical	282	2.13	-
2457MHz_TX	Pass	PK	2.4578G	102.96	Inf	-Inf	32.13	3	Vertical	282	2.13	-
2457MHz_TX	Pass	PK	2.4858G	59.72	74.00	-14.28	32.10	3	Vertical	282	2.13	-
2457MHz_TX	Pass	AV	2.4562G	101.90	Inf	-Inf	32.13	3	Horizontal	156	1.84	-
2457MHz_TX	Pass	AV	2.4835G	50.32	54.00	-3.68	32.10	3	Horizontal	156	1.84	-
2457MHz_TX	Pass	PK	2.4578G	104.06	Inf	-Inf	32.13	3	Horizontal	156	1.84	-
2457MHz_TX	Pass	PK	2.4835G	60.26	74.00	-13.74	32.10	3	Horizontal	156	1.84	-
2462MHz_TX	Pass	AV	2.4612G	100.60	Inf	-Inf	32.13	3	Vertical	277	2.24	-
2462MHz_TX	Pass	AV	2.4868G	49.65	54.00	-4.35	32.10	3	Vertical	277	2.24	-
2462MHz_TX	Pass	PK	2.461G	102.65	Inf	-Inf	32.13	3	Vertical	277	2.24	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz_TX	Pass	PK	2.4866G	60.20	74.00	-13.80	32.10	3	Vertical	277	2.24	-
2462MHz_TX	Pass	AV	2.4612G	102.14	Inf	-Inf	32.13	3	Horizontal	159	2.65	-
2462MHz_TX	Pass	AV	2.4872G	50.54	54.00	-3.46	32.10	3	Horizontal	159	2.65	-
2462MHz_TX	Pass	PK	2.461G	104.20	Inf	-Inf	32.13	3	Horizontal	159	2.65	-
2462MHz_TX	Pass	PK	2.4876G	61.01	74.00	-12.99	32.09	3	Horizontal	159	2.65	-
2462MHz_TX	Pass	AV	4.92391G	40.46	54.00	-13.54	8.39	3	Vertical	19	1.27	-
2462MHz_TX	Pass	PK	4.92388G	48.16	74.00	-25.84	8.39	3	Vertical	19	1.27	-
2462MHz_TX	Pass	AV	4.92393G	41.66	54.00	-12.34	8.39	3	Horizontal	41	1.00	-
2462MHz_TX	Pass	PK	4.92383G	48.77	74.00	-25.23	8.39	3	Horizontal	41	1.00	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.3858G	49.90	54.00	-4.10	32.24	3	Vertical	231	1.20	-
2412MHz_TX	Pass	AV	2.4112G	100.17	Inf	-Inf	32.19	3	Vertical	231	1.20	-
2412MHz_TX	Pass	PK	2.3858G	59.82	74.00	-14.18	32.24	3	Vertical	231	1.20	-
2412MHz_TX	Pass	PK	2.411G	102.21	Inf	-Inf	32.19	3	Vertical	231	1.20	-
2412MHz_TX	Pass	AV	2.386G	50.71	54.00	-3.29	32.24	3	Horizontal	175	1.49	-
2412MHz_TX	Pass	AV	2.4112G	102.28	Inf	-Inf	32.19	3	Horizontal	175	1.49	-
2412MHz_TX	Pass	PK	2.3874G	60.57	74.00	-13.43	32.23	3	Horizontal	175	1.49	-
2412MHz_TX	Pass	PK	2.411G	104.33	Inf	-Inf	32.19	3	Horizontal	175	1.49	-
2412MHz_TX	Pass	AV	4.82393G	41.91	54.00	-12.09	8.16	3	Vertical	24	1.80	-
2412MHz_TX	Pass	PK	4.82395G	48.47	74.00	-25.53	8.16	3	Vertical	24	1.80	-
2412MHz_TX	Pass	AV	4.82394G	41.23	54.00	-12.77	8.16	3	Horizontal	232	1.92	-
2412MHz_TX	Pass	PK	4.8242G	47.72	74.00	-26.28	8.16	3	Horizontal	232	1.92	-
2417MHz_TX	Pass	AV	2.39G	49.93	54.00	-4.07	32.23	3	Vertical	212	2.17	-
2417MHz_TX	Pass	AV	2.4162G	100.96	Inf	-Inf	32.18	3	Vertical	212	2.17	-
2417MHz_TX	Pass	PK	2.3892G	59.44	74.00	-14.56	32.22	3	Vertical	212	2.17	-
2417MHz_TX	Pass	PK	2.4154G	103.12	Inf	-Inf	32.18	3	Vertical	212	2.17	-
2417MHz_TX	Pass	AV	2.39G	50.35	54.00	-3.65	32.23	3	Horizontal	191	1.83	-
2417MHz_TX	Pass	AV	2.4178G	102.88	Inf	-Inf	32.17	3	Horizontal	191	1.83	-
2417MHz_TX	Pass	PK	2.3886G	60.03	74.00	-13.97	32.23	3	Horizontal	191	1.83	-
2417MHz_TX	Pass	PK	2.4178G	105.02	Inf	-Inf	32.17	3	Horizontal	191	1.83	-
2437MHz_TX	Pass	AV	2.389G	50.53	54.00	-3.47	32.22	3	Vertical	215	2.05	-
2437MHz_TX	Pass	AV	2.4362G	101.73	Inf	-Inf	32.16	3	Vertical	215	2.05	-
2437MHz_TX	Pass	AV	2.4846G	48.91	54.00	-5.09	32.10	3	Vertical	215	2.05	-
2437MHz_TX	Pass	PK	2.3898G	59.46	74.00	-14.54	32.23	3	Vertical	215	2.05	-
2437MHz_TX	Pass	PK	2.4378G	104.02	Inf	-Inf	32.15	3	Vertical	215	2.05	-
2437MHz_TX	Pass	PK	2.4835G	60.26	74.00	-13.74	32.10	3	Vertical	215	2.05	-
2437MHz_TX	Pass	AV	2.389G	50.33	54.00	-3.67	32.22	3	Horizontal	191	2.15	-
2437MHz_TX	Pass	AV	2.4362G	103.90	Inf	-Inf	32.16	3	Horizontal	191	2.15	-
2437MHz_TX	Pass	AV	2.485G	50.10	54.00	-3.90	32.10	3	Horizontal	191	2.15	-
2437MHz_TX	Pass	PK	2.3886G	60.28	74.00	-13.72	32.23	3	Horizontal	191	2.15	-
2437MHz_TX	Pass	PK	2.4378G	105.98	Inf	-Inf	32.15	3	Horizontal	191	2.15	-
2437MHz_TX	Pass	PK	2.497G	60.89	74.00	-13.11	32.09	3	Horizontal	191	2.15	-
2437MHz_TX	Pass	AV	4.87397G	42.84	54.00	-11.16	8.25	3	Vertical	11	1.99	-
2437MHz_TX	Pass	PK	4.87388G	49.18	74.00	-24.82	8.25	3	Vertical	11	1.99	-
2437MHz_TX	Pass	AV	4.87395G	43.72	54.00	-10.28	8.25	3	Horizontal	220	2.20	-
2437MHz_TX	Pass	PK	4.87399G	49.53	74.00	-24.47	8.25	3	Horizontal	220	2.20	-
2457MHz_TX	Pass	AV	2.4578G	100.95	Inf	-Inf	32.13	3	Vertical	201	1.92	-
2457MHz_TX	Pass	AV	2.4835G	49.88	54.00	-4.12	32.10	3	Vertical	201	1.92	-
2457MHz_TX	Pass	PK	2.4578G	103.14	Inf	-Inf	32.13	3	Vertical	201	1.92	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz_TX	Pass	PK	2.493G	60.44	74.00	-13.56	32.08	3	Vertical	201	1.92	-
2457MHz_TX	Pass	AV	2.4578G	103.34	Inf	-Inf	32.13	3	Horizontal	188	1.54	-
2457MHz_TX	Pass	AV	2.4835G	50.95	54.00	-3.05	32.10	3	Horizontal	188	1.54	-
2457MHz_TX	Pass	PK	2.4586G	105.47	Inf	-Inf	32.13	3	Horizontal	188	1.54	-
2457MHz_TX	Pass	PK	2.494G	60.39	74.00	-13.61	32.09	3	Horizontal	188	1.54	-
2462MHz_TX	Pass	AV	2.4612G	99.03	Inf	-Inf	32.13	3	Vertical	189	1.53	-
2462MHz_TX	Pass	AV	2.4878G	49.15	54.00	-4.85	32.09	3	Vertical	189	1.53	-
2462MHz_TX	Pass	PK	2.4606G	101.17	Inf	-Inf	32.13	3	Vertical	189	1.53	-
2462MHz_TX	Pass	PK	2.4848G	60.40	74.00	-13.60	32.10	3	Vertical	189	1.53	-
2462MHz_TX	Pass	AV	2.4612G	101.80	Inf	-Inf	32.13	3	Horizontal	192	1.88	-
2462MHz_TX	Pass	AV	2.4876G	50.09	54.00	-3.91	32.09	3	Horizontal	192	1.88	-
2462MHz_TX	Pass	PK	2.461G	103.85	Inf	-Inf	32.13	3	Horizontal	192	1.88	-
2462MHz_TX	Pass	PK	2.499G	61.36	74.00	-12.64	32.08	3	Horizontal	192	1.88	-
2462MHz_TX	Pass	AV	4.92403G	37.54	54.00	-16.46	8.39	3	Vertical	28	1.88	-
2462MHz_TX	Pass	PK	4.92392G	46.68	74.00	-27.32	8.39	3	Vertical	28	1.88	-
2462MHz_TX	Pass	AV	4.92394G	36.22	54.00	-17.78	8.39	3	Horizontal	203	1.01	-
2462MHz_TX	Pass	PK	4.92401G	46.65	74.00	-27.35	8.39	3	Horizontal	203	1.01	-
802.11g_Nss1,(6Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	49.92	54.00	-4.08	32.23	3	Vertical	270	2.56	-
2412MHz_TX	Pass	AV	2.4108G	93.48	Inf	-Inf	32.19	3	Vertical	270	2.56	-
2412MHz_TX	Pass	PK	2.3898G	67.07	74.00	-6.93	32.23	3	Vertical	270	2.56	-
2412MHz_TX	Pass	PK	2.4104G	102.36	Inf	-Inf	32.19	3	Vertical	270	2.56	-
2412MHz_TX	Pass	AV	2.39G	50.73	54.00	-3.27	32.23	3	Horizontal	162	2.43	-
2412MHz_TX	Pass	AV	2.4112G	95.51	Inf	-Inf	32.19	3	Horizontal	162	2.43	-
2412MHz_TX	Pass	PK	2.39G	67.49	74.00	-6.51	32.23	3	Horizontal	162	2.43	-
2412MHz_TX	Pass	PK	2.4114G	104.06	Inf	-Inf	32.19	3	Horizontal	162	2.43	-
2412MHz_TX	Pass	AV	4.83198G	33.10	54.00	-20.90	8.17	3	Vertical	36	1.50	-
2412MHz_TX	Pass	PK	4.81758G	45.38	74.00	-28.62	8.15	3	Vertical	36	1.50	-
2412MHz_TX	Pass	AV	4.82172G	33.11	54.00	-20.89	8.16	3	Horizontal	302	1.50	-
2412MHz_TX	Pass	PK	4.8243G	45.70	74.00	-28.30	8.16	3	Horizontal	302	1.50	-
2417MHz_TX	Pass	AV	2.39G	49.26	54.00	-4.74	32.23	3	Vertical	281	2.21	-
2417MHz_TX	Pass	AV	2.418G	96.27	Inf	-Inf	32.17	3	Vertical	281	2.21	-
2417MHz_TX	Pass	PK	2.389G	65.98	74.00	-8.02	32.22	3	Vertical	281	2.21	-
2417MHz_TX	Pass	PK	2.4148G	105.04	Inf	-Inf	32.18	3	Vertical	281	2.21	-
2417MHz_TX	Pass	AV	2.39G	50.73	54.00	-3.27	32.23	3	Horizontal	160	2.26	-
2417MHz_TX	Pass	AV	2.4192G	97.84	Inf	-Inf	32.18	3	Horizontal	160	2.26	-
2417MHz_TX	Pass	PK	2.3892G	68.66	74.00	-5.34	32.22	3	Horizontal	160	2.26	-
2417MHz_TX	Pass	PK	2.4144G	106.84	Inf	-Inf	32.18	3	Horizontal	160	2.26	-
2437MHz_TX	Pass	AV	2.3898G	48.79	54.00	-5.21	32.23	3	Vertical	360	1.02	-
2437MHz_TX	Pass	AV	2.4362G	98.25	Inf	-Inf	32.16	3	Vertical	360	1.02	-
2437MHz_TX	Pass	AV	2.4835G	48.64	54.00	-5.36	32.10	3	Vertical	360	1.02	-
2437MHz_TX	Pass	PK	2.389G	63.34	74.00	-10.66	32.22	3	Vertical	360	1.02	-
2437MHz_TX	Pass	PK	2.4354G	106.81	Inf	-Inf	32.16	3	Vertical	360	1.02	-
2437MHz_TX	Pass	PK	2.4882G	60.39	74.00	-13.61	32.09	3	Vertical	360	1.02	-
2437MHz_TX	Pass	AV	2.3894G	49.92	54.00	-4.08	32.23	3	Horizontal	161	2.13	-
2437MHz_TX	Pass	AV	2.4382G	99.82	Inf	-Inf	32.15	3	Horizontal	161	2.13	-
2437MHz_TX	Pass	AV	2.4838G	49.40	54.00	-4.60	32.10	3	Horizontal	161	2.13	-
2437MHz_TX	Pass	PK	2.3866G	69.10	74.00	-4.90	32.23	3	Horizontal	161	2.13	-
2437MHz_TX	Pass	PK	2.4358G	108.68	Inf	-Inf	32.16	3	Horizontal	161	2.13	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz_TX	Pass	PK	2.4838G	63.33	74.00	-10.67	32.10	3	Horizontal	161	2.13	-
2437MHz_TX	Pass	AV	4.87338G	33.97	54.00	-20.03	8.25	3	Vertical	0	1.02	-
2437MHz_TX	Pass	PK	4.87406G	46.47	74.00	-27.53	8.25	3	Vertical	0	1.02	-
2437MHz_TX	Pass	AV	4.87541G	33.74	54.00	-20.26	8.26	3	Horizontal	44	1.26	-
2437MHz_TX	Pass	PK	4.87555G	46.37	74.00	-27.63	8.26	3	Horizontal	44	1.26	-
2457MHz_TX	Pass	AV	2.4588G	96.04	Inf	-Inf	32.13	3	Vertical	284	2.13	-
2457MHz_TX	Pass	AV	2.4835G	50.53	54.00	-3.47	32.10	3	Vertical	284	2.13	-
2457MHz_TX	Pass	PK	2.459G	104.91	Inf	-Inf	32.13	3	Vertical	284	2.13	-
2457MHz_TX	Pass	PK	2.4842G	67.62	74.00	-6.38	32.10	3	Vertical	284	2.13	-
2457MHz_TX	Pass	AV	2.456G	96.81	Inf	-Inf	32.13	3	Horizontal	171	1.84	-
2457MHz_TX	Pass	AV	2.4835G	50.31	54.00	-3.69	32.10	3	Horizontal	171	1.84	-
2457MHz_TX	Pass	PK	2.4572G	106.00	Inf	-Inf	32.14	3	Horizontal	171	1.84	-
2457MHz_TX	Pass	PK	2.4836G	65.78	74.00	-8.22	32.10	3	Horizontal	171	1.84	-
2462MHz_TX	Pass	AV	2.4608G	94.58	Inf	-Inf	32.13	3	Vertical	291	2.25	-
2462MHz_TX	Pass	AV	2.4835G	50.74	54.00	-3.26	32.10	3	Vertical	291	2.25	-
2462MHz_TX	Pass	PK	2.4604G	103.64	Inf	-Inf	32.13	3	Vertical	291	2.25	-
2462MHz_TX	Pass	PK	2.4835G	68.68	74.00	-5.32	32.10	3	Vertical	291	2.25	-
2462MHz_TX	Pass	AV	2.4608G	95.43	Inf	-Inf	32.13	3	Horizontal	163	2.63	-
2462MHz_TX	Pass	AV	2.4835G	50.74	54.00	-3.26	32.10	3	Horizontal	163	2.63	-
2462MHz_TX	Pass	PK	2.4604G	104.11	Inf	-Inf	32.13	3	Horizontal	163	2.63	-
2462MHz_TX	Pass	PK	2.4838G	68.93	74.00	-5.07	32.10	3	Horizontal	163	2.63	-
2462MHz_TX	Pass	AV	4.92778G	33.44	54.00	-20.56	8.40	3	Vertical	213	2.00	-
2462MHz_TX	Pass	PK	4.92108G	45.90	74.00	-28.10	8.37	3	Vertical	213	2.00	-
2462MHz_TX	Pass	AV	4.92484G	33.53	54.00	-20.47	8.39	3	Horizontal	308	2.33	-
2462MHz_TX	Pass	PK	4.9249G	45.78	74.00	-28.22	8.39	3	Horizontal	308	2.33	-
802.11g_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	49.71	54.00	-4.29	32.23	3	Vertical	231	1.21	-
2412MHz_TX	Pass	AV	2.413G	94.19	Inf	-Inf	32.18	3	Vertical	231	1.21	-
2412MHz_TX	Pass	PK	2.3898G	66.55	74.00	-7.45	32.23	3	Vertical	231	1.21	-
2412MHz_TX	Pass	PK	2.4106G	103.24	Inf	-Inf	32.19	3	Vertical	231	1.21	-
2412MHz_TX	Pass	AV	2.39G	50.54	54.00	-3.46	32.23	3	Horizontal	175	1.48	-
2412MHz_TX	Pass	AV	2.411G	96.33	Inf	-Inf	32.19	3	Horizontal	175	1.48	-
2412MHz_TX	Pass	PK	2.39G	66.96	74.00	-7.04	32.23	3	Horizontal	175	1.48	-
2412MHz_TX	Pass	PK	2.41G	105.48	Inf	-Inf	32.19	3	Horizontal	175	1.48	-
2412MHz_TX	Pass	AV	4.83156G	32.97	54.00	-21.03	8.17	3	Vertical	151	2.37	-
2412MHz_TX	Pass	PK	4.82832G	45.01	74.00	-28.99	8.17	3	Vertical	151	2.37	-
2412MHz_TX	Pass	AV	4.8165G	33.04	54.00	-20.96	8.15	3	Horizontal	351	1.22	-
2412MHz_TX	Pass	PK	4.81242G	45.05	74.00	-28.95	8.14	3	Horizontal	351	1.22	-
2417MHz_TX	Pass	AV	2.3898G	49.49	54.00	-4.51	32.23	3	Vertical	214	2.18	-
2417MHz_TX	Pass	AV	2.4158G	96.04	Inf	-Inf	32.18	3	Vertical	214	2.18	-
2417MHz_TX	Pass	PK	2.3894G	65.13	74.00	-8.87	32.23	3	Vertical	214	2.18	-
2417MHz_TX	Pass	PK	2.4168G	105.69	Inf	-Inf	32.18	3	Vertical	214	2.18	-
2417MHz_TX	Pass	AV	2.39G	50.13	54.00	-3.87	32.23	3	Horizontal	191	1.84	-
2417MHz_TX	Pass	AV	2.4186G	98.17	Inf	-Inf	32.17	3	Horizontal	191	1.84	-
2417MHz_TX	Pass	PK	2.3892G	68.62	74.00	-5.38	32.22	3	Horizontal	191	1.84	-
2417MHz_TX	Pass	PK	2.42G	107.18	Inf	-Inf	32.18	3	Horizontal	191	1.84	-
2437MHz_TX	Pass	AV	2.3898G	48.30	54.00	-5.70	32.23	3	Vertical	214	2.06	-
2437MHz_TX	Pass	AV	2.4382G	98.19	Inf	-Inf	32.15	3	Vertical	214	2.06	-
2437MHz_TX	Pass	AV	2.4862G	48.38	54.00	-5.62	32.10	3	Vertical	214	2.06	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz_TX	Pass	PK	2.3814G	62.01	74.00	-11.99	32.24	3	Vertical	214	2.06	-
2437MHz_TX	Pass	PK	2.4382G	107.67	Inf	-Inf	32.15	3	Vertical	214	2.06	-
2437MHz_TX	Pass	PK	2.4842G	60.52	74.00	-13.48	32.10	3	Vertical	214	2.06	-
2437MHz_TX	Pass	AV	2.3886G	48.54	54.00	-5.46	32.23	3	Horizontal	191	2.16	-
2437MHz_TX	Pass	AV	2.4378G	100.49	Inf	-Inf	32.15	3	Horizontal	191	2.16	-
2437MHz_TX	Pass	AV	2.4835G	48.90	54.00	-5.10	32.10	3	Horizontal	191	2.16	-
2437MHz_TX	Pass	PK	2.3874G	63.46	74.00	-10.54	32.23	3	Horizontal	191	2.16	-
2437MHz_TX	Pass	PK	2.4382G	109.20	Inf	-Inf	32.15	3	Horizontal	191	2.16	-
2437MHz_TX	Pass	PK	2.4882G	62.35	74.00	-11.65	32.09	3	Horizontal	191	2.16	-
2437MHz_TX	Pass	AV	4.86536G	33.17	54.00	-20.83	8.25	3	Vertical	146	1.35	-
2437MHz_TX	Pass	PK	4.86356G	45.38	74.00	-28.62	8.23	3	Vertical	146	1.35	-
2437MHz_TX	Pass	AV	4.86746G	33.05	54.00	-20.95	8.25	3	Horizontal	343	2.13	-
2437MHz_TX	Pass	PK	4.87022G	45.39	74.00	-28.61	8.25	3	Horizontal	343	2.13	-
2457MHz_TX	Pass	AV	2.4584G	96.61	Inf	-Inf	32.13	3	Vertical	201	1.91	-
2457MHz_TX	Pass	AV	2.4835G	49.40	54.00	-4.60	32.10	3	Vertical	201	1.91	-
2457MHz_TX	Pass	PK	2.4612G	105.29	Inf	-Inf	32.13	3	Vertical	201	1.91	-
2457MHz_TX	Pass	PK	2.484G	66.73	74.00	-7.27	32.10	3	Vertical	201	1.91	-
2457MHz_TX	Pass	AV	2.4582G	98.66	Inf	-Inf	32.13	3	Horizontal	190	1.54	-
2457MHz_TX	Pass	AV	2.4835G	50.31	54.00	-3.69	32.10	3	Horizontal	190	1.54	-
2457MHz_TX	Pass	PK	2.4568G	107.90	Inf	-Inf	32.14	3	Horizontal	190	1.54	-
2457MHz_TX	Pass	PK	2.4858G	69.03	74.00	-4.97	32.10	3	Horizontal	190	1.54	-
2462MHz_TX	Pass	AV	2.461G	94.39	Inf	-Inf	32.13	3	Vertical	203	2.14	-
2462MHz_TX	Pass	AV	2.4835G	49.87	54.00	-4.13	32.10	3	Vertical	203	2.14	-
2462MHz_TX	Pass	PK	2.4608G	103.23	Inf	-Inf	32.13	3	Vertical	203	2.14	-
2462MHz_TX	Pass	PK	2.4838G	68.38	74.00	-5.62	32.10	3	Vertical	203	2.14	-
2462MHz_TX	Pass	AV	2.4606G	96.47	Inf	-Inf	32.13	3	Horizontal	189	1.50	-
2462MHz_TX	Pass	AV	2.4835G	50.74	54.00	-3.26	32.10	3	Horizontal	189	1.50	-
2462MHz_TX	Pass	PK	2.461G	105.29	Inf	-Inf	32.13	3	Horizontal	189	1.50	-
2462MHz_TX	Pass	PK	2.4835G	69.12	74.00	-4.88	32.10	3	Horizontal	189	1.50	-
2462MHz_TX	Pass	AV	4.92724G	33.43	54.00	-20.57	8.40	3	Vertical	162	1.54	-
2462MHz_TX	Pass	PK	4.92742G	46.23	74.00	-27.77	8.40	3	Vertical	162	1.54	-
2462MHz_TX	Pass	AV	4.93198G	33.52	54.00	-20.48	8.42	3	Horizontal	321	2.25	-
2462MHz_TX	Pass	PK	4.92574G	45.80	74.00	-28.20	8.40	3	Horizontal	321	2.25	-
802.11n HT20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	49.76	54.00	-4.24	32.23	3	Vertical	291	2.18	-
2412MHz_TX	Pass	AV	2.4134G	94.18	Inf	-Inf	32.18	3	Vertical	291	2.18	-
2412MHz_TX	Pass	PK	2.3898G	66.97	74.00	-7.03	32.23	3	Vertical	291	2.18	-
2412MHz_TX	Pass	PK	2.4138G	102.89	Inf	-Inf	32.18	3	Vertical	291	2.18	-
2412MHz_TX	Pass	AV	2.39G	50.81	54.00	-3.19	32.23	3	Horizontal	171	2.01	-
2412MHz_TX	Pass	AV	2.4106G	94.32	Inf	-Inf	32.19	3	Horizontal	171	2.01	-
2412MHz_TX	Pass	PK	2.39G	68.30	74.00	-5.70	32.23	3	Horizontal	171	2.01	-
2412MHz_TX	Pass	PK	2.4102G	103.63	Inf	-Inf	32.19	3	Horizontal	171	2.01	-
2412MHz_TX	Pass	AV	4.81716G	33.44	54.00	-20.56	8.15	3	Vertical	47	1.66	-
2412MHz_TX	Pass	PK	4.81392G	45.53	74.00	-28.47	8.14	3	Vertical	47	1.66	-
2412MHz_TX	Pass	AV	4.8315G	33.65	54.00	-20.35	8.17	3	Horizontal	303	1.50	-
2412MHz_TX	Pass	PK	4.82892G	45.97	74.00	-28.03	8.17	3	Horizontal	303	1.50	-
2417MHz_TX	Pass	AV	2.3898G	50.40	54.00	-3.60	32.23	3	Vertical	274	2.21	-
2417MHz_TX	Pass	AV	2.418G	96.60	Inf	-Inf	32.17	3	Vertical	274	2.21	-
2417MHz_TX	Pass	PK	2.3894G	67.42	74.00	-6.58	32.23	3	Vertical	274	2.21	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz_TX	Pass	PK	2.42G	105.10	Inf	-Inf	32.18	3	Vertical	274	2.21	-
2417MHz_TX	Pass	AV	2.3898G	50.61	54.00	-3.39	32.23	3	Horizontal	157	1.69	-
2417MHz_TX	Pass	AV	2.418G	95.52	Inf	-Inf	32.17	3	Horizontal	157	1.69	-
2417MHz_TX	Pass	PK	2.3896G	69.31	74.00	-4.69	32.23	3	Horizontal	157	1.69	-
2417MHz_TX	Pass	PK	2.4188G	104.33	Inf	-Inf	32.18	3	Horizontal	157	1.69	-
2437MHz_TX	Pass	AV	2.3894G	49.53	54.00	-4.47	32.23	3	Vertical	283	2.41	-
2437MHz_TX	Pass	AV	2.4378G	99.59	Inf	-Inf	32.15	3	Vertical	283	2.41	-
2437MHz_TX	Pass	AV	2.4835G	49.17	54.00	-4.83	32.10	3	Vertical	283	2.41	-
2437MHz_TX	Pass	PK	2.3898G	65.75	74.00	-8.25	32.23	3	Vertical	283	2.41	-
2437MHz_TX	Pass	PK	2.4362G	108.23	Inf	-Inf	32.16	3	Vertical	283	2.41	-
2437MHz_TX	Pass	PK	2.4866G	62.42	74.00	-11.58	32.10	3	Vertical	283	2.41	-
2437MHz_TX	Pass	AV	2.3898G	50.81	54.00	-3.19	32.23	3	Horizontal	159	2.27	-
2437MHz_TX	Pass	AV	2.4358G	100.76	Inf	-Inf	32.16	3	Horizontal	159	2.27	-
2437MHz_TX	Pass	AV	2.4835G	49.67	54.00	-4.33	32.10	3	Horizontal	159	2.27	-
2437MHz_TX	Pass	PK	2.3862G	67.73	74.00	-6.27	32.24	3	Horizontal	159	2.27	-
2437MHz_TX	Pass	PK	2.4362G	109.37	Inf	-Inf	32.16	3	Horizontal	159	2.27	-
2437MHz_TX	Pass	PK	2.4854G	64.06	74.00	-9.94	32.10	3	Horizontal	159	2.27	-
2437MHz_TX	Pass	AV	4.88282G	33.40	54.00	-20.60	8.27	3	Vertical	162	1.39	-
2437MHz_TX	Pass	PK	4.88216G	46.16	74.00	-27.84	8.27	3	Vertical	162	1.39	-
2437MHz_TX	Pass	AV	4.8665G	33.45	54.00	-20.55	8.25	3	Horizontal	90	1.98	-
2437MHz_TX	Pass	PK	4.88168G	45.76	74.00	-28.24	8.27	3	Horizontal	90	1.98	-
2457MHz_TX	Pass	AV	2.4582G	95.75	Inf	-Inf	32.13	3	Vertical	275	2.14	-
2457MHz_TX	Pass	AV	2.4835G	50.14	54.00	-3.86	32.10	3	Vertical	275	2.14	-
2457MHz_TX	Pass	PK	2.4602G	104.31	Inf	-Inf	32.13	3	Vertical	275	2.14	-
2457MHz_TX	Pass	PK	2.4842G	66.94	74.00	-7.06	32.10	3	Vertical	275	2.14	-
2457MHz_TX	Pass	AV	2.4578G	97.70	Inf	-Inf	32.13	3	Horizontal	157	2.51	-
2457MHz_TX	Pass	AV	2.4835G	50.80	54.00	-3.20	32.10	3	Horizontal	157	2.51	-
2457MHz_TX	Pass	PK	2.4584G	106.35	Inf	-Inf	32.13	3	Horizontal	157	2.51	-
2457MHz_TX	Pass	PK	2.4836G	66.36	74.00	-7.64	32.10	3	Horizontal	157	2.51	-
2462MHz_TX	Pass	AV	2.4608G	94.13	Inf	-Inf	32.13	3	Vertical	285	2.13	-
2462MHz_TX	Pass	AV	2.4835G	50.58	54.00	-3.42	32.10	3	Vertical	285	2.13	-
2462MHz_TX	Pass	PK	2.4602G	103.36	Inf	-Inf	32.13	3	Vertical	285	2.13	-
2462MHz_TX	Pass	PK	2.4836G	68.75	74.00	-5.25	32.10	3	Vertical	285	2.13	-
2462MHz_TX	Pass	AV	2.4608G	95.67	Inf	-Inf	32.13	3	Horizontal	155	2.50	-
2462MHz_TX	Pass	AV	2.4835G	50.80	54.00	-3.20	32.10	3	Horizontal	155	2.50	-
2462MHz_TX	Pass	PK	2.4606G	104.62	Inf	-Inf	32.13	3	Horizontal	155	2.50	-
2462MHz_TX	Pass	PK	2.4836G	70.05	74.00	-3.95	32.10	3	Horizontal	155	2.50	-
2462MHz_TX	Pass	AV	4.91842G	33.69	54.00	-20.31	8.37	3	Vertical	200	1.43	-
2462MHz_TX	Pass	PK	4.93006G	46.01	74.00	-27.99	8.41	3	Vertical	200	1.43	-
2462MHz_TX	Pass	AV	4.93336G	33.67	54.00	-20.33	8.42	3	Horizontal	66	2.17	-
2462MHz_TX	Pass	PK	4.9312G	46.63	74.00	-27.37	8.41	3	Horizontal	66	2.17	-
802.11n HT20_Nss1_(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	50.81	54.00	-3.19	32.23	3	Vertical	231	1.09	-
2412MHz_TX	Pass	AV	2.411G	94.90	Inf	-Inf	32.19	3	Vertical	231	1.09	-
2412MHz_TX	Pass	PK	2.3894G	67.64	74.00	-6.36	32.23	3	Vertical	231	1.09	-
2412MHz_TX	Pass	PK	2.4102G	103.64	Inf	-Inf	32.19	3	Vertical	231	1.09	-
2412MHz_TX	Pass	AV	2.39G	50.61	54.00	-3.39	32.23	3	Horizontal	191	1.57	-
2412MHz_TX	Pass	AV	2.4132G	95.42	Inf	-Inf	32.18	3	Horizontal	191	1.57	-
2412MHz_TX	Pass	PK	2.389G	66.00	74.00	-8.00	32.22	3	Horizontal	191	1.57	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2412MHz_TX	Pass	PK	2.4138G	104.21	Inf	-Inf	32.18	3	Horizontal	191	1.57	-
2412MHz_TX	Pass	AV	4.82622G	33.18	54.00	-20.82	8.17	3	Vertical	122	1.16	-
2412MHz_TX	Pass	PK	4.82299G	45.05	74.00	-28.95	8.16	3	Vertical	122	1.16	-
2412MHz_TX	Pass	AV	4.82194G	33.10	54.00	-20.90	8.16	3	Horizontal	23	1.53	-
2412MHz_TX	Pass	PK	4.82574G	44.88	74.00	-29.12	8.17	3	Horizontal	23	1.53	-
2417MHz_TX	Pass	AV	2.3898G	50.40	54.00	-3.60	32.23	3	Vertical	232	1.01	-
2417MHz_TX	Pass	AV	2.4186G	97.20	Inf	-Inf	32.17	3	Vertical	232	1.01	-
2417MHz_TX	Pass	PK	2.3892G	68.43	74.00	-5.57	32.22	3	Vertical	232	1.01	-
2417MHz_TX	Pass	PK	2.418G	105.89	Inf	-Inf	32.17	3	Vertical	232	1.01	-
2417MHz_TX	Pass	AV	2.3896G	50.40	54.00	-3.60	32.23	3	Horizontal	192	1.46	-
2417MHz_TX	Pass	AV	2.418G	97.89	Inf	-Inf	32.17	3	Horizontal	192	1.46	-
2417MHz_TX	Pass	PK	2.3894G	69.94	74.00	-4.06	32.23	3	Horizontal	192	1.46	-
2417MHz_TX	Pass	PK	2.4156G	106.46	Inf	-Inf	32.18	3	Horizontal	192	1.46	-
2437MHz_TX	Pass	AV	2.3898G	49.07	54.00	-4.93	32.23	3	Vertical	209	2.45	-
2437MHz_TX	Pass	AV	2.4362G	100.34	Inf	-Inf	32.16	3	Vertical	209	2.45	-
2437MHz_TX	Pass	AV	2.4838G	49.17	54.00	-4.83	32.10	3	Vertical	209	2.45	-
2437MHz_TX	Pass	PK	2.3894G	67.03	74.00	-6.97	32.23	3	Vertical	209	2.45	-
2437MHz_TX	Pass	PK	2.435G	108.76	Inf	-Inf	32.16	3	Vertical	209	2.45	-
2437MHz_TX	Pass	PK	2.4846G	62.37	74.00	-11.63	32.10	3	Vertical	209	2.45	-
2437MHz_TX	Pass	AV	2.3898G	49.53	54.00	-4.47	32.23	3	Horizontal	193	1.00	-
2437MHz_TX	Pass	AV	2.4382G	100.78	Inf	-Inf	32.15	3	Horizontal	193	1.00	-
2437MHz_TX	Pass	AV	2.4835G	49.91	54.00	-4.09	32.10	3	Horizontal	193	1.00	-
2437MHz_TX	Pass	PK	2.3874G	63.51	74.00	-10.49	32.23	3	Horizontal	193	1.00	-
2437MHz_TX	Pass	PK	2.4386G	110.10	Inf	-Inf	32.15	3	Horizontal	193	1.00	-
2437MHz_TX	Pass	PK	2.4854G	64.06	74.00	-9.94	32.10	3	Horizontal	193	1.00	-
2437MHz_TX	Pass	AV	4.88144G	33.26	54.00	-20.74	8.27	3	Vertical	48	2.25	-
2437MHz_TX	Pass	PK	4.86272G	45.52	74.00	-28.48	8.23	3	Vertical	48	2.25	-
2437MHz_TX	Pass	AV	4.8656G	33.31	54.00	-20.69	8.25	3	Horizontal	243	1.25	-
2437MHz_TX	Pass	PK	4.86914G	45.72	74.00	-28.28	8.25	3	Horizontal	243	1.25	-
2457MHz_TX	Pass	AV	2.4556G	97.47	Inf	-Inf	32.13	3	Vertical	205	2.21	-
2457MHz_TX	Pass	AV	2.4835G	50.80	54.00	-3.20	32.10	3	Vertical	205	2.21	-
2457MHz_TX	Pass	PK	2.4584G	106.54	Inf	-Inf	32.13	3	Vertical	205	2.21	-
2457MHz_TX	Pass	PK	2.484G	70.81	74.00	-3.19	32.10	3	Vertical	205	2.21	-
2457MHz_TX	Pass	AV	2.458G	98.63	Inf	-Inf	32.13	3	Horizontal	189	1.54	-
2457MHz_TX	Pass	AV	2.4835G	50.80	54.00	-3.20	32.10	3	Horizontal	189	1.54	-
2457MHz_TX	Pass	PK	2.4578G	107.33	Inf	-Inf	32.13	3	Horizontal	189	1.54	-
2457MHz_TX	Pass	PK	2.4838G	69.39	74.00	-4.61	32.10	3	Horizontal	189	1.54	-
2462MHz_TX	Pass	AV	2.4608G	94.62	Inf	-Inf	32.13	3	Vertical	203	2.14	-
2462MHz_TX	Pass	AV	2.4835G	50.80	54.00	-3.20	32.10	3	Vertical	203	2.14	-
2462MHz_TX	Pass	PK	2.4632G	103.34	Inf	-Inf	32.12	3	Vertical	203	2.14	-
2462MHz_TX	Pass	PK	2.4835G	66.39	74.00	-7.61	32.10	3	Vertical	203	2.14	-
2462MHz_TX	Pass	AV	2.4606G	95.53	Inf	-Inf	32.13	3	Horizontal	189	1.38	-
2462MHz_TX	Pass	AV	2.4835G	50.58	54.00	-3.42	32.10	3	Horizontal	189	1.38	-
2462MHz_TX	Pass	PK	2.4614G	105.21	Inf	-Inf	32.13	3	Horizontal	189	1.38	-
2462MHz_TX	Pass	PK	2.484G	65.58	74.00	-8.42	32.10	3	Horizontal	189	1.38	-
2462MHz_TX	Pass	AV	4.93198G	33.65	54.00	-20.35	8.42	3	Vertical	344	2.36	-
2462MHz_TX	Pass	PK	4.93888G	45.83	74.00	-28.17	8.45	3	Vertical	344	2.36	-
2462MHz_TX	Pass	AV	4.93354G	33.53	54.00	-20.47	8.42	3	Horizontal	109	2.01	-
2462MHz_TX	Pass	PK	4.9222G	45.52	74.00	-28.48	8.39	3	Horizontal	109	2.01	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11n HT20_Nss2,(MCS8)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	49.76	54.00	-4.24	32.23	3	Vertical	230	2.17	-
2412MHz_TX	Pass	AV	2.4136G	94.81	Inf	-Inf	32.18	3	Vertical	230	2.17	-
2412MHz_TX	Pass	PK	2.39G	62.96	74.00	-11.04	32.23	3	Vertical	230	2.17	-
2412MHz_TX	Pass	PK	2.4142G	104.47	Inf	-Inf	32.18	3	Vertical	230	2.17	-
2412MHz_TX	Pass	AV	2.3898G	50.81	54.00	-3.19	32.23	3	Horizontal	173	1.78	-
2412MHz_TX	Pass	AV	2.411G	96.52	Inf	-Inf	32.19	3	Horizontal	173	1.78	-
2412MHz_TX	Pass	PK	2.3888G	67.21	74.00	-6.79	32.22	3	Horizontal	173	1.78	-
2412MHz_TX	Pass	PK	2.4088G	106.48	Inf	-Inf	32.19	3	Horizontal	173	1.78	-
2412MHz_TX	Pass	AV	4.82443G	33.61	54.00	-20.39	8.16	3	Vertical	336	1.22	-
2412MHz_TX	Pass	PK	4.82184G	45.47	74.00	-28.53	8.16	3	Vertical	336	1.22	-
2412MHz_TX	Pass	AV	4.82188G	33.65	54.00	-20.35	8.16	3	Horizontal	8	2.07	-
2412MHz_TX	Pass	PK	4.82341G	45.18	74.00	-28.82	8.16	3	Horizontal	8	2.07	-
2417MHz_TX	Pass	AV	2.3898G	49.76	54.00	-4.24	32.23	3	Vertical	235	1.01	-
2417MHz_TX	Pass	AV	2.4182G	96.99	Inf	-Inf	32.17	3	Vertical	235	1.01	-
2417MHz_TX	Pass	PK	2.3894G	66.30	74.00	-7.70	32.23	3	Vertical	235	1.01	-
2417MHz_TX	Pass	PK	2.418G	106.81	Inf	-Inf	32.17	3	Vertical	235	1.01	-
2417MHz_TX	Pass	AV	2.39G	50.81	54.00	-3.19	32.23	3	Horizontal	171	1.82	-
2417MHz_TX	Pass	AV	2.4184G	98.82	Inf	-Inf	32.17	3	Horizontal	171	1.82	-
2417MHz_TX	Pass	PK	2.3894G	67.17	74.00	-6.83	32.23	3	Horizontal	171	1.82	-
2417MHz_TX	Pass	PK	2.4202G	108.55	Inf	-Inf	32.18	3	Horizontal	171	1.82	-
2437MHz_TX	Pass	AV	2.353G	48.13	54.00	-5.87	32.32	3	Vertical	209	2.43	-
2437MHz_TX	Pass	AV	2.4362G	98.53	Inf	-Inf	32.16	3	Vertical	209	2.43	-
2437MHz_TX	Pass	AV	2.4838G	48.65	54.00	-5.35	32.10	3	Vertical	209	2.43	-
2437MHz_TX	Pass	PK	2.3898G	59.66	74.00	-14.34	32.23	3	Vertical	209	2.43	-
2437MHz_TX	Pass	PK	2.435G	108.56	Inf	-Inf	32.16	3	Vertical	209	2.43	-
2437MHz_TX	Pass	PK	2.485G	59.64	74.00	-14.36	32.10	3	Vertical	209	2.43	-
2437MHz_TX	Pass	AV	2.3886G	48.30	54.00	-5.70	32.23	3	Horizontal	172	1.19	-
2437MHz_TX	Pass	AV	2.4362G	99.40	Inf	-Inf	32.16	3	Horizontal	172	1.19	-
2437MHz_TX	Pass	AV	2.4846G	48.65	54.00	-5.35	32.10	3	Horizontal	172	1.19	-
2437MHz_TX	Pass	PK	2.3398G	59.27	74.00	-14.73	32.36	3	Horizontal	172	1.19	-
2437MHz_TX	Pass	PK	2.4358G	108.93	Inf	-Inf	32.16	3	Horizontal	172	1.19	-
2437MHz_TX	Pass	PK	2.493G	59.84	74.00	-14.16	32.08	3	Horizontal	172	1.19	-
2437MHz_TX	Pass	AV	4.86536G	33.97	54.00	-20.03	8.25	3	Vertical	191	1.89	-
2437MHz_TX	Pass	PK	4.86974G	45.31	74.00	-28.69	8.25	3	Vertical	191	1.89	-
2437MHz_TX	Pass	AV	4.86872G	33.72	54.00	-20.28	8.25	3	Horizontal	125	2.44	-
2437MHz_TX	Pass	PK	4.8851G	45.44	74.00	-28.56	8.28	3	Horizontal	125	2.44	-
2457MHz_TX	Pass	AV	2.4588G	97.43	Inf	-Inf	32.13	3	Vertical	208	2.24	-
2457MHz_TX	Pass	AV	2.4835G	50.14	54.00	-3.86	32.10	3	Vertical	208	2.24	-
2457MHz_TX	Pass	PK	2.4564G	107.51	Inf	-Inf	32.14	3	Vertical	208	2.24	-
2457MHz_TX	Pass	PK	2.4838G	67.95	74.00	-6.05	32.10	3	Vertical	208	2.24	-
2457MHz_TX	Pass	AV	2.456G	98.64	Inf	-Inf	32.13	3	Horizontal	188	1.58	-
2457MHz_TX	Pass	AV	2.4835G	50.59	54.00	-3.41	32.10	3	Horizontal	188	1.58	-
2457MHz_TX	Pass	PK	2.4558G	108.41	Inf	-Inf	32.13	3	Horizontal	188	1.58	-
2457MHz_TX	Pass	PK	2.4842G	65.98	74.00	-8.02	32.10	3	Horizontal	188	1.58	-
2462MHz_TX	Pass	AV	2.4608G	95.30	Inf	-Inf	32.13	3	Vertical	206	2.14	-
2462MHz_TX	Pass	AV	2.4835G	50.80	54.00	-3.20	32.10	3	Vertical	206	2.14	-
2462MHz_TX	Pass	PK	2.4608G	104.77	Inf	-Inf	32.13	3	Vertical	206	2.14	-
2462MHz_TX	Pass	PK	2.4835G	65.91	74.00	-8.09	32.10	3	Vertical	206	2.14	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz_TX	Pass	AV	2.4612G	95.70	Inf	-Inf	32.13	3	Horizontal	188	1.50	-
2462MHz_TX	Pass	AV	2.4835G	50.80	54.00	-3.20	32.10	3	Horizontal	188	1.50	-
2462MHz_TX	Pass	PK	2.4644G	105.88	Inf	-Inf	32.12	3	Horizontal	188	1.50	-
2462MHz_TX	Pass	PK	2.4838G	65.36	74.00	-8.64	32.10	3	Horizontal	188	1.50	-
2462MHz_TX	Pass	AV	4.91926G	33.97	54.00	-20.03	8.37	3	Vertical	89	1.49	-
2462MHz_TX	Pass	PK	4.93714G	46.13	74.00	-27.87	8.44	3	Vertical	89	1.49	-
2462MHz_TX	Pass	AV	4.93564G	34.13	54.00	-19.87	8.43	3	Horizontal	199	1.87	-
2462MHz_TX	Pass	PK	4.9357G	45.50	74.00	-28.50	8.43	3	Horizontal	199	1.87	-
802.11n HT40_Nss1.(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz_TX	Pass	AV	2.39G	49.54	54.00	-4.46	32.23	3	Vertical	289	2.21	-
2422MHz_TX	Pass	AV	2.42G	88.49	Inf	-Inf	32.18	3	Vertical	289	2.21	-
2422MHz_TX	Pass	AV	2.4848G	48.38	54.00	-5.62	32.10	3	Vertical	289	2.21	-
2422MHz_TX	Pass	PK	2.3868G	64.65	74.00	-9.35	32.23	3	Vertical	289	2.21	-
2422MHz_TX	Pass	PK	2.4184G	97.07	Inf	-Inf	32.17	3	Vertical	289	2.21	-
2422MHz_TX	Pass	PK	2.4992G	59.55	74.00	-14.45	32.08	3	Vertical	289	2.21	-
2422MHz_TX	Pass	AV	2.3896G	50.61	54.00	-3.39	32.23	3	Horizontal	160	2.27	-
2422MHz_TX	Pass	AV	2.424G	90.42	Inf	-Inf	32.17	3	Horizontal	160	2.27	-
2422MHz_TX	Pass	AV	2.4848G	48.38	54.00	-5.62	32.10	3	Horizontal	160	2.27	-
2422MHz_TX	Pass	PK	2.3896G	66.61	74.00	-7.39	32.23	3	Horizontal	160	2.27	-
2422MHz_TX	Pass	PK	2.4252G	99.37	Inf	-Inf	32.17	3	Horizontal	160	2.27	-
2422MHz_TX	Pass	PK	2.4976G	59.55	74.00	-14.45	32.08	3	Horizontal	160	2.27	-
2422MHz_TX	Pass	AV	4.82978G	33.68	54.00	-20.32	8.17	3	Vertical	91	2.23	-
2422MHz_TX	Pass	PK	4.83344G	45.66	74.00	-28.34	8.17	3	Vertical	91	2.23	-
2422MHz_TX	Pass	AV	4.84712G	33.71	54.00	-20.29	8.20	3	Horizontal	128	1.90	-
2422MHz_TX	Pass	PK	4.83242G	45.39	74.00	-28.61	8.17	3	Horizontal	128	1.90	-
2427MHz_TX	Pass	AV	2.3898G	49.54	54.00	-4.46	32.23	3	Vertical	283	2.14	-
2427MHz_TX	Pass	AV	2.4258G	88.89	Inf	-Inf	32.17	3	Vertical	283	2.14	-
2427MHz_TX	Pass	AV	2.485G	48.38	54.00	-5.62	32.10	3	Vertical	283	2.14	-
2427MHz_TX	Pass	PK	2.3878G	66.66	74.00	-7.34	32.23	3	Vertical	283	2.14	-
2427MHz_TX	Pass	PK	2.429G	97.77	Inf	-Inf	32.16	3	Vertical	283	2.14	-
2427MHz_TX	Pass	PK	2.4835G	59.63	74.00	-14.37	32.10	3	Vertical	283	2.14	-
2427MHz_TX	Pass	AV	2.3898G	50.81	54.00	-3.19	32.23	3	Horizontal	156	2.28	-
2427MHz_TX	Pass	AV	2.4258G	90.92	Inf	-Inf	32.17	3	Horizontal	156	2.28	-
2427MHz_TX	Pass	AV	2.4994G	48.64	54.00	-5.36	32.08	3	Horizontal	156	2.28	-
2427MHz_TX	Pass	PK	2.3898G	65.92	74.00	-8.08	32.23	3	Horizontal	156	2.28	-
2427MHz_TX	Pass	PK	2.4222G	99.56	Inf	-Inf	32.18	3	Horizontal	156	2.28	-
2427MHz_TX	Pass	PK	2.485G	59.64	74.00	-14.36	32.10	3	Horizontal	156	2.28	-
2437MHz_TX	Pass	AV	2.3898G	49.76	54.00	-4.24	32.23	3	Vertical	282	2.40	-
2437MHz_TX	Pass	AV	2.439G	92.10	Inf	-Inf	32.15	3	Vertical	282	2.40	-
2437MHz_TX	Pass	AV	2.4835G	49.43	54.00	-4.57	32.10	3	Vertical	282	2.40	-
2437MHz_TX	Pass	PK	2.3894G	63.88	74.00	-10.12	32.23	3	Vertical	282	2.40	-
2437MHz_TX	Pass	PK	2.435G	100.58	Inf	-Inf	32.16	3	Vertical	282	2.40	-
2437MHz_TX	Pass	PK	2.4838G	61.41	74.00	-12.59	32.10	3	Vertical	282	2.40	-
2437MHz_TX	Pass	AV	2.3898G	50.61	54.00	-3.39	32.23	3	Horizontal	159	2.29	-
2437MHz_TX	Pass	AV	2.4342G	93.35	Inf	-Inf	32.16	3	Horizontal	159	2.29	-
2437MHz_TX	Pass	AV	2.4835G	49.91	54.00	-4.09	32.10	3	Horizontal	159	2.29	-
2437MHz_TX	Pass	PK	2.3894G	66.14	74.00	-7.86	32.23	3	Horizontal	159	2.29	-
2437MHz_TX	Pass	PK	2.431G	102.20	Inf	-Inf	32.16	3	Horizontal	159	2.29	-
2437MHz_TX	Pass	PK	2.4838G	65.76	74.00	-8.24	32.10	3	Horizontal	159	2.29	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz_TX	Pass	AV	4.88312G	33.67	54.00	-20.33	8.27	3	Vertical	274	2.28	-
2437MHz_TX	Pass	PK	4.8758G	45.08	74.00	-28.92	8.26	3	Vertical	274	2.28	-
2437MHz_TX	Pass	AV	4.88024G	33.66	54.00	-20.34	8.27	3	Horizontal	238	1.91	-
2437MHz_TX	Pass	PK	4.8797G	45.37	74.00	-28.63	8.27	3	Horizontal	238	1.91	-
2447MHz_TX	Pass	AV	2.3494G	47.90	54.00	-6.10	32.33	3	Vertical	289	2.40	-
2447MHz_TX	Pass	AV	2.4446G	90.30	Inf	-Inf	32.15	3	Vertical	289	2.40	-
2447MHz_TX	Pass	AV	2.4835G	50.80	54.00	-3.20	32.10	3	Vertical	289	2.40	-
2447MHz_TX	Pass	PK	2.3566G	59.15	74.00	-14.85	32.31	3	Vertical	289	2.40	-
2447MHz_TX	Pass	PK	2.449G	99.12	Inf	-Inf	32.14	3	Vertical	289	2.40	-
2447MHz_TX	Pass	PK	2.4835G	67.81	74.00	-6.19	32.10	3	Vertical	289	2.40	-
2447MHz_TX	Pass	AV	2.347G	47.93	54.00	-6.07	32.34	3	Horizontal	171	2.07	-
2447MHz_TX	Pass	AV	2.4446G	90.15	Inf	-Inf	32.15	3	Horizontal	171	2.07	-
2447MHz_TX	Pass	AV	2.4838G	50.80	54.00	-3.20	32.10	3	Horizontal	171	2.07	-
2447MHz_TX	Pass	PK	2.3786G	59.84	74.00	-14.16	32.26	3	Horizontal	171	2.07	-
2447MHz_TX	Pass	PK	2.4414G	98.99	Inf	-Inf	32.15	3	Horizontal	171	2.07	-
2447MHz_TX	Pass	PK	2.4835G	66.36	74.00	-7.64	32.10	3	Horizontal	171	2.07	-
2452MHz_TX	Pass	AV	2.3576G	47.81	54.00	-6.19	32.31	3	Vertical	283	2.44	-
2452MHz_TX	Pass	AV	2.4504G	89.23	Inf	-Inf	32.14	3	Vertical	283	2.44	-
2452MHz_TX	Pass	AV	2.4835G	50.37	54.00	-3.63	32.10	3	Vertical	283	2.44	-
2452MHz_TX	Pass	PK	2.3596G	58.82	74.00	-15.18	32.30	3	Vertical	283	2.44	-
2452MHz_TX	Pass	PK	2.4564G	97.66	Inf	-Inf	32.14	3	Vertical	283	2.44	-
2452MHz_TX	Pass	PK	2.4908G	65.31	74.00	-8.69	32.09	3	Vertical	283	2.44	-
2452MHz_TX	Pass	AV	2.352G	47.87	54.00	-6.13	32.32	3	Horizontal	156	2.56	-
2452MHz_TX	Pass	AV	2.454G	90.61	Inf	-Inf	32.13	3	Horizontal	156	2.56	-
2452MHz_TX	Pass	AV	2.484G	50.59	54.00	-3.41	32.10	3	Horizontal	156	2.56	-
2452MHz_TX	Pass	PK	2.3848G	59.13	74.00	-14.87	32.24	3	Horizontal	156	2.56	-
2452MHz_TX	Pass	PK	2.4536G	99.60	Inf	-Inf	32.13	3	Horizontal	156	2.56	-
2452MHz_TX	Pass	PK	2.4848G	67.64	74.00	-6.36	32.10	3	Horizontal	156	2.56	-
2452MHz_TX	Pass	AV	4.91882G	33.70	54.00	-20.30	8.37	3	Vertical	145	1.02	-
2452MHz_TX	Pass	PK	4.91624G	45.74	74.00	-28.26	8.36	3	Vertical	145	1.02	-
2452MHz_TX	Pass	AV	4.91282G	33.73	54.00	-20.27	8.35	3	Horizontal	60	1.60	-
2452MHz_TX	Pass	PK	4.91582G	45.86	74.00	-28.14	8.36	3	Horizontal	60	1.60	-
802.11n HT40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz_TX	Pass	AV	2.3896G	50.61	54.00	-3.39	32.23	3	Vertical	232	1.01	-
2422MHz_TX	Pass	AV	2.42G	89.66	Inf	-Inf	32.18	3	Vertical	232	1.01	-
2422MHz_TX	Pass	AV	2.4884G	48.37	54.00	-5.63	32.09	3	Vertical	232	1.01	-
2422MHz_TX	Pass	PK	2.39G	65.48	74.00	-8.52	32.23	3	Vertical	232	1.01	-
2422MHz_TX	Pass	PK	2.4256G	97.78	Inf	-Inf	32.17	3	Vertical	232	1.01	-
2422MHz_TX	Pass	PK	2.4968G	59.78	74.00	-14.22	32.09	3	Vertical	232	1.01	-
2422MHz_TX	Pass	AV	2.3892G	50.99	54.00	-3.01	32.22	3	Horizontal	191	1.85	-
2422MHz_TX	Pass	AV	2.4236G	90.39	Inf	-Inf	32.17	3	Horizontal	191	1.85	-
2422MHz_TX	Pass	AV	2.4848G	48.38	54.00	-5.62	32.10	3	Horizontal	191	1.85	-
2422MHz_TX	Pass	PK	2.3884G	66.32	74.00	-7.68	32.23	3	Horizontal	191	1.85	-
2422MHz_TX	Pass	PK	2.4252G	99.28	Inf	-Inf	32.17	3	Horizontal	191	1.85	-
2422MHz_TX	Pass	PK	2.4948G	59.18	74.00	-14.82	32.09	3	Horizontal	191	1.85	-
2422MHz_TX	Pass	AV	4.84988G	33.57	54.00	-20.43	8.20	3	Vertical	129	2.42	-
2422MHz_TX	Pass	PK	4.83434G	45.13	74.00	-28.87	8.17	3	Vertical	129	2.42	-
2422MHz_TX	Pass	AV	4.84766G	33.58	54.00	-20.42	8.20	3	Horizontal	58	1.75	-
2422MHz_TX	Pass	PK	4.8356G	45.06	74.00	-28.94	8.18	3	Horizontal	58	1.75	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2427MHz_TX	Pass	AV	2.3894G	49.98	54.00	-4.02	32.23	3	Vertical	194	2.46	-
2427MHz_TX	Pass	AV	2.4302G	89.07	Inf	-Inf	32.16	3	Vertical	194	2.46	-
2427MHz_TX	Pass	AV	2.4858G	48.38	54.00	-5.62	32.10	3	Vertical	194	2.46	-
2427MHz_TX	Pass	PK	2.3866G	63.28	74.00	-10.72	32.23	3	Vertical	194	2.46	-
2427MHz_TX	Pass	PK	2.4306G	97.76	Inf	-Inf	32.16	3	Vertical	194	2.46	-
2427MHz_TX	Pass	PK	2.4838G	59.71	74.00	-14.29	32.10	3	Vertical	194	2.46	-
2427MHz_TX	Pass	AV	2.389G	50.79	54.00	-3.21	32.22	3	Horizontal	190	1.87	-
2427MHz_TX	Pass	AV	2.4254G	91.56	Inf	-Inf	32.17	3	Horizontal	190	1.87	-
2427MHz_TX	Pass	AV	2.4966G	48.65	54.00	-5.35	32.09	3	Horizontal	190	1.87	-
2427MHz_TX	Pass	PK	2.3886G	65.57	74.00	-8.43	32.23	3	Horizontal	190	1.87	-
2427MHz_TX	Pass	PK	2.4234G	101.05	Inf	-Inf	32.17	3	Horizontal	190	1.87	-
2427MHz_TX	Pass	PK	2.4894G	59.70	74.00	-14.30	32.09	3	Horizontal	190	1.87	-
2437MHz_TX	Pass	AV	2.3898G	49.31	54.00	-4.69	32.23	3	Vertical	192	2.46	-
2437MHz_TX	Pass	AV	2.4358G	91.16	Inf	-Inf	32.16	3	Vertical	192	2.46	-
2437MHz_TX	Pass	AV	2.4842G	49.43	54.00	-4.57	32.10	3	Vertical	192	2.46	-
2437MHz_TX	Pass	PK	2.3886G	61.48	74.00	-12.52	32.23	3	Vertical	192	2.46	-
2437MHz_TX	Pass	PK	2.435G	100.12	Inf	-Inf	32.16	3	Vertical	192	2.46	-
2437MHz_TX	Pass	PK	2.4835G	61.35	74.00	-12.65	32.10	3	Vertical	192	2.46	-
2437MHz_TX	Pass	AV	2.3898G	49.07	54.00	-4.93	32.23	3	Horizontal	191	1.01	-
2437MHz_TX	Pass	AV	2.4402G	93.39	Inf	-Inf	32.15	3	Horizontal	191	1.01	-
2437MHz_TX	Pass	AV	2.4835G	50.59	54.00	-3.41	32.10	3	Horizontal	191	1.01	-
2437MHz_TX	Pass	PK	2.387G	63.38	74.00	-10.62	32.23	3	Horizontal	191	1.01	-
2437MHz_TX	Pass	PK	2.435G	101.77	Inf	-Inf	32.16	3	Horizontal	191	1.01	-
2437MHz_TX	Pass	PK	2.4835G	64.19	74.00	-9.81	32.10	3	Horizontal	191	1.01	-
2437MHz_TX	Pass	AV	4.86686G	33.59	54.00	-20.41	8.25	3	Vertical	306	1.35	-
2437MHz_TX	Pass	PK	4.87934G	45.37	74.00	-28.63	8.27	3	Vertical	306	1.35	-
2437MHz_TX	Pass	AV	4.86362G	33.81	54.00	-20.19	8.23	3	Horizontal	18	1.45	-
2437MHz_TX	Pass	PK	4.88366G	45.64	74.00	-28.36	8.27	3	Horizontal	18	1.45	-
2447MHz_TX	Pass	AV	2.3702G	48.04	54.00	-5.96	32.28	3	Vertical	206	1.96	-
2447MHz_TX	Pass	AV	2.449G	89.29	Inf	-Inf	32.14	3	Vertical	206	1.96	-
2447MHz_TX	Pass	AV	2.4842G	50.37	54.00	-3.63	32.10	3	Vertical	206	1.96	-
2447MHz_TX	Pass	PK	2.3554G	59.93	74.00	-14.07	32.32	3	Vertical	206	1.96	-
2447MHz_TX	Pass	PK	2.4446G	97.69	Inf	-Inf	32.15	3	Vertical	206	1.96	-
2447MHz_TX	Pass	PK	2.4835G	64.77	74.00	-9.23	32.10	3	Vertical	206	1.96	-
2447MHz_TX	Pass	AV	2.3478G	47.92	54.00	-6.08	32.34	3	Horizontal	194	1.01	-
2447MHz_TX	Pass	AV	2.4442G	90.28	Inf	-Inf	32.15	3	Horizontal	194	1.01	-
2447MHz_TX	Pass	AV	2.4835G	50.80	54.00	-3.20	32.10	3	Horizontal	194	1.01	-
2447MHz_TX	Pass	PK	2.3478G	59.40	74.00	-14.60	32.34	3	Horizontal	194	1.01	-
2447MHz_TX	Pass	PK	2.4434G	99.08	Inf	-Inf	32.14	3	Horizontal	194	1.01	-
2447MHz_TX	Pass	PK	2.4835G	66.01	74.00	-7.99	32.10	3	Horizontal	194	1.01	-
2452MHz_TX	Pass	AV	2.3528G	47.86	54.00	-6.14	32.32	3	Vertical	206	1.96	-
2452MHz_TX	Pass	AV	2.45G	89.09	Inf	-Inf	32.14	3	Vertical	206	1.96	-
2452MHz_TX	Pass	AV	2.4844G	50.14	54.00	-3.86	32.10	3	Vertical	206	1.96	-
2452MHz_TX	Pass	PK	2.3568G	59.15	74.00	-14.85	32.31	3	Vertical	206	1.96	-
2452MHz_TX	Pass	PK	2.4484G	97.69	Inf	-Inf	32.14	3	Vertical	206	1.96	-
2452MHz_TX	Pass	PK	2.486G	63.18	74.00	-10.82	32.10	3	Vertical	206	1.96	-
2452MHz_TX	Pass	AV	2.38G	48.01	54.00	-5.99	32.25	3	Horizontal	191	1.57	-
2452MHz_TX	Pass	AV	2.4536G	89.98	Inf	-Inf	32.13	3	Horizontal	191	1.57	-
2452MHz_TX	Pass	AV	2.4835G	50.80	54.00	-3.20	32.10	3	Horizontal	191	1.57	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2452MHz_TX	Pass	PK	2.3584G	58.84	74.00	-15.16	32.31	3	Horizontal	191	1.57	-
2452MHz_TX	Pass	PK	2.4556G	98.70	Inf	-Inf	32.13	3	Horizontal	191	1.57	-
2452MHz_TX	Pass	PK	2.4864G	65.13	74.00	-8.87	32.10	3	Horizontal	191	1.57	-
2452MHz_TX	Pass	AV	15.43534G	47.40	54.00	-6.60	21.01	3	Vertical	278	1.15	-
2452MHz_TX	Pass	PK	15.45898G	59.26	74.00	-14.74	20.92	3	Vertical	278	1.15	-
2452MHz_TX	Pass	AV	4.91684G	33.79	54.00	-20.21	8.36	3	Horizontal	254	1.67	-
2452MHz_TX	Pass	PK	4.9172G	46.13	74.00	-27.87	8.36	3	Horizontal	254	1.67	-

802.11b_Nss1,(1Mbps)_1TX(Port1)

2412MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3862G	48.77	54.00	-5.23	32.24	3	Vertical	281	2.19	-				
AV	2.4128G	100.18	Inf	-Inf	32.18	3	Vertical	281	2.19	-				
PK	2.3862G	59.16	74.00	-14.84	32.24	3	Vertical	281	2.19	-				
PK	2.4128G	102.25	Inf	-Inf	32.18	3	Vertical	281	2.19	-				

802.11b_Nss1,(1Mbps)_1TX(Port1)

2412MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3862G	50.11	54.00	-3.89	32.24	3	Horizontal	158	2.42	-				
AV	2.4112G	101.73	Inf	-Inf	32.19	3	Horizontal	158	2.42	-				
PK	2.3858G	60.01	74.00	-13.99	32.24	3	Horizontal	158	2.42	-				
PK	2.4128G	103.78	Inf	-Inf	32.18	3	Horizontal	158	2.42	-				

802.11b_Nss1,(1Mbps)_1TX(Port1)

2412MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.82394G	41.55	54.00	-12.45	8.16	3	Vertical	8	1.11	-
PK	4.82396G	48.15	74.00	-25.85	8.16	3	Vertical	8	1.11	-

802.11b_Nss1,(1Mbps)_1TX(Port1)

2412MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.824G	40.73	54.00	-13.27	8.16	3	Horizontal	304	1.02	-
PK	4.82376G	47.40	74.00	-26.60	8.16	3	Horizontal	304	1.02	-

802.11b_Nss1,(1Mbps)_1TX(Port1)

2417MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.39G	48.80	54.00	-5.20	32.23	3	Vertical	268	2.20	-				
AV	2.4178G	101.15	Inf	-Inf	32.17	3	Vertical	268	2.20	-				
PK	2.3896G	59.46	74.00	-14.54	32.23	3	Vertical	268	2.20	-				
PK	2.4178G	103.29	Inf	-Inf	32.17	3	Vertical	268	2.20	-				

802.11b_Nss1,(1Mbps)_1TX(Port1)

2417MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.39G	50.35	54.00	-3.65	32.23	3	Horizontal	160	2.24	-				
AV	2.4178G	103.19	Inf	-Inf	32.17	3	Horizontal	160	2.24	-				
PK	2.3882G	60.03	74.00	-13.97	32.23	3	Horizontal	160	2.24	-				
PK	2.418G	105.42	Inf	-Inf	32.17	3	Horizontal	160	2.24	-				

802.11b_Nss1,(1Mbps)_1TX(Port1)

2437MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3886G	49.48	54.00	-4.52	32.23	3	Vertical	278	2.41	-				
AV	2.4378G	102.10	Inf	-Inf	32.15	3	Vertical	278	2.41	-				
AV	2.485G	48.38	54.00	-5.62	32.10	3	Vertical	278	2.41	-				
PK	2.3778G	59.76	74.00	-14.24	32.26	3	Vertical	278	2.41	-				
PK	2.4378G	104.17	Inf	-Inf	32.15	3	Vertical	278	2.41	-				
PK	2.4842G	59.58	74.00	-14.42	32.10	3	Vertical	278	2.41	-				

802.11b_Nss1,(1Mbps)_1TX(Port1)

2437MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3886G	50.92	54.00	-3.08	32.23	3	Horizontal	161	2.12	-				
AV	2.4378G	103.61	Inf	-Inf	32.15	3	Horizontal	161	2.12	-				
AV	2.4846G	49.16	54.00	-4.84	32.10	3	Horizontal	161	2.12	-				
PK	2.387G	60.14	74.00	-13.86	32.23	3	Horizontal	161	2.12	-				
PK	2.4378G	105.96	Inf	-Inf	32.15	3	Horizontal	161	2.12	-				
PK	2.4898G	59.71	74.00	-14.29	32.09	3	Horizontal	161	2.12	-				

802.11b_Nss1,(1Mbps)_1TX(Port1)

2437MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.87393G	42.20	54.00	-11.80	8.25	3	Vertical	92	1.01	-
PK	4.87397G	48.95	74.00	-25.05	8.25	3	Vertical	92	1.01	-

802.11b_Nss1,(1Mbps)_1TX(Port1)

2437MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.87393G	43.72	54.00	-10.28	8.25	3	Horizontal	62	1.05	-
PK	4.87395G	49.74	74.00	-24.26	8.25	3	Horizontal	62	1.05	-

802.11b_Nss1,(1Mbps)_1TX(Port1)

2457MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.4578G	100.89	Inf	-Inf	32.13	3	Vertical	282	2.13	-				
AV	2.4835G	50.10	54.00	-3.90	32.10	3	Vertical	282	2.13	-				
PK	2.4578G	102.96	Inf	-Inf	32.13	3	Vertical	282	2.13	-				
PK	2.4858G	59.72	74.00	-14.28	32.10	3	Vertical	282	2.13	-				

802.11b_Nss1,(1Mbps)_1TX(Port1)

2457MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.4562G	101.90	Inf	-Inf	32.13	3	Horizontal	156	1.84	-
AV	2.4835G	50.32	54.00	-3.68	32.10	3	Horizontal	156	1.84	-
PK	2.4578G	104.06	Inf	-Inf	32.13	3	Horizontal	156	1.84	-
PK	2.4835G	60.26	74.00	-13.74	32.10	3	Horizontal	156	1.84	-

802.11b_Nss1,(1Mbps)_1TX(Port1)

2462MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.4612G	100.60	Inf	-Inf	32.13	3	Vertical	277	2.24	-				
AV	2.4868G	49.65	54.00	-4.35	32.10	3	Vertical	277	2.24	-				
PK	2.461G	102.65	Inf	-Inf	32.13	3	Vertical	277	2.24	-				
PK	2.4866G	60.20	74.00	-13.80	32.10	3	Vertical	277	2.24	-				

802.11b_Nss1,(1Mbps)_1TX(Port1)

2462MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.4612G	102.14	Inf	-Inf	32.13	3	Horizontal	159	2.65	-				
AV	2.4872G	50.54	54.00	-3.46	32.10	3	Horizontal	159	2.65	-				
PK	2.461G	104.20	Inf	-Inf	32.13	3	Horizontal	159	2.65	-				
PK	2.4876G	61.01	74.00	-12.99	32.09	3	Horizontal	159	2.65	-				

802.11b_Nss1,(1Mbps)_1TX(Port1)

2462MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.92391G	40.46	54.00	-13.54	8.39	3	Vertical	19	1.27	-
PK	4.92388G	48.16	74.00	-25.84	8.39	3	Vertical	19	1.27	-

802.11b_Nss1,(1Mbps)_1TX(Port1)

2462MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.92393G	41.66	54.00	-12.34	8.39	3	Horizontal	41	1.00	-
PK	4.92383G	48.77	74.00	-25.23	8.39	3	Horizontal	41	1.00	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

2412MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3858G	49.90	54.00	-4.10	32.24	3	Vertical	231	1.20	-				
AV	2.4112G	100.17	Inf	-Inf	32.19	3	Vertical	231	1.20	-				
PK	2.3858G	59.82	74.00	-14.18	32.24	3	Vertical	231	1.20	-				
PK	2.411G	102.21	Inf	-Inf	32.19	3	Vertical	231	1.20	-				

802.11b_Nss1,(1Mbps)_1TX(Port2)

2412MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.386G	50.71	54.00	-3.29	32.24	3	Horizontal	175	1.49	-				
AV	2.4112G	102.28	Inf	-Inf	32.19	3	Horizontal	175	1.49	-				
PK	2.3874G	60.57	74.00	-13.43	32.23	3	Horizontal	175	1.49	-				
PK	2.411G	104.33	Inf	-Inf	32.19	3	Horizontal	175	1.49	-				

802.11b_Nss1,(1Mbps)_1TX(Port2)

2412MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.82393G	41.91	54.00	-12.09	8.16	3	Vertical	24	1.80	-
PK	4.82395G	48.47	74.00	-25.53	8.16	3	Vertical	24	1.80	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

2412MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.82394G	41.23	54.00	-12.77	8.16	3	Horizontal	232	1.92	-
PK	4.8242G	47.72	74.00	-26.28	8.16	3	Horizontal	232	1.92	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

2417MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.39G	49.93	54.00	-4.07	32.23	3	Vertical	212	2.17	-				
AV	2.4162G	100.96	Inf	-Inf	32.18	3	Vertical	212	2.17	-				
PK	2.3892G	59.44	74.00	-14.56	32.22	3	Vertical	212	2.17	-				
PK	2.4154G	103.12	Inf	-Inf	32.18	3	Vertical	212	2.17	-				

802.11b_Nss1,(1Mbps)_1TX(Port2)

2417MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.39G	50.35	54.00	-3.65	32.23	3	Horizontal	191	1.83	-				
AV	2.4178G	102.88	Inf	-Inf	32.17	3	Horizontal	191	1.83	-				
PK	2.3886G	60.03	74.00	-13.97	32.23	3	Horizontal	191	1.83	-				
PK	2.4178G	105.02	Inf	-Inf	32.17	3	Horizontal	191	1.83	-				

802.11b_Nss1,(1Mbps)_1TX(Port2)

2437MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.389G	50.53	54.00	-3.47	32.22	3	Vertical	215	2.05	-				
AV	2.4362G	101.73	Inf	-Inf	32.16	3	Vertical	215	2.05	-				
AV	2.4846G	48.91	54.00	-5.09	32.10	3	Vertical	215	2.05	-				
PK	2.3898G	59.46	74.00	-14.54	32.23	3	Vertical	215	2.05	-				
PK	2.4378G	104.02	Inf	-Inf	32.15	3	Vertical	215	2.05	-				
PK	2.4835G	60.26	74.00	-13.74	32.10	3	Vertical	215	2.05	-				

802.11b_Nss1,(1Mbps)_1TX(Port2)

2437MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.389G	50.33	54.00	-3.67	32.22	3	Horizontal	191	2.15	-				
AV	2.4362G	103.90	Inf	-Inf	32.16	3	Horizontal	191	2.15	-				
AV	2.485G	50.10	54.00	-3.90	32.10	3	Horizontal	191	2.15	-				
PK	2.3886G	60.28	74.00	-13.72	32.23	3	Horizontal	191	2.15	-				
PK	2.4378G	105.98	Inf	-Inf	32.15	3	Horizontal	191	2.15	-				
PK	2.497G	60.89	74.00	-13.11	32.09	3	Horizontal	191	2.15	-				

802.11b_Nss1,(1Mbps)_1TX(Port2)

2437MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.87397G	42.84	54.00	-11.16	8.25	3	Vertical	11	1.99	-
PK	4.87388G	49.18	74.00	-24.82	8.25	3	Vertical	11	1.99	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

2437MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.87395G	43.72	54.00	-10.28	8.25	3	Horizontal	220	2.20	-
PK	4.87399G	49.53	74.00	-24.47	8.25	3	Horizontal	220	2.20	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

2457MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.4578G	100.95	Inf	-Inf	32.13	3	Vertical	201	1.92	-
AV	2.4835G	49.88	54.00	-4.12	32.10	3	Vertical	201	1.92	-
PK	2.4578G	103.14	Inf	-Inf	32.13	3	Vertical	201	1.92	-
PK	2.493G	60.44	74.00	-13.56	32.08	3	Vertical	201	1.92	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

2457MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.4578G	103.34	Inf	-Inf	32.13	3	Horizontal	188	1.54	-
AV	2.4835G	50.95	54.00	-3.05	32.10	3	Horizontal	188	1.54	-
PK	2.4586G	105.47	Inf	-Inf	32.13	3	Horizontal	188	1.54	-
PK	2.494G	60.39	74.00	-13.61	32.09	3	Horizontal	188	1.54	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

2462MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.4612G	99.03	Inf	-Inf	32.13	3	Vertical	189	1.53	-				
AV	2.4878G	49.15	54.00	-4.85	32.09	3	Vertical	189	1.53	-				
PK	2.4606G	101.17	Inf	-Inf	32.13	3	Vertical	189	1.53	-				
PK	2.4848G	60.40	74.00	-13.60	32.10	3	Vertical	189	1.53	-				

802.11b_Nss1,(1Mbps)_1TX(Port2)

2462MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.4612G	101.80	Inf	-Inf	32.13	3	Horizontal	192	1.88	-				
AV	2.4876G	50.09	54.00	-3.91	32.09	3	Horizontal	192	1.88	-				
PK	2.461G	103.85	Inf	-Inf	32.13	3	Horizontal	192	1.88	-				
PK	2.499G	61.36	74.00	-12.64	32.08	3	Horizontal	192	1.88	-				

802.11b_Nss1,(1Mbps)_1TX(Port2)

2462MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.92403G	37.54	54.00	-16.46	8.39	3	Vertical	28	1.88	-
PK	4.92392G	46.68	74.00	-27.32	8.39	3	Vertical	28	1.88	-

802.11b_Nss1,(1Mbps)_1TX(Port2)

2462MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.92394G	36.22	54.00	-17.78	8.39	3	Horizontal	203	1.01	-
PK	4.92401G	46.65	74.00	-27.35	8.39	3	Horizontal	203	1.01	-

802.11g_Nss1,(6Mbps)_1TX(Port1)

2412MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.39G	49.92	54.00	-4.08	32.23	3	Vertical	270	2.56	-				
AV	2.4108G	93.48	Inf	-Inf	32.19	3	Vertical	270	2.56	-				
PK	2.3898G	67.07	74.00	-6.93	32.23	3	Vertical	270	2.56	-				
PK	2.4104G	102.36	Inf	-Inf	32.19	3	Vertical	270	2.56	-				

802.11g_Nss1,(6Mbps)_1TX(Port1)

2412MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.39G	50.73	54.00	-3.27	32.23	3	Horizontal	162	2.43	-				
AV	2.4112G	95.51	Inf	-Inf	32.19	3	Horizontal	162	2.43	-				
PK	2.39G	67.49	74.00	-6.51	32.23	3	Horizontal	162	2.43	-				
PK	2.4114G	104.06	Inf	-Inf	32.19	3	Horizontal	162	2.43	-				

802.11g_Nss1,(6Mbps)_1TX(Port1)

2412MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.83198G	33.10	54.00	-20.90	8.17	3	Vertical	36	1.50	-
PK	4.81758G	45.38	74.00	-28.62	8.15	3	Vertical	36	1.50	-

802.11g_Nss1,(6Mbps)_1TX(Port1)

2412MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.82172G	33.11	54.00	-20.89	8.16	3	Horizontal	302	1.50	-
PK	4.8243G	45.70	74.00	-28.30	8.16	3	Horizontal	302	1.50	-

802.11g_Nss1,(6Mbps)_1TX(Port1)

2417MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.39G	49.26	54.00	-4.74	32.23	3	Vertical	281	2.21	-				
AV	2.418G	96.27	Inf	-Inf	32.17	3	Vertical	281	2.21	-				
PK	2.389G	65.98	74.00	-8.02	32.22	3	Vertical	281	2.21	-				
PK	2.4148G	105.04	Inf	-Inf	32.18	3	Vertical	281	2.21	-				

802.11g_Nss1,(6Mbps)_1TX(Port1)

2417MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.39G	50.73	54.00	-3.27	32.23	3	Horizontal	160	2.26	-				
AV	2.4192G	97.84	Inf	-Inf	32.18	3	Horizontal	160	2.26	-				
PK	2.3892G	68.66	74.00	-5.34	32.22	3	Horizontal	160	2.26	-				
PK	2.4144G	106.84	Inf	-Inf	32.18	3	Horizontal	160	2.26	-				

802.11g_Nss1,(6Mbps)_1TX(Port1)

2437MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3898G	48.79	54.00	-5.21	32.23	3	Vertical	360	1.02	-				
AV	2.4362G	98.25	Inf	-Inf	32.16	3	Vertical	360	1.02	-				
AV	2.4835G	48.64	54.00	-5.36	32.10	3	Vertical	360	1.02	-				
PK	2.389G	63.34	74.00	-10.66	32.22	3	Vertical	360	1.02	-				
PK	2.4354G	106.81	Inf	-Inf	32.16	3	Vertical	360	1.02	-				
PK	2.4882G	60.39	74.00	-13.61	32.09	3	Vertical	360	1.02	-				

802.11g_Nss1,(6Mbps)_1TX(Port1)

2437MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.3894G	49.92	54.00	-4.08	32.23	3	Horizontal	161	2.13	-
AV	2.4382G	99.82	Inf	-Inf	32.15	3	Horizontal	161	2.13	-
AV	2.4838G	49.40	54.00	-4.60	32.10	3	Horizontal	161	2.13	-
PK	2.3866G	69.10	74.00	-4.90	32.23	3	Horizontal	161	2.13	-
PK	2.4358G	108.68	Inf	-Inf	32.16	3	Horizontal	161	2.13	-
PK	2.4838G	63.33	74.00	-10.67	32.10	3	Horizontal	161	2.13	-

802.11g_Nss1,(6Mbps)_1TX(Port1)

2437MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.87338G	33.97	54.00	-20.03	8.25	3	Vertical	0	1.02	-
PK	4.87406G	46.47	74.00	-27.53	8.25	3	Vertical	0	1.02	-

802.11g_Nss1,(6Mbps)_1TX(Port1)

2437MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.87541G	33.74	54.00	-20.26	8.26	3	Horizontal	44	1.26	-
PK	4.87555G	46.37	74.00	-27.63	8.26	3	Horizontal	44	1.26	-

802.11g_Nss1,(6Mbps)_1TX(Port1)

2457MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.4588G	96.04	Inf	-Inf	32.13	3	Vertical	284	2.13	-				
AV	2.4835G	50.53	54.00	-3.47	32.10	3	Vertical	284	2.13	-				
PK	2.459G	104.91	Inf	-Inf	32.13	3	Vertical	284	2.13	-				
PK	2.4842G	67.62	74.00	-6.38	32.10	3	Vertical	284	2.13	-				

802.11g_Nss1,(6Mbps)_1TX(Port1)

2457MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.456G	96.81	Inf	-Inf	32.13	3	Horizontal	171	1.84	-				
AV	2.4835G	50.31	54.00	-3.69	32.10	3	Horizontal	171	1.84	-				
PK	2.4572G	106.00	Inf	-Inf	32.14	3	Horizontal	171	1.84	-				
PK	2.4836G	65.78	74.00	-8.22	32.10	3	Horizontal	171	1.84	-				

802.11g_Nss1,(6Mbps)_1TX(Port1)

2462MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.4608G	94.58	Inf	-Inf	32.13	3	Vertical	291	2.25	-				
AV	2.4835G	50.74	54.00	-3.26	32.10	3	Vertical	291	2.25	-				
PK	2.4604G	103.64	Inf	-Inf	32.13	3	Vertical	291	2.25	-				
PK	2.4835G	68.68	74.00	-5.32	32.10	3	Vertical	291	2.25	-				

802.11g_Nss1,(6Mbps)_1TX(Port1)

2462MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.4608G	95.43	Inf	-Inf	32.13	3	Horizontal	163	2.63	-				
AV	2.4835G	50.74	54.00	-3.26	32.10	3	Horizontal	163	2.63	-				
PK	2.4604G	104.11	Inf	-Inf	32.13	3	Horizontal	163	2.63	-				
PK	2.4838G	68.93	74.00	-5.07	32.10	3	Horizontal	163	2.63	-				

802.11g_Nss1,(6Mbps)_1TX(Port1)

2462MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.92778G	33.44	54.00	-20.56	8.40	3	Vertical	213	2.00	-
PK	4.92108G	45.90	74.00	-28.10	8.37	3	Vertical	213	2.00	-

802.11g_Nss1,(6Mbps)_1TX(Port1)

2462MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.92484G	33.53	54.00	-20.47	8.39	3	Horizontal	308	2.33	-
PK	4.9249G	45.78	74.00	-28.22	8.39	3	Horizontal	308	2.33	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

2412MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.39G	49.71	54.00	-4.29	32.23	3	Vertical	231	1.21	-				
AV	2.413G	94.19	Inf	-Inf	32.18	3	Vertical	231	1.21	-				
PK	2.3898G	66.55	74.00	-7.45	32.23	3	Vertical	231	1.21	-				
PK	2.4106G	103.24	Inf	-Inf	32.19	3	Vertical	231	1.21	-				

802.11g_Nss1,(6Mbps)_1TX(Port2)

2412MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.39G	50.54	54.00	-3.46	32.23	3	Horizontal	175	1.48	-				
AV	2.411G	96.33	Inf	-Inf	32.19	3	Horizontal	175	1.48	-				
PK	2.39G	66.96	74.00	-7.04	32.23	3	Horizontal	175	1.48	-				
PK	2.41G	105.48	Inf	-Inf	32.19	3	Horizontal	175	1.48	-				

802.11g_Nss1,(6Mbps)_1TX(Port2)

2412MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.83156G	32.97	54.00	-21.03	8.17	3	Vertical	151	2.37	-
PK	4.82832G	45.01	74.00	-28.99	8.17	3	Vertical	151	2.37	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

2412MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.8165G	33.04	54.00	-20.96	8.15	3	Horizontal	351	1.22	-
PK	4.81242G	45.05	74.00	-28.95	8.14	3	Horizontal	351	1.22	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

2417MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3898G	49.49	54.00	-4.51	32.23	3	Vertical	214	2.18	-				
AV	2.4158G	96.04	Inf	-Inf	32.18	3	Vertical	214	2.18	-				
PK	2.3894G	65.13	74.00	-8.87	32.23	3	Vertical	214	2.18	-				
PK	2.4168G	105.69	Inf	-Inf	32.18	3	Vertical	214	2.18	-				

802.11g_Nss1,(6Mbps)_1TX(Port2)

2417MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.39G	50.13	54.00	-3.87	32.23	3	Horizontal	191	1.84	-				
AV	2.4186G	98.17	Inf	-Inf	32.17	3	Horizontal	191	1.84	-				
PK	2.3892G	68.62	74.00	-5.38	32.22	3	Horizontal	191	1.84	-				
PK	2.42G	107.18	Inf	-Inf	32.18	3	Horizontal	191	1.84	-				

802.11g_Nss1,(6Mbps)_1TX(Port2)

2437MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.3898G	48.30	54.00	-5.70	32.23	3	Vertical	214	2.06	-
AV	2.4382G	98.19	Inf	-Inf	32.15	3	Vertical	214	2.06	-
AV	2.4862G	48.38	54.00	-5.62	32.10	3	Vertical	214	2.06	-
PK	2.3814G	62.01	74.00	-11.99	32.24	3	Vertical	214	2.06	-
PK	2.4382G	107.67	Inf	-Inf	32.15	3	Vertical	214	2.06	-
PK	2.4842G	60.52	74.00	-13.48	32.10	3	Vertical	214	2.06	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

2437MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3886G	48.54	54.00	-5.46	32.23	3	Horizontal	191	2.16	-				
AV	2.4378G	100.49	Inf	-Inf	32.15	3	Horizontal	191	2.16	-				
AV	2.4835G	48.90	54.00	-5.10	32.10	3	Horizontal	191	2.16	-				
PK	2.3874G	63.46	74.00	-10.54	32.23	3	Horizontal	191	2.16	-				
PK	2.4382G	109.20	Inf	-Inf	32.15	3	Horizontal	191	2.16	-				
PK	2.4882G	62.35	74.00	-11.65	32.09	3	Horizontal	191	2.16	-				

802.11g_Nss1,(6Mbps)_1TX(Port2)

2437MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.86356G	33.17	54.00	-20.83	8.25	3	Vertical	146	1.35	-
PK	4.86356G	45.38	74.00	-28.62	8.23	3	Vertical	146	1.35	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

2437MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.86746G	33.05	54.00	-20.95	8.25	3	Horizontal	343	2.13	-
PK	4.87022G	45.39	74.00	-28.61	8.25	3	Horizontal	343	2.13	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

2457MHz_TX

09/06/2019




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)					
AV	2.4584G	96.61	Inf	-Inf	32.13	3	Vertical	201	1.91	-				
AV	2.4835G	49.40	54.00	-4.60	32.10	3	Vertical	201	1.91	-				
PK	2.4612G	105.29	Inf	-Inf	32.13	3	Vertical	201	1.91	-				
PK	2.484G	66.73	74.00	-7.27	32.10	3	Vertical	201	1.91	-				

802.11g_Nss1,(6Mbps)_1TX(Port2)

2457MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.4582G	98.66	Inf	-Inf	32.13	3	Horizontal	190	1.54	-
AV	2.4835G	50.31	54.00	-3.69	32.10	3	Horizontal	190	1.54	-
PK	2.4568G	107.90	Inf	-Inf	32.14	3	Horizontal	190	1.54	-
PK	2.4858G	69.03	74.00	-4.97	32.10	3	Horizontal	190	1.54	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

2462MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.461G	94.39	Inf	-Inf	32.13	3	Vertical	203	2.14	-				
AV	2.4835G	49.87	54.00	-4.13	32.10	3	Vertical	203	2.14	-				
PK	2.4608G	103.23	Inf	-Inf	32.13	3	Vertical	203	2.14	-				
PK	2.4838G	68.38	74.00	-5.62	32.10	3	Vertical	203	2.14	-				

802.11g_Nss1,(6Mbps)_1TX(Port2)

2462MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.4606G	96.47	Inf	-Inf	32.13	3	Horizontal	189	1.50	-				
AV	2.4835G	50.74	54.00	-3.26	32.10	3	Horizontal	189	1.50	-				
PK	2.461G	105.29	Inf	-Inf	32.13	3	Horizontal	189	1.50	-				
PK	2.4835G	69.12	74.00	-4.88	32.10	3	Horizontal	189	1.50	-				

802.11g_Nss1,(6Mbps)_1TX(Port2)

2462MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.92724G	33.43	54.00	-20.57	8.40	3	Vertical	162	1.54	-
PK	4.92742G	46.23	74.00	-27.77	8.40	3	Vertical	162	1.54	-

802.11g_Nss1,(6Mbps)_1TX(Port2)

2462MHz_TX

08/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.93198G	33.52	54.00	-20.48	8.42	3	Horizontal	321	2.25	-
PK	4.92574G	45.80	74.00	-28.20	8.40	3	Horizontal	321	2.25	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)

2412MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.39G	49.76	54.00	-4.24	32.23	3	Vertical	291	2.18	-				
AV	2.4134G	94.18	Inf	-Inf	32.18	3	Vertical	291	2.18	-				
PK	2.3898G	66.97	74.00	-7.03	32.23	3	Vertical	291	2.18	-				
PK	2.4138G	102.89	Inf	-Inf	32.18	3	Vertical	291	2.18	-				

802.11n HT20_Nss1,(MCS0)_1TX(Port1)

2412MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.39G	50.81	54.00	-3.19	32.23	3	Horizontal	171	2.01	-				
AV	2.4106G	94.32	Inf	-Inf	32.19	3	Horizontal	171	2.01	-				
PK	2.39G	68.30	74.00	-5.70	32.23	3	Horizontal	171	2.01	-				
PK	2.4102G	103.63	Inf	-Inf	32.19	3	Horizontal	171	2.01	-				

802.11n HT20_Nss1,(MCS0)_1TX(Port1)

2412MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.81716G	33.44	54.00	-20.56	8.15	3	Vertical	47	1.66	-
PK	4.81392G	45.53	74.00	-28.47	8.14	3	Vertical	47	1.66	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)

2412MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.8315G	33.65	54.00	-20.35	8.17	3	Horizontal	303	1.50	-
PK	4.82892G	45.97	74.00	-28.03	8.17	3	Horizontal	303	1.50	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)

2417MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3898G	50.40	54.00	-3.60	32.23	3	Vertical	274	2.21	-				
AV	2.418G	96.60	Inf	-Inf	32.17	3	Vertical	274	2.21	-				
PK	2.3894G	67.42	74.00	-6.58	32.23	3	Vertical	274	2.21	-				
PK	2.42G	105.10	Inf	-Inf	32.18	3	Vertical	274	2.21	-				

802.11n HT20_Nss1,(MCS0)_1TX(Port1)

2417MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3898G	50.61	54.00	-3.39	32.23	3	Horizontal	157	1.69	-				
AV	2.418G	95.52	Inf	-Inf	32.17	3	Horizontal	157	1.69	-				
PK	2.3896G	69.31	74.00	-4.69	32.23	3	Horizontal	157	1.69	-				
PK	2.4188G	104.33	Inf	-Inf	32.18	3	Horizontal	157	1.69	-				

802.11n HT20_Nss1,(MCS0)_1TX(Port1)

2437MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.3894G	49.53	54.00	-4.47	32.23	3	Vertical	283	2.41	-
AV	2.4378G	99.59	Inf	-Inf	32.15	3	Vertical	283	2.41	-
AV	2.4835G	49.17	54.00	-4.83	32.10	3	Vertical	283	2.41	-
PK	2.3898G	65.75	74.00	-8.25	32.23	3	Vertical	283	2.41	-
PK	2.4362G	108.23	Inf	-Inf	32.16	3	Vertical	283	2.41	-
PK	2.4866G	62.42	74.00	-11.58	32.10	3	Vertical	283	2.41	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)

09/06/2019

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3898G	50.81	54.00	-3.19	32.23	3	Horizontal	159	2.27	-				
AV	2.4358G	100.76	Inf	-Inf	32.16	3	Horizontal	159	2.27	-				
AV	2.4835G	49.67	54.00	-4.33	32.10	3	Horizontal	159	2.27	-				
PK	2.3862G	67.73	74.00	-6.27	32.24	3	Horizontal	159	2.27	-				
PK	2.4362G	109.37	Inf	-Inf	32.16	3	Horizontal	159	2.27	-				
PK	2.4854G	64.06	74.00	-9.94	32.10	3	Horizontal	159	2.27	-				

802.11n HT20_Nss1,(MCS0)_1TX(Port1)

2437MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.88282G	33.40	54.00	-20.60	8.27	3	Vertical	162	1.39	-
PK	4.88216G	46.16	74.00	-27.84	8.27	3	Vertical	162	1.39	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)

2437MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.8665G	33.45	54.00	-20.55	8.25	3	Horizontal	90	1.98	-
PK	4.88168G	45.76	74.00	-28.24	8.27	3	Horizontal	90	1.98	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)

2457MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.4582G	95.75	Inf	-Inf	32.13	3	Vertical	275	2.14	-
AV	2.4835G	50.14	54.00	-3.86	32.10	3	Vertical	275	2.14	-
PK	2.4602G	104.31	Inf	-Inf	32.13	3	Vertical	275	2.14	-
PK	2.4842G	66.94	74.00	-7.06	32.10	3	Vertical	275	2.14	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)

2457MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.4578G	97.70	Inf	-Inf	32.13	3	Horizontal	157	2.51	-				
AV	2.4835G	50.80	54.00	-3.20	32.10	3	Horizontal	157	2.51	-				
PK	2.4584G	106.35	Inf	-Inf	32.13	3	Horizontal	157	2.51	-				
PK	2.4836G	66.36	74.00	-7.64	32.10	3	Horizontal	157	2.51	-				

802.11n HT20_Nss1,(MCS0)_1TX(Port1)

2462MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.4608G	94.13	Inf	-Inf	32.13	3	Vertical	285	2.13	-				
AV	2.4835G	50.58	54.00	-3.42	32.10	3	Vertical	285	2.13	-				
PK	2.4602G	103.36	Inf	-Inf	32.13	3	Vertical	285	2.13	-				
PK	2.4836G	68.75	74.00	-5.25	32.10	3	Vertical	285	2.13	-				

802.11n HT20_Nss1,(MCS0)_1TX(Port1)

2462MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.4608G	95.67	Inf	-Inf	32.13	3	Horizontal	155	2.50	-
AV	2.4835G	50.80	54.00	-3.20	32.10	3	Horizontal	155	2.50	-
PK	2.4606G	104.62	Inf	-Inf	32.13	3	Horizontal	155	2.50	-
PK	2.4836G	70.05	74.00	-3.95	32.10	3	Horizontal	155	2.50	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)

09/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.91842G	33.69	54.00	-20.31	8.37	3	Vertical	200	1.43	-
PK	4.93006G	46.01	74.00	-27.99	8.41	3	Vertical	200	1.43	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)

2462MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.93336G	33.67	54.00	-20.33	8.42	3	Horizontal	66	2.17	-
PK	4.9312G	46.63	74.00	-27.37	8.41	3	Horizontal	66	2.17	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)

2412MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.39G	50.81	54.00	-3.19	32.23	3	Vertical	231	1.09	-				
AV	2.411G	94.90	Inf	-Inf	32.19	3	Vertical	231	1.09	-				
PK	2.3894G	67.64	74.00	-6.36	32.23	3	Vertical	231	1.09	-				
PK	2.4102G	103.64	Inf	-Inf	32.19	3	Vertical	231	1.09	-				

802.11n HT20_Nss1,(MCS0)_1TX(Port2)

2412MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.39G	50.61	54.00	-3.39	32.23	3	Horizontal	191	1.57	-				
AV	2.4132G	95.42	Inf	-Inf	32.18	3	Horizontal	191	1.57	-				
PK	2.389G	66.00	74.00	-8.00	32.22	3	Horizontal	191	1.57	-				
PK	2.4138G	104.21	Inf	-Inf	32.18	3	Horizontal	191	1.57	-				

802.11n HT20_Nss1,(MCS0)_1TX(Port2)

2412MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.82622G	33.18	54.00	-20.82	8.17	3	Vertical	122	1.16	-
PK	4.82299G	45.05	74.00	-28.95	8.16	3	Vertical	122	1.16	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)

2412MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.82194G	33.10	54.00	-20.90	8.16	3	Horizontal	23	1.53	-
PK	4.82574G	44.88	74.00	-29.12	8.17	3	Horizontal	23	1.53	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)

2417MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3898G	50.40	54.00	-3.60	32.23	3	Vertical	232	1.01	-				
AV	2.4186G	97.20	Inf	-Inf	32.17	3	Vertical	232	1.01	-				
PK	2.3892G	68.43	74.00	-5.57	32.22	3	Vertical	232	1.01	-				
PK	2.418G	105.89	Inf	-Inf	32.17	3	Vertical	232	1.01	-				

802.11n HT20_Nss1,(MCS0)_1TX(Port2)

2417MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3896G	50.40	54.00	-3.60	32.23	3	Horizontal	192	1.46	-				
AV	2.418G	97.89	Inf	-Inf	32.17	3	Horizontal	192	1.46	-				
PK	2.3894G	69.94	74.00	-4.06	32.23	3	Horizontal	192	1.46	-				
PK	2.4156G	106.46	Inf	-Inf	32.18	3	Horizontal	192	1.46	-				

802.11n HT20_Nss1,(MCS0)_1TX(Port2)

2437MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3898G	49.07	54.00	-4.93	32.23	3	Vertical	209	2.45	-				
AV	2.4362G	100.34	Inf	-Inf	32.16	3	Vertical	209	2.45	-				
AV	2.4838G	49.17	54.00	-4.83	32.10	3	Vertical	209	2.45	-				
PK	2.3894G	67.03	74.00	-6.97	32.23	3	Vertical	209	2.45	-				
PK	2.435G	108.76	Inf	-Inf	32.16	3	Vertical	209	2.45	-				
PK	2.4846G	62.37	74.00	-11.63	32.10	3	Vertical	209	2.45	-				

802.11n HT20_Nss1,(MCS0)_1TX(Port2)

2437MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.3898G	49.53	54.00	-4.47	32.23	3	Horizontal	193	1.00	-
AV	2.4382G	100.78	Inf	-Inf	32.15	3	Horizontal	193	1.00	-
AV	2.4835G	49.91	54.00	-4.09	32.10	3	Horizontal	193	1.00	-
PK	2.3874G	63.51	74.00	-10.49	32.23	3	Horizontal	193	1.00	-
PK	2.4386G	110.10	Inf	-Inf	32.15	3	Horizontal	193	1.00	-
PK	2.4854G	64.06	74.00	-9.94	32.10	3	Horizontal	193	1.00	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)

2437MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.88144G	33.26	54.00	-20.74	8.27	3	Vertical	48	2.25	-
PK	4.86272G	45.52	74.00	-28.48	8.23	3	Vertical	48	2.25	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)

2437MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.8656G	33.31	54.00	-20.69	8.25	3	Horizontal	243	1.25	-
PK	4.86914G	45.72	74.00	-28.28	8.25	3	Horizontal	243	1.25	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)

2457MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.4556G	97.47	Inf	-Inf	32.13	3	Vertical	205	2.21	-				
AV	2.4835G	50.80	54.00	-3.20	32.10	3	Vertical	205	2.21	-				
PK	2.4584G	106.54	Inf	-Inf	32.13	3	Vertical	205	2.21	-				
PK	2.484G	70.81	74.00	-3.19	32.10	3	Vertical	205	2.21	-				

802.11n HT20_Nss1,(MCS0)_1TX(Port2)

2457MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.458G	98.63	Inf	-Inf	32.13	3	Horizontal	189	1.54	-				
AV	2.4835G	50.80	54.00	-3.20	32.10	3	Horizontal	189	1.54	-				
PK	2.4578G	107.33	Inf	-Inf	32.13	3	Horizontal	189	1.54	-				
PK	2.4838G	69.39	74.00	-4.61	32.10	3	Horizontal	189	1.54	-				

802.11n HT20_Nss1,(MCS0)_1TX(Port2)

2462MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.4608G	94.62	Inf	-Inf	32.13	3	Vertical	203	2.14	-				
AV	2.4835G	50.80	54.00	-3.20	32.10	3	Vertical	203	2.14	-				
PK	2.4632G	103.34	Inf	-Inf	32.12	3	Vertical	203	2.14	-				
PK	2.4835G	66.39	74.00	-7.61	32.10	3	Vertical	203	2.14	-				

802.11n HT20_Nss1,(MCS0)_1TX(Port2)

2462MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.4606G	95.53	Inf	-Inf	32.13	3	Horizontal	189	1.38	-
AV	2.4835G	50.58	54.00	-3.42	32.10	3	Horizontal	189	1.38	-
PK	2.4614G	105.21	Inf	-Inf	32.13	3	Horizontal	189	1.38	-
PK	2.484G	65.58	74.00	-8.42	32.10	3	Horizontal	189	1.38	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)

2462MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.93198G	33.65	54.00	-20.35	8.42	3	Vertical	344	2.36	-
PK	4.93888G	45.83	74.00	-28.17	8.45	3	Vertical	344	2.36	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)

2462MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.93354G	33.53	54.00	-20.47	8.42	3	Horizontal	109	2.01	-
PK	4.9222G	45.52	74.00	-28.48	8.39	3	Horizontal	109	2.01	-

802.11n HT20_Nss2,(MCS8)_2TX

09/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.39G	49.76	54.00	-4.24	32.23	3	Vertical	230	2.17	-				
AV	2.4136G	94.81	Inf	-Inf	32.18	3	Vertical	230	2.17	-				
PK	2.39G	62.96	74.00	-11.04	32.23	3	Vertical	230	2.17	-				
PK	2.4142G	104.47	Inf	-Inf	32.18	3	Vertical	230	2.17	-				

802.11n HT20_Nss2,(MCS8)_2TX

2412MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3898G	50.81	54.00	-3.19	32.23	3	Horizontal	173	1.78	-				
AV	2.411G	96.52	Inf	-Inf	32.19	3	Horizontal	173	1.78	-				
PK	2.3888G	67.21	74.00	-6.79	32.22	3	Horizontal	173	1.78	-				
PK	2.4088G	106.48	Inf	-Inf	32.19	3	Horizontal	173	1.78	-				

802.11n HT20_Nss2,(MCS8)_2TX

09/06/2019

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.82443G	33.61	54.00	-20.39	8.16	3	Vertical	336	1.22	-
PK	4.82184G	45.47	74.00	-28.53	8.16	3	Vertical	336	1.22	-

802.11n HT20_Nss2,(MCS8)_2TX

2412MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.82188G	33.65	54.00	-20.35	8.16	3	Horizontal	8	2.07	-
PK	4.82341G	45.18	74.00	-28.82	8.16	3	Horizontal	8	2.07	-

802.11n HT20_Nss2,(MCS8)_2TX

2417MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3898G	49.76	54.00	-4.24	32.23	3	Vertical	235	1.01	-				
AV	2.4182G	96.99	Inf	-Inf	32.17	3	Vertical	235	1.01	-				
PK	2.3894G	66.30	74.00	-7.70	32.23	3	Vertical	235	1.01	-				
PK	2.418G	106.81	Inf	-Inf	32.17	3	Vertical	235	1.01	-				

802.11n HT20_Nss2,(MCS8)_2TX

2417MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.39G	50.81	54.00	-3.19	32.23	3	Horizontal	171	1.82	-
AV	2.4184G	98.82	Inf	-Inf	32.17	3	Horizontal	171	1.82	-
PK	2.3894G	67.17	74.00	-6.83	32.23	3	Horizontal	171	1.82	-
PK	2.4202G	108.55	Inf	-Inf	32.18	3	Horizontal	171	1.82	-

802.11n HT20_Nss2,(MCS8)_2TX

2437MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.353G	48.13	54.00	-5.87	32.32	3	Vertical	209	2.43	-				
AV	2.4362G	98.53	Inf	-Inf	32.16	3	Vertical	209	2.43	-				
AV	2.4838G	48.65	54.00	-5.35	32.10	3	Vertical	209	2.43	-				
PK	2.3898G	59.66	74.00	-14.34	32.23	3	Vertical	209	2.43	-				
PK	2.435G	108.56	Inf	-Inf	32.16	3	Vertical	209	2.43	-				
PK	2.485G	59.64	74.00	-14.36	32.10	3	Vertical	209	2.43	-				

802.11n HT20_Nss2,(MCS8)_2TX

2437MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.3886G	48.30	54.00	-5.70	32.23	3	Horizontal	172	1.19	-
AV	2.4362G	99.40	Inf	-Inf	32.16	3	Horizontal	172	1.19	-
AV	2.4846G	48.65	54.00	-5.35	32.10	3	Horizontal	172	1.19	-
PK	2.3398G	59.27	74.00	-14.73	32.36	3	Horizontal	172	1.19	-
PK	2.4358G	108.93	Inf	-Inf	32.16	3	Horizontal	172	1.19	-
PK	2.493G	59.84	74.00	-14.16	32.08	3	Horizontal	172	1.19	-

802.11n HT20_Nss2,(MCS8)_2TX

2437MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.86536G	33.97	54.00	-20.03	8.25	3	Vertical	191	1.89	-
PK	4.86974G	45.31	74.00	-28.69	8.25	3	Vertical	191	1.89	-

802.11n HT20_Nss2,(MCS8)_2TX

2437MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.86872G	33.72	54.00	-20.28	8.25	3	Horizontal	125	2.44	-
PK	4.8851G	45.44	74.00	-28.56	8.28	3	Horizontal	125	2.44	-

802.11n HT20_Nss2,(MCS8)_2TX

2457MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.4588G	97.43	Inf	-Inf	32.13	3	Vertical	208	2.24	-				
AV	2.4835G	50.14	54.00	-3.86	32.10	3	Vertical	208	2.24	-				
PK	2.4564G	107.51	Inf	-Inf	32.14	3	Vertical	208	2.24	-				
PK	2.4838G	67.95	74.00	-6.05	32.10	3	Vertical	208	2.24	-				

802.11n HT20_Nss2,(MCS8)_2TX

2457MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.456G	98.64	Inf	-Inf	32.13	3	Horizontal	188	1.58	-				
AV	2.4835G	50.59	54.00	-3.41	32.10	3	Horizontal	188	1.58	-				
PK	2.4558G	108.41	Inf	-Inf	32.13	3	Horizontal	188	1.58	-				
PK	2.4842G	65.98	74.00	-8.02	32.10	3	Horizontal	188	1.58	-				

802.11n HT20_Nss2,(MCS8)_2TX

2462MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.4608G	95.30	Inf	-Inf	32.13	3	Vertical	206	2.14	-				
AV	2.4835G	50.80	54.00	-3.20	32.10	3	Vertical	206	2.14	-				
PK	2.4608G	104.77	Inf	-Inf	32.13	3	Vertical	206	2.14	-				
PK	2.4835G	65.91	74.00	-8.09	32.10	3	Vertical	206	2.14	-				

802.11n HT20_Nss2,(MCS8)_2TX

2462MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.4612G	95.70	Inf	-Inf	32.13	3	Horizontal	188	1.50	-
AV	2.4835G	50.80	54.00	-3.20	32.10	3	Horizontal	188	1.50	-
PK	2.4644G	105.88	Inf	-Inf	32.12	3	Horizontal	188	1.50	-
PK	2.4838G	65.36	74.00	-8.64	32.10	3	Horizontal	188	1.50	-

802.11n HT20_Nss2,(MCS8)_2TX

09/06/2019

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.91926G	33.97	54.00	-20.03	8.37	3	Vertical	89	1.49	-
PK	4.93714G	46.13	74.00	-27.87	8.44	3	Vertical	89	1.49	-

802.11n HT20_Nss2,(MCS8)_2TX

2462MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.93564G	34.13	54.00	-19.87	8.43	3	Horizontal	199	1.87	-
PK	4.9357G	45.50	74.00	-28.50	8.43	3	Horizontal	199	1.87	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)

2422MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.39G	49.54	54.00	-4.46	32.23	3	Vertical	289	2.21	-				
AV	2.42G	88.49	Inf	-Inf	32.18	3	Vertical	289	2.21	-				
AV	2.4848G	48.38	54.00	-5.62	32.10	3	Vertical	289	2.21	-				
PK	2.3868G	64.65	74.00	-9.35	32.23	3	Vertical	289	2.21	-				
PK	2.4184G	97.07	Inf	-Inf	32.17	3	Vertical	289	2.21	-				
PK	2.4992G	59.55	74.00	-14.45	32.08	3	Vertical	289	2.21	-				

802.11n HT40_Nss1,(MCS0)_1TX(Port1)

2422MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.3896G	50.61	54.00	-3.39	32.23	3	Horizontal	160	2.27	-
AV	2.424G	90.42	Inf	-Inf	32.17	3	Horizontal	160	2.27	-
AV	2.4848G	48.38	54.00	-5.62	32.10	3	Horizontal	160	2.27	-
PK	2.3896G	66.61	74.00	-7.39	32.23	3	Horizontal	160	2.27	-
PK	2.4252G	99.37	Inf	-Inf	32.17	3	Horizontal	160	2.27	-
PK	2.4976G	59.55	74.00	-14.45	32.08	3	Horizontal	160	2.27	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)

2422MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.82978G	33.68	54.00	-20.32	8.17	3	Vertical	91	2.23	-
PK	4.83344G	45.66	74.00	-28.34	8.17	3	Vertical	91	2.23	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)

2422MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.84712G	33.71	54.00	-20.29	8.20	3	Horizontal	128	1.90	-
PK	4.83242G	45.39	74.00	-28.61	8.17	3	Horizontal	128	1.90	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)

2427MHz_TX

09/06/2019




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)					
AV	2.3898G	49.54	54.00	-4.46	32.23	3	Vertical	283	2.14	-				
AV	2.4258G	88.89	Inf	-Inf	32.17	3	Vertical	283	2.14	-				
AV	2.485G	48.38	54.00	-5.62	32.10	3	Vertical	283	2.14	-				
PK	2.3878G	66.66	74.00	-7.34	32.23	3	Vertical	283	2.14	-				
PK	2.429G	97.77	Inf	-Inf	32.16	3	Vertical	283	2.14	-				
PK	2.4835G	59.63	74.00	-14.37	32.10	3	Vertical	283	2.14	-				

802.11n HT40_Nss1,(MCS0)_1TX(Port1)

2427MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3898G	50.81	54.00	-3.19	32.23	3	Horizontal	156	2.28	-				
AV	2.4258G	90.92	Inf	-Inf	32.17	3	Horizontal	156	2.28	-				
AV	2.4994G	48.64	54.00	-5.36	32.08	3	Horizontal	156	2.28	-				
PK	2.3898G	65.92	74.00	-8.08	32.23	3	Horizontal	156	2.28	-				
PK	2.4222G	99.56	Inf	-Inf	32.18	3	Horizontal	156	2.28	-				
PK	2.485G	59.64	74.00	-14.36	32.10	3	Horizontal	156	2.28	-				

802.11n HT40_Nss1,(MCS0)_1TX(Port1)

2437MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3898G	49.76	54.00	-4.24	32.23	3	Vertical	282	2.40	-				
AV	2.439G	92.10	Inf	-Inf	32.15	3	Vertical	282	2.40	-				
AV	2.4835G	49.43	54.00	-4.57	32.10	3	Vertical	282	2.40	-				
PK	2.3894G	63.88	74.00	-10.12	32.23	3	Vertical	282	2.40	-				
PK	2.435G	100.58	Inf	-Inf	32.16	3	Vertical	282	2.40	-				
PK	2.4838G	61.41	74.00	-12.59	32.10	3	Vertical	282	2.40	-				

802.11n HT40_Nss1,(MCS0)_1TX(Port1)

2437MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3898G	50.61	54.00	-3.39	32.23	3	Horizontal	159	2.29	-				
AV	2.4342G	93.35	Inf	-Inf	32.16	3	Horizontal	159	2.29	-				
AV	2.4835G	49.91	54.00	-4.09	32.10	3	Horizontal	159	2.29	-				
PK	2.3894G	66.14	74.00	-7.86	32.23	3	Horizontal	159	2.29	-				
PK	2.431G	102.20	Inf	-Inf	32.16	3	Horizontal	159	2.29	-				
PK	2.4838G	65.76	74.00	-8.24	32.10	3	Horizontal	159	2.29	-				

802.11n HT40_Nss1,(MCS0)_1TX(Port1)

2437MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.88312G	33.67	54.00	-20.33	8.27	3	Vertical	274	2.28	-
PK	4.8758G	45.08	74.00	-28.92	8.26	3	Vertical	274	2.28	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)

2437MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.88024G	33.66	54.00	-20.34	8.27	3	Horizontal	238	1.91	-
PK	4.8797G	45.37	74.00	-28.63	8.27	3	Horizontal	238	1.91	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)

2447MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.3494G	47.90	54.00	-6.10	32.33	3	Vertical	289	2.40	-
AV	2.4446G	90.30	Inf	-Inf	32.15	3	Vertical	289	2.40	-
AV	2.4835G	50.80	54.00	-3.20	32.10	3	Vertical	289	2.40	-
PK	2.3566G	59.15	74.00	-14.85	32.31	3	Vertical	289	2.40	-
PK	2.449G	99.12	Inf	-Inf	32.14	3	Vertical	289	2.40	-
PK	2.4835G	67.81	74.00	-6.19	32.10	3	Vertical	289	2.40	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)

2447MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.347G	47.93	54.00	-6.07	32.34	3	Horizontal	171	2.07	-				
AV	2.4446G	90.15	Inf	-Inf	32.15	3	Horizontal	171	2.07	-				
AV	2.4838G	50.80	54.00	-3.20	32.10	3	Horizontal	171	2.07	-				
PK	2.3786G	59.84	74.00	-14.16	32.26	3	Horizontal	171	2.07	-				
PK	2.4414G	98.99	Inf	-Inf	32.15	3	Horizontal	171	2.07	-				
PK	2.4835G	66.36	74.00	-7.64	32.10	3	Horizontal	171	2.07	-				

802.11n HT40_Nss1,(MCS0)_1TX(Port1)

2452MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.3576G	47.81	54.00	-6.19	32.31	3	Vertical	283	2.44	-
AV	2.4504G	89.23	Inf	-Inf	32.14	3	Vertical	283	2.44	-
AV	2.4835G	50.37	54.00	-3.63	32.10	3	Vertical	283	2.44	-
PK	2.3596G	58.82	74.00	-15.18	32.30	3	Vertical	283	2.44	-
PK	2.4564G	97.66	Inf	-Inf	32.14	3	Vertical	283	2.44	-
PK	2.4908G	65.31	74.00	-8.69	32.09	3	Vertical	283	2.44	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)

2452MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.352G	47.87	54.00	-6.13	32.32	3	Horizontal	156	2.56	-
AV	2.454G	90.61	Inf	-Inf	32.13	3	Horizontal	156	2.56	-
AV	2.484G	50.59	54.00	-3.41	32.10	3	Horizontal	156	2.56	-
PK	2.3848G	59.13	74.00	-14.87	32.24	3	Horizontal	156	2.56	-
PK	2.4536G	99.60	Inf	-Inf	32.13	3	Horizontal	156	2.56	-
PK	2.4848G	67.64	74.00	-6.36	32.10	3	Horizontal	156	2.56	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)

2452MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.91882G	33.70	54.00	-20.30	8.37	3	Vertical	145	1.02	-
PK	4.91624G	45.74	74.00	-28.26	8.36	3	Vertical	145	1.02	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)

2452MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.91282G	33.73	54.00	-20.27	8.35	3	Horizontal	60	1.60	-
PK	4.91582G	45.86	74.00	-28.14	8.36	3	Horizontal	60	1.60	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)

2422MHz_TX


09/06/2019



802.11n HT40_Nss1,(MCS0)_1TX(Port2)

2422MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.3892G	50.99	54.00	-3.01	32.22	3	Horizontal	191	1.85	-
AV	2.4236G	90.39	Inf	-Inf	32.17	3	Horizontal	191	1.85	-
AV	2.4848G	48.38	54.00	-5.62	32.10	3	Horizontal	191	1.85	-
PK	2.3884G	66.32	74.00	-7.68	32.23	3	Horizontal	191	1.85	-
PK	2.4252G	99.28	Inf	-Inf	32.17	3	Horizontal	191	1.85	-
PK	2.4948G	59.18	74.00	-14.82	32.09	3	Horizontal	191	1.85	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)

2422MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.84988G	33.57	54.00	-20.43	8.20	3	Vertical	129	2.42	-
PK	4.83434G	45.13	74.00	-28.87	8.17	3	Vertical	129	2.42	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)

2422MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.84766G	33.58	54.00	-20.42	8.20	3	Horizontal	58	1.75	-
PK	4.8356G	45.06	74.00	-28.94	8.18	3	Horizontal	58	1.75	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)

2427MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3894G	49.98	54.00	-4.02	32.23	3	Vertical	194	2.46	-				
AV	2.4302G	89.07	Inf	-Inf	32.16	3	Vertical	194	2.46	-				
AV	2.4858G	48.38	54.00	-5.62	32.10	3	Vertical	194	2.46	-				
PK	2.3866G	63.28	74.00	-10.72	32.23	3	Vertical	194	2.46	-				
PK	2.4306G	97.76	Inf	-Inf	32.16	3	Vertical	194	2.46	-				
PK	2.4838G	59.71	74.00	-14.29	32.10	3	Vertical	194	2.46	-				

802.11n HT40_Nss1,(MCS0)_1TX(Port2)

2427MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.389G	50.79	54.00	-3.21	32.22	3	Horizontal	190	1.87	-
AV	2.4254G	91.56	Inf	-Inf	32.17	3	Horizontal	190	1.87	-
AV	2.4966G	48.65	54.00	-5.35	32.09	3	Horizontal	190	1.87	-
PK	2.3886G	65.57	74.00	-8.43	32.23	3	Horizontal	190	1.87	-
PK	2.4234G	101.05	Inf	-Inf	32.17	3	Horizontal	190	1.87	-
PK	2.4894G	59.70	74.00	-14.30	32.09	3	Horizontal	190	1.87	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)

2437MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3898G	49.31	54.00	-4.69	32.23	3	Vertical	192	2.46	-				
AV	2.4358G	91.16	Inf	-Inf	32.16	3	Vertical	192	2.46	-				
AV	2.4842G	49.43	54.00	-4.57	32.10	3	Vertical	192	2.46	-				
PK	2.3886G	61.48	74.00	-12.52	32.23	3	Vertical	192	2.46	-				
PK	2.435G	100.12	Inf	-Inf	32.16	3	Vertical	192	2.46	-				
PK	2.4835G	61.35	74.00	-12.65	32.10	3	Vertical	192	2.46	-				

802.11n HT40_Nss1,(MCS0)_1TX(Port2)

2437MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3898G	49.07	54.00	-4.93	32.23	3	Horizontal	191	1.01	-				
AV	2.4402G	93.39	Inf	-Inf	32.15	3	Horizontal	191	1.01	-				
AV	2.4835G	50.59	54.00	-3.41	32.10	3	Horizontal	191	1.01	-				
PK	2.387G	63.38	74.00	-10.62	32.23	3	Horizontal	191	1.01	-				
PK	2.435G	101.77	Inf	-Inf	32.16	3	Horizontal	191	1.01	-				
PK	2.4835G	64.19	74.00	-9.81	32.10	3	Horizontal	191	1.01	-				

802.11n HT40_Nss1,(MCS0)_1TX(Port2)

2437MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.86686G	33.59	54.00	-20.41	8.25	3	Vertical	306	1.35	-
PK	4.87934G	45.37	74.00	-28.63	8.27	3	Vertical	306	1.35	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)

2437MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.86362G	33.81	54.00	-20.19	8.23	3	Horizontal	18	1.45	-
PK	4.88366G	45.64	74.00	-28.36	8.27	3	Horizontal	18	1.45	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)

2447MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.3702G	48.04	54.00	-5.96	32.28	3	Vertical	206	1.96	-
AV	2.449G	89.29	Inf	-Inf	32.14	3	Vertical	206	1.96	-
AV	2.4842G	50.37	54.00	-3.63	32.10	3	Vertical	206	1.96	-
PK	2.3554G	59.93	74.00	-14.07	32.32	3	Vertical	206	1.96	-
PK	2.446G	97.69	Inf	-Inf	32.15	3	Vertical	206	1.96	-
PK	2.4835G	64.77	74.00	-9.23	32.10	3	Vertical	206	1.96	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)

2447MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment				
AV	2.3478G	47.92	54.00	-6.08	32.34	3	Horizontal	194	1.01	-				
AV	2.4442G	90.28	Inf	-Inf	32.15	3	Horizontal	194	1.01	-				
AV	2.4835G	50.80	54.00	-3.20	32.10	3	Horizontal	194	1.01	-				
PK	2.3478G	59.40	74.00	-14.60	32.34	3	Horizontal	194	1.01	-				
PK	2.4434G	99.08	Inf	-Inf	32.14	3	Horizontal	194	1.01	-				
PK	2.4835G	66.01	74.00	-7.99	32.10	3	Horizontal	194	1.01	-				

802.11n HT40_Nss1,(MCS0)_1TX(Port2)

2452MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.3528G	47.86	54.00	-6.14	32.32	3	Vertical	206	1.96	-
AV	2.45G	89.09	Inf	-Inf	32.14	3	Vertical	206	1.96	-
AV	2.4844G	50.14	54.00	-3.86	32.10	3	Vertical	206	1.96	-
PK	2.3568G	59.15	74.00	-14.85	32.31	3	Vertical	206	1.96	-
PK	2.4484G	97.69	Inf	-Inf	32.14	3	Vertical	206	1.96	-
PK	2.486G	63.18	74.00	-10.82	32.10	3	Vertical	206	1.96	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)

2452MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	2.38G	48.01	54.00	-5.99	32.25	3	Horizontal	191	1.57	-
AV	2.4536G	89.98	Inf	-Inf	32.13	3	Horizontal	191	1.57	-
AV	2.4835G	50.80	54.00	-3.20	32.10	3	Horizontal	191	1.57	-
PK	2.3584G	58.84	74.00	-15.16	32.31	3	Horizontal	191	1.57	-
PK	2.4556G	98.70	Inf	-Inf	32.13	3	Horizontal	191	1.57	-
PK	2.4864G	65.13	74.00	-8.87	32.10	3	Horizontal	191	1.57	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)

2452MHz_TX

09/06/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	15.43534G	47.40	54.00	-6.60	21.01	3	Vertical	278	1.15	-
PK	15.45898G	59.26	74.00	-14.74	20.92	3	Vertical	278	1.15	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)

2452MHz_TX

09/06/2019



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	4.91684G	33.79	54.00	-20.21	8.36	3	Horizontal	254	1.67	-
PK	4.9172G	46.13	74.00	-27.87	8.36	3	Horizontal	254	1.67	-