


APPENDIX 1: Photographs of EUT and SAR test setup

Appendix 1-1: Photograph of Platform: Digital camera (DS126701) and antenna position



Appendix 1-2: EUT and support equipment





Description of EUT and Support Equipment

No.	Item	Model number	Serial number	Manufacturer	Remark
A	Wireless Module	ES200	2	Canon	EUT.
B	Digital Camera	DS126701	269	Canon	ES200's Platform (9).
C1	Battery Pack	LP-E10	BT-1	Canon	Accessory of digital camera, Battery ID: #1.
C2	(DC 7.4 V, 860 mAh, 6.36 Wh (Li-ion))		BT-2		Accessory of digital camera, Battery ID: #2.
D	Battery Charger	LC-E10E	CG-1	Canon	Support equipment. With AC cable: 0.9m, Unshielded.

<Platform type of EUT and SAR accessory>

Platform No.	Platform type	Model	SAR accessory	Battery option
(ES200's) Platform (1)	Digital camera	DS126621	none	Model: LP-E10, DC 7.4 V, 860 mAh, 6.36 Wh (Li-ion)
(ES200's) Platform (2)	Digital camera	DS126591	none	Model: LP-E6, DC 7.2 V, 1800 mAh, 13 Wh (Li-ion)
(ES200's) Platform (3)	Digital camera	DS126601	none	Model: LP-E6, DC 7.2 V, 1800 mAh, 13 Wh (Li-ion)
(ES200's) Platform (4)	Digital camera	DS126651	none	Model: LP-E17, DC 7.2 V, 1040 mAh, 7.5 Wh (Li-ion)
(ES200's) Platform (5)	Digital camera	DS126661	none	Model: LP-E17, DC 7.2 V, 1040 mAh, 7.5 Wh (Li-ion)
(ES200's) Platform (6)	Digital camera	DS126671	none	Model: LP-E17, DC 7.2 V, 1040 mAh, 7.5 Wh (Li-ion)
(ES200's) Platform (7)	Digital camera	PC2329	none	Model: NB-13L, DC 3.6 V, 1250 mAh, 4.5 Wh (Li-ion)
(ES200's) Platform (8)	Digital camera	PC2276	none	Model: LP-E12, DC 7.2 V, 875 mAh, 6.3 Wh (Li-ion)
(ES200's) Platform (9)	Digital camera	DS126701	none	Model: LP-E10, DC 7.4 V, 860 mAh, 6.36 Wh (Li-ion)

Appendix 1-3: Photograph of test setup

Position	Setup photographs		
Left (Touch)			
			
			
Rear (LCD side) (Touch)			
Bottom (Touch)			
Left-front -tilt (Touch)			
Front (Touch)			

UL Japan, Inc.

Shonan EMC Lab.

1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN
Telephone: +81 463 50 6400 / Facsimile: +81 463 50 6401