

BTH-101 Bluetooth Headset

Introduction	2
What is inside this package	2
Features overview	4
Preparing your BTH-101	6
Charging the batteries and talk time	6
Turning your headset ON and OFF	7
Turning your multi-adapter ON and OFF	8
Using the stylus switch	8
Pairing the headset and multi-adapter	9
Connecting the multi-adapter to your phone	9
Using the audio socket adapter	10
Attaching the multi-adapter clip	10
Using your BTH-101 headset	11
About the Ear Cap	11
Choosing left or right ear wearing style	11
Placing the headset on your ear	11
Making a call	12
Ending a call	13
Answering a call	13
Transferring a call	14
Call-waiting	15
Other useful things to know	15
Controlling headset volume	15
Optimizing audio quality	15
Understanding the indicators	17
Frequently asked questions	19
Troubleshooting	21
BTH-101 specifications	23
Safety, electromagnetic interference, and general information	25
FCC notice to users and product statements	25
European CE notice to users and product statements	26
Industry Canada notice to users and product statements	26

Introducing your BTH-101 Bluetooth headset

Thank you for purchasing the BTH-101 Bluetooth headset. Your BTH-101 enables convenient cord-free communication with mobile phones and Bluetooth devices that are compliant with Bluetooth version 1.1 or higher (and support the headset profile).

To learn how to use BTH-101, please take a few minutes to read the manual thoroughly and retain it for future reference. For further information, please see www.gtek.com.tw. For your safety, please ensure that you are fully accustomed with BTH-101 before using it while driving.

Thank you again for choosing our product. We trust that BTH-101 will become a valuable part of your mobile communications. Please remember to contact us with your feedback at www.gtek.com.tw.

What is inside this package?

Your BTH-101 Bluetooth headset package includes :

- | |
|---|
| ● One headset |
| ● One AC Adapter used for charging the batteries in the headset |

Part	Name	Description	Page
1.	Indication Light (LCD)	Shows status of the headset ●ACTIVE (call in progress) ●STANDBY (ready for call) ●OFF	17
2.	Multi-Function or Answer / End Button	Controls various functions of the headset including 7-9 turning headset on and off, as well as pairing the headset. To make the button easy to locate, it is slightly raised.	12-14
3.	Volume Control Buttons	●Adjusts the loudness of the sound (8 level) that you hear.	15
4.	Mini Bud	One-size-fits-all ear bud for either ear.	11

5.	Charging jack	Contacts for charging the headset battery.	N/A
6.	Magic Switch	Choose which line to use or make a pairing.	8

Preparing your BTH-101

Charging the batteries and talk time

Before using it for the first time you will need to plug in an adaptor jack and charge it fully. (The headset can be either ON or OFF).

While charging :

1. The indication light (red) on the headset is lit and remains lit until the headset is fully charged. The indication light goes off while charging is completed.
2. It takes approximately 2 hours for a full charging then the indication light goes off

A full charging provides up to 4 hours of talk time or up to 100 hours of standby time. BTH-101's batteries do not need to be completely used before charging.

Low Battery Warning : The headset needs to be recharged when indication light flashes red. Once the low battery warning starts, you have approximately 3 to 5 minutes of remaining talk time.

Turning your headset ON and OFF

To turn your BTH-100 on :

1. Ensure that the AC Adapter is not plugged in.
2. Press the "Talk" button firmly,
3. The indication light will flash every 3 seconds while the headset is turned on. The headset is now in 'standby' mode and ready for use.

To turn your BTH-101 off :

1. Press and hold the "Talk" button firmly for at least 3 seconds until the indication light emits a very short burst of flashes.
2. Without delay, release the button.

The headset is now turned off and no indication light activity in this mode. You will need to wait for 5 seconds before turning it on again. As long as you are recharging your headset regularly, you do not need to turn your headset off after using it – you only need to 'end the call' (see *Ending a call*)

Pairing the headset and multi-adaptor

'Pairing' creates a wireless link between two Bluetooth devices such as headset and mobile phone.

1. Ensure that the AC power adapter is not plugged in.
2. Ensure that the headset is off.
3. Put the Magic switch to the assigned line.
4. Press and hold the "Talk" button about 3 seconds. When the indication light flashes red and green each time after another, it is mean that you are in pairing mode. Then you can release the button.
5. The indication light will resume to the standby mode (flashing green every 3 seconds) after a short

while.

Now that the devices are paired, you will not need to repeat the pairing process in future use as long as you are using the same headset.

Making a call

While you are wearing BTH-101, there are different ways to make a call.

Calling from the phone keypads

1. Ensure that your headset is in standby mode and slide the Magic switch to the right line.
2. Briefly press on the button to “activate” the headset. Now the indication light is lit still.
3. Use the phone keypads to dial the numbers.
4. Press the ‘Send’ key on the phone.

* If your call is not answered, you must end the call as described in *Ending a call*.

Calling from the headset with voice commands

If your mobile phone supports voice dialing, you can use this feature with the headset.

1. Ensure that your headset is in standby mode and slide the Magic switch to the right line.
2. Ensure that the voice dialing on your mobile phone is enabled.
3. Briefly press on the button to “activate” the headset. Now the indication light is lit still and you can also hear a faint background noise as well.
4. Speak out the voice tag.
5. The phone will automatically dial your voice tag.
6. When connected you are free to talk normally.

* If your call is not answered, you must end the call as described in *Ending a call*.

Remark : We recommend that you record all the voice tags through BTH-101 to “train” your phone for the voice recognition with BTH-101.

Ending a call

To end a call :

1. Use the key(s) as specified by your phone manufacturer.
2. Or you can press the “talk” button on the headset. The indication light on the headset should now resume to the standby mode.

Important : It is strongly suggested that you must always remember to end calls as above described, otherwise, your batteries will run out quickly since BTH-101 will remain in active mode meaning the headset is in use (see *Understanding the BTH-101 indication lights*).

Answering a call

Either by pressing the phone keypad or talk button on the headset can answer an incoming call. While talking the indication light will flashes every second showing that the headset is in use.

From Headset (recommended method)

Briefly press the talk button then talk.

From Keypad

Answer the call by pressing your phone keypad. The according keypad vary by different answering mode and phone model. After your call, end it as described in *Ending a call*.

Call-waiting

Some phones allow you to accept another incoming call while you are using BTH-101. This feature varies by mobile service provider and phone model. If you normally hear a beep, you will still hear this beep with your headset. If your phone service supports call-waiting, you can switch between calls by using the standard method specified by your phone manufacturer.

Other useful information

Controlling headset volume

BTH-101 offers adjustable volume control of its speaker to eight pre-set levels. The curvy Up and Down button identifies the direction to increase or decrease the volume. As you press the unit's volume control, you should hear the volume change. [At the loudest and softest level, you will hear a single beep, indicating maximum and minimum volume](#). In addition, most phones enable you to set the volume using the phone's volume controls.

Tip : For the best audio quality, put your phone's volume to maximum and adjust the loudness with the Volume on your BTH-101 headset.

Understanding the BTH-101 indication lights

Bth-101 provides indications of charging, pairing, and calling status as described in the following table.

Headset Status	Headset Indication Light
Power Off	OFF
Low Battery	Red LED flashes every 3 seconds
Standby (ready for call)	Green LED Flashes every 3 seconds
Active (call in Progress)	Stable Green LED on
Charging In Process	Red LED on
Charging Complete	OFF
Pairing Mode	Green and Red LED switch flash
Pairing Successful	Green LED Flashes every 3 seconds

FAQs

How far from my phone and BTH-101 headset works?

Your BTH-101 headset range is typically up to 30 feet (approximately 10 meters) from your mobile phone. In general, you will get the best performance when there are no obstructions (including parts of your body) between your headset and the phone. As the limits of the range are reached, you will hear a crackling noise along with your conversation.

Will anything interfere with my conversation when I use BTH-101 headset?

Appliances such as cordless phones and wireless networking equipment may cause interference with your conversation, usually adding a crackling noise. In rare cases, interference may prevent the

headset from communication altogether. To reduce any interference, keep BTH-101 away from other devices that use or produce radio waves.

Will my BTH-100 headset interfere with my car's electronics, radio or computer?

Your BTH-101 headset produces significantly less power than a typical mobile phone. It also emits signals only in compliance with the international Bluetooth standard (www.bluetooth.com).

Subsequently, you should not expect any interference with standard consumer-grade electronics equipment.

Can my conversation be heard by other Bluetooth phone users?

Yes. If the mobile support headset profile

What about radio frequency power?

The BTH-101 headset produces 1%, or less, of a typical mobile phone's radio frequency power.

Is it okay to wear my BTH-100 in the rain or shower?

Your BTH-101 is NOT a waterproof device. Do not wear it in the rain or shower. Expose to water may damage the product.

The best place to start is at the *Troubleshooting* section of this manual. If none of the suggestion works,

Nothing is working – what should I do? then please visit our web site at www.gtek.com.tw for the latest customer support information or contact us through the methods listed.

Will BTH-101 work with laptops, PCs, and PDAs?

The **BTH-101** headset can be paired with all devices that are compliant with Bluetooth version 1.1 and many cellular phone manufacturers and some personal digital assistant (PDA) manufacturers will support 'headset' profile implementation of Bluetooth.

Can the batteries be recycled?

Yes, Lithium Polymer batteries can be recycled. Recycling regulations vary depending on where you live so please dispose of the headset and multi-adapter accordingly.

How do I take care of BTH-101?

The headset is virtually maintenance-free.

1. To clean the headset, use a clean, soft cloth that is slightly damp.
2. Do not expose the headset to extreme temperatures such as storing it on a vehicle dashboard.

Troubleshooting

Learning how to use a Bluetooth headset takes more time than a regular headset, but it offers considerable benefits once you've mastered it. Here are some common symptoms and solutions that will help to get you going quickly.

Symptom	Solution
My batteries discharged very quickly	●After making a call, you might have left t headset in active mode, instead of returning them to standby (see Ending a call).

I hear an echo of myself talking	●See Optimizing audio quality.
Indicator light on headset does not turn on when charging	●Ensure that the AC power adapter is plugged firmly into an electrical wall outlet. ●Ensure that the cable coming from the AC power adapter is firmly plugged all the way into the multi-adapter.
Cracking noise	●There is an interfering signal nearby. ●You have exceeded the 30 ft. wireless range.

BTH-101 specifications

Bluetooth Compliance	With Bluetooth version 1.1 devices that support the headset profile
Bluetooth Power	2.5 milli Watts (0.0025 Watts)
Maximum Cord-free Link Distance	30 feet (approx 10 meters)
Headset Weight	20g
Typical Talk Time	4 hours
Typical Standby Time	100 hours
Typical Charging Time	3 hours
Battery Type	Rechargeable lithium polymer (recycle accordingly- not field serviceable)
Other Comments	Not waterproof

Safety, electromagnetic interference, and general information

- **Warning** : Contains small parts which may be hazardous to children under the age of 3.
- If any part of this product should fall into a liquid, or should liquid fall into it, unplug all electrical connections.
- Nearly every electronic device is susceptible to electromagnetic interference (EMI) if inadequately shield, designed, or otherwise configured for electromagnetic compatibility. Switch OFF BTH-101 before boarding any aircraft to prevent the risk of interference with aircraft communication systems, Switch OFF the headset in any healthcare facility where posted notices instruct you to do so. Hospitals and healthcare facilities may be using equipment that is sensitive to EMI. Patients with implanted cardiac pacemakers should consult their physicians before using BTH-101.

FCC notice to users and product statements

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions :

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Users are not permitted to make changes or modify the device in any way. Changes or modifications not expressly approved will void the user's authority to operate the equipment.

The equipment has been tested and found to comply with limits for a class B digital device, pursuant to parts 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures :

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio / TV technician for help.

FCC RF Radiation Exposure Statement:

This Transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

European CE notice to users and product statements

This product is CE marked according to the provision of the R & TTE Directive (99/5/EC). Hereby, G-Tek Corp., declares that this product is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC. For further information please consult <http://www.gtek.com.tw>. Please note that this product uses radio frequency bands not harmonized within EU. Within the EU this product is intended to be used in Austria, Belgium, Denmark, Finland, France, Germany, Greece, Ireland, Italy, Luxembourg, The Netherlands, Portugal, Spain, Sweden, United Kingdom and within EFTA in Iceland, Norway and Switzerland.

Industry Canada notice to users and product statements

Operation is subject to the following two conditions : (1) This device may not cause interference and (2) This device must accept any interference, including interference that may cause undesired operation of the device. To prevent radio interference to the licensed service, this device is intended to be operated indoors and away from windows to provide maximum shielding. Equipment (or its transmit antenna) that is installed outdoors is subject to licensing.

The term "IC : " before the certification/Registration number only signifies that Registration was performed based on a Declaration of Conformity indicating that Industry Canada technical specifications were met. It does not imply that industry Canada approved the equipment.