


A.5 Spurious Emission at Antenna Terminals

WCDMA_Band2


1.1.WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.34	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.04	-13	Pass	2985
30	1000	0.1	Peak	963.852	-53.67	-13	Pass	9699
1000	3000	1	Peak	1851.426	23.91	-13	NA	2000
3000	20000	1	Peak	19809.691	-24.03	-13	Pass	17000




1.2.WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-63.91	-13	Pass	401
0.15	30	0.01	Peak	0.22	-63.43	-13	Pass	2985
30	1000	0.1	Peak	732.586	-53.56	-13	Pass	9699
1000	3000	1	Peak	1878.439	23.17	-13	NA	2000
3000	20000	1	Peak	19806.686	-23.99	-13	Pass	17000



1.3.WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.62	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.41	-13	Pass	2985
30	1000	0.1	Peak	884.847	-53.94	-13	Pass	9699
1000	3000	1	Peak	1906.453	22.88	-13	NA	2000
3000	20000	1	Peak	19798.673	-24.25	-13	Pass	17000



WCDMA_Band4


1.4.WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.57	-13	Pass	2985
30	1000	0.1	RMS	890.555	-65.79	-13	Pass	9699
1000	3000	1	RMS	1752.376	16.78	-13	NA	2000
3000	20000	1	RMS	19799.675	-35.99	-13	Pass	17000




1.5.WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.78	-13	Pass	2985
30	1000	0.1	RMS	894.961	-65.76	-13	Pass	9699
1000	3000	1	RMS	1731.366	17.61	-13	NA	2000
3000	20000	1	RMS	19798.673	-36.09	-13	Pass	17000



1.6.WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.75	-13	Pass	2985
30	1000	0.1	RMS	879.24	-65.71	-13	Pass	9699
1000	3000	1	RMS	1752.376	16.75	-13	NA	2000
3000	20000	1	RMS	19800.676	-35.94	-13	Pass	17000



WCDMA_Band5


1.7.WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.5	-13	Pass	401
0.15	30	0.01	Peak	0.25	-63.58	-13	Pass	2985
30	500	0.1	Peak	489.698	-54.55	-13	Pass	4700
500	1000	0.1	Peak	825.565	19.3	-13	NA	5000
1000	10000	1	Peak	8873.961	-32.85	-13	Pass	9000




1.8.WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.74	-13	Pass	401
0.15	30	0.01	Peak	0.2	-62.92	-13	Pass	2985
30	500	0.1	Peak	442.588	-53.84	-13	Pass	4700
500	1000	0.1	Peak	837.067	18.05	-13	NA	5000
1000	10000	1	Peak	8771.949	-32.19	-13	Pass	9000



1.9.WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.18	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.69	-13	Pass	2985
30	500	0.1	Peak	466.393	-54.17	-13	Pass	4700
500	1000	0.1	Peak	847.169	19.02	-13	NA	5000
1000	10000	1	Peak	8836.957	-32.97	-13	Pass	9000



LTE_Band2


1.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.43	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.39	-13	Pass	2985
30	1000	0.1	Peak	985.28	-54.67	-13	Pass	9699
1000	1840	1	Peak	1659.785	-42.23	-13	Pass	840
1840	1920	1	Peak	1850.2	27.2	60	Pass	401
1920	3000	1	Peak	2974.977	-38.91	-13	Pass	1080
3000	12000	1	Peak	11903.881	-32.46	-13	Pass	9000
12000	20000	1	Peak	19806.976	-25.3	-13	Pass	8000




**1.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.22	-13	Pass	401
0.15	30	0.01	Peak	0.64	-65.23	-13	Pass	2985
30	1000	0.1	Peak	763.089	-53.82	-13	Pass	9699
1000	1840	1	Peak	1778.927	-42.28	-13	Pass	840
1840	1920	1	Peak	1850.4	27.05	60	Pass	401
1920	3000	1	Peak	2953.957	-38.73	-13	Pass	1080
3000	12000	1	Peak	10283.889	-32.82	-13	Pass	9000
12000	20000	1	Peak	19802.975	-25.16	-13	Pass	8000




**1.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.2	-13	Pass	401
0.15	30	0.01	Peak	0.25	-65.5	-13	Pass	2985
30	1000	0.1	Peak	881.743	-54.33	-13	Pass	9699
1000	1840	1	Peak	1835.995	-42.58	-13	Pass	840
1840	1920	1	Peak	1879.4	26.86	60	Pass	401
1920	3000	1	Peak	2780.797	-38.78	-13	Pass	1080
3000	12000	1	Peak	11856.823	-33.45	-13	Pass	9000
12000	20000	1	Peak	19771.971	-25.16	-13	Pass	8000




**1.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.84	-13	Pass	401
0.15	30	0.01	Peak	0.21	-64.85	-13	Pass	2985
30	1000	0.1	Peak	829.798	-53.76	-13	Pass	9699
1000	1840	1	Peak	1636.758	-42.27	-13	Pass	840
1840	1920	1	Peak	1879.8	26.64	60	Pass	401
1920	3000	1	Peak	2952.956	-38.09	-13	Pass	1080
3000	12000	1	Peak	11586.488	-33.03	-13	Pass	9000
12000	20000	1	Peak	19786.973	-24.96	-13	Pass	8000




**1.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.43	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.34	-13	Pass	2985
30	1000	0.1	Peak	475.454	-54.04	-13	Pass	9699
1000	1840	1	Peak	1676.806	-42.03	-13	Pass	840
1840	1920	1	Peak	1909	26.46	60	Pass	401
1920	3000	1	Peak	2970.973	-38.92	-13	Pass	1080
3000	12000	1	Peak	11846.81	-33.52	-13	Pass	9000
12000	20000	1	Peak	19804.976	-25.42	-13	Pass	8000




**1.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.27	-13	Pass	401
0.15	30	0.01	Peak	0.22	-65.82	-13	Pass	2985
30	1000	0.1	Peak	904.373	-54.59	-13	Pass	9699
1000	1840	1	Peak	1630.751	-41.96	-13	Pass	840
1840	1920	1	Peak	1908.8	26.59	60	Pass	401
1920	3000	1	Peak	2949.954	-38.98	-13	Pass	1080
3000	12000	1	Peak	11855.822	-33.37	-13	Pass	9000
12000	20000	1	Peak	19760.97	-25.24	-13	Pass	8000




**1.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.33	-13	Pass	401
0.15	30	0.01	Peak	0.21	-66.94	-13	Pass	2985
30	1000	0.1	Peak	879.04	-53.62	-13	Pass	9699
1000	1840	1	Peak	1800.954	-42.06	-13	Pass	840
1840	1920	1	Peak	1850.2	27.02	60	Pass	401
1920	3000	1	Peak	2963.967	-38.82	-13	Pass	1080
3000	12000	1	Peak	11510.394	-32.36	-13	Pass	9000
12000	20000	1	Peak	19781.973	-24.78	-13	Pass	8000




**1.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.23	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.41	-13	Pass	2985
30	1000	0.1	Peak	877.938	-53.8	-13	Pass	9699
1000	1840	1	Peak	1608.725	-41.13	-13	Pass	840
1840	1920	1	Peak	1850.2	27.1	60	Pass	401
1920	3000	1	Peak	2894.903	-38.81	-13	Pass	1080
3000	12000	1	Peak	11799.752	-32.73	-13	Pass	9000
12000	20000	1	Peak	19884.986	-24.77	-13	Pass	8000




**1.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.5	-13	Pass	401
0.15	30	0.01	Peak	0.48	-65.63	-13	Pass	2985
30	1000	0.1	Peak	864.721	-54.36	-13	Pass	9699
1000	1840	1	Peak	1813.969	-42.08	-13	Pass	840
1840	1920	1	Peak	1878.8	27.13	60	Pass	401
1920	3000	1	Peak	2831.844	-38.43	-13	Pass	1080
3000	12000	1	Peak	11727.663	-32.93	-13	Pass	9000
12000	20000	1	Peak	19778.972	-25.04	-13	Pass	8000




**1.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.63	-13	Pass	401
0.15	30	0.01	Peak	0.22	-65.32	-13	Pass	2985
30	1000	0.1	Peak	981.576	-52.78	-13	Pass	9699
1000	1840	1	Peak	1729.869	-42.25	-13	Pass	840
1840	1920	1	Peak	1878.8	27.52	60	Pass	401
1920	3000	1	Peak	2928.934	-39.04	-13	Pass	1080
3000	12000	1	Peak	11762.706	-33.33	-13	Pass	9000
12000	20000	1	Peak	19801.975	-25.17	-13	Pass	8000




**1.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.02	-13	Pass	401
0.15	30	0.01	Peak	0.2	-65.53	-13	Pass	2985
30	1000	0.1	Peak	875.134	-53.9	-13	Pass	9699
1000	1840	1	Peak	1807.962	-41.52	-13	Pass	840
1840	1920	1	Peak	1907.4	27.02	60	Pass	401
1920	3000	1	Peak	2959.963	-36.79	-13	Pass	1080
3000	12000	1	Peak	11308.144	-32.99	-13	Pass	9000
12000	20000	1	Peak	19794.974	-25.26	-13	Pass	8000




**1.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.37	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.67	-13	Pass	2985
30	1000	0.1	Peak	601.07	-54.43	-13	Pass	9699
1000	1840	1	Peak	1815.971	-42.41	-13	Pass	840
1840	1920	1	Peak	1907.4	27.13	60	Pass	401
1920	3000	1	Peak	1921.001	-32.58	-13	Pass	1080
3000	12000	1	Peak	11855.822	-32.93	-13	Pass	9000
12000	20000	1	Peak	19874.984	-24.87	-13	Pass	8000




**1.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.89	-13	Pass	401
0.15	30	0.01	Peak	0.22	-65.65	-13	Pass	2985
30	1000	0.1	Peak	746.787	-54.28	-13	Pass	9699
1000	1840	1	Peak	1837.998	-35.27	-13	Pass	840
1840	1920	1	Peak	1850.4	27	60	Pass	401
1920	3000	1	Peak	2756.775	-39.22	-13	Pass	1080
3000	12000	1	Peak	10521.918	-33.13	-13	Pass	9000
12000	20000	1	Peak	19819.977	-24.76	-13	Pass	8000




**1.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-66.85	-13	Pass	401
0.15	30	0.01	Peak	0.32	-66.49	-13	Pass	2985
30	1000	0.1	Peak	997.597	-53.56	-13	Pass	9699
1000	1840	1	Peak	1813.969	-41.55	-13	Pass	840
1840	1920	1	Peak	1850.2	27.15	60	Pass	401
1920	3000	1	Peak	2974.977	-38.88	-13	Pass	1080
3000	12000	1	Peak	11506.389	-32.66	-13	Pass	9000
12000	20000	1	Peak	19797.975	-25.31	-13	Pass	8000




**1.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.17	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.66	-13	Pass	2985
30	1000	0.1	Peak	539.862	-53.14	-13	Pass	9699
1000	1840	1	Peak	1800.954	-42.13	-13	Pass	840
1840	1920	1	Peak	1877.8	27.21	60	Pass	401
1920	3000	1	Peak	2938.943	-38.6	-13	Pass	1080
3000	12000	1	Peak	10112.868	-33	-13	Pass	9000
12000	20000	1	Peak	19817.977	-24.81	-13	Pass	8000




**1.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.24	-13	Pass	2985
30	1000	0.1	Peak	700.382	-54.35	-13	Pass	9699
1000	1840	1	Peak	1801.955	-42.16	-13	Pass	840
1840	1920	1	Peak	1878	27.06	60	Pass	401
1920	3000	1	Peak	2821.835	-39.2	-13	Pass	1080
3000	12000	1	Peak	11946.934	-33.2	-13	Pass	9000
12000	20000	1	Peak	19795.974	-24.19	-13	Pass	8000




**1.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.46	-13	Pass	401
0.15	30	0.01	Peak	0.25	-66.61	-13	Pass	2985
30	1000	0.1	Peak	509.959	-53.83	-13	Pass	9699
1000	1840	1	Peak	1589.702	-41.68	-13	Pass	840
1840	1920	1	Peak	1905.4	27.31	60	Pass	401
1920	3000	1	Peak	2957.961	-39.24	-13	Pass	1080
3000	12000	1	Peak	11304.139	-33.47	-13	Pass	9000
12000	20000	1	Peak	19827.978	-25.51	-13	Pass	8000




**1.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.81	-13	Pass	401
0.15	30	0.01	Peak	0.62	-65.35	-13	Pass	2985
30	1000	0.1	Peak	984.68	-53.81	-13	Pass	9699
1000	1840	1	Peak	1238.284	-42.31	-13	Pass	840
1840	1920	1	Peak	1905.4	27.18	60	Pass	401
1920	3000	1	Peak	2958.962	-38.81	-13	Pass	1080
3000	12000	1	Peak	11092.988	-32.74	-13	Pass	9000
12000	20000	1	Peak	19796.975	-24.53	-13	Pass	8000




**1.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.79	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.87	-13	Pass	2985
30	1000	0.1	Peak	797.194	-53.84	-13	Pass	9699
1000	1840	1	Peak	1838.999	-37.13	-13	Pass	840
1840	1920	1	Peak	1850.6	27.17	60	Pass	401
1920	3000	1	Peak	2971.974	-38.59	-13	Pass	1080
3000	12000	1	Peak	11769.715	-32.82	-13	Pass	9000
12000	20000	1	Peak	19617.952	-24.91	-13	Pass	8000




**1.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.04	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.19	-13	Pass	2985
30	1000	0.1	Peak	936.616	-54.65	-13	Pass	9699
1000	1840	1	Peak	1832.992	-37.23	-13	Pass	840
1840	1920	1	Peak	1850.6	27.03	60	Pass	401
1920	3000	1	Peak	2953.957	-38.72	-13	Pass	1080
3000	12000	1	Peak	11899.876	-32.98	-13	Pass	9000
12000	20000	1	Peak	19782.973	-24.88	-13	Pass	8000




**1.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.49	-13	Pass	401
0.15	30	0.01	Peak	0.19	-65.71	-13	Pass	2985
30	1000	0.1	Peak	942.624	-53.24	-13	Pass	9699
1000	1840	1	Peak	1658.784	-42.53	-13	Pass	840
1840	1920	1	Peak	1875.8	27.12	60	Pass	401
1920	3000	1	Peak	2951.956	-38.54	-13	Pass	1080
3000	12000	1	Peak	11908.887	-32.64	-13	Pass	9000
12000	20000	1	Peak	19777.972	-25.25	-13	Pass	8000




**1.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.38	-13	Pass	401
0.15	30	0.01	Peak	0.23	-65.27	-13	Pass	2985
30	1000	0.1	Peak	844.599	-52.56	-13	Pass	9699
1000	1840	1	Peak	1708.844	-42.04	-13	Pass	840
1840	1920	1	Peak	1875.6	27.07	60	Pass	401
1920	3000	1	Peak	2852.864	-38.6	-13	Pass	1080
3000	12000	1	Peak	10344.897	-33.04	-13	Pass	9000
12000	20000	1	Peak	19828.979	-25.4	-13	Pass	8000




**1.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.41	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.53	-13	Pass	2985
30	1000	0.1	Peak	861.216	-53.91	-13	Pass	9699
1000	1840	1	Peak	1826.985	-41.69	-13	Pass	840
1840	1920	1	Peak	1900.6	27.41	60	Pass	401
1920	3000	1	Peak	2954.958	-38.17	-13	Pass	1080
3000	12000	1	Peak	11791.742	-32.89	-13	Pass	9000
12000	20000	1	Peak	19794.974	-24.84	-13	Pass	8000




**1.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.53	-13	Pass	401
0.15	30	0.01	Peak	0.24	-65.72	-13	Pass	2985
30	1000	0.1	Peak	788.493	-53.23	-13	Pass	9699
1000	1840	1	Peak	1630.751	-41.87	-13	Pass	840
1840	1920	1	Peak	1900.6	27.45	60	Pass	401
1920	3000	1	Peak	2917.924	-38.34	-13	Pass	1080
3000	12000	1	Peak	11428.292	-33.02	-13	Pass	9000
12000	20000	1	Peak	19859.982	-25.28	-13	Pass	8000




**1.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.64	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.79	-13	Pass	2985
30	1000	0.1	Peak	739.087	-52.78	-13	Pass	9699
1000	1840	1	Peak	1836.996	-37.79	-13	Pass	840
1840	1920	1	Peak	1851	27.06	60	Pass	401
1920	3000	1	Peak	2938.943	-38.85	-13	Pass	1080
3000	12000	1	Peak	11322.161	-33.04	-13	Pass	9000
12000	20000	1	Peak	19785.973	-24.53	-13	Pass	8000




**1.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.54	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.87	-13	Pass	2985
30	1000	0.1	Peak	470.354	-53.6	-13	Pass	9699
1000	1840	1	Peak	1835.995	-39.79	-13	Pass	840
1840	1920	1	Peak	1850.8	26.99	60	Pass	401
1920	3000	1	Peak	2907.915	-38.51	-13	Pass	1080
3000	12000	1	Peak	11548.441	-32.41	-13	Pass	9000
12000	20000	1	Peak	19810.976	-24.98	-13	Pass	8000




**1.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.57	-13	Pass	401
0.15	30	0.01	Peak	0.6	-66.58	-13	Pass	2985
30	1000	0.1	Peak	862.017	-52.52	-13	Pass	9699
1000	1840	1	Peak	1740.882	-41.31	-13	Pass	840
1840	1920	1	Peak	1873.2	27.27	60	Pass	401
1920	3000	1	Peak	2805.82	-38.11	-13	Pass	1080
3000	12000	1	Peak	10620.93	-32.62	-13	Pass	9000
12000	20000	1	Peak	19807.976	-24.84	-13	Pass	8000




**1.37. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.05	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.83	-13	Pass	2985
30	1000	0.1	Peak	786.592	-53	-13	Pass	9699
1000	1840	1	Peak	1672.801	-41.74	-13	Pass	840
1840	1920	1	Peak	1873.2	27.53	60	Pass	401
1920	3000	1	Peak	2962.966	-38.22	-13	Pass	1080
3000	12000	1	Peak	11016.979	-32.81	-13	Pass	9000
12000	20000	1	Peak	19726.966	-25.19	-13	Pass	8000




**1.38. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.8	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.55	-13	Pass	2985
30	1000	0.1	Peak	886.049	-53.91	-13	Pass	9699
1000	1840	1	Peak	1690.822	-41.28	-13	Pass	840
1840	1920	1	Peak	1895.8	27.18	60	Pass	401
1920	3000	1	Peak	3000	-38.7	-13	Pass	1080
3000	12000	1	Peak	11072.985	-32.04	-13	Pass	9000
12000	20000	1	Peak	19898.987	-24.32	-13	Pass	8000




**1.39. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.63	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.22	-13	Pass	2985
30	1000	0.1	Peak	867.925	-54.09	-13	Pass	9699
1000	1840	1	Peak	1583.695	-40.93	-13	Pass	840
1840	1920	1	Peak	1895.8	27.06	60	Pass	401
1920	3000	1	Peak	2754.773	-39	-13	Pass	1080
3000	12000	1	Peak	11758.701	-33.05	-13	Pass	9000
12000	20000	1	Peak	19798.975	-24.84	-13	Pass	8000




**1.40. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.21	-13	Pass	401
0.15	30	0.01	Peak	0.31	-65.07	-13	Pass	2985
30	1000	0.1	Peak	883.145	-53.23	-13	Pass	9699
1000	1840	1	Peak	1832.992	-39.67	-13	Pass	840
1840	1920	1	Peak	1851	27.11	60	Pass	401
1920	3000	1	Peak	2945.95	-38.3	-13	Pass	1080
3000	12000	1	Peak	11463.336	-32.48	-13	Pass	9000
12000	20000	1	Peak	19792.974	-24.43	-13	Pass	8000




**1.41. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.54	-13	Pass	401
0.15	30	0.01	Peak	0.43	-65.23	-13	Pass	2985
30	1000	0.1	Peak	730.586	-53.35	-13	Pass	9699
1000	1840	1	Peak	1831.99	-39.21	-13	Pass	840
1840	1920	1	Peak	1851	27.07	60	Pass	401
1920	3000	1	Peak	2785.802	-38.59	-13	Pass	1080
3000	12000	1	Peak	11741.68	-32.87	-13	Pass	9000
12000	20000	1	Peak	19795.974	-25.43	-13	Pass	8000




**1.42. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.48	-13	Pass	401
0.15	30	0.01	Peak	0.32	-64.48	-13	Pass	2985
30	1000	0.1	Peak	882.044	-53.66	-13	Pass	9699
1000	1840	1	Peak	1835.995	-36.21	-13	Pass	840
1840	1920	1	Peak	1871	27.82	60	Pass	401
1920	3000	1	Peak	2958.962	-38.9	-13	Pass	1080
3000	12000	1	Peak	11089.988	-33.15	-13	Pass	9000
12000	20000	1	Peak	19818.977	-24.84	-13	Pass	8000




**1.43. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.26	-13	Pass	401
0.15	30	0.01	Peak	0.22	-65.27	-13	Pass	2985
30	1000	0.1	Peak	853.706	-54.23	-13	Pass	9699
1000	1840	1	Peak	1834.994	-35.08	-13	Pass	840
1840	1920	1	Peak	1871	27.52	60	Pass	401
1920	3000	1	Peak	2962.966	-37.93	-13	Pass	1080
3000	12000	1	Peak	11389.244	-32.83	-13	Pass	9000
12000	20000	1	Peak	19747.968	-25.17	-13	Pass	8000




**1.44. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.99	-13	Pass	401
0.15	30	0.01	Peak	0.24	-65.93	-13	Pass	2985
30	1000	0.1	Peak	920.394	-53.09	-13	Pass	9699
1000	1840	1	Peak	1550.656	-41.51	-13	Pass	840
1840	1920	1	Peak	1891.2	27.11	60	Pass	401
1920	3000	1	Peak	2978.981	-38.2	-13	Pass	1080
3000	12000	1	Peak	11740.679	-32.49	-13	Pass	9000
12000	20000	1	Peak	19819.977	-24.82	-13	Pass	8000



**1.45. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.98	-13	Pass	401
0.15	30	0.01	Peak	0.4	-66.55	-13	Pass	2985
30	1000	0.1	Peak	357.84	-53.44	-13	Pass	9699
1000	1840	1	Peak	1205.244	-42.46	-13	Pass	840
1840	1920	1	Peak	1891	26.91	60	Pass	401
1920	3000	1	Peak	2998.999	-38.77	-13	Pass	1080
3000	12000	1	Peak	10965.972	-33.11	-13	Pass	9000
12000	20000	1	Peak	19782.973	-25.11	-13	Pass	8000



LTE_Band4


1.46. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.82	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.93	-13	Pass	2985
30	1000	0.1	RMS	852.504	-65.55	-13	Pass	9699
1000	1700	1	RMS	1695.994	-50.3	-13	Pass	700
1700	1765	1	RMS	1710.238	20.76	60	Pass	401
1765	3000	1	RMS	2956.965	-50.13	-13	Pass	1235
3000	12000	1	RMS	11896.872	-44.96	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.15	-13	Pass	8000




**1.47. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.6	-13	Pass	2985
30	1000	0.1	RMS	898.666	-65.4	-13	Pass	9699
1000	1700	1	RMS	1700	-52.61	-13	Pass	700
1700	1765	1	RMS	1710.238	19.62	60	Pass	401
1765	3000	1	RMS	2961.969	-50.21	-13	Pass	1235
3000	12000	1	RMS	11760.704	-44.8	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.04	-13	Pass	8000




**1.48. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-70.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.44	-13	Pass	2985
30	1000	0.1	RMS	893.158	-65.52	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.99	-13	Pass	700
1700	1765	1	RMS	1732.013	21.77	60	Pass	401
1765	3000	1	RMS	2956.965	-50.22	-13	Pass	1235
3000	12000	1	RMS	11755.698	-45.01	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.12	-13	Pass	8000




**1.49. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.66	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.65	-13	Pass	2985
30	1000	0.1	RMS	905.074	-65.63	-13	Pass	9699
1000	1700	1	RMS	1700	-53.93	-13	Pass	700
1700	1765	1	RMS	1732.013	21.05	60	Pass	401
1765	3000	1	RMS	2959.968	-50.24	-13	Pass	1235
3000	12000	1	RMS	11753.695	-44.99	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.1	-13	Pass	8000




**1.50. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	Pass	2985
30	1000	0.1	RMS	864.821	-65.32	-13	Pass	9699
1000	1700	1	RMS	1691.989	-53.8	-13	Pass	700
1700	1765	1	RMS	1753.788	20.85	60	Pass	401
1765	3000	1	RMS	2953.963	-50.21	-13	Pass	1235
3000	12000	1	RMS	11864.833	-44.95	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.06	-13	Pass	8000




**1.51. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.1	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.07	-13	Pass	2985
30	1000	0.1	RMS	882.244	-65.4	-13	Pass	9699
1000	1700	1	RMS	1700	-54	-13	Pass	700
1700	1765	1	RMS	1753.95	20.05	60	Pass	401
1765	3000	1	RMS	2963.971	-50.27	-13	Pass	1235
3000	12000	1	RMS	11895.871	-45.02	-13	Pass	9000
12000	20000	1	RMS	19804.976	-35.97	-13	Pass	8000




**1.52. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.04	-13	Pass	2985
30	1000	0.1	RMS	857.211	-65.45	-13	Pass	9699
1000	1700	1	RMS	1700	-52.06	-13	Pass	700
1700	1765	1	RMS	1710.238	21.48	60	Pass	401
1765	3000	1	RMS	2949.959	-50.24	-13	Pass	1235
3000	12000	1	RMS	11754.696	-44.81	-13	Pass	9000
12000	20000	1	RMS	19806.976	-36.11	-13	Pass	8000




**1.53. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-13	Pass	2985
30	1000	0.1	RMS	985.881	-65.74	-13	Pass	9699
1000	1700	1	RMS	1700	-52.44	-13	Pass	700
1700	1765	1	RMS	1710.4	20.37	60	Pass	401
1765	3000	1	RMS	2957.966	-50.23	-13	Pass	1235
3000	12000	1	RMS	11902.88	-44.98	-13	Pass	9000
12000	20000	1	RMS	19801.975	-35.99	-13	Pass	8000




**1.54. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.46	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.83	-13	Pass	2985
30	1000	0.1	RMS	893.759	-65.01	-13	Pass	9699
1000	1700	1	RMS	1698.999	-54.03	-13	Pass	700
1700	1765	1	RMS	1731.2	21.71	60	Pass	401
1765	3000	1	RMS	2957.966	-50.19	-13	Pass	1235
3000	12000	1	RMS	11834.796	-45.03	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.04	-13	Pass	8000




**1.55. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-13	Pass	2985
30	1000	0.1	RMS	730.486	-65.36	-13	Pass	9699
1000	1700	1	RMS	1696.996	-54.02	-13	Pass	700
1700	1765	1	RMS	1731.2	20.79	60	Pass	401
1765	3000	1	RMS	2956.965	-50.13	-13	Pass	1235
3000	12000	1	RMS	11886.86	-44.99	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.05	-13	Pass	8000




**1.56. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.86	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.81	-13	Pass	2985
30	1000	0.1	RMS	886.349	-65.52	-13	Pass	9699
1000	1700	1	RMS	1700	-53.81	-13	Pass	700
1700	1765	1	RMS	1752.488	20.71	60	Pass	401
1765	3000	1	RMS	2960.968	-50.21	-13	Pass	1235
3000	12000	1	RMS	11302.136	-44.95	-13	Pass	9000
12000	20000	1	RMS	19807.976	-36.04	-13	Pass	8000




**1.57. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.09	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.16	-13	Pass	2985
30	1000	0.1	RMS	867.124	-65.77	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.93	-13	Pass	700
1700	1765	1	RMS	1752.163	20.59	60	Pass	401
1765	3000	1	RMS	2959.968	-50.21	-13	Pass	1235
3000	12000	1	RMS	11758.701	-44.96	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.03	-13	Pass	8000




**1.58. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.87	-13	Pass	2985
30	1000	0.1	RMS	900.368	-65.49	-13	Pass	9699
1000	1700	1	RMS	1696.996	-49.73	-13	Pass	700
1700	1765	1	RMS	1710.4	21.36	60	Pass	401
1765	3000	1	RMS	2951.961	-50.24	-13	Pass	1235
3000	12000	1	RMS	11845.809	-45.01	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.08	-13	Pass	8000




**1.59. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.26	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.35	-13	Pass	2985
30	1000	0.1	RMS	991.889	-65.59	-13	Pass	9699
1000	1700	1	RMS	1700	-49.76	-13	Pass	700
1700	1765	1	RMS	1710.238	20.41	60	Pass	401
1765	3000	1	RMS	2959.968	-50.21	-13	Pass	1235
3000	12000	1	RMS	11776.724	-44.91	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.01	-13	Pass	8000




**1.60. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.33	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.65	-13	Pass	2985
30	1000	0.1	RMS	862.618	-65.42	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.95	-13	Pass	700
1700	1765	1	RMS	1730.388	21.7	60	Pass	401
1765	3000	1	RMS	2962.97	-50.21	-13	Pass	1235
3000	12000	1	RMS	11299.133	-45	-13	Pass	9000
12000	20000	1	RMS	19799.975	-35.96	-13	Pass	8000




**1.61. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.65	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.42	-13	Pass	2985
30	1000	0.1	RMS	883.145	-65.64	-13	Pass	9699
1000	1700	1	RMS	1698.999	-54.09	-13	Pass	700
1700	1765	1	RMS	1730.388	20.97	60	Pass	401
1765	3000	1	RMS	2958.967	-50.18	-13	Pass	1235
3000	12000	1	RMS	11298.131	-45.03	-13	Pass	9000
12000	20000	1	RMS	19800.975	-35.93	-13	Pass	8000




**1.62. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.67	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.53	-13	Pass	2985
30	1000	0.1	RMS	995.494	-65.33	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.14	-13	Pass	700
1700	1765	1	RMS	1750.213	20.45	60	Pass	401
1765	3000	1	RMS	2960.968	-50.25	-13	Pass	1235
3000	12000	1	RMS	11900.877	-44.95	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36	-13	Pass	8000




**1.63. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.56	-13	Pass	2985
30	1000	0.1	RMS	481.955	-65.56	-13	Pass	9699
1000	1700	1	RMS	1700	-53.87	-13	Pass	700
1700	1765	1	RMS	1750.375	20.34	60	Pass	401
1765	3000	1	RMS	2959.968	-50.2	-13	Pass	1235
3000	12000	1	RMS	11762.706	-44.86	-13	Pass	9000
12000	20000	1	RMS	19798.975	-35.98	-13	Pass	8000




**1.64. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.11	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.8	-13	Pass	2985
30	1000	0.1	RMS	869.227	-65.44	-13	Pass	9699
1000	1700	1	RMS	1692.99	-47.34	-13	Pass	700
1700	1765	1	RMS	1710.563	21.5	60	Pass	401
1765	3000	1	RMS	2958.967	-50.14	-13	Pass	1235
3000	12000	1	RMS	11752.694	-44.91	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.02	-13	Pass	8000




**1.65. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.32	-13	Pass	2985
30	1000	0.1	RMS	966.656	-65.47	-13	Pass	9699
1000	1700	1	RMS	1694.993	-51.5	-13	Pass	700
1700	1765	1	RMS	1710.563	20.58	60	Pass	401
1765	3000	1	RMS	2963.971	-50.02	-13	Pass	1235
3000	12000	1	RMS	11890.865	-44.94	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.03	-13	Pass	8000




**1.66. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.67	-13	Pass	2985
30	1000	0.1	RMS	830.198	-65.33	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.92	-13	Pass	700
1700	1765	1	RMS	1728.113	21.89	60	Pass	401
1765	3000	1	RMS	2953.963	-50.22	-13	Pass	1235
3000	12000	1	RMS	11747.688	-44.84	-13	Pass	9000
12000	20000	1	RMS	19799.975	-35.89	-13	Pass	8000




**1.67. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.47	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.14	-13	Pass	2985
30	1000	0.1	RMS	478.255	-65.45	-13	Pass	9699
1000	1700	1	RMS	1700	-53.87	-13	Pass	700
1700	1765	1	RMS	1727.95	20.71	60	Pass	401
1765	3000	1	RMS	2953.963	-50.1	-13	Pass	1235
3000	12000	1	RMS	11307.143	-44.99	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36	-13	Pass	8000




**1.68. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	Pass	2985
30	1000	0.1	RMS	903.372	-65.51	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.93	-13	Pass	700
1700	1765	1	RMS	1745.338	20.99	60	Pass	401
1765	3000	1	RMS	2959.968	-50.21	-13	Pass	1235
3000	12000	1	RMS	11764.709	-44.97	-13	Pass	9000
12000	20000	1	RMS	19797.975	-35.99	-13	Pass	8000




**1.69. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	Pass	2985
30	1000	0.1	RMS	880.341	-65.42	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.26	-13	Pass	700
1700	1765	1	RMS	1745.663	19.6	60	Pass	401
1765	3000	1	RMS	2952.962	-50.11	-13	Pass	1235
3000	12000	1	RMS	11498.379	-45	-13	Pass	9000
12000	20000	1	RMS	19800.975	-35.95	-13	Pass	8000




**1.70. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	Pass	2985
30	1000	0.1	RMS	857.11	-65.45	-13	Pass	9699
1000	1700	1	RMS	1696.996	-45.91	-13	Pass	700
1700	1765	1	RMS	1710.888	20.99	60	Pass	401
1765	3000	1	RMS	2959.968	-50.24	-13	Pass	1235
3000	12000	1	RMS	11827.787	-44.92	-13	Pass	9000
12000	20000	1	RMS	19792.974	-36.18	-13	Pass	8000




**1.71. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.46	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.8	-13	Pass	2985
30	1000	0.1	RMS	881.443	-65.35	-13	Pass	9699
1000	1700	1	RMS	1697.997	-46.9	-13	Pass	700
1700	1765	1	RMS	1710.888	20.1	60	Pass	401
1765	3000	1	RMS	2950.96	-50.22	-13	Pass	1235
3000	12000	1	RMS	11767.713	-44.8	-13	Pass	9000
12000	20000	1	RMS	19793.974	-36	-13	Pass	8000




**1.72. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.12	-13	Pass	2985
30	1000	0.1	RMS	910.982	-65.36	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.28	-13	Pass	700
1700	1765	1	RMS	1725.838	21.71	60	Pass	401
1765	3000	1	RMS	2961.969	-50.19	-13	Pass	1235
3000	12000	1	RMS	11892.867	-44.94	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.02	-13	Pass	8000




**1.73. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.75	-13	Pass	2985
30	1000	0.1	RMS	896.463	-65.25	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.14	-13	Pass	700
1700	1765	1	RMS	1725.838	20.98	60	Pass	401
1765	3000	1	RMS	2961.969	-50.12	-13	Pass	1235
3000	12000	1	RMS	11764.709	-44.99	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.03	-13	Pass	8000




**1.74. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.48	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.61	-13	Pass	2985
30	1000	0.1	RMS	875.935	-65.31	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.61	-13	Pass	700
1700	1765	1	RMS	1740.788	21.18	60	Pass	401
1765	3000	1	RMS	1767.002	-44.2	-13	Pass	1235
3000	12000	1	RMS	11754.696	-44.83	-13	Pass	9000
12000	20000	1	RMS	19799.975	-35.85	-13	Pass	8000




**1.75. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.26	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.68	-13	Pass	2985
30	1000	0.1	RMS	993.191	-65.32	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.79	-13	Pass	700
1700	1765	1	RMS	1740.788	20.48	60	Pass	401
1765	3000	1	RMS	1767.002	-44.46	-13	Pass	1235
3000	12000	1	RMS	11877.849	-44.9	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.05	-13	Pass	8000




**1.76. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	Pass	2985
30	1000	0.1	RMS	989.086	-65.09	-13	Pass	9699
1000	1700	1	RMS	1692.99	-49.37	-13	Pass	700
1700	1765	1	RMS	1711.05	20.98	60	Pass	401
1765	3000	1	RMS	2961.969	-50.17	-13	Pass	1235
3000	12000	1	RMS	11750.691	-44.82	-13	Pass	9000
12000	20000	1	RMS	19803.975	-35.95	-13	Pass	8000




**1.77. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2985
30	1000	0.1	RMS	892.858	-65.26	-13	Pass	9699
1000	1700	1	RMS	1692.99	-48.72	-13	Pass	700
1700	1765	1	RMS	1711.05	20.14	60	Pass	401
1765	3000	1	RMS	2956.965	-50.23	-13	Pass	1235
3000	12000	1	RMS	11775.722	-44.93	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.02	-13	Pass	8000




**1.78. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2985
30	1000	0.1	RMS	871.63	-65.34	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.99	-13	Pass	700
1700	1765	1	RMS	1723.563	21.58	60	Pass	401
1765	3000	1	RMS	2955.964	-50.18	-13	Pass	1235
3000	12000	1	RMS	11741.68	-44.91	-13	Pass	9000
12000	20000	1	RMS	19800.975	-35.92	-13	Pass	8000




**1.79. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.98	-13	Pass	2985
30	1000	0.1	RMS	863.719	-65.35	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.09	-13	Pass	700
1700	1765	1	RMS	1723.563	20.7	60	Pass	401
1765	3000	1	RMS	2951.961	-50.13	-13	Pass	1235
3000	12000	1	RMS	11753.695	-44.91	-13	Pass	9000
12000	20000	1	RMS	19800.975	-35.98	-13	Pass	8000




**1.80. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.84	-13	Pass	2985
30	1000	0.1	RMS	871.429	-65.15	-13	Pass	9699
1000	1700	1	RMS	1700	-51.74	-13	Pass	700
1700	1765	1	RMS	1736.075	21.71	60	Pass	401
1765	3000	1	RMS	1772.006	-47.09	-13	Pass	1235
3000	12000	1	RMS	11753.695	-44.89	-13	Pass	9000
12000	20000	1	RMS	19798.975	-35.92	-13	Pass	8000



**1.81. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.98	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.6	-13	Pass	2985
30	1000	0.1	RMS	997.397	-65.1	-13	Pass	9699
1000	1700	1	RMS	1700	-50.15	-13	Pass	700
1700	1765	1	RMS	1736.075	20.63	60	Pass	401
1765	3000	1	RMS	1772.006	-37.45	-13	Pass	1235
3000	12000	1	RMS	11763.708	-44.91	-13	Pass	9000
12000	20000	1	RMS	19800.975	-35.95	-13	Pass	8000



LTE_Band5


1.82. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.12	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.41	-13	Pass	2985
30	814	0.1	Peak	812	-54.76	-13	Pass	7840
814	860	0.1	Peak	824.222	24.1	60	Pass	460
860	1000	0.1	Peak	868.206	-54.81	-13	Pass	1400
1000	3000	1	Peak	1648.324	-36.5	-13	Pass	2000
3000	10000	1	Peak	7689.67	-33.54	-13	Pass	7000




**1.83. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-68.73	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.66	-13	Pass	2985
30	814	0.1	Peak	483.158	-54.71	-13	Pass	7840
814	860	0.1	Peak	824.222	24.96	60	Pass	460
860	1000	0.1	Peak	897.827	-54.29	-13	Pass	1400
1000	3000	1	Peak	1648.324	-36.33	-13	Pass	2000
3000	10000	1	Peak	6997.571	-33.81	-13	Pass	7000




**1.84. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.74	-13	Pass	401
0.15	30	0.01	Peak	0.76	-65.89	-13	Pass	2985
30	814	0.1	Peak	522.563	-54.53	-13	Pass	7840
814	860	0.1	Peak	835.948	24.73	60	Pass	460
860	1000	0.1	Peak	918.542	-54	-13	Pass	1400
1000	3000	1	Peak	1672.336	-36.93	-13	Pass	2000
3000	10000	1	Peak	6707.53	-33.76	-13	Pass	7000




**1.85. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.91	-13	Pass	401
0.15	30	0.01	Peak	0.2	-65.4	-13	Pass	2985
30	814	0.1	Peak	782.596	-54.15	-13	Pass	7840
814	860	0.1	Peak	836.048	24.41	60	Pass	460
860	1000	0.1	Peak	984.889	-54.2	-13	Pass	1400
1000	3000	1	Peak	1672.336	-37.83	-13	Pass	2000
3000	10000	1	Peak	8774.825	-33.79	-13	Pass	7000




**1.86. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-67.57	-13	Pass	401
0.15	30	0.01	Peak	0.17	-66.13	-13	Pass	2985
30	814	0.1	Peak	478.857	-54.53	-13	Pass	7840
814	860	0.1	Peak	847.773	23.72	60	Pass	460
860	1000	0.1	Peak	987.091	-54.66	-13	Pass	1400
1000	3000	1	Peak	2996.998	-38.1	-13	Pass	2000
3000	10000	1	Peak	8016.717	-33.78	-13	Pass	7000




**1.87. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.52	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.19	-13	Pass	2985
30	814	0.1	Peak	470.956	-54.72	-13	Pass	7840
814	860	0.1	Peak	847.874	24.37	60	Pass	460
860	1000	0.1	Peak	916.34	-55.09	-13	Pass	1400
1000	3000	1	Peak	2987.994	-38.86	-13	Pass	2000
3000	10000	1	Peak	7976.711	-33.68	-13	Pass	7000




**1.88. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.11	-13	Pass	401
0.15	30	0.01	Peak	1.841	-66.33	-13	Pass	2985
30	814	0.1	Peak	739.09	-53.23	-13	Pass	7840
814	860	0.1	Peak	824.222	23.91	60	Pass	460
860	1000	0.1	Peak	870.107	-54.01	-13	Pass	1400
1000	3000	1	Peak	1648.324	-36.97	-13	Pass	2000
3000	10000	1	Peak	7818.688	-33.17	-13	Pass	7000




**1.89. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.35	-13	Pass	401
0.15	30	0.01	Peak	0.21	-64.21	-13	Pass	2985
30	814	0.1	Peak	620.975	-54.2	-13	Pass	7840
814	860	0.1	Peak	824.322	24.44	60	Pass	460
860	1000	0.1	Peak	871.008	-53.89	-13	Pass	1400
1000	3000	1	Peak	1648.324	-38.21	-13	Pass	2000
3000	10000	1	Peak	7817.688	-33.82	-13	Pass	7000




**1.90. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.39	-13	Pass	401
0.15	30	0.01	Peak	0.23	-66	-13	Pass	2985
30	814	0.1	Peak	404.948	-54.41	-13	Pass	7840
814	860	0.1	Peak	835.246	23.94	60	Pass	460
860	1000	0.1	Peak	861.701	-54.24	-13	Pass	1400
1000	3000	1	Peak	1670.335	-37.92	-13	Pass	2000
3000	10000	1	Peak	9516.931	-34.14	-13	Pass	7000




**1.91. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.02	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.43	-13	Pass	2985
30	814	0.1	Peak	777.495	-54.98	-13	Pass	7840
814	860	0.1	Peak	835.246	25	60	Pass	460
860	1000	0.1	Peak	928.349	-55.19	-13	Pass	1400
1000	3000	1	Peak	1670.335	-37.62	-13	Pass	2000
3000	10000	1	Peak	7503.643	-33.57	-13	Pass	7000




**1.92. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.66	-13	Pass	401
0.15	30	0.01	Peak	0.22	-65.55	-13	Pass	2985
30	814	0.1	Peak	633.277	-54.52	-13	Pass	7840
814	860	0.1	Peak	846.27	23.38	60	Pass	460
860	1000	0.1	Peak	872.809	-54.39	-13	Pass	1400
1000	3000	1	Peak	2824.912	-39.22	-13	Pass	2000
3000	10000	1	Peak	7987.713	-33.02	-13	Pass	7000




**1.93. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.21	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.14	-13	Pass	2985
30	814	0.1	Peak	473.057	-53.41	-13	Pass	7840
814	860	0.1	Peak	846.27	24.21	60	Pass	460
860	1000	0.1	Peak	867.605	-53.96	-13	Pass	1400
1000	3000	1	Peak	2913.957	-38.81	-13	Pass	2000
3000	10000	1	Peak	8798.828	-33.89	-13	Pass	7000




**1.94. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.55	-13	Pass	401
0.15	30	0.01	Peak	0.28	-65.42	-13	Pass	2985
30	814	0.1	Peak	813.6	-54.03	-13	Pass	7840
814	860	0.1	Peak	824.423	23.83	60	Pass	460
860	1000	0.1	Peak	974.482	-54.87	-13	Pass	1400
1000	3000	1	Peak	1648.324	-37.03	-13	Pass	2000
3000	10000	1	Peak	9452.922	-33.83	-13	Pass	7000




**1.95. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.28	-13	Pass	401
0.15	30	0.01	Peak	0.24	-64	-13	Pass	2985
30	814	0.1	Peak	396.847	-54.55	-13	Pass	7840
814	860	0.1	Peak	824.322	24.37	60	Pass	460
860	1000	0.1	Peak	870.107	-53.93	-13	Pass	1400
1000	3000	1	Peak	1648.324	-37.48	-13	Pass	2000
3000	10000	1	Peak	7077.583	-33.92	-13	Pass	7000




**1.96. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-68.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.11	-13	Pass	2985
30	814	0.1	Peak	652.679	-54.79	-13	Pass	7840
814	860	0.1	Peak	834.244	23.77	60	Pass	460
860	1000	0.1	Peak	915.84	-54.37	-13	Pass	1400
1000	3000	1	Peak	2979.99	-37.8	-13	Pass	2000
3000	10000	1	Peak	8808.83	-33.07	-13	Pass	7000




**1.97. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.82	-13	Pass	401
0.15	30	0.01	Peak	0.33	-65.36	-13	Pass	2985
30	814	0.1	Peak	358.742	-54.56	-13	Pass	7840
814	860	0.1	Peak	834.244	24.54	60	Pass	460
860	1000	0.1	Peak	976.683	-55.03	-13	Pass	1400
1000	3000	1	Peak	1668.334	-38.61	-13	Pass	2000
3000	10000	1	Peak	7096.585	-33.37	-13	Pass	7000




**1.98. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.55	-13	Pass	401
0.15	30	0.01	Peak	0.29	-65.38	-13	Pass	2985
30	814	0.1	Peak	751.692	-54.3	-13	Pass	7840
814	860	0.1	Peak	844.266	24.13	60	Pass	460
860	1000	0.1	Peak	865.304	-54.94	-13	Pass	1400
1000	3000	1	Peak	1688.344	-37.13	-13	Pass	2000
3000	10000	1	Peak	9164.881	-33.72	-13	Pass	7000




**1.99. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.81	-13	Pass	401
0.15	30	0.01	Peak	0.6	-65.56	-13	Pass	2985
30	814	0.1	Peak	710.287	-54.44	-13	Pass	7840
814	860	0.1	Peak	844.366	23.73	60	Pass	460
860	1000	0.1	Peak	879.814	-54.18	-13	Pass	1400
1000	3000	1	Peak	1688.344	-36.54	-13	Pass	2000
3000	10000	1	Peak	7912.702	-33.58	-13	Pass	7000




**1.100. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.8	-13	Pass	401
0.15	30	0.01	Peak	0.31	-65.59	-13	Pass	2985
30	814	0.1	Peak	488.959	-54.05	-13	Pass	7840
814	860	0.1	Peak	824.523	23.99	60	Pass	460
860	1000	0.1	Peak	948.964	-54.93	-13	Pass	1400
1000	3000	1	Peak	1649.325	-37.58	-13	Pass	2000
3000	10000	1	Peak	7896.7	-33.51	-13	Pass	7000




**1.101. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.95	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.88	-13	Pass	2985
30	814	0.1	Peak	490.959	-54.1	-13	Pass	7840
814	860	0.1	Peak	824.623	24.81	60	Pass	460
860	1000	0.1	Peak	995.497	-53.85	-13	Pass	1400
1000	3000	1	Peak	1649.325	-37.49	-13	Pass	2000
3000	10000	1	Peak	8268.753	-33.47	-13	Pass	7000




**1.102. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.54	-13	Pass	401
0.15	30	0.01	Peak	0.21	-65.82	-13	Pass	2985
30	814	0.1	Peak	814	-54.22	-13	Pass	7840
814	860	0.1	Peak	832.139	24.67	60	Pass	460
860	1000	0.1	Peak	866.405	-55.23	-13	Pass	1400
1000	3000	1	Peak	2931.966	-38.91	-13	Pass	2000
3000	10000	1	Peak	9623.946	-33.83	-13	Pass	7000




**1.103. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.82	-13	Pass	401
0.15	30	0.01	Peak	2.321	-66.06	-13	Pass	2985
30	814	0.1	Peak	767.494	-54.63	-13	Pass	7840
814	860	0.1	Peak	832.039	24.09	60	Pass	460
860	1000	0.1	Peak	870.007	-54.6	-13	Pass	1400
1000	3000	1	Peak	2856.928	-38.79	-13	Pass	2000
3000	10000	1	Peak	9598.943	-33.11	-13	Pass	7000




**1.104. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.39	-13	Pass	401
0.15	30	0.01	Peak	3.111	-66.68	-13	Pass	2985
30	814	0.1	Peak	628.376	-54.92	-13	Pass	7840
814	860	0.1	Peak	839.556	24.05	60	Pass	460
860	1000	0.1	Peak	880.214	-54.69	-13	Pass	1400
1000	3000	1	Peak	1679.34	-35.62	-13	Pass	2000
3000	10000	1	Peak	8912.845	-32.83	-13	Pass	7000



**1.105. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.83	-13	Pass	401
0.15	30	0.01	Peak	0.19	-65.09	-13	Pass	2985
30	814	0.1	Peak	758.993	-54.51	-13	Pass	7840
814	860	0.1	Peak	839.656	24.14	60	Pass	460
860	1000	0.1	Peak	982.387	-54.86	-13	Pass	1400
1000	3000	1	Peak	1679.34	-36.24	-13	Pass	2000
3000	10000	1	Peak	8821.832	-33.14	-13	Pass	7000



LTE_Band17


1.106. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.68	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.36	-13	Pass	2985
30	695	0.1	RMS	477.767	-65.43	-13	Pass	6650
695	725	0.1	RMS	704.3	19.48	60	Pass	401
725	1000	0.1	RMS	883.258	-64.89	-13	Pass	2750
1000	3000	1	RMS	2952.976	-50.05	-13	Pass	2000
3000	10000	1	RMS	8006.715	-45.41	-13	Pass	7000




**1.107. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2985
30	695	0.1	RMS	483.968	-65.4	-13	Pass	6650
695	725	0.1	RMS	704.3	18.58	60	Pass	401
725	1000	0.1	RMS	901.764	-65.12	-13	Pass	2750
1000	3000	1	RMS	2959.98	-50.07	-13	Pass	2000
3000	10000	1	RMS	8007.715	-45.43	-13	Pass	7000




**1.108. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.51	-13	Pass	2985
30	695	0.1	RMS	506.772	-65.61	-13	Pass	6650
695	725	0.1	RMS	707.825	19.37	60	Pass	401
725	1000	0.1	RMS	878.956	-64.77	-13	Pass	2750
1000	3000	1	RMS	1415.208	-49.67	-13	Pass	2000
3000	10000	1	RMS	7986.712	-45.49	-13	Pass	7000




**1.109. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.57	-13	Pass	2985
30	695	0.1	RMS	627.29	-65.32	-13	Pass	6650
695	725	0.1	RMS	707.825	18.6	60	Pass	401
725	1000	0.1	RMS	999.5	-65.04	-13	Pass	2750
1000	3000	1	RMS	2957.979	-50.11	-13	Pass	2000
3000	10000	1	RMS	8816.831	-45.43	-13	Pass	7000




**1.110. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.22	-13	Pass	2985
30	695	0.1	RMS	619.089	-65.44	-13	Pass	6650
695	725	0.1	RMS	711.35	19.37	60	Pass	401
725	1000	0.1	RMS	974.091	-64.55	-13	Pass	2750
1000	3000	1	RMS	2951.976	-50.04	-13	Pass	2000
3000	10000	1	RMS	8000.714	-45.4	-13	Pass	7000




**1.111. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.15	-13	Pass	2985
30	695	0.1	RMS	476.067	-65.27	-13	Pass	6650
695	725	0.1	RMS	711.35	18.26	60	Pass	401
725	1000	0.1	RMS	962.386	-65.11	-13	Pass	2750
1000	3000	1	RMS	2953.977	-49.99	-13	Pass	2000
3000	10000	1	RMS	7998.714	-45.34	-13	Pass	7000




**1.112. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	Pass	2985
30	695	0.1	RMS	454.464	-65.37	-13	Pass	6650
695	725	0.1	RMS	704.6	19.66	60	Pass	401
725	1000	0.1	RMS	871.153	-64.87	-13	Pass	2750
1000	3000	1	RMS	1409.205	-49.13	-13	Pass	2000
3000	10000	1	RMS	7995.714	-45.35	-13	Pass	7000




**1.113. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	Pass	2985
30	695	0.1	RMS	693.9	-64.78	-13	Pass	6650
695	725	0.1	RMS	704.6	18.65	60	Pass	401
725	1000	0.1	RMS	854.647	-64.85	-13	Pass	2750
1000	3000	1	RMS	2955.978	-49.96	-13	Pass	2000
3000	10000	1	RMS	7997.714	-45.44	-13	Pass	7000




**1.114. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.99	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.21	-13	Pass	2985
30	695	0.1	RMS	694.9	-65.2	-13	Pass	6650
695	725	0.1	RMS	705.575	19.42	60	Pass	401
725	1000	0.1	RMS	899.063	-64.87	-13	Pass	2750
1000	3000	1	RMS	1411.206	-49.19	-13	Pass	2000
3000	10000	1	RMS	8806.83	-45.32	-13	Pass	7000




**1.115. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	Pass	2985
30	695	0.1	RMS	694.9	-65.03	-13	Pass	6650
695	725	0.1	RMS	705.575	18.44	60	Pass	401
725	1000	0.1	RMS	865.051	-64.71	-13	Pass	2750
1000	3000	1	RMS	2954.977	-50.06	-13	Pass	2000
3000	10000	1	RMS	8802.829	-45.51	-13	Pass	7000




**1.116. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2985
30	695	0.1	RMS	480.468	-65.28	-13	Pass	6650
695	725	0.1	RMS	706.625	19.17	60	Pass	401
725	1000	0.1	RMS	851.746	-64.95	-13	Pass	2750
1000	3000	1	RMS	1413.207	-48.22	-13	Pass	2000
3000	10000	1	RMS	7993.713	-45.36	-13	Pass	7000



**1.117. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.61	-13	Pass	2985
30	695	0.1	RMS	475.567	-65.38	-13	Pass	6650
695	725	0.1	RMS	706.625	18.05	60	Pass	401
725	1000	0.1	RMS	994.398	-65.11	-13	Pass	2750
1000	3000	1	RMS	1413.207	-48.89	-13	Pass	2000
3000	10000	1	RMS	8000.714	-45.46	-13	Pass	7000



END