



11N20SISO_Ant1_5720_UNII-3




11N20SISO_Ant1_5745



11N20SISO_Ant1_5785



11N20SISO_Ant1_5825



11N40SISO_Ant1_5190



11N40SISO_Ant1_5230



11N40SISO_Ant1_5270



11N40SISO_Ant1_5310



11N40SISO_Ant1_5510




11N40SISO_Ant1_5550




11N40SISO_Ant1_5710_UNII-2C




11N40SISO_Ant1_5710_UNII-3



11N40SISO_Ant1_5755



11N40SISO_Ant1_5795




11AC20SISO_Ant1_5180



11AC20SISO_Ant1_5200




11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5260



11AC20SISO_Ant1_5280



11AC20SISO_Ant1_5320




11AC20SISO_Ant1_5500



11AC20SISO_Ant1_5580



11AC20SISO_Ant1_5720_UNII-2C



11AC20SISO_Ant1_5720_UNII-3



11AC20SISO_Ant1_5745



11AC20SISO_Ant1_5785



11AC20SISO_Ant1_5825



11AC40SISO_Ant1_5190



11AC40SISO_Ant1_5230



11AC40SISO_Ant1_5270



11AC40SISO_Ant1_5310



11AC40SISO_Ant1_5510




11AC40SISO_Ant1_5550




11AC40SISO_Ant1_5710_UNII-2C




11AC40SISO_Ant1_5710_UNII-3




11AC40SISO_Ant1_5755




11AC40SISO_Ant1_5795




11AC80SISO_Ant1_5210




11AC80SISO_Ant1_5290



11AC80SISO_Ant1_5530




11AC80SISO_Ant1_5690_UNII-2C



11AC80SISO_Ant1_5690_UNII-3



11AC80SISO_Ant1_5775



6. Emissions in Restricted Bands

6.1. Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq [MHz]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-50.68	<=-41.20	PASS
				AV	5032.609	-47.14	<=-41.20	PASS
				AV	5150.000	-48.94	<=-41.20	PASS
				Peak	4500.000	-37.01	<=-21.20	PASS
				Peak	5099.565	-34.83	<=-21.20	PASS
				Peak	5150.000	-36.37	<=-21.20	PASS
		High	5320	AV	5350.000	-49.15	<=-41.20	PASS
				AV	5448.870	-47.73	<=-41.20	PASS
				AV	5460.000	-49.26	<=-41.20	PASS
				Peak	5350.000	-37.85	<=-21.20	PASS
				Peak	5449.333	-35.29	<=-21.20	PASS
				Peak	5460.000	-37.37	<=-21.20	PASS
		Low	5500	AV	5460.000	-49.25	<=-41.20	PASS
				AV	5460.174	-49.24	<=-41.20	PASS
				AV	5470.000	-49.39	<=-41.20	PASS
				Peak	5460.000	-37.8	<=-21.20	PASS
				Peak	5460.522	-37.12	<=-21.20	PASS
				Peak	5470.000	-38.04	<=-21.20	PASS
		High	5700	AV	5725.000	-47.76	<=-41.20	PASS
				AV	5726.435	-47.7	<=-41.20	PASS
				AV	5735.000	-49.02	<=-41.20	PASS
				Peak	5725.000	-34.47	<=-21.20	PASS
				Peak	5726.609	-33.14	<=-21.20	PASS
				Peak	5735.000	-37.52	<=-21.20	PASS
		Low	5745	Peak	5650.000	-38.82	<=-27.00	PASS
				Peak	5700.000	-38.56	<=10.00	PASS
				Peak	5720.000	-34.62	<=15.60	PASS
				Peak	5725.000	-30.04	<=27.00	PASS
		High	5825	Peak	5850.000	-34.73	<=15.60	PASS
				Peak	5855.000	-36.06	<=27.00	PASS
				Peak	5875.000	-36.68	<=15.60	PASS
				Peak	5925.000	-37.56	<=10.00	PASS
11N20SISO	Ant1	Low	5180	AV	4500.000	-50.59	<=-41.20	PASS
				AV	5032.609	-47.15	<=-41.20	PASS
				AV	5150.000	-48.83	<=-41.20	PASS
				Peak	4500.000	-38.16	<=-21.20	PASS
				Peak	5098.551	-34.75	<=-21.20	PASS
				Peak	5150.000	-35.94	<=-21.20	PASS
		High	5320	AV	5350.000	-49.09	<=-41.20	PASS
				AV	5447.942	-47.71	<=-41.20	PASS
				AV	5460.000	-49.26	<=-41.20	PASS

				Peak	5350.000	-37.57	<=-21.20	PASS
				Peak	5449.333	-35.36	<=-21.20	PASS
				Peak	5460.000	-37.23	<=-21.20	PASS
		Low	5500	AV	5460.000	-49.27	<=-41.20	PASS
				AV	5470.000	-49.3	<=-41.20	PASS
				Peak	5460.000	-38.31	<=-21.20	PASS
				Peak	5465.739	-35.12	<=-21.20	PASS
				Peak	5470.000	-38.17	<=-21.20	PASS
		High	5700	AV	5725.000	-48.99	<=-41.20	PASS
				AV	5726.522	-48.56	<=-41.20	PASS
				AV	5735.000	-49.25	<=-41.20	PASS
				Peak	5725.000	-36.22	<=-21.20	PASS
				Peak	5729.130	-36	<=-21.20	PASS
				Peak	5735.000	-37.85	<=-21.20	PASS
		Low	5745	Peak	5650.000	-37.81	<=-27.00	PASS
				Peak	5700.000	-38.88	<=10.00	PASS
				Peak	5720.000	-34.45	<=15.60	PASS
				Peak	5725.000	-28.27	<=27.00	PASS
		High	5825	Peak	5850.000	-35.54	<=15.60	PASS
				Peak	5855.000	-36.93	<=27.00	PASS
				Peak	5875.000	-36.93	<=15.60	PASS
				Peak	5925.000	-37.07	<=10.00	PASS
11N40SISO	Ant1	Low	5190	AV	4500.000	-50.67	<=-41.20	PASS
				AV	5150.000	-41.54	<=-41.20	PASS
				Peak	4500.000	-38.5	<=-21.20	PASS
				Peak	5150.000	-24.97	<=-21.20	PASS
		High	5310	AV	5350.000	-41.73	<=-41.20	PASS
				AV	5460.000	-49.21	<=-41.20	PASS
				Peak	5350.000	-27.41	<=-21.20	PASS
				Peak	5354.029	-27.01	<=-21.20	PASS
				Peak	5460.000	-39.06	<=-21.20	PASS
		Low	5510	AV	5460.000	-46.18	<=-41.20	PASS
				AV	5470.000	-43.03	<=-41.20	PASS
				Peak	5460.000	-35.36	<=-21.20	PASS
				Peak	5470.000	-29.46	<=-21.20	PASS
		High	5670	AV	5725.000	-48.24	<=-41.20	PASS
				AV	5725.652	-48.12	<=-41.20	PASS
				AV	5735.000	-49.09	<=-41.20	PASS
				Peak	5725.000	-39.1	<=-21.20	PASS
				Peak	5726.667	-36.38	<=-21.20	PASS
				Peak	5735.000	-37.3	<=-21.20	PASS
		Low	5755	Peak	5650.000	-37	<=-27.00	PASS
				Peak	5700.000	-33.09	<=10.00	PASS
				Peak	5720.000	-27.99	<=15.60	PASS
				Peak	5725.000	-24.7	<=27.00	PASS
		High	5795	Peak	5850.000	-36.31	<=15.60	PASS
				Peak	5855.000	-35.16	<=27.00	PASS

				Peak	5875.000	-37.11	<=15.60	PASS
				Peak	5925.000	-39.63	<=10.00	PASS
11AC20SISO	Ant1	Low	5180	AV	4500.000	-50.65	<=-41.20	PASS
				AV	5032.609	-47.17	<=-41.20	PASS
				AV	5150.000	-48.87	<=-41.20	PASS
				Peak	4500.000	-38.29	<=-21.20	PASS
				Peak	5098.551	-34.27	<=-21.20	PASS
				Peak	5150.000	-36.7	<=-21.20	PASS
		High	5320	AV	5350.000	-48.94	<=-41.20	PASS
				AV	5448.406	-47.67	<=-41.20	PASS
				AV	5460.000	-49.23	<=-41.20	PASS
				Peak	5350.000	-37.5	<=-21.20	PASS
				Peak	5361.217	-35.19	<=-21.20	PASS
				Peak	5460.000	-36.62	<=-21.20	PASS
		Low	5500	AV	5460.000	-49.08	<=-41.20	PASS
				AV	5470.000	-48.35	<=-41.20	PASS
				Peak	5460.000	-37.1	<=-21.20	PASS
				Peak	5464.696	-36.06	<=-21.20	PASS
				Peak	5470.000	-37.12	<=-21.20	PASS
		High	5700	AV	5725.000	-47.15	<=-41.20	PASS
				AV	5735.000	-48.97	<=-41.20	PASS
				Peak	5725.000	-34.29	<=-21.20	PASS
				Peak	5726.522	-32.48	<=-21.20	PASS
				Peak	5735.000	-37.54	<=-21.20	PASS
		Low	5745	Peak	5650.000	-37.84	<=-27.00	PASS
				Peak	5700.000	-36.69	<=10.00	PASS
				Peak	5720.000	-30.06	<=15.60	PASS
				Peak	5725.000	-26.06	<=27.00	PASS
		High	5825	Peak	5850.000	-31.08	<=15.60	PASS
				Peak	5855.000	-33.93	<=27.00	PASS
				Peak	5875.000	-36.23	<=15.60	PASS
				Peak	5925.000	-36.88	<=10.00	PASS
11AC40SISO	Ant1	Low	5190	AV	4500.000	-50.63	<=-41.20	PASS
				AV	5150.000	-41.6	<=-41.20	PASS
				Peak	4500.000	-39.03	<=-21.20	PASS
				Peak	5150.000	-26.1	<=-21.20	PASS
		High	5310	AV	5350.000	-41.61	<=-41.20	PASS
				AV	5460.000	-49.19	<=-41.20	PASS
				Peak	5350.000	-28.62	<=-21.20	PASS
				Peak	5460.000	-37.67	<=-21.20	PASS
		Low	5510	AV	5460.000	-46.28	<=-41.20	PASS
				AV	5470.000	-43.12	<=-41.20	PASS
				Peak	5460.000	-34.51	<=-21.20	PASS
				Peak	5468.667	-30.71	<=-21.20	PASS
				Peak	5470.000	-30.98	<=-21.20	PASS
		High	5670	AV	5725.000	-48.31	<=-41.20	PASS
				AV	5725.507	-48.17	<=-41.20	PASS


				AV	5735.000	-49.12	<=-41.20	PASS
				Peak	5725.000	-39.35	<=-21.20	PASS
				Peak	5726.522	-34.22	<=-21.20	PASS
				Peak	5735.000	-37.48	<=-21.20	PASS
		Low	5755	Peak	5650.000	-37.25	<=-27.00	PASS
				Peak	5700.000	-34.68	<=10.00	PASS
				Peak	5720.000	-27.06	<=15.60	PASS
				Peak	5725.000	-25.76	<=27.00	PASS
		High	5795	Peak	5850.000	-34.98	<=15.60	PASS
				Peak	5855.000	-34.25	<=27.00	PASS
				Peak	5875.000	-36.23	<=15.60	PASS
				Peak	5925.000	-36.32	<=10.00	PASS
11AC80SISO	Ant1	Low	5210	AV	4500.000	-50.71	<=-41.20	PASS
				AV	5150.000	-41.8	<=-41.20	PASS
				Peak	4500.000	-37.84	<=-21.20	PASS
				Peak	5140.217	-26.9	<=-21.20	PASS
				Peak	5150.000	-28.94	<=-21.20	PASS
		High	5290	AV	5350.000	-44.47	<=-41.20	PASS
				AV	5460.000	-48.95	<=-41.20	PASS
				Peak	5350.000	-30.24	<=-21.20	PASS
				Peak	5460.000	-38.93	<=-21.20	PASS
		Low	5530	AV	5460.000	-43.8	<=-41.20	PASS
				AV	5470.000	-42.44	<=-41.20	PASS
				Peak	5460.000	-31.16	<=-21.20	PASS
				Peak	5469.217	-30.25	<=-21.20	PASS
				Peak	5470.000	-30.58	<=-21.20	PASS
		High	5610	AV	5725.000	-48.93	<=-41.20	PASS
				AV	5735.000	-49.39	<=-41.20	PASS
				Peak	5725.000	-36.86	<=-21.20	PASS
				Peak	5732.609	-36.72	<=-21.20	PASS
				Peak	5735.000	-39.16	<=-21.20	PASS
		Low	5775	Peak	5650.000	-37.37	<=-27.00	PASS
				Peak	5700.000	-30.73	<=10.00	PASS
				Peak	5720.000	-25.43	<=15.60	PASS
				Peak	5725.000	-27.24	<=27.00	PASS
		High	5775	Peak	5850.000	-30.73	<=15.60	PASS
				Peak	5855.000	-33.28	<=27.00	PASS
				Peak	5875.000	-35.48	<=15.60	PASS
				Peak	5925.000	-37.7	<=10.00	PASS

Note:


1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a) or RSS-Gen 8.10. The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

6.2. Test Graphs


11A_Ant1_Low_5180_AV




11A_Ant1_Low_5180_Peak




11A_Ant1_High_5320_AV




11A_Ant1_High_5320_Peak




11A_Ant1_Low_5500_AV




11A_Ant1_Low_5500_Peak




11A_Ant1_High_5700_AV




11A_Ant1_High_5700_Peak




11A_Ant1_Low_5745_Peak




11A_Ant1_High_5825_Peak




11N20SISO_Ant1_Low_5180_AV




11N20SISO_Ant1_Low_5180_Peak




11N20SISO_Ant1_High_5320_AV




11N20SISO_Ant1_High_5320_Peak




11N20SISO_Ant1_Low_5500_AV




11N20SISO_Ant1_Low_5500_Peak




11N20SISO_Ant1_High_5700_AV




11N20SISO_Ant1_High_5700_Peak




11N20SISO_Ant1_Low_5745_Peak




11N20SISO_Ant1_High_5825_Peak




11N40SISO_Ant1_Low_5190_AV




11N40SISO_Ant1_Low_5190_Peak




11N40SISO_Ant1_High_5310_AV




11N40SISO_Ant1_High_5310_Peak




11N40SISO_Ant1_Low_5510_AV




11N40SISO_Ant1_Low_5510_Peak



11N40SISO_Ant1_High_5670_AV




11N40SISO_Ant1_High_5670_Peak




11N40SISO_Ant1_Low_5755_Peak




11N40SISO_Ant1_High_5795_Peak




11AC20SISO_Ant1_Low_5180_AV




11AC20SISO_Ant1_Low_5180_Peak




11AC20SISO_Ant1_High_5320_AV




11AC20SISO_Ant1_High_5320_Peak




11AC20SISO_Ant1_Low_5500_AV




11AC20SISO_Ant1_Low_5500_Peak




11AC20SISO_Ant1_High_5700_AV




11AC20SISO_Ant1_High_5700_Peak




11AC20SISO_Ant1_Low_5745_Peak




11AC20SISO_Ant1_High_5825_Peak



11AC40SISO_Ant1_Low_5190_AV




11AC40SISO_Ant1_Low_5190_Peak




11AC40SISO_Ant1_High_5310_AV




11AC40SISO_Ant1_High_5310_Peak




11AC40SISO_Ant1_Low_5510_AV




11AC40SISO_Ant1_Low_5510_Peak




11AC40SISO_Ant1_High_5670_AV




11AC40SISO_Ant1_High_5670_Peak




11AC40SISO_Ant1_Low_5755_Peak




11AC40SISO_Ant1_High_5795_Peak




11AC80SISO_Ant1_Low_5210_AV




11AC80SISO_Ant1_Low_5210_Peak




11AC80SISO_Ant1_High_5290_AV




11AC80SISO_Ant1_High_5290_Peak




11AC80SISO_Ant1_Low_5530_AV




11AC80SISO_Ant1_Low_5530_Peak




11AC80SISO_Ant1_High_5610_AV




11AC80SISO_Ant1_High_5610_Peak



11AC80SISO_Ant1_Low_5775_Peak



11AC80SISO_Ant1_High_5775_Peak



7. Conducted Spurious Emission


7.1. Test Result


TestMode	Antenna	Channel	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~5140	5091.54	-44.51	<=-27	PASS
			5360~40000	39485.6	-39.33	<=-27	PASS
		5200	30~5140	5129.7	-45.77	<=-27	PASS
			5360~40000	39500.6	-39.21	<=-27	PASS
		5240	30~5140	5103.98	-46.44	<=-27	PASS
			5360~40000	39553.7	-39.12	<=-27	PASS
		5260	30~5140	5127.99	-46.36	<=-27	PASS
			5360~40000	39721.2	-39.81	<=-27	PASS
		5280	30~5140	5002.63	-47.83	<=-27	PASS
			5360~40000	39998.3	-39.58	<=-27	PASS
		5320	30~5140	5032.78	-47.88	<=-27	PASS
			5360~40000	39938.2	-38.69	<=-27	PASS
		5500	30~5460	5383.35	-46.05	<=-27	PASS
			5735~40000	39572.3	-39.08	<=-27	PASS
		5580	30~5460	5415.57	-46.69	<=-27	PASS
			5735~40000	39973.2	-38.52	<=-27	PASS
		5720	30~5460	5410.5	-47.17	<=-27	PASS
			5925~40000	39618.9	-38.03	<=-27	PASS
		5745	30~1000	862.28	-53.35	<=-27	PASS
			1000~40000	39980.5	-39.04	<=-27	PASS
		5785	30~1000	957.4	-52.7	<=-27	PASS
			1000~40000	39512.5	-38.81	<=-27	PASS
11N20SISO	Ant1	5180	30~5140	5136.85	-44.24	<=-27	PASS
			5360~40000	39322.8	-39.32	<=-27	PASS
		5200	30~5140	5088.48	-44.05	<=-27	PASS
			5360~40000	39953.2	-38.55	<=-27	PASS
		5240	30~5140	5123.39	-46.17	<=-27	PASS
			5360~40000	39983.3	-38.99	<=-27	PASS
		5260	30~5140	5120.84	-46.69	<=-27	PASS
			5360~40000	39994.8	-39.31	<=-27	PASS
		5280	30~5140	5113.34	-46.55	<=-27	PASS
			5360~40000	39977.5	-39.79	<=-27	PASS
		5320	30~5140	5116.24	-48.16	<=-27	PASS
			5360~40000	38959.1	-39.51	<=-27	PASS
		5500	30~5460	5434.39	-44.37	<=-27	PASS
			5735~40000	39984.6	-39.94	<=-27	PASS
		5580	30~5460	5348.6	-45.7	<=-27	PASS
			5735~40000	39806.4	-38.41	<=-27	PASS
		5720	30~5460	5451.95	-46.79	<=-27	PASS

		5745	5925~40000	39993.8	-39.59	<=-27	PASS
			30~1000	831.86	-53.36	<=-27	PASS
		5785	1000~40000	39953.2	-38.84	<=-27	PASS
			30~1000	511.8	-53.1	<=-27	PASS
		5825	1000~40000	39819.3	-38.38	<=-27	PASS
			30~1000	958.66	-51.67	<=-27	PASS
11N40SISO	Ant1	5190	1000~40000	39962.3	-38.5	<=-27	PASS
			30~5140	5138.38	-38.2	<=-27	PASS
		5230	5360~40000	39963.6	-39.19	<=-27	PASS
			30~5140	5136.85	-43.9	<=-27	PASS
		5270	5360~40000	39950.9	-38.21	<=-27	PASS
			30~5140	5130.89	-47.32	<=-27	PASS
		5310	5360~40000	39635.7	-39.35	<=-27	PASS
			30~5140	5130.55	-47.79	<=-27	PASS
		5510	5360~40000	39490.2	-40.21	<=-27	PASS
			30~5460	5456.65	-37.25	<=-27	PASS
		5550	5735~40000	39749.3	-39.97	<=-27	PASS
			30~5460	5377.92	-45.78	<=-27	PASS
		5710	5735~40000	39500.3	-38.63	<=-27	PASS
			30~5460	5386.61	-47.34	<=-27	PASS
		5755	5925~40000	39315.7	-38.89	<=-27	PASS
			30~1000	738.64	-52.87	<=-27	PASS
		5795	1000~40000	39972.7	-39.01	<=-27	PASS
			30~1000	522.5	-53.67	<=-27	PASS
11AC20SISO	Ant1	5180	1000~40000	39616.5	-39.23	<=-27	PASS
			30~5140	5133.95	-44.92	<=-27	PASS
		5200	5360~40000	39788.1	-39.25	<=-27	PASS
			30~5140	5109.77	-44.88	<=-27	PASS
		5240	5360~40000	39953.2	-38.99	<=-27	PASS
			30~5140	5089.16	-46.42	<=-27	PASS
		5260	5360~40000	39879.3	-38.94	<=-27	PASS
			30~5140	5089.33	-46.18	<=-27	PASS
		5280	5360~40000	39717.7	-39.15	<=-27	PASS
			30~5140	5135.15	-46.85	<=-27	PASS
		5320	5360~40000	39974	-39.55	<=-27	PASS
			30~5140	5129.01	-47.96	<=-27	PASS
		5500	5360~40000	39985.6	-37.98	<=-27	PASS
			30~5460	5428.05	-45.08	<=-27	PASS
		5580	5735~40000	39990.3	-38.47	<=-27	PASS
			30~5460	5324.71	-45.35	<=-27	PASS
		5720	5735~40000	39454.6	-37.86	<=-27	PASS
			30~5460	5356.74	-47.15	<=-27	PASS
		5745	5925~40000	39580.3	-39.59	<=-27	PASS
			30~1000	895.45	-51.68	<=-27	PASS
		5785	1000~40000	39409.8	-38.84	<=-27	PASS
			30~1000	958.95	-54.06	<=-27	PASS
			1000~40000	39950.6	-38.81	<=-27	PASS
			30~1000	958.95	-54.06	<=-27	PASS


		5825	30~1000	510.89	-52.88	<=-27	PASS
			1000~40000	39996.1	-38.96	<=-27	PASS
11AC40SISO	Ant1	5190	30~5140	5137.53	-39.36	<=-27	PASS
			5360~40000	39945.2	-39.34	<=-27	PASS
		5230	30~5140	5059.01	-45.98	<=-27	PASS
			5360~40000	39994.8	-39.53	<=-27	PASS
		5270	30~5140	5122.54	-47.66	<=-27	PASS
			5360~40000	39949.8	-39.01	<=-27	PASS
		5310	30~5140	4628.08	-47.86	<=-27	PASS
			5360~40000	39494.9	-39.65	<=-27	PASS
		5510	30~5460	5451.95	-37.09	<=-27	PASS
			5735~40000	39992.6	-38.97	<=-27	PASS
		5550	30~5460	5391.86	-46.28	<=-27	PASS
			5735~40000	39932	-39.65	<=-27	PASS
		5710	30~5460	5317.83	-47.13	<=-27	PASS
			5925~40000	39989.2	-38.56	<=-27	PASS
		5755	30~1000	958.79	-52.94	<=-27	PASS
			1000~40000	38922.3	-39.12	<=-27	PASS
11AC80SISO	Ant1	5795	30~1000	864.42	-53.05	<=-27	PASS
			1000~40000	39966.2	-39.7	<=-27	PASS
		5210	30~5140	5137.53	-32.06	<=-27	PASS
			5360~40000	39974	-39.71	<=-27	PASS
		5290	30~5140	5137.36	-45.95	<=-27	PASS
			5360~40000	5365.2	-37.09	<=-27	PASS
		5530	30~5460	5455.38	-34.18	<=-27	PASS
			5735~40000	39951.5	-40.05	<=-27	PASS
		5610	30~5460	5445.25	-46.28	<=-27	PASS
			5735~40000	39748.2	-39.04	<=-27	PASS
		5775	30~1000	860.76	-52.77	<=-27	PASS
			1000~40000	39469.6	-38.6	<=-27	PASS

7.2. Test Graphs







11A_Ant1_5240_30~5140




11A_Ant1_5240_5360~40000




11A_Ant1_5260_30~5140




11A_Ant1_5260_5360~40000




11A_Ant1_5280_30~5140




11A_Ant1_5280_5360~40000




11A_Ant1_5320_30~5140




11A_Ant1_5320_5360~40000




11A_Ant1_5500_30~5460




11A_Ant1_5500_5735~40000




11A_Ant1_5580_30~5460




11A_Ant1_5580_5735~40000




11A_Ant1_5720_30~5460




11A_Ant1_5720_5925~40000




11A_Ant1_5745_30~1000




11A_Ant1_5745_1000~40000




11A_Ant1_5785_30~1000




11A_Ant1_5785_1000~40000




11A_Ant1_5825_30~1000




11A_Ant1_5825_1000~40000




11N20SISO_Ant1_5180_30~5140




11N20SISO_Ant1_5180_5360-40000




11N20SISO_Ant1_5200_30-5140




11N20SISO_Ant1_5200_5360-40000




11N20SISO_Ant1_5240_30~5140




11N20SISO_Ant1_5240_5360~40000




11N20SISO_Ant1_5260_30~5140




11N20SISO_Ant1_5260_5360-40000




11N20SISO_Ant1_5280_30-5140




11N20SISO_Ant1_5280_5360-40000



11N20SISO_Ant1_5320_30~5140



11N20SISO_Ant1_5320_5360~40000



11N20SISO_Ant1_5500_30~5460