





802.11a_(6Mbps)_2TX

5580MHz_TX



**802.11a_(6Mbps)_2TX****5580MHz_TX**


20170831
EUT_Z_2TX
Setting 23
02-Z-1-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4424G	46.93	54.00	-7.07	9.63	3	H	253	1.11	-
AV	5.5752G	104.69	Inf	-Inf	9.86	3	H	253	1.11	-
PK	5.3928G	59.15	74.00	-14.85	9.51	3	H	253	1.11	-
PK	5.4688G	58.24	68.20	-9.96	9.71	3	H	253	1.11	-
PK	5.5864G	115.60	Inf	-Inf	9.87	3	H	253	1.11	-
PK	5.7712G	59.34	68.20	-8.86	9.91	3	H	253	1.11	-



802.11a_(6Mbps)_2TX

5580MHz_TX




20170831
EUT_Z_2TX
Setting 23
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.1626G	41.23	54.00	-12.77	16.01	3	V	260	2.19	-
PK	11.16472G	54.95	74.00	-19.05	16.01	3	V	260	2.19	-
PK	16.7394G	68.12	68.20	-0.08	19.90	3	V	305	2.59	-



802.11a_(6Mbps)_2TX


5580MHz_TX



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.1596G	41.10	54.00	-12.90	16.00	3	H	37	1.52	-
PK	11.16644G	54.63	74.00	-19.37	16.01	3	H	37	1.52	-
PK	16.74316G	67.23	68.20	-0.97	19.91	3	H	140	1.67	-



5700MHz TX




Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6932G	91.53	Inf	-Inf	9.90	3	V	252	1.00	-
PK	5.6982G	102.38	Inf	-Inf	9.90	3	V	252	1.00	-
PK	5.727G	60.68	68.20	-7.52	9.91	3	V	252	1.00	-



802.11a_(6Mbps)_2TX

5700MHz_TX




Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.696G	98.67	Inf	-Inf	9.90	3	H	275	1.00	-
PK	5.6956G	108.85	Inf	-Inf	9.90	3	H	275	1.00	-
PK	5.7262G	68.17	68.20	-0.03	9.91	3	H	275	1.00	-



802.11a_(6Mbps)_2TX

5700MHz_TX




20170831
EUT_Z_2TX
Setting 15.5
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4078G	41.96	54.00	-12.04	16.27	3	V	213	1.58	-
PK	11.40304G	55.18	74.00	-18.82	16.27	3	V	213	1.58	-
PK	17.09516G	62.66	68.20	-5.54	21.46	3	V	347	2.09	-



802.11a_(6Mbps)_2TX

5700MHz_TX




20170831
EUT_Z_2TX
Setting 15.5
02-Z-1
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3996G	41.90	54.00	-12.10	16.27	3	H	231	1.51	-
PK	11.39292G	55.86	74.00	-18.14	16.26	3	H	231	1.51	-
PK	17.10852G	59.57	68.20	-8.63	21.54	3	H	70	2.20	-

802.11a_(6Mbps)_2TX

5720MHz_TX




20170831
EUT_Z_2TX
Setting 18
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4404G	46.79	54.00	-7.21	9.63	3	V	286	1.06	-
AV	5.462G	46.79	54.00	-7.21	9.69	3	V	286	1.06	-
AV	5.7188G	94.36	Inf	-Inf	9.90	3	V	286	1.06	-
PK	5.4332G	59.31	74.00	-14.69	9.61	3	V	286	1.06	-
PK	5.4608G	59.22	74.00	-14.78	9.68	3	V	286	1.06	-
PK	5.7248G	104.45	Inf	-Inf	9.90	3	V	286	1.06	-
PK	5.9852G	60.42	68.20	-7.78	10.18	3	V	286	1.06	-



802.11a_(6Mbps)_2TX

5720MHz_TX




20170831
EUT_Z_2TX
Setting 18
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.45G	46.96	54.00	-7.04	9.66	3	H	276	1.03	-
AV	5.4644G	46.87	54.00	-7.13	9.69	3	H	276	1.03	-
AV	5.7248G	100.59	Inf	-Inf	9.90	3	H	276	1.03	-
PK	5.4572G	59.40	74.00	-14.60	9.67	3	H	276	1.03	-
PK	5.468G	58.73	74.00	-15.27	9.70	3	H	276	1.03	-
PK	5.7248G	112.17	Inf	-Inf	9.90	3	H	276	1.03	-
PK	5.9852G	60.05	68.20	-8.15	10.18	3	H	276	1.03	-



802.11a_(6Mbps)_2TX

5720MHz_TX




Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.446/6G	41.98	54.00	-12.02	16.32	3	V	//	2.29	-
PK	11.43084G	55.35	74.00	-18.65	16.30	3	V	77	2.29	-
PK	17.15704G	68.15	68.20	-0.05	21.82	3	V	350	2.12	-



802.11a_(6Mbps)_2TX

5720MHz_TX




Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43G	41.86	54.00	-12.14	16.30	3	H	280	1.43	-
PK	11.44076G	55.44	74.00	-18.56	16.31	3	H	280	1.43	-
PK	17.152G	65.60	68.20	-2.60	21.79	3	H	307	2.68	-




802.11ac VHT20_Nss1,(MCS0)_2TX

5260MHz_TX



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1178G	45.85	54.00	-8.15	8.95	3	V	173	2.52	-
AV	5.263G	96.73	Inf	-Inf	9.28	3	V	173	2.52	-
AV	5.4094G	46.08	54.00	-7.92	9.55	3	V	173	2.52	-
PK	5.1466G	58.90	74.00	-15.10	9.03	3	V	173	2.52	-
PK	5.2624G	107.81	Inf	-Inf	9.28	3	V	173	2.52	-
PK	5.368G	59.16	74.00	-14.84	9.47	3	V	173	2.52	-

**802.11ac VHT20_Nss1,(MCS0)_2TX****5260MHz_TX**


20170831
EUT_Z_2TX
Setting 23
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1418G	45.97	54.00	-8.03	9.01	3	H	84	1.04	-
AV	5.2624G	105.44	Inf	-Inf	9.28	3	H	84	1.04	-
AV	5.350005G	46.71	54.00	-7.29	9.44	3	H	84	1.04	-
PK	5.1406G	58.44	74.00	-15.56	9.01	3	H	84	1.04	-
PK	5.2618G	116.92	Inf	-Inf	9.28	3	H	84	1.04	-
PK	5.359G	60.02	74.00	-13.98	9.45	3	H	84	1.04	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5260MHz_TX




20170831
EUT_Z_2TX
Setting 23
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.77076G	41.42	54.00	-12.58	17.53	3	V	49	1.82	-
PK	15.77256G	54.99	74.00	-19.01	17.52	3	V	49	1.82	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5260MHz_TX




20170831
EUT_Z_2TX
Setting 23
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.77476G	41.38	54.00	-12.62	17.52	3	H	264	2.03	-
PK	15.78672G	56.02	74.00	-17.98	17.49	3	H	264	2.03	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5300MHz_TX




20170831
EUT_Z_2TX
Setting 22
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3032G	96.73	Inf	-Inf	9.36	3	V	134	2.57	-
AV	5.350005G	49.94	54.00	-4.06	9.44	3	V	134	2.57	-
PK	5.3032G	107.83	Inf	-Inf	9.36	3	V	134	2.57	-
PK	5.3504G	63.16	74.00	-10.84	9.44	3	V	134	2.57	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5300MHz_TX




Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3036G	103.94	Inf	-Inf	9.36	3	H	//	2.54	-
AV	5.350005G	53.94	54.00	-0.06	9.44	3	H	77	2.54	-
PK	5.3048G	114.84	Inf	-Inf	9.36	3	H	77	2.54	-
PK	5.3516G	67.92	74.00	-6.08	9.44	3	H	77	2.54	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5300MHz_TX




20170831
EUT_Z_2TX
Setting 22
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.60988G	40.20	54.00	-13.80	15.90	3	V	171	2.49	-
PK	10.60248G	54.29	74.00	-19.71	15.90	3	V	171	2.49	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5300MHz_TX




Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.60014G	40.24	54.00	-13.76	15.90	3	H	186	1.40	-
PK	10.6012G	54.11	74.00	-19.89	15.90	3	H	186	1.40	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5320MHz_TX




20170831
EUT_Z_2TX
Setting 18
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3174G	92.78	Inf	-Inf	9.38	3	V	191	2.60	-
AV	5.350005G	47.41	54.00	-6.59	9.44	3	V	191	2.60	-
PK	5.3182G	103.90	Inf	-Inf	9.38	3	V	191	2.60	-
PK	5.355G	60.67	74.00	-13.33	9.44	3	V	191	2.60	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5320MHz_TX




20170831
EUT_Z_2TX
Setting 18
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.323G	101.26	Inf	-Inf	9.39	3	H	68	1.02	-
AV	5.3502G	53.92	54.00	-0.08	9.44	3	H	68	1.02	-
PK	5.3232G	112.27	Inf	-Inf	9.39	3	H	68	1.02	-
PK	5.3508G	68.62	74.00	-5.38	9.44	3	H	68	1.02	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5320MHz_TX




Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.63016G	40.20	54.00	-13.80	15.89	3	V	245	1.72	-
PK	10.63424G	54.42	74.00	-19.58	15.89	3	V	245	1.72	-




802.11ac VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.6326G	40.21	54.00	-13.79	15.89	3	H	69	1.78	-
PK	10.64656G	54.03	74.00	-19.97	15.89	3	H	69	1.78	-

**802.11ac VHT20_Nss1,(MCS0)_2TX****5500MHz_TX**

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	46.46	54.00	-7.54	9.68	3	V	131	2.71	-
AV	5.4692G	48.79	54.00	-5.21	9.71	3	V	131	2.71	-
AV	5.5048G	92.06	Inf	-Inf	9.79	3	V	131	2.71	-
PK	5.428G	59.26	74.00	-14.74	9.60	3	V	131	2.71	-
PK	5.4676G	64.56	74.00	-9.44	9.70	3	V	131	2.71	-
PK	5.5056G	103.50	Inf	-Inf	9.80	3	V	131	2.71	-

**802.11ac VHT20_Nss1,(MCS0)_2TX****5500MHz_TX**


20170831
EUT_Z_2TX
Setting 19
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	48.36	54.00	-5.64	9.68	3	H	255	1.00	-
AV	5.4696G	53.61	54.00	-0.39	9.71	3	H	255	1.00	-
AV	5.4976G	101.72	Inf	-Inf	9.78	3	H	255	1.00	-
PK	5.4592G	64.52	74.00	-9.48	9.68	3	H	255	1.00	-
PK	5.4684G	70.23	74.00	-3.77	9.70	3	H	255	1.00	-
PK	5.4964G	112.30	Inf	-Inf	9.78	3	H	255	1.00	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5500MHz_TX




Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.99268G	40.26	54.00	-13.74	15.83	3	V	217	1.47	-
PK	10.99156G	53.91	74.00	-20.09	15.83	3	V	217	1.47	-




802.11ac VHT20_Nss1,(MCS0)_2TX

5500MHz_TX



20170831
EUT_Z_2TX
Setting 19
02-J-6
FSU


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.99012G	40.28	54.00	-13.72	15.83	3	H	5	1.69	-
PK	10.99976G	54.57	74.00	-19.43	15.83	3	H	5	1.69	-

**802.11ac VHT20_Nss1,(MCS0)_2TX****5580MHz_TX**

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4496G	46.26	54.00	-7.74	9.65	3	V	135	2.62	-
AV	5.4616G	46.26	54.00	-7.74	9.69	3	V	135	2.62	-
AV	5.588G	95.05	Inf	-Inf	9.87	3	V	135	2.62	-
AV	5.728G	46.62	54.00	-7.38	9.91	3	V	135	2.62	-
PK	5.4464G	59.33	74.00	-14.67	9.65	3	V	135	2.62	-
PK	5.4664G	58.53	74.00	-15.47	9.70	3	V	135	2.62	-
PK	5.588G	105.67	Inf	-Inf	9.87	3	V	135	2.62	-
PK	5.7456G	59.14	74.00	-14.86	9.91	3	V	135	2.62	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5580MHz_TX




20170831
EUT_Z_2TX
Setting 23
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4592G	46.43	54.00	-7.57	9.68	3	H	234	1.00	-
AV	5.4632G	46.50	54.00	-7.50	9.69	3	H	234	1.00	-
AV	5.5856G	104.68	Inf	-Inf	9.87	3	H	234	1.00	-
AV	5.7288G	46.69	54.00	-7.31	9.91	3	H	234	1.00	-
PK	5.4264G	58.96	74.00	-15.04	9.59	3	H	234	1.00	-
PK	5.468G	58.42	74.00	-15.58	9.70	3	H	234	1.00	-
PK	5.5832G	115.73	Inf	-Inf	9.86	3	H	234	1.00	-
PK	5.7544G	58.97	74.00	-15.03	9.91	3	H	234	1.00	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5580MHz_TX




20170831
EUT_Z_2TX
Setting 23
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16388G	40.28	54.00	-13.72	16.01	3	V	159	1.19	-
PK	11.15228G	54.21	74.00	-19.79	16.00	3	V	159	1.19	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5580MHz_TX




20170831
EUT_Z_2TX
Setting 23
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16484G	40.29	54.00	-13.71	16.01	3	H	105	1.21	-
PK	11.15792G	54.44	74.00	-19.56	16.00	3	H	105	1.21	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5700MHz_TX




Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6968G	90.74	Inf	-Inf	9.90	3	V	208	2.66	-
AV	5.7252G	47.51	54.00	-6.49	9.91	3	V	208	2.66	-
PK	5.6972G	102.07	Inf	-Inf	9.90	3	V	208	2.66	-
PK	5.7252G	60.62	74.00	-13.38	9.91	3	V	208	2.66	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5700MHz_TX




20170831
EUT_Z_2TX
Setting 16.5
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7028G	99.39	Inf	-Inf	9.90	3	H	253	1.02	-
AV	5.7252G	53.97	54.00	-0.03	9.91	3	H	253	1.02	-
PK	5.7016G	109.84	Inf	-Inf	9.90	3	H	253	1.02	-
PK	5.7252G	71.99	74.00	-2.01	9.91	3	H	253	1.02	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5700MHz_TX




Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.39672G	41.00	54.00	-13.00	16.26	3	V	252	1.37	-
PK	11.40064G	55.00	74.00	-19.00	16.27	3	V	252	1.37	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5700MHz_TX




20170831
EUT_Z_2TX
Setting 16.5
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40004G	41.01	54.00	-12.99	16.27	3	H	254	1.45	-
PK	11.3988G	55.42	74.00	-18.58	16.26	3	H	254	1.45	-




802.11ac VHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



20170831
EUT_Z_TX
Setting 23
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4464G	46.27	54.00	-7.73	9.65	3	V	146	2.63	-
AV	5.4632G	46.27	54.00	-7.73	9.69	3	V	146	2.63	-
AV	5.7224G	95.89	Inf	-Inf	9.90	3	V	146	2.63	-
PK	5.4428G	58.44	74.00	-15.56	9.64	3	V	146	2.63	-
PK	5.4668G	58.09	74.00	-15.91	9.70	3	V	146	2.63	-
PK	5.7212G	106.24	Inf	-Inf	9.90	3	V	146	2.63	-
PK	5.984G	59.60	68.20	-8.60	10.18	3	V	146	2.63	-


**802.11ac VHT20_Nss1,(MCS0)_2TX****5720MHz Straddle 5.47-5.725GHz_TX**

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.438G	46.36	54.00	-7.64	9.62	3	H	280	1.01	-
AV	5.462G	46.32	54.00	-7.68	9.69	3	H	280	1.01	-
AV	5.7188G	104.96	Inf	-Inf	9.90	3	H	280	1.01	-
PK	5.438G	58.77	74.00	-15.23	9.62	3	H	280	1.01	-
PK	5.4608G	57.99	74.00	-16.01	9.68	3	H	280	1.01	-
PK	5.7176G	115.53	Inf	-Inf	9.90	3	H	280	1.01	-
PK	5.9456G	60.20	68.20	-8.00	10.12	3	H	280	1.01	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.448/2G	41.10	54.00	-12.90	16.32	3	V	8	2.19	-
PK	11.4422G	55.09	74.00	-18.91	16.31	3	V	8	2.19	-
PK	17.1744G	67.89	68.20	-0.31	21.92	3	V	98	1.03	-



802.11ac VHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.441G	41.11	54.00	-12.89	16.31	3	H	142	2.10	-
PK	11.43368G	54.65	74.00	-19.35	16.30	3	H	142	2.10	-
PK	17.1675G	66.97	68.20	-1.23	21.88	3	H	284	2.05	-



802.11ac VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.132G	46.53	54.00	-7.47	8.99	3	V	191	2.54	-
AV	5.2778G	91.87	Inf	-Inf	9.31	3	V	191	2.54	-
AV	5.3624G	46.95	54.00	-7.05	9.46	3	V	191	2.54	-
PK	5.1434G	59.04	74.00	-14.96	9.02	3	V	191	2.54	-
PK	5.2778G	101.84	Inf	-Inf	9.31	3	V	191	2.54	-
PK	5.3702G	59.33	74.00	-14.67	9.47	3	V	191	2.54	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5270MHz_TX




20170831
 EUT_Z_2TX
 Setting 20.5
 02-J-6-10
 FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	46.65	54.00	-7.35	9.03	3	H	77	1.42	-
AV	5.276G	100.55	Inf	-Inf	9.30	3	H	77	1.42	-
AV	5.3534G	53.43	54.00	-0.57	9.44	3	H	77	1.42	-
PK	5.149995G	59.31	74.00	-14.69	9.03	3	H	77	1.42	-
PK	5.2772G	110.44	Inf	-Inf	9.31	3	H	77	1.42	-
PK	5.3534G	67.11	74.00	-6.89	9.44	3	H	77	1.42	-



802.11ac VHT40_Nss1,(MCS0)_2TX

5270MHz_TX




20170831
EUT_Z_2TX
Setting 20.5
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.80272G	41.86	54.00	-12.14	17.46	3	V	142	1.11	-
PK	15.8122G	55.16	74.00	-18.84	17.44	3	V	142	1.11	-



802.11ac VHT40_Nss1,(MCS0)_2TX

5270MHz_TX




20170831
EUT_Z_2TX
Setting 20.5
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.8116G	41.90	54.00	-12.10	17.44	3	H	241	2.24	-
PK	15.81152G	54.82	74.00	-19.18	17.44	3	H	241	2.24	-



802.11ac VHT40_Nss1,(MCS0)_2TX

5310MHz_TX




20170831
EUT_Z_2TX
Setting 15.5
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3012G	87.58	Inf	-Inf	9.35	3	V	18	2.68	-
AV	5.3504G	47.06	54.00	-6.94	9.44	3	V	18	2.68	-
PK	5.3G	97.68	Inf	-Inf	9.35	3	V	18	2.68	-
PK	5.3588G	58.38	74.00	-15.62	9.45	3	V	18	2.68	-



802.11ac VHT40_Nss1,(MCS0)_2TX

5310MHz_TX




Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3072G	96.57	Inf	-Inf	9.36	3	H	112	1.16	-
AV	5.350005G	53.96	54.00	-0.04	9.44	3	H	112	1.16	-
PK	5.3064G	106.70	Inf	-Inf	9.36	3	H	112	1.16	-
PK	5.350005G	68.40	74.00	-5.60	9.44	3	H	112	1.16	-



802.11ac VHT40_Nss1,(MCS0)_2TX

5310MHz_TX




20170831
EUT_Z_2TX
Setting 15.5
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.9298G	42.01	54.00	-11.99	17.18	3	V	173	2.25	-
PK	15.93928G	55.30	74.00	-18.70	17.16	3	V	173	2.25	-



802.11ac VHT40_Nss1,(MCS0)_2TX

5310MHz_TX




20170831
EUT_Z_2TX
Setting 15.5
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.92608G	42.12	54.00	-11.88	17.19	3	H	200	1.60	-
PK	15.93452G	54.97	74.00	-19.03	17.17	3	H	200	1.60	-




802.11ac VHT40_Nss1,(MCS0)_2TX

5510MHz_TX



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4532G	46.89	54.00	-7.11	9.66	3	V	176	1.39	-
AV	5.5128G	86.54	Inf	-Inf	9.80	3	V	176	1.39	-
PK	5.4484G	59.70	74.00	-14.30	9.65	3	V	176	1.39	-
PK	5.4648G	59.09	68.20	-9.11	9.69	3	V	176	1.39	-
PK	5.512G	96.54	Inf	-Inf	9.80	3	V	176	1.39	-


**802.11ac VHT40_Nss1,(MCS0)_2TX****5510MHz_TX**

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	49.14	54.00	-4.86	9.68	3	H	268	1.24	-
AV	5.512G	96.09	Inf	-Inf	9.80	3	H	268	1.24	-
PK	5.4596G	63.06	74.00	-10.94	9.68	3	H	268	1.24	-
PK	5.4692G	68.06	68.20	-0.14	9.71	3	H	268	1.24	-
PK	5.5124G	106.76	Inf	-Inf	9.80	3	H	268	1.24	-



802.11ac VHT40_Nss1,(MCS0)_2TX

5510MHz_TX




20170831
EUT_Z_2TX
Setting 15.5
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.02328G	41.00	54.00	-13.00	15.86	3	V	357	2.18	-
PK	11.02888G	54.10	74.00	-19.90	15.86	3	V	357	2.18	-




802.11ac VHT40_Nss1,(MCS0)_2TX

5510MHz_TX



20170831
EUT_Z_2TX
Setting 15.5
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.01392G	41.04	54.00	-12.96	15.85	3	H	258	1.11	-
PK	11.01724G	54.31	74.00	-19.69	15.85	3	H	258	1.11	-

**802.11ac VHT40_Nss1,(MCS0)_2TX****5550MHz_TX**


20170831
EUT_Z_2TX
Setting 21
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4558G	47.22	54.00	-6.78	9.67	3	V	176	1.40	-
AV	5.5518G	92.88	Inf	-Inf	9.84	3	V	176	1.40	-
PK	5.4522G	59.80	74.00	-14.20	9.66	3	V	176	1.40	-
PK	5.4684G	59.30	68.20	-8.90	9.70	3	V	176	1.40	-
PK	5.5512G	102.55	Inf	-Inf	9.84	3	V	176	1.40	-



802.11ac VHT40_Nss1,(MCS0)_2TX

5550MHz_TX




Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4598G	50.48	54.00	-3.52	9.68	3	H	277	1.24	-
AV	5.5476G	102.14	Inf	-Inf	9.83	3	H	277	1.24	-
PK	5.4522G	64.88	74.00	-9.12	9.66	3	H	277	1.24	-
PK	5.4672G	68.14	68.20	-0.06	9.70	3	H	277	1.24	-
PK	5.547G	111.77	Inf	-Inf	9.83	3	H	277	1.24	-



802.11ac VHT40_Nss1,(MCS0)_2TX

5550MHz_TX




20170831
EUT_Z_2TX
Setting 21
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09804G	41.01	54.00	-12.99	15.94	3	V	287	1.69	-
PK	11.09176G	54.26	74.00	-19.74	15.93	3	V	287	1.69	-



802.11ac VHT40_Nss1,(MCS0)_2TX

5550MHz_TX




20170831
EUT_Z_2TX
Setting 21
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09832G	41.06	54.00	-12.94	15.94	3	H	202	1.31	-
PK	11.09456G	54.52	74.00	-19.48	15.93	3	H	202	1.31	-



802.11ac VHT40_Nss1,(MCS0)_2TX

5670MHz_TX




20170831
EUT_Z_2TX
Setting 18.5
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6754G	89.73	Inf	-Inf	9.90	3	V	178	1.35	-
PK	5.6754G	99.31	Inf	-Inf	9.90	3	V	178	1.35	-
PK	5.7252G	60.35	68.20	-7.85	9.91	3	V	178	1.35	-



802.11ac VHT40_Nss1,(MCS0)_2TX

5670MHz_TX




20170831
EUT_Z_2TX
Setting 18.5
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.673G	99.18	Inf	-Inf	9.89	3	H	272	1.15	-
PK	5.6718G	108.68	Inf	-Inf	9.89	3	H	272	1.15	-
PK	5.7306G	68.15	68.20	-0.05	9.91	3	H	272	1.15	-



802.11ac VHT40_Nss1,(MCS0)_2TX

5670MHz_TX




20170831
EUT_Z_2TX
Setting 18.5
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34168G	41.65	54.00	-12.35	16.20	3	V	116	2.45	-
PK	11.33832G	55.19	74.00	-18.81	16.20	3	V	116	2.45	-




802.11ac VHT40_Nss1,(MCS0)_2TX

5670MHz_TX



20170831
EUT_Z_2TX
Setting 18.5
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34168G	41.75	54.00	-12.25	16.20	3	H	38	1.41	-
PK	11.346G	54.56	74.00	-19.44	16.21	3	H	38	1.41	-


**802.11ac VHT40_Nss1,(MCS0)_2TX****5710MHz_TX**

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	46.74	54.00	-7.26	9.68	3	V	180	1.12	-
AV	5.4616G	46.77	54.00	-7.23	9.69	3	V	180	1.12	-
AV	5.6956G	91.04	Inf	-Inf	9.90	3	V	180	1.12	-
PK	5.4448G	58.77	74.00	-15.23	9.64	3	V	180	1.12	-
PK	5.4652G	57.84	74.00	-16.16	9.70	3	V	180	1.12	-
PK	5.6956G	101.91	Inf	-Inf	9.90	3	V	180	1.12	-
PK	5.9752G	60.41	68.20	-7.79	10.17	3	V	180	1.12	-



802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz_TX




20170831
EUT_Z_2TX
Setting 23
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4592G	46.95	54.00	-7.05	9.68	3	H	288	1.19	-
AV	5.4652G	47.10	54.00	-6.90	9.70	3	H	288	1.19	-
AV	5.7124G	102.34	Inf	-Inf	9.90	3	H	288	1.19	-
PK	5.4244G	59.45	74.00	-14.55	9.59	3	H	288	1.19	-
PK	5.4652G	58.49	74.00	-15.51	9.70	3	H	288	1.19	-
PK	5.7088G	112.95	Inf	-Inf	9.90	3	H	288	1.19	-
PK	5.9368G	59.95	68.20	-8.25	10.11	3	H	288	1.19	-



802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz_TX




20170831
EUT_Z_2TX
Setting 23
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4278G	41.86	54.00	-12.14	16.30	3	V	73	2.14	-
PK	11.41496G	55.37	74.00	-18.63	16.28	3	V	73	2.14	-



802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz_TX




20170831
EUT_Z_2TX
Setting 23
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42072G	41.83	54.00	-12.17	16.29	3	H	276	1.25	-
PK	11.41616G	55.40	74.00	-18.60	16.28	3	H	276	1.25	-



802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX




20170831
EUT_Z_2TX
Setting 15
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1348G	46.35	54.00	-7.65	9.00	3	V	257	1.39	-
AV	5.3044G	81.31	Inf	-Inf	9.36	3	V	257	1.39	-
AV	5.3636G	47.06	54.00	-6.94	9.46	3	V	257	1.39	-
PK	5.1292G	58.57	74.00	-15.43	8.98	3	V	257	1.39	-
PK	5.3044G	91.33	Inf	-Inf	9.36	3	V	257	1.39	-
PK	5.37G	59.17	74.00	-14.83	9.47	3	V	257	1.39	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX




20170831
 EUT_Z_2TX
 Setting 15
 02-J-6-10
 FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	46.77	54.00	-7.23	9.03	3	H	98	1.07	-
AV	5.3044G	92.46	Inf	-Inf	9.36	3	H	98	1.07	-
AV	5.3508G	53.76	54.00	-0.24	9.44	3	H	98	1.07	-
PK	5.1268G	58.91	74.00	-15.09	8.98	3	H	98	1.07	-
PK	5.3076G	102.06	Inf	-Inf	9.36	3	H	98	1.07	-
PK	5.350005G	67.49	74.00	-6.51	9.44	3	H	98	1.07	-



802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX




20170831
EUT_Z_2TX
Setting 15
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.87314G	42.24	54.00	-11.76	17.31	3	V	318	1.33	-
PK	15.87108G	55.28	74.00	-18.72	17.31	3	V	318	1.33	-




802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX




20170831
EUT_Z_2TX
Setting 15
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.87384G	42.37	54.00	-11.63	17.30	3	H	7	2.00	-
PK	15.86876G	55.45	74.00	-18.55	17.31	3	H	7	2.00	-

**802.11ac VHT80_Nss1,(MCS0)_2TX****5530MHz_TX**

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	47.76	54.00	-6.24	9.68	3	V	237	1.33	-
AV	5.538G	83.42	Inf	-Inf	9.82	3	V	237	1.33	-
PK	5.455G	59.61	74.00	-14.39	9.67	3	V	237	1.33	-
PK	5.461G	59.19	68.20	-9.01	9.68	3	V	237	1.33	-
PK	5.538G	92.66	Inf	-Inf	9.82	3	V	237	1.33	-
PK	5.741G	59.39	68.20	-8.81	9.91	3	V	237	1.33	-

**802.11ac VHT80_Nss1,(MCS0)_2TX****5530MHz_TX**


20170831
EUT_Z_TX
Setting 16.5
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	53.67	54.00	-0.33	9.68	3	H	243	1.25	-
AV	5.535G	93.21	Inf	-Inf	9.82	3	H	243	1.25	-
PK	5.453G	65.46	74.00	-8.54	9.66	3	H	243	1.25	-
PK	5.468G	67.05	68.20	-1.15	9.70	3	H	243	1.25	-
PK	5.533G	102.61	Inf	-Inf	9.82	3	H	243	1.25	-
PK	5.757G	59.16	68.20	-9.04	9.91	3	H	243	1.25	-



802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX




20170831
EUT_Z_2TX
Setting 16.5
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.05786G	41.08	54.00	-12.92	15.89	3	V	299	1.21	-
PK	11.06033G	54.35	74.00	-19.65	15.90	3	V	299	1.21	-




802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX




20170831
EUT_Z_2TX
Setting 16.5
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06142G	41.07	54.00	-12.93	15.90	3	H	243	1.71	-
PK	11.05963G	54.74	74.00	-19.26	15.89	3	H	243	1.71	-

**802.11ac VHT80_Nss1,(MCS0)_2TX****5610MHz_TX**

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.452G	46.87	54.00	-7.13	9.66	3	V	157	1.37	-
AV	5.594G	86.44	Inf	-Inf	9.87	3	V	157	1.37	-
PK	5.409G	58.27	74.00	-15.73	9.54	3	V	157	1.37	-
PK	5.467G	58.73	68.20	-9.47	9.70	3	V	157	1.37	-
PK	5.594G	95.80	Inf	-Inf	9.87	3	V	157	1.37	-
PK	5.727G	60.59	68.20	-7.61	9.91	3	V	157	1.37	-

**802.11ac VHT80_Nss1,(MCS0)_2TX****5610MHz_TX**


20170831
EUT_Z_2TX
Setting 19.5
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.451G	50.80	54.00	-3.20	9.66	3	H	252	1.08	-
AV	5.593G	95.50	Inf	-Inf	9.87	3	H	252	1.08	-
PK	5.446G	66.53	74.00	-7.47	9.64	3	H	252	1.08	-
PK	5.468G	65.81	68.20	-2.39	9.70	3	H	252	1.08	-
PK	5.634G	105.57	Inf	-Inf	9.89	3	H	252	1.08	-
PK	5.728G	68.04	68.20	-0.16	9.91	3	H	252	1.08	-



802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX




20170831
EUT_Z_2TX
Setting 19.5
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22103G	41.16	54.00	-12.84	16.07	3	V	166	1.37	-
PK	11.22062G	53.98	74.00	-20.02	16.07	3	V	166	1.37	-




802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX




20170831
EUT_Z_2TX
Setting 19.5
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.21755G	41.00	54.00	-13.00	16.07	3	H	355	1.62	-
PK	11.22214G	54.45	74.00	-19.55	16.07	3	H	355	1.62	-

**802.11ac VHT80_Nss1,(MCS0)_2TX****5690MHz Straddle 5.47-5.725GHz_TX**

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.438G	47.26	54.00	-6.74	9.62	3	V	179	2.74	-
AV	5.6936G	88.20	Inf	-Inf	9.90	3	V	179	2.74	-
PK	5.4524G	59.98	74.00	-14.02	9.66	3	V	179	2.74	-
PK	5.4668G	58.83	68.20	-9.37	9.70	3	V	179	2.74	-
PK	5.6948G	98.81	Inf	-Inf	9.90	3	V	179	2.74	-
PK	5.978G	60.04	68.20	-8.16	10.17	3	V	179	2.74	-


**802.11ac VHT80_Nss1,(MCS0)_2TX****5690MHz Straddle 5.47-5.725GHz_TX**

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4488G	52.58	54.00	-1.42	9.65	3	H	272	1.19	-
AV	5.672G	99.21	Inf	-Inf	9.89	3	H	272	1.19	-
PK	5.4536G	66.93	74.00	-7.07	9.66	3	H	272	1.19	-
PK	5.4668G	67.56	68.20	-0.64	9.70	3	H	272	1.19	-
PK	5.7128G	109.75	Inf	-Inf	9.90	3	H	272	1.19	-
PK	5.9336G	67.71	68.20	-0.49	10.11	3	H	272	1.19	-



802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




20170831
EUT_Z_2TX
Setting 23
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38022G	41.63	54.00	-12.37	16.24	3	V	290	1.53	-
PK	11.38092G	54.53	74.00	-19.47	16.25	3	V	290	1.53	-



802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




20170831
EUT_Z_2TX
Setting 23
02-J-6
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3783G	41.65	54.00	-12.35	16.24	3	H	107	1.29	-
PK	11.37928G	56.10	74.00	-17.90	16.24	3	H	107	1.29	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	46.34	54.00	-7.66	9.03	3	V	343	2.74	-
AV	5.2618G	94.07	Inf	-Inf	9.28	3	V	343	2.74	-
AV	5.3878G	46.55	54.00	-7.45	9.50	3	V	343	2.74	-
PK	5.1178G	59.17	74.00	-14.83	8.95	3	V	343	2.74	-
PK	5.2612G	105.40	Inf	-Inf	9.28	3	V	343	2.74	-
PK	5.3752G	59.11	74.00	-14.89	9.48	3	V	343	2.74	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




20170831
 EUT_Z_2TX
 Setting 21 (Max setting)
 02-J-6-10
 FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1202G	46.66	54.00	-7.34	8.96	3	H	67	1.03	-
AV	5.2654G	101.37	Inf	-Inf	9.28	3	H	67	1.03	-
AV	5.3764G	47.10	54.00	-6.90	9.48	3	H	67	1.03	-
PK	5.149G	58.78	74.00	-15.22	9.03	3	H	67	1.03	-
PK	5.2564G	111.87	Inf	-Inf	9.27	3	H	67	1.03	-
PK	5.3512G	59.15	74.00	-14.85	9.44	3	H	67	1.03	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




20170831
EUT_Z_2TX
Setting 21 (Max setting)
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.7728G	42.83	54.00	-11.17	17.52	3	V	116	2.01	-
PK	15.77872G	55.87	74.00	-18.13	17.51	3	V	116	2.01	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




20170831
EUT_Z_2TX
Setting 21 (Max setting)
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.77652G	42.95	54.00	-11.05	17.51	3	H	148	2.15	-
PK	15.78748G	55.87	74.00	-18.13	17.49	3	H	148	2.15	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3044G	92.20	Inf	-Inf	9.36	3	V	158	2.73	-
AV	5.354G	46.65	54.00	-7.35	9.44	3	V	158	2.73	-
PK	5.2948G	103.84	Inf	-Inf	9.34	3	V	158	2.73	-
PK	5.3856G	59.34	74.00	-14.66	9.50	3	V	158	2.73	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




20170831
EUT_Z_2TX
Setting 21 (Max setting)
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2972G	101.40	Inf	-Inf	9.34	3	H	260	1.29	-
AV	5.368G	46.97	54.00	-7.03	9.47	3	H	260	1.29	-
PK	5.2976G	112.45	Inf	-Inf	9.35	3	H	260	1.29	-
PK	5.3528G	59.89	74.00	-14.11	9.44	3	H	260	1.29	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




20170831
EUT_Z_2TX
Setting 21 (Max setting)
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.89868G	42.63	54.00	-11.37	17.25	3	V	11	2.09	-
PK	15.90512G	56.50	74.00	-17.50	17.24	3	V	11	2.09	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.89164G	42.63	54.00	-11.37	17.27	3	H	197	2.21	-
PK	15.90884G	55.77	74.00	-18.23	17.23	3	H	197	2.21	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




20170831
EUT_Z_2TX
Setting 20
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3164G	93.11	Inf	-Inf	9.38	3	V	204	2.77	-
AV	5.3508G	47.42	54.00	-6.58	9.44	3	V	204	2.77	-
PK	5.3172G	104.31	Inf	-Inf	9.38	3	V	204	2.77	-
PK	5.3536G	60.65	74.00	-13.35	9.44	3	V	204	2.77	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.324G	100.75	Inf	-Inf	9.39	3	H	65	1.02	-
AV	5.3504G	52.55	54.00	-1.45	9.44	3	H	65	1.02	-
PK	5.3236G	112.46	Inf	-Inf	9.39	3	H	65	1.02	-
PK	5.35005G	67.74	74.00	-6.26	9.44	3	H	65	1.02	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




20170831
EUT_Z_2TX
Setting 20
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.96124G	42.27	54.00	-11.73	17.11	3	V	2	1.00	-
PK	15.95788G	56.28	74.00	-17.72	17.12	3	V	2	1.00	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




20170831
EUT_Z_2TX
Setting 20
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.9566G	42.41	54.00	-11.59	17.12	3	H	206	1.26	-
PK	15.96948G	55.68	74.00	-18.32	17.10	3	H	206	1.26	-


802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX



20170831
EUT_Z_2TX
Setting 21 (Max setting)
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4512G	46.84	54.00	-7.16	9.66	3	V	0	2.79	-
AV	5.4696G	48.29	54.00	-5.71	9.71	3	V	0	2.79	-
AV	5.498G	93.86	Inf	-Inf	9.78	3	V	0	2.79	-
PK	5.4392G	59.83	74.00	-14.17	9.63	3	V	0	2.79	-
PK	5.4688G	63.26	74.00	-10.74	9.71	3	V	0	2.79	-
PK	5.4976G	105.58	Inf	-Inf	9.78	3	V	0	2.79	-


**802.11ac VHT20-BF_Nss1,(MCS0)_2TX****5500MHz_TX**

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	47.59	54.00	-6.41	9.68	3	H	233	1.01	-
AV	5.4696G	52.51	54.00	-1.49	9.71	3	H	233	1.01	-
AV	5.5036G	100.90	Inf	-Inf	9.79	3	H	233	1.01	-
PK	5.4588G	60.05	74.00	-13.95	9.68	3	H	233	1.01	-
PK	5.4696G	68.84	74.00	-5.16	9.71	3	H	233	1.01	-
PK	5.5028G	113.29	Inf	-Inf	9.79	3	H	233	1.01	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00856G	41.30	54.00	-12.70	15.84	3	V	82	1.85	-
PK	10.99272G	54.51	74.00	-19.49	15.83	3	V	82	1.85	-




802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX



20170831
EUT_Z_2TX
Setting 21 (Max setting)
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.99432G	41.36	54.00	-12.64	15.83	3	H	326	1.34	-
PK	10.99096G	54.88	74.00	-19.12	15.83	3	H	326	1.34	-


**802.11ac VHT20-BF_Nss1,(MCS0)_2TX****5580MHz_TX**

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4416G	46.81	54.00	-7.19	9.63	3	V	134	1.51	-
AV	5.5792G	90.73	Inf	-Inf	9.86	3	V	134	1.51	-
PK	5.4472G	59.35	74.00	-14.65	9.65	3	V	134	1.51	-
PK	5.4616G	58.03	68.20	-10.17	9.69	3	V	134	1.51	-
PK	5.5816G	100.60	Inf	-Inf	9.86	3	V	134	1.51	-
PK	5.7528G	59.37	68.20	-8.83	9.91	3	V	134	1.51	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




20170831
EUT_Z_2TX
Setting 21 (Max setting)
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.424G	47.29	54.00	-6.71	9.58	3	H	251	1.00	-
AV	5.5872G	101.17	Inf	-Inf	9.87	3	H	251	1.00	-
PK	5.4176G	59.39	74.00	-14.61	9.57	3	H	251	1.00	-
PK	5.468G	58.21	68.20	-9.99	9.70	3	H	251	1.00	-
PK	5.5776G	111.89	Inf	-Inf	9.86	3	H	251	1.00	-
PK	5.7792G	59.75	68.20	-8.45	9.92	3	H	251	1.00	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




20170831
EUT_Z_2TX
Setting 21 (Max setting)
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.15824G	41.32	54.00	-12.68	16.00	3	V	243	2.36	-
PK	11.15572G	54.79	74.00	-19.21	16.00	3	V	243	2.36	-



802.11ac VHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX



20170831
EUT_Z_2TX
Setting 21 (Max setting)
02-J-6-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16464G	41.26	54.00	-12.74	16.01	3	H	6	1.14	-
PK	11.15036G	54.85	74.00	-19.15	15.99	3	H	6	1.14	-