

TEST REPORT

For

144/430MHz DUAL BAND FM TRANSCEIVER

In conformity with

FCC CFR 47 Part15 Subpart B (CSR)

Model : FTM-150R

FCC ID : K6620865X50

Test Item : 144/430MHz DUAL BAND FM TRANSCEIVER

Report No. : WE240205BB1-12

Issue Date : 5 Jul. 2024

Prepared for

YAESU MUSEN CO., LTD.

Omori Bell port D building 3F, 6-26-3 Minamioi, Shinagawa-ku,
Tokyo 140-0013 Japan

Prepared by

SGS Japan Inc.

3-5-23, Kiyatamata, Tsuzuki-ku, Yokohama, 224-0021, Japan

Telephone: +81+(0)50-1780-7880

FAX: +81+(0)45-592-7506

This document is issued by the Company subject to its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only for the tested sample(s). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は、<https://www.sgs.com/en/Terms-and-Conditions.aspx> で入手が可能なサービスに関する一般的条件に則して発行されます。そこらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご参照ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講ずることとなります。

Table of contents

1	General information.....	3
1.1	Product description from supplier.....	3
1.2	Test(s) performed/ Summary of test result.....	4
1.3	Test facility	5
1.4	Measurement uncertainty.....	5
1.5	Summary of test results.....	6
1.6	Setup of equipment under test (EUT)	6
1.6.1	Test configuration of EUT	6
1.6.2	Operating condition:	6
1.6.3	Setup diagram of tested system.....	7
1.7	Equipment modifications.....	7
1.8	Deviation from the standard.....	7
2	Test procedure and test data	8
2.1	Radiated emissions	8
2.2	Conducted emissions for receiver	13
2.3	AC power line conducted emissions.....	15
3	Test setup photographs	17
3.1	Radiated emissions	17
3.2	AC power line conducted emissions.....	18
3.3	RF Conducted test.....	18
4	List of utilized test equipment / calibration	19

History

Report No.	Date	Revisions	Issued By
WE240205BB1-11	18 Apr. 2024	Initial Issue	K. Onishi
WE240205BB1-12	5 Jul. 2024	Change Model number (FTM-450R->FTM-150R)	K. Onishi

This document is issued by the Company subject to its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only for the tested sample(s). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は、<https://www.sgs.com/en/Terms-and-Conditions.aspx> で入手が可能なサービスに関する一般的条件に則して発行されます。そこらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご参照ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

1 General information

1.1 Product description from supplier

Test item	: 144/430MHz DUAL BAND FM TRANSCEIVER
Manufacturer	: YAESU MUSEN CO., LTD.
Address	: 43 Utsuroda, Morijuku, Sukagawa-shi, Fukushima-ken 962-0001 JAPAN
Model	: FTM-150R
FCC ID	: K6620865X50
Serial number	: SPP01
Hardware version	: SPP
Software version	: 95.10
Operating frequency range	: 108.000 - 550.000 MHz
Highest internal operating Freq.	: 550 MHz
Receipt date of EUT	: 28 Feb. 2024
Nominal power source voltages	: DC 13.8 V (Battery)

This document is issued by the Company subject to its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only for the tested sample(s). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は、<https://www.sgs.com/en/Terms-and-Conditions.aspx> で入手が可能なサービスに関する一般的条件に則して発行されます。そこらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご参照ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

1.2 Test(s) performed/ Summary of test result

Test specification(s) : FCC CFR 47 Part 15 Subpart B
Test method(s) : ANSI C63.4: 2014
Test(s) started : 12 Apr. 2024
Test(s) completed : 12 Apr. 2024
Purpose of test(s) : Certification as the scanning receiver

Summary of test result : Complied

Note: The above judgment is only based on the measurement data, and it does not include the measurement uncertainty. Accordingly, the statement below is applied to the test result.


The EUT complies with the limit required in the standard in case that the margin is not less than the measurement uncertainty in the Laboratory.

Compliance of the EUT is more probable than non-compliance is case that the margin is less than the measurement uncertainty in the Laboratory.

Test engineer

: 
K. Onishi
(Test Engineer, C&P Connectivity EMC Laboratory)

Reviewer

: 
Y. Taki
(Manager, C&P Connectivity Wireless)

This document is issued by the Company subject to its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only for the tested sample(s). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は、<https://www.sgs.com/en/Terms-and-Conditions.aspx> で入手が可能なサービスに関する一般的条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご参照ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

1.3 Test facility

The Federal Communications Commission has reviewed the technical characteristics of the test facilities at SGS Japan Inc., located in 3-5-23, Kitayamata, Tsuzuki-ku, Yokohama, 224-0021, Japan, and has found these test facilities to be in compliance with the requirements of 47 CFR Part 15, section 2.948.

The description of the test facilities has been filed under registration number 319924 at the Office of the Federal Communications Commission. The facility has been added to the list of laboratories performing these test services for the public on a fee basis.

The list of all public test facilities is available on the Internet at <http://www.fcc.gov>.

Registered by Innovation, Science and Economic Development Canada (ISED):
The registered CAB identifier is JP0009.

Accredited by **National Voluntary Laboratory Accreditation Program (NVLAP)** for the emission tests stated in the scope of the certificate under Certificate Number 200780-0

This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.



1.4 Measurement uncertainty

The treatment of uncertainty is based on the general matters on the definition of uncertainty in “Guide to the expression of uncertainty in measurement (GUM)” published by ISO. The Lab’s uncertainty is determined by referring UKAS Publication LAB34: 2002 “The Expression of Uncertainty in EMC Testing” and CISPR16-4-2: 2011 “Uncertainty in EMC Measurements”.

The uncertainty of the measurement results in the level of confidence of approximately 95% (k=2) is as follows.

AC conducted emission (150 kHz - 30 MHz)	: ± 3.3 dB
RF conducted emission (30 MHz - 6 GHz)	: ± 1.3 dB
Radiated emission (30 MHz - 1000 MHz)	: ± 5.9 dB
Radiated emission (1 GHz - 6 GHz)	: ± 4.0 dB

This document is issued by the Company subject to its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only for the tested sample(s). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は、<https://www.sgs.com/en/Terms-and-Conditions.aspx> で入手が可能なサービスに関する一般的条件に則して発行されます。そこに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご参照ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講ずることとなります。

1.5 Summary of test results

Requirement	Section in specification	Result	Section in this report
Radiated emissions (30 to 2750 MHz) (*1)	15.109	Complied	2.1
Conducted emission for receiver	15.111	Complied	2.2
AC power line conducted emissions	15.107	N/A (*2)	2.3
38 dB Rejection (cellular band)	15.121 (b)	N/A (*3)	-

- (*1) The highest internal operating frequency is 550 MHz
(*2) The EUT is powered by the car battery.
(*3) This item was not tested in this report.

1.6 Setup of equipment under test (EUT)

1.6.1 Test configuration of EUT

Equipment(s) under test

No.	Item	Model No.	Manufacture	Serial No.
1	144/430MHz DUAL BAND FM TRANSCEIVER	FTM-150R	YAESU MUSEN CO., LTD.	SPP01
-	-	-	-	-

Support Equipment(s)

No.	Item	Model No.	Manufacture	Serial No.
2	DTMF Microphone	SSM-85D	YAESU MUSEN CO., LTD.	-
3	External Speaker	MLS-100	YAESU MUSEN CO., LTD.	-
-	-	-	-	-

Connected cable(s)

No.	Item	From	To	Length [m]	Cable Shielded	Ferrite Core
A	Speaker cable	1	2	1.9	No	No
B	Mic cable	1	3	0.5	No	No
C	DC cable	1	DC	2.8	No	No
-	-	-	-	-	-	-


1.6.2 Operating condition:

- Receiving mode at Lch (108.000MHz)
- Receiving mode at Mch (329.000MHz)
- Receiving mode at Hch (550.000MHz)

This document is issued by the Company subject to its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only for the tested sample(s). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は、<https://www.sgs.com/en/Terms-and-Conditions.aspx> で入手が可能なサービスに関する一般的条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご参照ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

1.6.3 Setup diagram of tested system



1.7 Equipment modifications

No modifications have been made to the equipment to achieve compliance with the applicable standards described in clause 1.2.

1.8 Deviation from the standard

No deviations from the standards described in clause 1.2.

This document is issued by the Company subject to its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only for the tested sample(s). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は、<https://www.sgs.com/en/Terms-and-Conditions.aspx> で入手が可能なサービスに関する一般的条件に則して発行されます。そこらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご参照ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

2 Test procedure and test data

2.1 Radiated emissions

Test setup

Test setup was implemented according to the method of ANSI C63.4 clause 6 “General requirements for EUT equipment arrangements and operation”, clause 8.2 and Annex H.3 “Radiated emission measurements setup”.

Test procedure

Measurement procedures were implemented according to the method of ANSI C63.4 clauses 8.2.

The EUT is placed on a non-conducted table which is 0.8 m height from a ground plane and the measurement antenna to EUT distance is 3 meters. The turn table is rotated for 360 degrees to determine the maximum emission level.

The antenna height scanned between 1 m and 4 m, and the antenna rotated to repeat the measurements for both the horizontal and vertical antenna polarizations.

The spectrum analyzer and receiver are set to the followings;

RBW=100 kHz (up to 1000 MHz) or 1 MHz (above 1000 MHz),

VBW= 300 kHz (up to 1000 MHz) or 3 MHz (above 1000 MHz)

Final measurement is carried out with a receiver RBW of 120 kHz (up to 1000 MHz), or 1 MHz (above 1000 MHz).

Applicable rule and limitation

FCC 15.109 Radiated emissions limits

Frequency [MHz]	Field Strength [$\mu\text{V/m}$]	Measurement Distance [m]	Field Strength [$\text{dB}\mu\text{V/m}$]
30 – 88	100	3	40.0
88 – 216	150	3	43.5
216 – 960	200	3	46.0
Above 960	500	3	53.9

In the emission table above, the tighter limit applies at the band edges.

The emission limits shown in the above table are based on measurements employing a QP detector (up to 1000 MHz) or AVE/PEAK detector (above 1000 MHz).

Test results - Complied with requirement

Test equipment used (refer to List of utilized test equipment)

AC11(EM)	AC11(EG)	BA10	CL71	CL35	CL36	CL80
DH07	PR15	PR16	TR10	-	-	-

This document is issued by the Company subject to its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only for the tested sample(s). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は、<https://www.sgs.com/en/Terms-and-Conditions.aspx> で入手が可能なサービスに関する一般条件に則して発行されます。そこらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご参照ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講ずることとなります。

Test software used
EMI1 Ver. 6.1

Calculation method

The Correction Factor and Result are calculated as followings.

$$\begin{aligned}\text{Correction Factor [dB/m]} &= \text{Ant. Factor [dB/m]} + \text{Loss [dB]} - \text{Gain [dB]} \\ \text{Result [dB}\mu\text{V/m]} &= \text{Reading [dB}\mu\text{V]} + \text{Correction Factor [dB/m]}\end{aligned}$$

Test Data

Operating mode: Rx 108.000 MHz

Range: 30 - 1000 MHz

No.	Frequency [MHz]	Reading [dB μ V]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dB μ V/m]	Limit [dB μ V/m]	Margin [dB]	Ant.
1	374.150	40.9	14.8	7.9	29.9	33.7	46.0	12.3	Hori.
2	823.750	34.9	22.2	9.1	30.4	35.8	46.0	10.2	Hori.
3	988.500	32.4	24.5	9.4	30.1	36.2	53.9	17.7	Hori.
4	438.426	21.2	16.6	8.1	29.8	16.1	46.0	29.9	Vert.
5	823.750	30.7	22.2	9.1	30.4	31.6	46.0	14.4	Vert.
6	988.500	36.6	24.5	9.4	30.1	40.4	53.9	13.5	Vert.

Range: 1000 - 2750 MHz

No.	Frequency [MHz]	Reading PK [dB μ V]	Reading AVE [dB μ V]	C.Factor [dB/m]	Result PK [dB μ V/m]	Result AVE [dB μ V/m]	Limit PK [dB μ V/m]	Limit AVE [dB μ V/m]	Margin PK [dB]	Margin AVE [dB]	Ant.
1	1812.249	52.0	47.6	-5.8	46.2	41.8	73.9	53.9	27.7	12.1	Hori.
2	1977.000	51.2	46.5	-4.4	46.8	42.1	73.9	53.9	27.1	11.8	Hori.
3	2619.052	48.9	42.5	-1.0	47.9	41.5	73.9	53.9	26.0	12.4	Hori.
4	1812.248	51.0	44.8	-5.8	45.2	39.0	73.9	53.9	28.7	14.9	Vert.
5	1977.000	50.3	44.4	-4.4	45.9	40.0	73.9	53.9	28.0	13.9	Vert.
6	2619.054	48.4	41.1	-1.0	47.4	40.1	73.9	53.9	26.5	13.8	Vert.

This document is issued by the Company subject to its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only for the tested sample(s). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は、<https://www.sgs.com/en/Terms-and-Conditions.aspx> で入手が可能なサービスに関する一般的条件に則して発行されます。そこに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご参照ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講ずることとなります。

Operating mode: Rx 329.000 MHz

Range: 30 - 1000 MHz

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	30.000	21.4	18.9	6.3	30.3	16.3	40.0	23.7	Hori.
2	374.150	41.1	14.8	7.9	29.9	33.9	46.0	12.1	Hori.
3	959.555	21.8	25.2	9.3	30.2	26.1	46.0	19.9	Hori.
4	771.500	34.2	22.3	8.8	30.2	35.1	46.0	10.9	Vert.
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-

Range: 1000 - 2750 MHz

No.	Frequency [MHz]	Reading PK [dBμV]	Reading AVE [dBμV]	C.Factor [dB/m]	Result PK [dBμV/m]	Result AVE [dBμV/m]	Limit PK [dBμV/m]	Limit AVE [dBμV/m]	Margin PK [dB]	Margin AVE [dB]	Ant.
1	1157.249	55.6	53.2	-6.9	48.7	46.3	73.9	53.9	25.2	7.6	Hori.
2	1928.749	55.7	53.0	-5.0	50.7	48.0	73.9	53.9	23.2	5.9	Hori.
3	2619.051	49.0	42.4	-1.0	48.0	41.4	73.9	53.9	25.9	12.5	Hori.
4	1157.251	59.6	58.0	-6.9	52.7	51.1	73.9	53.9	21.2	2.8	Vert.
5	1928.754	54.7	52.0	-5.0	49.7	47.0	73.9	53.9	24.2	6.9	Vert.
6	2619.042	48.3	40.7	-1.0	47.3	39.7	73.9	53.9	26.6	14.2	Vert.

This document is issued by the Company subject to its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only for the tested sample(s). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は、<https://www.sgs.com/en/Terms-and-Conditions.aspx> で入手が可能なサービスに関する一般的条件に則して発行されます。そこらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご参照ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Operating mode: Rx 550.000 MHz

Range: 30 - 1000 MHz

No.	Frequency [MHz]	Reading [dBμV]	Factor [dB/m]	Loss [dB]	Gain [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Ant.
1	30.970	21.5	18.3	6.3	30.3	15.8	40.0	24.2	Hori.
2	374.150	41.1	14.8	7.9	29.9	33.9	46.0	12.1	Hori.
3	493.250	40.9	17.8	8.2	29.6	37.3	46.0	8.7	Hori.
4	986.500	36.2	24.6	9.4	30.1	40.1	53.9	13.8	Hori.
5	493.250	36.8	17.8	8.2	29.6	33.2	46.0	12.8	Vert.
6	986.500	40.4	24.6	9.4	30.1	44.3	53.9	9.6	Vert.

Range: 1000 - 2750 MHz



No.	Frequency [MHz]	Reading PK [dBμV]	Reading AVE [dBμV]	C.Factor [dB/m]	Result PK [dBμV/m]	Result AVE [dBμV/m]	Limit PK [dBμV/m]	Limit AVE [dBμV/m]	Margin PK [dB]	Margin AVE [dB]	Ant.
1	1479.749	57.5	55.4	-6.7	50.8	48.7	73.9	53.9	23.1	5.2	Hori.
2	1973.002	52.0	47.8	-4.6	47.4	43.2	73.9	53.9	26.5	10.7	Hori.
3	2619.053	48.9	42.4	-1.0	47.9	41.4	73.9	53.9	26.0	12.5	Hori.
4	1479.750	55.6	52.9	-6.7	48.9	46.2	73.9	53.9	25.0	7.7	Vert.
5	1973.000	51.2	46.2	-4.6	46.6	41.6	73.9	53.9	27.3	12.3	Vert.
6	2619.049	48.1	41.1	-1.0	47.1	40.1	73.9	53.9	26.8	13.8	Vert.

This document is issued by the Company subject to its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only for the tested sample(s). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は、<https://www.sgs.com/en/Terms-and-Conditions.aspx> で入手が可能なサービスに関する一般的条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご参照ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

[Chart (Worst)]

Operating condition: Rx 329.000 MHz



[Test condition]

Tested Date: 12 Apr. 2024
Humidity: 47 %


Temperature: 20 deg. C
Atmos. Press: 1018 hPa

This document is issued by the Company subject to its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only for the tested sample(s). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は、<https://www.sgs.com/en/Terms-and-Conditions.aspx> で入手が可能なサービスに関する一般的条件に則して発行されます。そこらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご参照ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講ずることとなります。

2.2 Conducted emissions for receiver

Test setup



Applicable rule and limitation

§15.111 (b) Antenna power conducted limit: 2 nW (= -57 dBm)

Test equipment used (refer to List of utilized test equipment)

CL35	CL36	CL71	CL80	TR10	-
------	------	------	------	------	---

Test results - Complied with requirement

Test Data

[The maximum spurious level]

Operating freq. [MHz]	Frequency range 30 - 1000 MHz		Frequency range 1000 - 2750 MHz	
	Freq. [MHz]	Level [dBm]	Freq. [MHz]	Level [dBm]
108.000	374.140	-66.2	1870.626	-64.7
329.000	374.139	-66.4	1870.626	-64.6
550.000	374.090	-66.6	1870.626	-65.1

[Test condition]

Tested Date: 12 Apr. 2024
Humidity: 47 %



Temperature: 20 deg. C
Atmos. Press: 1018 hPa

This document is issued by the Company subject to its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only for the tested sample(s). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は、<https://www.sgs.com/en/Terms-and-Conditions.aspx> で入手が可能なサービスに関する一般的条件に則して発行されます。そこらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご参照ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講ずることとなります。

[Chart]

Operating mode: Rx 329.000 MHz (Worst)



This document is issued by the Company subject to its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only for the tested sample(s). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は、<https://www.sgs.com/en/Terms-and-Conditions.aspx> で入手が可能なサービスに関する一般的条件に則して発行されます。そこらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご参照ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

2.3 AC power line conducted emissions

Test setup

Test setup was implemented according to the method of ANSI C63.4 clause 6 “General requirements for EUT equipment arrangements and operation” and Annex H.1 “AC power line conducted emission measurements setup”.

Test procedure

Measurement procedures were implemented according to the method of ANSI C63.4 clauses 7, clause 13.1.3 and Annex H.2 “AC power line conducted emission measurements”.

Exploratory measurements were used the spectrum analyzer to identify the frequency of the emission that has the highest amplitude relative to the limit by operating the EUT in a range of typical modes of operation, cable positions, and with a typical system equipment configuration and arrangement.

Final ac power line conducted emission measurements were performed based on the exploratory tests.

The EUT cable configuration and arrangement and mode of operation that produced the emission with the highest amplitude relative to the limit are selected for the final measurement.

When the measurement value is greater than average limitation the average detection measurements were performed.

Applicable rule and limitation

§15.107 (b) AC power line conducted limits

Frequency of Emission [MHz]	Conducted emissions Limit [dBμV]	
	Quasi-peak	Average
0.15 - 0.5	66 to 56 *	56 to 46 *
0.5 - 5	56	46
5 - 30	60	50

* Decreases with the logarithm of the frequency. The lower limit applies at the band edges.

Test equipment used (refer to List of utilized test equipment)

-	-	-	-
---	---	---	---

Test software used

EMI1 Ver. 6.1

Calculation method

The Correction Factor and Result are calculated as followings.

Correction Factor [dB] = ISN Factor [dB] + Loss [dB]

Result [dBμV] = Reading [dBμV] + Correction Factor [dB]

Test results - *This item was not tested.*

This document is issued by the Company subject to its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only for the tested sample(s). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は、<https://www.sgs.com/en/Terms-and-Conditions.aspx> で入手が可能なサービスに関する一般的条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご参照ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

Test Data

[Emission level]

Operating mode: -

	Freq. [MHz]	Reading QP [dBμV]	Reading Ave [dBμV]	Factor [dB]	Result QP [dBμV]	Result Ave [dBμV]	Limit QP [dBμV]	Limit Ave [dBμV]	Margin QP [dB]	Margin Ave [dB]	Line

[Chart]

Operating mode: -

[Test condition]

Tested Date: -
Humidity: - %Temperature: - deg. C
Atmos. Press: - hPa

This document is issued by the Company subject to its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only for the tested sample(s). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は、<https://www.sgs.com/en/Terms-and-Conditions.aspx> で入手が可能なサービスに関する一般的条件に則して発行されます。そこらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご参照ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講じることとなります。

4 List of utilized test equipment / calibration

RFT ID No.	Kind of Equipment and Precision	Manufacturer	Model No.	Serial Number	Calibration Date	Calibrated until
AC11(EM)	Anechoic Chamber	TDK	-	-	2023/08/03	2024/08/31
AC11(EG)	Anechoic Chamber	TDK	-	-	2023/07/29	2024/07/31
BA10	Biological Antenna	TESEQ	CBL6111D	32342	2023/06/21	2024/06/30
CL35	RF Cable 2 m	Junkosha	MWX221	1502S020	2024/02/16	2025/02/28
CL36	RF Cable 2 m	Junkosha	MWX221	1502S021	2024/02/16	2025/02/28
CL80	RF Cable 8 m	HUBER&SUHNER	SUCOFLEX104PE	MY3792/4PE	2024/02/16	2025/02/28
CL71	RF Cable for RE	RFT	-	-	2024/01/17	2025/01/31
DH07	DRG Horn Antenna	A.H. Systems	SAS-571	1939	2024/02/08	2026/02/28
PR15	Pre. Amplifier	Anritsu	MH648A	6201156141	2023/06/21	2024/06/30
PR16	Pre. Amplifier (1-26G)	Agilent Technologies	8449B	3008A01538	2024/02/16	2025/02/28
TR10	Test Receiver (F/W : 3.66)	Rohde & Schwarz	ESR26	101313	2023/05/18	2024/05/31

The measuring equipment, which was utilized in performing the tests documented herein, has been calibrated in accordance with the manufacturer's recommendations for utilizing calibration equipment, which is traceable to recognized national standards.

This document is issued by the Company subject to its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Unless otherwise stated the results shown in this Test Report refer only for the tested sample(s). Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

この試験報告書は、<https://www.sgs.com/en/Terms-and-Conditions.aspx> で入手が可能なサービスに関する一般的条件に則して発行されます。そちらに明記されている弊社の負うべき債務・補償の範囲及び司法管轄の項目をご参照ください。他に特に明記のない限り、この試験報告書に記載された結果は、試験したサンプルのみに属します。この書面全体の複製以外には、弊社からの事前の許可を得ること無く複製することを禁じます。この試験報告書を無断で変更、偽造、改ざんすることは違法であり、違反者に対しては法的手段を講ずることとなります。